```
unit Unit1;
                                             procedure
interface
                                             TForm1.Button1Click(Sender: TObject);
                                             begin
                                             Form1.Hide:
uses
                                             Form2.Show;
 Winapi. Windows, Winapi. Messages,
System.SysUtils, System.Variants,
System. Classes, Vcl. Graphics,
                                             end:
 Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
Vcl.Imaging.jpeg, Vcl.ExtCtrls,
                                             procedure
 Vcl.StdCtrls:
                                             TForm1.Button2Click(Sender: TObject);
                                             begin
                                             Form1.Hide:
type
 TForm1 = class(TForm)
                                             Form4.Show:
  Image1: TImage;
                                             end;
  Label1: TLabel:
  Timer1: TTimer;
                                             procedure
  Label2: TLabel;
                                             TForm1.Timer1Timer(Sender: TObject);
  procedure Button1Click(Sender:
                                             begin
                                             Form7.Show();
TObject);
  procedure Button2Click(Sender:
                                             Timer1.Enabled:=False;
TObject);
                                             Form1.Hide:
  procedure Timer1Timer(Sender:
                                             end:
TObject);
                                             end.
 private
  { Private declarations }
                                             unit Unit2;
 public
  { Public declarations }
 end:
                                             interface
var
                                             uses
 Form1: TForm1;
                                              Winapi. Windows, Winapi. Messages,
                                             System.SysUtils, System.Variants,
implementation
                                             System. Classes, Vcl. Graphics,
                                              Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
{$R *.dfm}
                                             Vcl.ExtCtrls, Vcl.Imaging.jpeg,
                                              Vcl.StdCtrls:
uses Unit2, Unit4, Unit7;
```

№ докум.

Изм.

Лист

Подпись

Дата

КП 2-40 01 01.35.38.10.23 ПЗ

30

Лист

```
Form7.Show;
type
 TForm2 = class(TForm)
                                            end;
  Image1: TImage;
  Image2: TImage;
                                            procedure TForm2.Image2Click(Sender:
  Label1: TLabel:
                                            TObject);
  Image3: TImage;
                                            begin
                                            Form2.Hide;
  Image4: TImage;
  Label2: TLabel:
                                            Form3.Show:
  Label3: TLabel:
                                            end:
  Label4: TLabel:
  Button1: TButton:
                                            procedure TForm2.Image3Click(Sender:
  procedure Image2Click(Sender:
                                            TObject);
TObject);
                                            begin
  procedure Image3Click(Sender:
                                            Form2.Hide;
                                            Form5.Show;
TObject);
  procedure Image4Click(Sender:
                                            end:
TObject);
  procedure Button1Click(Sender:
                                            procedure TForm2.Image4Click(Sender:
TObject);
                                            TObject);
 private
                                            begin
                                            Form2.Hide:
  { Private declarations }
 public
                                            Form6.Show:
  { Public declarations }
                                            end:
 end:
                                            end.
var
 Form2: TForm2;
                                            unit Unit3;
implementation
                                            interface
{$R *.dfm}
                                            uses
                                              Winapi. Windows, Winapi. Messages,
uses Unit3, Unit5, Unit6, Unit7;
                                            System.SysUtils, System.Variants,
                                            System. Classes, Vcl. Graphics,
                                              Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
procedure
TForm2.Button1Click(Sender: TObject);
                                            Vcl.Imaging.jpeg, Vcl.ExtCtrls,
                                              Vcl.StdCtrls, Vcl.Buttons,
begin
Form2.Hide;
                                            Vcl.MPlayer, Vcl.Menus;
```

ı					
ı					
ı					
I	Изм.	Лист	№ докум.	Подпись	Дата

```
play;
                                            end;
type
 TForm3 = class(TForm)
                                            end;
  Image1: TImage;
  Label1: TLabel:
                                            procedure TForm3.N1Click(Sender:
  Button1: TButton;
                                            TObject);
  MediaPlayer1: TMediaPlayer;
                                            begin
  Panel1: TPanel;
                                            Form3.Hide:
  OpenDialog1: TOpenDialog;
                                            Form2.Show:
  procedure N1Click(Sender: TObject);
                                            end;
  procedure Button1Click(Sender:
TObject);
                                            end.
 private
  { Private declarations }
                                            unit Unit4;
 public
  { Public declarations }
                                            interface
 end:
                                            uses
                                              Winapi.Windows, Winapi.Messages,
var
                                            System.SysUtils, System.Variants,
 Form3: TForm3:
                                            System. Classes, Vcl. Graphics,
implementation
                                              Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
                                            Vcl.Imaging.jpeg, Vcl.ExtCtrls,
{$R *.dfm}
                                              Vcl.StdCtrls:
uses Unit2;
                                            type
                                              TForm4 = class(TForm)
                                               Image1: TImage;
procedure
                                               Button1: TButton;
TForm3.Button1Click(Sender: TObject);
                                               Button2: TButton:
begin
                                               RadioGroup1: TRadioGroup;
with mediaplayer1 do begin
                                               Button3: TButton;
 display:=panel1;
                                               Image2: TImage;
                                               procedure Button1Click(Sender:
                                            TObject);
mediaplayer1.FileName:=(ExtractFilePa
th(paramstr(0))+'vogue_wmv.wmv');
                                               procedure Button2Click(Sender:
                                            TObject);
 open;
 displayrect:=panel1.ClientRect;
```

Изм.	Лист	№ докум.	Подпись	Дата

```
procedure Button3Click(Sender:
                                               a := 0;
TObject);
                                               b := 0;
 private
                                               c := 0;
  { Private declarations }
                                               summ:=0;
 public
                                               reset(f);
                                               readln(f,s);
  { Public declarations }
 end:
                                               repeat
                                               if (s[1]='-') then begin //Если первый
                                               символ строки '-' значит это вопрос
var
 Form4: TForm4;
                                               delete(s,1,1);
 a,b,c,d,summ,x:integer;
                                               RadioGroup1.Caption:=s;
 f,f1: text;
                                               end
 s: string;
                                               else RadioGroup1.Items.Add(s);
 Nvern, ball: integer;
                                               readln(f,s);
                                               until (s[1]='-') or (Eof(f));
implementation
                                               end:
{$R *.dfm}
                                               procedure
                                               TForm4.Button3Click(Sender: TObject);
uses Unit7;
                                               begin
                                               if (RadioGroup1.ItemIndex>-1) and (not
procedure
                                               Eof(f)) then begin
                                               case RadioGroup1.ItemIndex of //выбор
TForm4.Button1Click(Sender: TObject);
begin
                                               кнопок на панели RadioGroup
Form4.Hide:
                                               0: begin
Form7.Show;
                                                  a := a + 3;
                                                  writeln(f1,3);
end:
                                                 end:
procedure
                                               1: begin
TForm4.Button2Click(Sender: TObject);
                                                  b := b + 2:
begin
                                                  writeln(f1,2);
Button3. Visible:=True;
                                                 end;
Image2. Visible:=false;
                                               2: begin
AssignFile(f,'test.txt');
                                                  c := c + 1;
AssignFile(f1, 'результаты теста.txt');
                                                  writeln(f1,1);
rewrite(f1);
                                                 end:
button2. Visible:=false;
                                               end:
RadioGroup1.Visible:=true;
                                               RadioGroup1.Items.Clear;
```

Изм.	Лист	№ докум.	Подпись	Дата

Repeat //и очищается поле для следующего вопроса if (s[1]='-') then begin delete(s,1,1); RadioGroup1.Caption:=s; end else RadioGroup1.Items.Add(s); readln(f,s);	Winapi.Windows, Winapi.Messages, System.SysUtils, System.Variants, System.Classes, Vcl.Graphics, Vcl.Controls, Vcl.Forms, Vcl.Dialogs, Vcl.Imaging.jpeg, Vcl.ExtCtrls, Vcl.StdCtrls, Vcl.Buttons, Vcl.MPlayer, Vcl.Menus;
until (s[1]='-') or (Eof(f)); end Else if Eof(f) then begin delete(s,1,1); CloseFile(f); closefile(f1); summ:=a+b+c;	type TForm5 = class(TForm) Image1: TImage; Label1: TLabel; Button1: TButton; MediaPlayer1: TMediaPlayer; Panel1: TPanel;
if summ>=19 then showmessage('Вам больше подходит Vogue!'); if (summ>=14) and (summ<18) then showmessage('Вам больше подходит Juzz funk!'); if summ<14 then showmessage('Вам больше подходит Hip-hop!'); Вutton3. Enabled:=False; //кнопка становится недоступной в завершении проекта Form4. Hide;	OpenDialog1: TOpenDialog; procedure N1Click(Sender: TObject); procedure Button1Click(Sender: TObject); private { Private declarations } public { Public declarations } end;
Form7.Show;	var
end;	Form5: TForm5;
end;	implementation
end. unit Unit5;	{\$R *.dfm} uses Unit2;
interface	
uses	procedure TForm5.Button1Click(Sender: TObject); begin

Лист

Изм.

№ докум.

Подпись Дата

Лист

34

КП 2-40 01 01.35.38.10.23 ПЗ

```
with mediaplayer1 do begin
                                               MediaPlayer1: TMediaPlayer;
 display:=panel1;
                                               Panel1: TPanel;
                                               OpenDialog1: TOpenDialog;
mediaplayer1.FileName:=(ExtractFilePa
                                               procedure N1Click(Sender: TObject);
th(paramstr(0))+'hip hop_wmv.wmv');
                                               procedure Button1Click(Sender:
                                             TObject);
 open;
 displayrect:=panel1.ClientRect;
                                              private
                                               { Private declarations }
end;
                                              public
                                               { Public declarations }
end;
                                              end:
procedure TForm5.N1Click(Sender:
TObject);
begin
                                             var
Form5.Hide;
                                              Form6: TForm6;
Form2.Show;
                                             implementation
end;
                                             {$R *.dfm}
end.
                                             uses Unit2;
unit Unit6;
interface
                                             procedure
                                             TForm6.Button1Click(Sender: TObject);
                                             begin
uses
                                             with mediaplayer1 do begin
 Winapi. Windows, Winapi. Messages,
System.SysUtils, System.Variants,
                                              display:=panel1;
System. Classes, Vcl. Graphics,
 Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
                                             mediaplayer1.FileName:=(ExtractFilePa
Vcl.Imaging.jpeg, Vcl.ExtCtrls,
                                             th(paramstr(0))+'jazz funk_wmv.wmv');
 Vcl.StdCtrls, Vcl.Buttons,
                                              open;
Vcl.MPlayer, Vcl.Menus;
                                              displayrect:=panel1.ClientRect;
                                              play;
                                             end;
type
 TForm6 = class(TForm)
                                             end;
  Image1: TImage;
  Label1: TLabel;
                                             procedure TForm6.N1Click(Sender:
  Button1: TButton;
                                             TObject);
```

ı					
				·	
	Изм.	Лист	№ докум.	Подпись	Дата

```
begin
                                               procedure Button1Click(Sender:
Form6.Hide:
                                            TObject);
Form2.Show;
                                               procedure Button2Click(Sender:
end:
                                            TObject);
                                               procedure N3Click(Sender: TObject);
                                               procedure N4Click(Sender: TObject);
end.
                                               procedure N6Click(Sender: TObject);
unit Unit7;
                                               procedure Button3Click(Sender:
                                            TObject);
interface
                                               procedure N2Click(Sender: TObject);
                                              private
                                               { Private declarations }
uses
 Winapi. Windows, Winapi. Messages,
                                             public
System.SysUtils, System.Variants,
                                               { Public declarations }
System. Classes, Vcl. Graphics,
                                              end;
 Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
Vcl.ExtCtrls, Vcl.StdCtrls,
                                            var
 Vcl.Imaging.jpeg, Vcl.Menus,
                                             Form7: TForm7;
ShellAPI:
                                            implementation
type
 TForm7 = class(TForm)
                                             {$R *.dfm}
  Button1: TButton:
  Button2: TButton:
                                            uses Unit1, Unit4, Unit3, Unit2, Unit8;
  Image1: TImage;
  Label1: TLabel;
                                            procedure
  Label2: TLabel;
                                            TForm7.Button1Click(Sender: TObject);
  Label4: TLabel:
                                            begin
  MainMenu1: TMainMenu;
                                            Form7.Hide;
  N1: TMenuItem:
                                            Form4.Show:
                                            Label4. Visible:=True;
  N2: TMenuItem;
  N3: TMenuItem;
                                            Button2. Visible:=True;
  N4: TMenuItem:
                                            end:
  N5: TMenuItem;
  N6: TMenuItem:
                                            procedure
  Label5: TLabel:
                                            TForm7.Button2Click(Sender: TObject);
  Button3: TButton;
                                            begin
                                            Form7.Hide:
```

№ докум.

Изм.

Лист

Подпись

Дата

Лист

36

КП 2-40 01 01.35.38.10.23 ПЗ

```
Form2.Show;
                                            unit Unit8;
end;
                                            interface
procedure
TForm7.Button3Click(Sender: TObject);
begin
                                            uses
Form7.Hide;
                                             Winapi. Windows, Winapi. Messages,
Form8.Show:
                                            System.SysUtils, System.Variants,
end:
                                            System. Classes, Vcl. Graphics,
                                             Vcl.Controls, Vcl.Forms, Vcl.Dialogs,
                                            Vcl.OleCtrls, SHDocVw, Vcl.StdCtrls;
procedure TForm7.N2Click(Sender:
TObject);
begin
                                            type
ShellExecute(0, PChar('Open'), PChar
                                             TForm8 = class(TForm)
('Help10.chm'), nil, nil, SW_SHOW);
                                               WebBrowser1: TWebBrowser;
                                              Button1: TButton:
end:
                                              Button2: TButton;
                                              procedure FormCreate(Sender:
procedure TForm7.N3Click(Sender:
TObject);
                                            TObject);
begin
                                               procedure Button1Click(Sender:
Form7.Hide:
                                            TObject);
Form4.Show;
                                              procedure Button2Click(Sender:
                                            TObject);
end:
                                             private
                                               { Private declarations }
procedure TForm7.N4Click(Sender:
TObject);
                                             public
begin
                                               { Public declarations }
Form7.Hide:
                                             end:
Form2.Show;
end;
                                            var
                                             Form8: TForm8;
procedure TForm7.N6Click(Sender:
TObject);
                                            implementation
begin
                                            {$R *.dfm}
close;
end;
                                            uses Unit7, Unit2;
end.
```

Изм.	Лист	№ докум.	Подпись	Дата

procedure TForm8.Button1Click(Sender: TObject); begin Form8.Hide; Form7.Show; end; procedure TForm8.Button2Click(Sender: TObject); begin Form8.Hide; Form2.Show; end;  $procedure\ TForm 8. Form Create (Sender:$ TObject); begin webbrowser 1. Navigate (ExtractFilePath (ParamStr(0))+'информация о танцах.htm'); end; end.

Изм.	Лист	№ докум.	Подпись	Дата