Safety data sheet

LR Silicate Resin Waterglass · Hardener

"A" component for water glass – polyisocyanate based two-component synthetic resin. The synthetic resin (components "A" + "B") is used for the lining

HAZARD OVERVIEW · GHS / CLP

Danger

H315 Causes skin irritation. H318 Causes serious eye damage.
P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

PRODUCT IDENTIFICATION

PRODUCT
LR Silicate Resin Waterglass Hardener

IDENTIFIED USE
"A" component for water glass – polyisocyanate based two-component synthetic resin. The synthetic resin (components "A" + "B") is used for the lining of sewer pipes and manholes. The application has to be carried out under professional, industrial conditions by persons having proper previous training.

MANUFACTURER & EMERGENCY

MANUFACTURER
UAB Lateral Repairs
Paberžių g. 5, Tauragė, LT-72328, Lithuania

CONTACT
drew@lateralrepairs.com · +370 698 76581

EMERGENCY
Regional Medicines and Poisons Information Centre NI, Belfast Tel.: +44 844 892 0111 (24 hrs)

DOCUMENT	REGULATION	VERSION	DATE OF ISSUE
Safety Data Sheet	1907/2006 · 2015/830	1.0 / EN	01/06/2020

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LR Silicate Resin Type Waterglass (HARDENER)

1.2. Relevant identified uses of the substance or mixture and uses advised against

"A" component for water glass – polyisocyanate based two-component synthetic resin. The synthetic resin (components "A" + "B") is used for the lining of sewer pipes and manholes. The application has to be carried out under professional, industrial conditions by persons having proper previous training.

1.3. Details of the supplier of the safety data sheet

Producer/Supplier: UAB Lateral Repairs

Street/POB: Paberziu g. 5 Taurage LT-72328

Postcode/City/Country: Lithuania E-mail address for a competent person responsible for the safety data sheet: drew@lateralrepairs.com

Phone: Phone: +370 698 76581

1.4. Emergency telephone number

Regional Medicines and Poisons Information Centre NI, Belfast

Tel.: +44 844 892 0111 (24 hrs)

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Hazard class / category	Code	Hazard statement
Skin Irrit. 2	H315	Causes skin irritation.
Eye Dam. 1	H318	Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Hazard pictograms:

Signal word: Danger Hazard statements: H315 Causes skin irritation. H318 Causes serious eye damage. Precautionary statements: P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Hazard determining component(s) for labelling: Silicic acid, sodium salt

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

3. Composition/information on ingredients

3.2. Mixtures

Substance	EC No.	CAS No.	REACH Reg. No.	Content (%)	Classification (CLP)
Silicic acid, sodium salt (Molar ratio $Na_2O : SiO_2$ = 1 : > 1.6 – < 2.6)	215-687-4	1344-09-8	01-2119448725-31	25–50	Skin Irrit. 2 (H315), Eye Dam. 1 (H318)
Water	231-791-2	7732-18-5	—	50–75	—

See Section 16 for the full text of the hazard statements and abbreviations above.

4. First aid measures

4.1. Description of first aid measures

General information: No special measures necessary. When in doubt or if symptoms are observed, get medical advice. First aid responders should pay attention to self-protection.

4.1.1. Inhalation: Remove to fresh air. Obtain medical attention if breathing difficulty

persists.

4.1.2. Skin contact: Soiled, fairly soaked clothing must be immediately removed. In case of

contact with skin, wash off immediately with plenty of water. Do not allow the product to dry on the skin. Consult a doctor if skin irritation persists.

www.lateralrepairs.com info@lateralrepairs.com +370 698 76 581 Paberžių g. 5, Tauragė, Lithuania, LT-72328

4.1.3. Eye contact: Immediately wash affected eyes carefully, but thoroughly for at least

15 minutes under running water with eyelids held open. Use an eyewash station if possible. Consult an eye specialist.

4.1.4. Ingestion: Immediately rinse mouth and drink plenty of water. Do not induce

vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician/dangers: The product contains alkali silicate. After swallowing and vomiting aspiration into lung is possible, which can cause chemical pneumonia or asphyxia.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: The product itself is non-combustible. Adapt fire extinguishing measures to surrounding areas. Water spray, carbon dioxide, dry chemical extinguishing agent (powder), foam.

Non-suitable extinguishing media: full water jet

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment: Use suitable breathing apparatus. In case of fire and/or explosion do not breathe fumes.

Further information: Fire in vicinity poses risk of pressure build-up and burst. Containers at risk from fire should be cooled with water spray. Fire residues and contaminated extinguishing water should be disposed of in accordance with local authority regulations. Carbon dioxide should be applied carefully in confined spaces since it can displace oxygen.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin, eyes, and clothing. High risk of slipping due to leakage/spillage of product.

6.2. Environmental precautions

Do not allow to enter drains or waterways. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, universal binder). Rinse away rest with plenty of water. Dispose according to authority regulations.

6.4. Reference to other sections

Safe handling: see Section 7

Personal protective equipment: see Section 8

Disposal: see Section 13

7. Handling and storage

7.1. Precautions for safe handling

Observe the usual precautions for handling chemicals. Open and handle container with care. Avoid contact with skin, eyes and clothing. Do not breathe aerosol. Wear personal protective equipment. The product is not combustible or explosive, but heating leads to pressure build-up and risk of burst.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep only in the original container. Keep container tightly closed. Provide adequate protection against leakage, e.g. with the aid of collection trays or lowered areas. Provide a solvent-resistant and solid floor.

Further information on storage conditions: Protect from frost.

Recommended storage temperature: between +5 and +45 ˚C

Storing together hints: Keep away from food, drink, and feeding stuff. Do not store with acids.

Storage stability: Under correct storing conditions the product is stable for at least 12 months.

7.3. Specific end use(s)

Only for industrial users.

www.lateralrepairs.com info@lateralrepairs.com +370 698 76 581 Paberžių g. 5, Tauragė, Lithuania, LT-72328

8. Exposure controls/personal protection

8.1. Control parameters

Limit values according to REACH registration:

DNEL for workers: 5.61 mg/m3 (inhalation); 1.59 mg/kg bw/day (dermal)

PNEC for freshwater: 7.5 mg/L, for sewage treatment plant: 348 mg/L

8.2. Exposure controls

General protective and hygiene measures: Observe the usual precautions when handling chemicals. Avoid contact with skin and eyes. Do not breathe aerosol. Do not eat, drink or smoke during working time. Take off immediately all contaminated clothing and wash before reuse. Hands and/or face should be washed before breaks and at the end of the shift. Take a shower, if necessary. Apply skin care products after work.
Occupational exposure controls

Respiratory protection: Usually no personal respiratory protection is needed. It is only required when the exposure limit value is exceeded, or in the event of aerosol/mist formation. Suitable respiratory protection apparatus: P2 particle filter device (DIN EN 143).

Hand protection: Tested protective gloves must be worn (DIN EN 374).

Suitable material: NBR (nitrile rubber), butyl rubber. Thickness >= 0,4 mm, breakthrough time (maximum wearing time) >= 480 min. Observe the wear time limits as specified by the manufacturer.

Eye protection: Safety glasses with side protection (DIN EN 166).

Body protection: Clothing as usual in the chemical industry.

Environmental exposure controls See Section 7. No additional measures necessary.

9. Physical and chemical properties

Appearance	liquid, clear, colourless to slightly yellow
Odour	odourless
Odour threshold	not applicable
pH-value	13-14
Melting point/freezing point	no data
Boiling range	> 100 °C
Flash point	does not ignite
Evaporation rate	no data
Flammability (solid, gaseous)	not applicable
Ignitable, explosive range	not applicable
Vapour pressure	no data
Vapour density	no data
Density	1.5 ± 0.1 g/cm3 (25 °C)
Solubility	completely miscible with water
Partition coefficient n-octanol/water	not applicable
Self-ignition temperature	not applicable
Decomposition temperature	not applicable
Dynamic viscosity	400 ± 50 mPa.s (25 °C)
Explosive properties	non-explosive
Oxidizing properties	non-oxidizing

Solids content: ca. 46%

10. Stability and reactivity

10.1. Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur.

10.2. Chemical stability

Under normal conditions of storage and use, hazardous reactions will not occur.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

www.lateralrepairs.com info@lateralrepairs.com +370 698 76 581 Paberžių g. 5, Tauragė, Lithuania, LT-72328

Substances to avoid: acids. Reacts with metals like aluminium, tin, zinc under evolution of hydrogen and heat.

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated (see Section 7).

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. CAS No. Chemical name Exposure route Dose Species Source Method 1344-09-8 Silicic acid, sodium salt (Molar ratio Na_2O : SiO_2 = 1 : > 1.6 - <= 2.6) oral LD50 > 2000 Rat IUCLID mg/kg dermal LD50 > 5000 Rat IUCLID mg/kg Irritation and corrosivity Causes skin irritation. Causes serious eye damage. Sensitizing effects Based on available data, the classification criteria are not met. Carcinogenic/mutagenic/toxic effects for reproduction Based on available data, the classification criteria are not met. STOT– single exposure Based on available data, the classification criteria are not met. STOT – repeated exposure Based on available data, the classification criteria are not met Aspiration hazard Based on available data, the classification criteria are not met.

12. Ecological information

The data refer to the product with the given composition and were used cross-referenced.

12.1. Toxicity

The product has not been tested. CAS No. Chemical name Aquatic toxicity Dose Time Species Source Method 1344-09-8 Silicic acid, sodium salt (Molar ratio Na_2O : SiO_2 = 1 : > 1.6 - <= 2.6) Acute fish LC50 1108 96 h Brachydanio rerio IUCLID toxicity mg/l (zebrafish) Acute algae ErC50 207 72 h Scenedesmus IUCLID toxicity mg/l subspicatus Acute crustacea EC50 1700 48 h Daphnia magna IUCLID toxicity mg/l (big water flea)

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

12.6. Other adverse effects

The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised. Further information Do not allow uncontrolled discharge of product into the environment. Do not allow to enter soil, waterways or waste water canal.

13. Disposal considerations

13.1. Waste treatment method

Advice on disposal: Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal. Waste disposal number of waste from residues/unused products: 060205 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; other bases; hazardous waste

Contaminated packaging: Handle contaminated packages in the same way as the substance itself. Packaging which cannot be properly cleaned must be disposed of. Non- contaminated packages may be recycled. Do not mix with other wastes.

14. Transport information

Land transport (ADR/RID) / Inland waterways transport (ADN)/ Marine transport (IMDG) / Air transport (ICAO-TI/IATA-DGR)

14.1. UN number No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es) No dangerous good in sense of this transport regulation.

14.4. Packing group No dangerous good in sense of this transport regulation.

14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no Danger releasing

substance: No dangerous good in sense of this transport regulation.

14.6. Special precautions for user No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II

of Marpol and the IBC Code No dangerous good in sense of this transport regulation.

www.lateralrepairs.com info@lateralrepairs.com +370 698 76 581 Paberžių g. 5, Tauragė, Lithuania, LT-72328

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): 0% Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III) Additional information The product does not contain substances of very high concern (SVHC). National regulatory information

Water contaminating class (D): 1 – slightly water contaminating

15.2. Chemical safety assessment

In accordance with REACH chemical safety assessment has not been carried out for the product.

16. Other information

The above information describes exclusively the safety requirements of the product and is based on our present- day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

16.1. Indication of changes

The complete data sheet is considered new.

16.2. Abbreviations and acronyms

bw: bodyweight

CAS No.: Chemical Abstracts Service number

CLP: Regulation on Classification, Labelling and Packaging

DNEL: Derived no effect level

EC: European Commission

EC No.: EINECS and ELINCS number

EC50: Half maximal effective concentration

ErC50: EC50 based on growth rate

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

EU: European Union

LC50: Lethal concentration, 50%

LD50: Median lethal dose

MFSU: Manufacture, formulation, supply, and use

PBT: Persistent, Bioaccumulative and Toxic

PNEC: Predicted No Effect Concentration

REACH: The Registration, Evaluation, Authorisation and Restriction of Chemicals (EU regulation)

SVHC: Substances of Very High Concern

VOC: Volatile Organic Compound vPvB: Very Persistent and Very Bioaccumulative H-Phrases H315 Causes skin irritation. H318 Causes serious eye damage. P-Phrases P262 Do not get in eyes, on skin, or on clothing. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Hazard classes Eye Dam. Serious eye damage Skin Irrit. Skin irritation

www.lateralrepairs.com info@lateralrepairs.com +370 698 76 581 Paberžių g. 5, Tauragė, Lithuania, LT-72328