

# Safety data sheet

## LR Silicate Resin **Waterglass** · **Hardener**

"B" component for water glass – polyisocyanate based two-component synthetic resin. The synthetic resin (components "A" + "B") is used for the lining

### HAZARD OVERVIEW · GHS / CLP



### Danger

**H315** Causes skin irritation. **H318** Causes serious eye damage.

**P262** Do not get in eyes, on skin, or on clothing. **P280** Wear protective gloves/protective clothing/eye protection/face protection. **P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with **P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

### PRODUCT IDENTIFICATION

#### PRODUCT

LR Silicate Resin Waterglass Hardener

#### IDENTIFIED USE

"B" component for water glass – polyisocyanate based two-component synthetic resin. The synthetic resin (components "A" + "B") is used for the lining of sewer pipes and manholes. The application has to be carried out under professional, industrial conditions by persons having proper previous training.

### MANUFACTURER & EMERGENCY

#### MANUFACTURER

UAB Lateral Repairs  
Paberžiu g. 5, Tauragė, LT-72328, Lithuania

#### CONTACT

info@lateralrepairs.com · +370 698 76581

#### EMERGENCY

Regional Medicines and Poisons Information Centre NI,  
Belfast Tel.: +44 844 892 0111 (24 hrs)

#### DOCUMENT

Safety Data Sheet

#### REGULATION

1907/2006 · 2015/830

#### VERSION

1.0 / EN

#### DATE OF ISSUE

01/06/2020

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

LR Silicate Resin Type Waterglass (HARDENER)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

"B" component for water glass – polyisocyanate based two-component synthetic resin. The synthetic resin (components "A" + "B") is used for the lining of sewer pipes and manholes. The application has to be carried out under professional, industrial conditions by persons having proper previous training.

### 1.3. Details of the supplier of the safety data sheet

#### Producer/Supplier:

UAB Lateral Repairs

#### Street/POB:

Paberzių g. 5

#### Postcode/City/Country:

LT-72328, Tauragė, Lithuania

#### E-mail address for a competent person responsible for the safety data sheet:

info@lateralrepairs.com

#### Phone:

+370 698 76581

### 1.4. Emergency telephone number

Regional Medicines and Poisons Information Centre NI, Belfast

Tel.: +44 844 892 0111 (24 hrs)

## 2. Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

| Hazard class / category | Code        | Hazard statement           |
|-------------------------|-------------|----------------------------|
| Skin Irrit. 2           | <b>H315</b> | Causes skin irritation.    |
| Eye Dam. 1              | <b>H318</b> | Causes serious eye damage. |

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Hazard pictograms:



#### Signal word:

Danger

#### Hazard statements:

**H315** Causes skin irritation.

**H318** Causes serious eye damage.

#### Precautionary statements:

**P262** Do not get in eyes, on skin, or on clothing.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P303+P361+P353** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Hazard determining component(s) for labelling:

Silicic acid, sodium salt

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

## 3. Composition/information on ingredients

### 3.1. Mixtures

## Chemical characterization

| Substance                                                                                        | EC No.    | CAS No.   | REACH Reg. No.   | Content (%) | Classification (CLP) <sup>1</sup>       |
|--------------------------------------------------------------------------------------------------|-----------|-----------|------------------|-------------|-----------------------------------------|
| Silicic acid, sodium salt (Molar ratio Na <sub>2</sub> O : SiO <sub>2</sub> = 1 : > 1.6 – < 2.6) | 215-687-4 | 1344-09-8 | 01-2119448725-31 | 25-50       | Skin Irrit. 2 (H315), Eye Dam. 1 (H318) |
| Water                                                                                            | 231-791-2 | 7732-18-5 | —                | 50-75       | —                                       |

<sup>1</sup> – See Section 16 for the full text of the abbreviations declared above.

## 4. First aid measures

### 4.1. Description of first aid measures

#### General information:

No special measures necessary. When in doubt or if symptoms are observed, get medical advice. First aid responders should pay attention to self-protection.

#### 4.1.1. Inhalation:

Remove to fresh air. Obtain medical attention if breathing difficulty persists.

#### 4.1.2. Skin contact:

Soiled, fairly soaked clothing must be immediately removed. In case of contact with skin, wash off immediately with plenty of water. Do not allow the product to dry on the skin. Consult a doctor if skin irritation persists.

#### 4.1.3. Eye contact:

Immediately wash affected eyes carefully, but thoroughly for at least 15 minutes under running water with eyelids held open. Use an eyewash station if possible. Consult an eye specialist.

#### 4.1.4. Ingestion:

Immediately rinse mouth and drink plenty of water. Do not induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician/dangers:

The product contains alkali silicate. After swallowing and vomiting aspiration into lung is possible, which can cause chemical pneumonia or asphyxia.

## 5. Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

The product itself is non-combustible. Adapt fire extinguishing measures to surrounding areas. Water spray, carbon dioxide, dry chemical extinguishing agent (powder), foam.

#### Non-suitable extinguishing media:

full water jet

### 5.2. Special hazards arising from the substance or mixture

None known.

### 5.3. Advice for firefighters

#### Special protective equipment:

Use suitable breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### Further information:

Fire in vicinity poses risk of pressure build-up and burst. Containers at risk from fire should be cooled with water spray. Fire residues and contaminated extinguishing water should be disposed of in accordance with local authority regulations. Carbon dioxide should be applied carefully in confined spaces since it can displace oxygen.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin, eyes, and clothing. High risk of slipping due to leakage/spillage of product.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, universal binder). Rinse away rest with plenty of water. Dispose according to authority regulations.

### 6.4. Reference to other sections

**Safe handling:**

see Section 7

**Personal protective equipment:**

see Section 8

**Disposal:**

see Section 13

## 7. Handling and storage

### 7.1. Precautions for safe handling

Observe the usual precautions for handling chemicals. Open and handle container with care. Avoid contact with skin, eyes and clothing. Do not breathe aerosol. Wear personal protective equipment. The product is not combustible or explosive, but heating leads to pressure build-up and risk of burst.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep only in the original container. Keep container tightly closed. Provide adequate protection against leakage, e.g. with the aid of collection trays or lowered areas. Provide a solvent-resistant and solid floor.

**Further information on storage conditions:**

Protect from frost.

**Recommended storage temperature:**

between +5 and +45 °C

**Storing together hints:**

Keep away from food, drink, and feeding stuff. Do not store with acids.

**Storage stability:**

Under correct storing conditions the product is stable for at least 12 months.

### 7.3. Specific end use(s)

Only for industrial users.

## 8. Exposure controls/personal protection

### 8.1. Control parameters

Limit values according to REACH registration:

DNEL for workers: 5.61 mg/m<sup>3</sup> (inhalation); 1.59 mg/kg bw/day (dermal)

PNEC for freshwater: 7.5 mg/L, for sewage treatment plant: 348 mg/L

### 8.2. Exposure controls

**General protective and hygiene measures:**

Observe the usual precautions when handling chemicals. Avoid contact with skin and eyes. Do not breathe aerosol. Do not eat, drink or smoke during working time. Take off immediately all contaminated clothing and wash before reuse. Hands and/or face should be washed before breaks and at the end of the shift. Take a shower, if necessary. Apply skin care products after work.

**Occupational exposure controls:****Respiratory protection:**

Usually no personal respiratory protection is needed. It is only required when the exposure limit value is exceeded, or in the event of aerosol/mist formation. Suitable respiratory protection apparatus: P2 particle filter device (DIN EN 143).

**Hand protection:**

Tested protective gloves must be worn (DIN EN 374). Suitable material: NBR (nitrile rubber), butyl rubber. Thickness  $\geq$  0,4 mm, breakthrough time (maximum wearing time)  $\geq$  480 min. Observe the wear time limits as specified by the manufacturer.

**Eye protection:**

Safety glasses with side protection (DIN EN 166).

**Body protection:**

Clothing as usual in the chemical industry.

**Environmental exposure controls:**

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                       |                                              |
|---------------------------------------|----------------------------------------------|
| Appearance                            | liquid, clear, colourless to slightly yellow |
| Odour                                 | odourless                                    |
| Odour threshold                       | not applicable                               |
| pH-value                              | 13-14                                        |
| Melting point/freezing point          | no data                                      |
| Boiling range                         | > 100 °C                                     |
| Flash point                           | does not ignite                              |
| Evaporation rate                      | no data                                      |
| Flammability (solid, gaseous)         | not applicable                               |
| Ignitable, explosive range            | not applicable                               |
| Vapour pressure                       | no data                                      |
| Vapour density                        | no data                                      |
| Density                               | 1.5 ± 0.1 g/cm <sup>3</sup> (25 °C)          |
| Solubility                            | completely miscible with water               |
| Partition coefficient n-octanol/water | not applicable                               |
| Self-ignition temperature             | not applicable                               |
| Decomposition temperature             | not applicable                               |
| Dynamic viscosity                     | 400 ± 50 mPa.s (25 °C)                       |
| Explosive properties                  | non-explosive                                |
| Oxidizing properties                  | non-oxidizing                                |

### 9.2. Other information

Solids content: ca. 46%

## 10. Stability and reactivity

### 10.1. Reactivity

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.2. Chemical stability

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4. Conditions to avoid

Protect from frost.

### 10.5. Incompatible materials

#### Substances to avoid:

acids. Reacts with metals like aluminium, tin, zinc under evolution of hydrogen and heat.

### 10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated (see Section 7).

## 11. Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

Silicic acid, sodium salt (Molar ratio Na<sub>2</sub>O : SiO<sub>2</sub> = 1 : > 1.6 – < 2.6) · CAS 1344-09-8

| Exposure route | Dose                          | Species | Source |
|----------------|-------------------------------|---------|--------|
| oral           | LD <sub>50</sub> > 2000 mg/kg | Rat     | IUCLID |
| dermal         | LD <sub>50</sub> > 5000 mg/kg | Rat     | IUCLID |

|                            |
|----------------------------|
| Irritation and corrosivity |
|----------------------------|

|                                                              |                                                                   |
|--------------------------------------------------------------|-------------------------------------------------------------------|
|                                                              | Causes skin irritation.<br>Causes serious eye damage.             |
| <b>Sensitizing effects</b>                                   | Based on available data, the classification criteria are not met. |
| <b>Carcinogenic/mutagenic/toxic effects for reproduction</b> | Based on available data, the classification criteria are not met. |
| <b>STOT – single exposure</b>                                | Based on available data, the classification criteria are not met. |
| <b>STOT – repeated exposure</b>                              | Based on available data, the classification criteria are not met. |
| <b>Aspiration hazard</b>                                     | Based on available data, the classification criteria are not met. |

## 12. Ecological information

The data refer to the product with the given composition and were used cross-referenced.

### 12.1. Toxicity

The product has not been tested.

Silicic acid, sodium salt (Molar ratio  $\text{Na}_2\text{O} : \text{SiO}_2 = 1 : > 1.6 - < 2.6$ ) · CAS 1344-09-8

| Aquatic toxicity         | Dose           | Time | Species                        | Source |
|--------------------------|----------------|------|--------------------------------|--------|
| Acute fish toxicity      | LC50 1108 mg/l | 96 h | Brachydanio rerio (zebrafish)  | IUCLID |
| Acute algae toxicity     | ErC50 207 mg/l | 72 h | Scenedesmus subspicatus        | IUCLID |
| Acute crustacea toxicity | EC50 1700 mg/l | 48 h | Daphnia magna (big water flea) | IUCLID |

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.

### 12.6. Other adverse effects

The product is an alkali. Before discharge into sewage plants the product normally needs to be neutralised.

#### Further information:

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter soil, waterways or waste water canal.

## 13. Disposal considerations

### 13.1. Waste treatment method

#### Advice on disposal:

Dispose according to legislation. Consult the appropriate local waste disposal expert about waste disposal.

#### Waste disposal number of waste from residues/unused products:

060205 WASTES FROM INORGANIC CHEMICAL PROCESSES; wastes from the MFSU of bases; other bases; hazardous waste

#### Contaminated packaging:

Handle contaminated packages in the same way as the substance itself. Packaging which cannot be properly cleaned must be disposed of. Non- contaminated packages may be recycled. Do not mix with other wastes.

## 14. Transport information

Land transport (ADR/RID) / Inland waterways transport (ADN)/ Marine transport (IMDG) / Air transport (ICAO-TI/IATA-DGR)

### 14.1. UN number

No dangerous good in sense of this transport regulation.

### 14.2. UN proper shipping name

No dangerous good in sense of this transport regulation.

### 14.3. Transport hazard class(es)

No dangerous good in sense of this transport regulation.

### 14.4. Packing group

No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no Danger releasing substance: No dangerous good in sense of this transport regulation.

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information:

2010/75/EU (VOC): 0%

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### Additional information:

The product does not contain substances of very high concern (SVHC).

##### National regulatory information:

Water contaminating class (D): 1 – slightly water contaminating

#### 15.2. Chemical safety assessment

In accordance with REACH chemical safety assessment has not been carried out for the product.

### 16. Other information

The above information describes exclusively the safety requirements of the product and is based on our present- day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

#### 16.1. Indication of changes

The complete data sheet is considered new.

#### 16.2. Abbreviations and acronyms

|         |                                                                                          |
|---------|------------------------------------------------------------------------------------------|
| bw      | bodyweight                                                                               |
| CAS No. | Chemical Abstracts Service number                                                        |
| CLP     | Regulation on Classification, Labelling and Packaging                                    |
| DNEL    | Derived no effect level                                                                  |
| EC      | European Commission                                                                      |
| EC No.  | EINECS and ELINCS number                                                                 |
| EC50    | Half maximal effective concentration                                                     |
| ErC50   | EC50 based on growth rate                                                                |
| EINECS  | European Inventory of Existing Commercial Chemical Substances                            |
| ELINCS  | European List of Notified Chemical Substances                                            |
| EU      | European Union                                                                           |
| LC50    | Lethal concentration, 50%                                                                |
| LD50    | Median lethal dose                                                                       |
| MFSU    | Manufacture, formulation, supply, and use                                                |
| PBT     | Persistent, Bioaccumulative and Toxic                                                    |
| PNEC    | Predicted No Effect Concentration                                                        |
| REACH   | The Registration, Evaluation, Authorisation and Restriction of Chemicals (EU regulation) |
| SVHC    | Substances of Very High Concern                                                          |
| VOC     | Volatile Organic Compound                                                                |
| vPvB    | Very Persistent and Very Bioaccumulative                                                 |

##### H-Phrases

|      |                            |
|------|----------------------------|
| H315 | Causes skin irritation.    |
| H318 | Causes serious eye damage. |

##### P-Phrases

|      |                                              |
|------|----------------------------------------------|
| P262 | Do not get in eyes, on skin, or on clothing. |
|------|----------------------------------------------|



|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.                              |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

#### Hazard classes

|             |                    |
|-------------|--------------------|
| Eye Dam.    | Serious eye damage |
| Skin Irrit. | Skin irritation    |

Safety data sheet · Version 1.0 / EN · Issued 01/06/2020

