

**NOTES**

FOR PERIMETER FOUNDATION & INTERIOR WALLS  
OUTER FACE - 1 1/2"  
INNER FACE - 1 1/2"

**LAP SCHEDULE**

PERIMETER & INTERIOR WALL CONC. STRENGTH=4000 PSI  
REF: S2.30 (DT: 05/12/2017)

BAR SIZE	LAP SPLICE
#4	2'-1"
#6	2'-7"

**FOR OTHER WALL DETAILS REFER**

PLACING DRAWING APPROVAL AUTHORITY:  
VERIFICATION OF DIMENSIONS, DETAILS, ETC  
ARE REQUESTED WHERE INDICATED. IF EACH  
VERIFICATION IS NOT NOTED OTHERWISE, IT  
WILL BE ASSUMED TO BE CORRECT AS SHOWN.

**ALL REINFORCING THIS DRAWING  
TO BE ASTM A615 GRADE 60,  
MEETING THE DUCTILITY  
REQUIREMENTS FOR ASTM A706  
GRADE 60.**

Release Description: FTG-P2 LVL W-BASEMENT WL R/F

Bar Mark	Qty	Size	Total Length	Type	A'	B'	C'	D'	E'	F'	G'	H'	I'	J'	K'	L'	M'
BD4006	22	#4	4'-5"	17				2'-3"	2'-3"								
BD4019	82	#4	3'-2"	17				1'-3"	1'-10"								
BD5013	24	#6	14'-0"	2	10"		13'-2"										
BD5016	10	#6	15'-5"	2	10"		14'-7"										
BD5017	7	#6	14'-6"	2	10"		13'-8"										
BD5018	19	#6	20'-3"	2	10"		19'-5"										
BD5020	10	#6	21'-7"	2	10"		20'-9"										
BD5021	9	#6	18'-10"	2	10"		18'-0"										
BD5022	35	#6	7'-11"	11	5 3/4"		2'-5"	1'-1"	2'-5"	1'-1"				5 3/4"			
BD5023	35	#6	2'-4"	19	5 3/4"		1'-1"							6"			
BD5025	41	#6	4'-10"	2	10"		4'-0"										
BD5027	44	#6	5'-10"	2	10"		5'-0"										
BD5038	9	#6	5'-3"	2	10"		3'-7"							10"			
BD5039	93	#6	9'-1"	2	10"		7'-5"							10"			
BD5040	27	#6	8'-1"	2	10"		6'-5"							10"			
BD5041	11	#6	7'-1"	2	10"		6'-5"							10"			
BD5042	85	#6	5'-1"	2	10"		3'-5"							10"			
BD5043	22	#6	4'-7"	2	10"		2'-11"							10"			
BD10032	19	#10	21'-3"	2	1'-10"		19'-5"										

Release Description: FTG-P2 LVL W-BASEMENT F/SAVER


Bar Mark	Qty	Size	Total Length	Type	A'	B'	C'	D'	E'	F'	G'	H'	I'	J'	K'	L'	M'
BD5030	60	#6	1'-11"	2	10"		1'-1"										

Release Description: P2-P1 LVL W-BASEMENT WL R/F

Bar Mark	Qty	Size	Total Length	Type	A'	B'	C'	D'	E'	F'	G'	H'	I'	J'	K'	L'	M'
BD4019	59	#4	3'-2"	17				1'-3"	1'-10"								
BD4033	10	#4	3'-2"	17				1'-0"	1'-10"								
BD5022	35	#6	7'-11"	11	5 3/4"		2'-5"	1'-1"	2'-5"	1'-1"				5 3/4"			
BD5023	35	#6	2'-4"	19	5 3/4"		1'-1"							6"			
BD5038	8	#6	5'-3"	2	10"		3'-7"							10"			
BD5039	33	#6	9'-1"	2	10"		7'-5"							10"			
BD5040	24	#6	8'-1"	2	10"		6'-5"							10"			

Release Description: P2-P1 LVL W-BASEMENT F/SAVER

Bar Mark	Qty	Size	Total Length	Type	A'	B'	C'	D'	E'	F'	G'	H'	I'	J'	K'	L'	M'
BD5030	208	#6	1'-11"	2	10"		1'-1"										



FOR APPROVAL			
No.	Description	Date	By
Revisions and Issue Record			
The full intent and purpose of this drawing is the placing of reinforcing steel bars ONLY. It is NOT to be used as a means of communication between the Architect, Engineer, Contractor or any other Sub-trades.			
THIS DRAWING IS NOT TO BE SCALED.			
Project:			
Drawing: WALLS - TOF TO P2 LEVEL (SH 4 OF 4)			
Customer:			
Contractor:			
Refer to Release:			
Date	Drawn	Chkd.	JOB No.
			Dwg. No.