


TOWNHOMES BUILDING FOUNDATION WALLS PLAN (PART 1)

REF: 2.01, S3.01 & S3.02 (DT: 2019/05/30)



NOTES

FOR WALL FOUNDATION
BOTTOM COVER - 3"
SIDE COVER - 2"

LAP SCHEDULE

FOR WALL FOUNDATION (5000 PSI)

BAR SIZE	LAP SPLICE
#4	30"
#5	30"

FOR CONC. BLOCK MASONRY (2000 PSI)

BAR SIZE	LAP SPLICE
#5	30"
#7	42"


TOP BARS ARE HORIZONTAL BARS WITH MORE THAN 12" OF CONCRETE CAST BELOW THEM.

US-CENTRAL BAR GRADE LEGEND

A615/60


ALL MATERIAL ON THIS DRAWING SHALL BE ASTM A615 GRADE 60 U.N.O.

Drawing Sheet : T-F03										BAR LIST									
Bar Mark	Qty	Size	Total Length	Type	X'	Y'	Z'	W'	V'	U'	T'	S'	R'	Q'	P'	O'	N'	M'	L'
4A014	162	#4	5'-0"	17		2'-6"		2'-6"											
5A001	88	#5	6'-6"	17		3'-3"		3'-3"											
5A004	2	#5	5'-5"	2		10"		3'-9"											
5A005	2	#5	9'-9"	2		10"		8'-1"											
5A007	2	#5	2'-11"	2		10"		2'-1"											
5A009	2	#5	20'-10"	2		10"		20'-2"											
5A010	2	#5	14'-10"	2		10"		14'-0"											
5A011	2	#5	7'-5"	2		10"		5'-9"											
5A017	2	#5	13'-6"	3		10'-3"		3'-3"											
5A018	2	#5	12'-9"	3		9'-6"		3'-3"											
5A019	2	#5	9'-6"	3		6'-3"		3'-3"											
5A020	2	#5	8'-10"	3		5'-7"		3'-3"											
5A021	2	#5	4'-1"	17		9"		3'-1"											
5A023	18	#5	7'-0"	17		9"		6'-3"											
5A024	22	#5	4'-9"	17		9"		4'-0"											
5A025	25	#5	5'-2"	17		1'-2"		4'-0"											
5A026	46	#5	7'-3"	17		9"		6'-6"											
5A027	13	#5	7'-6"	17		9"		6'-9"											
5A028	55	#5	4'-3"	17		9"		3'-6"											
5A030	9	#5	6'-6"	17		9"		5'-9"											
5A031	11	#5	5'-5"	17		9"		4'-8"											
5A032	12	#5	5'-2"	17		9"		4'-5"											
5A034	5	#5	5'-11"	17		9"		5'-2"											
5A035	4	#5	8'-0"	17		9"		7'-3"											
5A036	5	#5	4'-6"	17		9"		3'-9"											
5A037	3	#5	7'-11"	17		9"		7'-2"											
5A038	1	#5	10'-0"	17		9"		9'-3"											
5A039	4	#5	6'-7"	17		9"		5'-10"											
5A040	2	#5	8'-9"	17		9"		8'-0"											
5A041	2	#5	19'-4"	2		10"		18'-6"											
5A042	2	#5	2'-7"	2		10"		1'-9"											
5A043	2	#5	22'-0"	2		10"		21'-2"											
5A044	2	#5	5'-4"	2		10"		4'-4"											
5A045	2	#5	10'-3"	2		10"		8'-7"											
5A046	2	#5	15'-5"	2		10"		13'-9"											
5A047	4	#5	6'-3"	2		10"		5'-5"											
5A048	4	#5	5'-3"	2		10"		3'-7"											
5A049	2	#5	17'-3"	2		10"		16'-5"											
5A050	2	#5	7'-4"	2		10"		5'-4"											
5A051	2	#5	10'-10"	2		10"		10'-0"											
5A052	1	#5	11'-11"	27				10'-3"		10"									
5A053	1	#5	12'-5"	4		1"-1"		10'-6"											
5A054	2	#5	18'-0"	3		11'-6"		6'-6"											
5A055	2	#5	3'-8"	2		10"		2'-0"											




A FOUNDATION STEP ELEVATION
T-F03
SCALE: 1/4"=1'-0"
REF: 5/S3.01 (DT: 2019/05/30)
02 LOCATIONS


G/C TO CONFIRM:
PROVIDED ALL THE STEP
DETAILS (TYP.)



B FOUNDATION STEP ELEVATION
T-F03
SCALE: 1/4"=1'-0"
REF: 5/S3.01 (DT: 2019/05/30)



C FOUNDATION STEP ELEVATION
T-F03
SCALE: 1/4"=1'-0"
REF: 5/S3.01 (DT: 2019/05/30)



D FOUNDATION STEP ELEVATION
T-F03
SCALE: 1/4"=1'-0"
REF: 5/S3.01 (DT: 2019/05/30)

3

SECTION

SCALE: 1/4"=1'-0"
REF: 16/S3.01 (DT: 2019/05/30)

