

Alibaba Order table and Order Details table management

1.1 Order table

Attribute	Key Type
Order_ID	Primary Key
Customer_ID	Foreign Key
Order_Date	-
Order_Status	Check Key
Total_Order_Value	-

1.2 Order details table

Attribute	Key Type
Order_Item_ID	Primary Key
Order_ID	Foreign Key
Product_ID	Foreign Key
Supplier_ID	Foreign Key
Quantity	Check Key
Unit_Price	-

1.3 Create Order table

```
SQL> CREATE TABLE Orders (  
2     Order_ID NUMBER PRIMARY KEY,  
3     Customer_ID NUMBER,  
4     Order_Date DATE,  
5     Total_Amount NUMBER(10,2)  
6 );
```

Table created.

1.4 Create Order details table

```
SQL> CREATE TABLE Order_Details (  
 2     Order_Detail_ID NUMBER PRIMARY KEY,  
 3     Order_ID NUMBER,  
 4     Product_ID NUMBER,  
 5     Quantity NUMBER,  
 6     Unit_Price NUMBER(10,2)  
 7 );
```

Table created.

1.5 Insert Order values

```
SQL> INSERT INTO Orders VALUES (1001, 201, TO_DATE('01-09-2026','DD-MM-YYYY'), 25000);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1002, 202, TO_DATE('02-09-2026','DD-MM-YYYY'), 18500);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1003, 203, TO_DATE('03-09-2026','DD-MM-YYYY'), 32000);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1004, 204, TO_DATE('04-09-2026','DD-MM-YYYY'), 12750);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1005, 205, TO_DATE('05-09-2026','DD-MM-YYYY'), 45000);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1006, 206, TO_DATE('06-09-2026','DD-MM-YYYY'), 9800);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1007, 207, TO_DATE('07-09-2026','DD-MM-YYYY'), 21500);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1008, 208, TO_DATE('08-09-2026','DD-MM-YYYY'), 36500);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1009, 209, TO_DATE('09-09-2026','DD-MM-YYYY'), 15400);  
1 row created.  
  
SQL> INSERT INTO Orders VALUES (1010, 210, TO_DATE('10-09-2026','DD-MM-YYYY'), 28900);  
1 row created.
```

1.6 Insert values for Order details

```

SQL> INSERT INTO Order_Details VALUES (101, 1001, 301, 5, 5000);

1 row created.

SQL> INSERT INTO Order_Details VALUES (102, 1002, 302, 10, 1850);

1 row created.

SQL> INSERT INTO Order_Details VALUES (103, 1003, 303, 8, 4000);

1 row created.

SQL> INSERT INTO Order_Details VALUES (104, 1004, 304, 15, 850);

1 row created.

SQL> INSERT INTO Order_Details VALUES (105, 1005, 305, 10, 4500);

1 row created.

SQL> INSERT INTO Order_Details VALUES (106, 1006, 306, 7, 1400);

1 row created.

SQL> INSERT INTO Order_Details VALUES (107, 1007, 307, 5, 4300);

1 row created.

SQL> INSERT INTO Order_Details VALUES (108, 1008, 308, 10, 3650);

1 row created.

SQL> INSERT INTO Order_Details VALUES (109, 1009, 309, 7, 2200);

1 row created.

```

Data Retrieval

1.7 Display Order table

```

SQL> select*from Orders;

  ORDER_ID  CUSTOMER_ID  ORDER_DAT  TOTAL_AMOUNT
-----
    1001         201  01-SEP-26      25000
    1002         202  02-SEP-26      18500
    1003         203  03-SEP-26      32000
    1004         204  04-SEP-26      12750
    1005         205  05-SEP-26      45000
    1006         206  06-SEP-26       9800
    1007         207  07-SEP-26      21500
    1008         208  08-SEP-26      36500
    1009         209  09-SEP-26      15400
    1010         210  10-SEP-26      28900

10 rows selected.

```

1.8 Display Order details table

```
Commit complete.

SQL> select*from order_details;

ORDER_DETAIL_ID  ORDER_ID  PRODUCT_ID  QUANTITY  UNIT_PRICE
-----
1              1001      301         5         5000
2              1002      302        10         1850
3              1003      303         8         4000
4              1004      304        15          850
5              1005      305        10         4500
6              1006      306         7         1400
7              1007      307         5         4300
8              1008      308        10         3650
9              1009      309         7         2200
10             1010      310        17         1700

10 rows selected.
```

Modify order table

1.9 Update total_amount

```
SQL> update orders set total_amount = 35000 where order_id=1007;

1 row updated.

SQL> select*from orders where order_id = 1007;

ORDER_ID  CUSTOMER_ID  ORDER_DAT  TOTAL_AMOUNT
-----
1007      207  07-SEP-26      35000
```

1.10 Modify the date in the table

```
SQL> update orders set order_date = to_date('29-04-2026','DD-MM-YYYY') where order_id=1005;

1 row updated.

SQL> select*from orders where order_id = 1005;

ORDER_ID  CUSTOMER_ID  ORDER_DAT  TOTAL_AMOUNT
-----
1005      205  29-APR-26      45000
```

Modify order_details table

1.11 Update Quantity and unit_price

```
SQL> UPDATE Order_Details
2 SET Quantity = 12,
3     Unit_Price = 900
4 WHERE Order_Detail_ID = 104;

1 row updated.

SQL> select*from order_details where order_detail_id = 104;

ORDER_DETAIL_ID  ORDER_ID  PRODUCT_ID  QUANTITY  UNIT_PRICE
-----
104             1004      304         12         900
```

1.12 Display order of a customer

```
SQL> SELECT *
  2  FROM Orders
  3  WHERE Customer_ID = 201;

ORDER_ID CUSTOMER_ID ORDER_DAT TOTAL_AMOUNT
-----
1001      201 01-SEP-26      25000
```

1.13 Display order details with order information

```
SQL> SELECT O.Order_ID,
  2      O.Customer_ID,
  3      O.Order_Date,
  4      O.Total_Amount,
  5      D.Product_ID,
  6      D.Quantity,
  7      D.Unit_Price
  8  FROM Orders O
  9  JOIN Order_Details D
 10  ON O.Order_ID = D.Order_ID;

ORDER_ID CUSTOMER_ID ORDER_DAT TOTAL_AMOUNT PRODUCT_ID QUANTITY UNIT_PRICE
-----
1001      201 01-SEP-26      25000      301          8      5000
1002      202 02-SEP-26      18500      302         10      1850
1003      203 03-SEP-26      32000      303          8      4000
1004      204 04-SEP-26      12750      304         15       850
1005      205 05-SEP-26      45000      305         10      4500
1006      206 06-SEP-26       9800      306          7      1400
1007      207 07-SEP-26      21500      307          5      4300
1008      208 08-SEP-26      36500      308         10      3650
1009      209 09-SEP-26      15400      309          7      2200
1010      210 10-SEP-26      28900      310         17      1700
1001      201 01-SEP-26      25000      301          5      5000

ORDER_ID CUSTOMER_ID ORDER_DAT TOTAL_AMOUNT PRODUCT_ID QUANTITY UNIT_PRICE
-----
1002      202 02-SEP-26      18500      302         10      1850
1003      203 03-SEP-26      32000      303          8      4000
1004      204 04-SEP-26      12750      304          8       900
1005      205 05-SEP-26      45000      305         10      4500
1006      206 06-SEP-26       9800      306          7      1400
1007      207 07-SEP-26      21500      307          7      4300
1008      208 08-SEP-26      36500      308         10      3650
1009      209 09-SEP-26      15400      309          7      2200
1010      210 10-SEP-26      28900      310         17      1700

20 rows selected.
```

1.14 Display complete customer order history

```
SQL> SELECT O.Customer_ID,
  2      O.Order_ID,
  3      O.Order_Date,
  4      D.Product_ID,
  5      D.Quantity,
  6      D.Unit_Price,
  7      O.Total_Amount
  8  FROM Orders O
  9  JOIN Order_Details D
 10  ON O.Order_ID = D.Order_ID
 11  ORDER BY O.Customer_ID;

CUSTOMER_ID ORDER_ID ORDER_DAT PRODUCT_ID QUANTITY UNIT_PRICE TOTAL_AMOUNT
-----
201          1001 01-SEP-26      301          8      5000      25000
201          1001 01-SEP-26      301          5      5000      25000
202          1002 02-SEP-26      302         10      1850      18500
202          1002 02-SEP-26      302         10      1850      18500
203          1003 03-SEP-26      303          8      4000      32000
203          1003 03-SEP-26      303          8      4000      32000
204          1004 04-SEP-26      304         15       850      12750
204          1004 04-SEP-26      304          8       900      12750
205          1005 05-SEP-26      305         10      4500      45000
205          1005 05-SEP-26      305         10      4500      45000
206          1006 06-SEP-26      306          7      1400       9800
```

CUSTOMER_ID	ORDER_ID	ORDER_DAT	PRODUCT_ID	QUANTITY	UNIT_PRICE	TOTAL_AMOUNT
206	1006	06-SEP-26	306	7	1400	9800
207	1007	07-SEP-26	307	5	4300	21500
207	1007	07-SEP-26	307	7	4300	21500
208	1008	08-SEP-26	308	10	3650	36500
208	1008	08-SEP-26	308	10	3650	36500
209	1009	09-SEP-26	309	7	2200	15400
209	1009	09-SEP-26	309	7	2200	15400
210	1010	10-SEP-26	310	17	1700	28900
210	1010	10-SEP-26	310	17	1700	28900

20 rows selected.