

## Payment table Management

| Attribute      | Key Type    |
|----------------|-------------|
| Payment_ID     | Primary Key |
| Order_ID       | Foreign Key |
| Payment_Method | -           |
| Payment_Status | Check Key   |
| Payment_Date   | -           |
| Amount         | -           |

Create table for payment

```
SQL> create table payment (  
2     payment_id number(10) primary key,  
3     order_id number(10) not null,  
4     payment_method varchar2(50) not null,  
5     payment_status varchar2(20) not null,  
6     payment_date date not null,  
7     amount number(10,2) not null,  
8     constraint fk_payment_order  
9         foreign key (order_id) references orders (order_id),  
10    constraint chk_payment_status  
11        check (payment_status in ('successful', 'failed', 'pending', 'refunded')),  
12    constraint chk_payment_amount  
13        check (amount >= 0)  
14 );  
  
Table created.
```

Insert values into the table

```

SQL> insert into payment values
  2 (1, 1001, 'credit card', 'successful', date '2026-09-20', 49.99);

1 row created.

SQL>
SQL> insert into payment values
  2 (2, 1002, 'paypal', 'pending', date '2026-09-21', 125.50);

1 row created.

SQL>
SQL> insert into payment values
  2 (3, 1003, 'debit card', 'successful', date '2026-09-22', 32.00);

1 row created.

SQL>
SQL> insert into payment values
  2 (4, 1004, 'bank transfer', 'failed', date '2026-09-23', 210.75);

1 row created.

SQL>
SQL> insert into payment values
  2 (5, 1005, 'cash', 'successful', date '2026-09-24', 75.00);

1 row created.

SQL>
SQL> insert into payment values
  2 (6, 1006, 'credit card', 'pending', date '2026-09-25', 89.99);

1 row created.

```

```

SQL>
SQL> insert into payment values
  2 (7, 1007, 'paypal', 'successful', date '2026-09-26', 150.00);

1 row created.

SQL>
SQL> insert into payment values
  2 (8, 1008, 'debit card', 'failed', date '2026-09-27', 45.25);

1 row created.

SQL>
SQL> insert into payment values
  2 (9, 1009, 'bank transfer', 'successful', date '2026-09-28', 300.00);

1 row created.

SQL>
SQL> insert into payment values
  2 (10, 1010, 'credit card', 'refunded', date '2026-09-29', 60.50);

1 row created.

SQL>
SQL> commit;

Commit complete.

```

Display the Payment table

```
SQL> select * from payment;
```

| PAYMENT_ID     | ORDER_ID  | PAYMENT_METHOD |
|----------------|-----------|----------------|
| PAYMENT_STATUS | PAYMENT_D | AMOUNT         |
| 1              | 1001      | credit card    |
| successful     | 20-SEP-26 | 49.99          |
| 2              | 1002      | paypal         |
| pending        | 21-SEP-26 | 125.5          |
| 3              | 1003      | debit card     |
| successful     | 22-SEP-26 | 32             |

| PAYMENT_ID     | ORDER_ID  | PAYMENT_METHOD |
|----------------|-----------|----------------|
| PAYMENT_STATUS | PAYMENT_D | AMOUNT         |
| 4              | 1004      | bank transfer  |
| failed         | 23-SEP-26 | 210.75         |
| 5              | 1005      | cash           |
| successful     | 24-SEP-26 | 75             |
| 6              | 1006      | credit card    |
| pending        | 25-SEP-26 | 89.99          |

| PAYMENT_ID     | ORDER_ID  | PAYMENT_METHOD |
|----------------|-----------|----------------|
| PAYMENT_STATUS | PAYMENT_D | AMOUNT         |
| 7              | 1007      | paypal         |
| successful     | 26-SEP-26 | 150            |
| 8              | 1008      | debit card     |
| failed         | 27-SEP-26 | 45.25          |
| 9              | 1009      | bank transfer  |
| successful     | 28-SEP-26 | 300            |

| PAYMENT_ID     | ORDER_ID  | PAYMENT_METHOD |
|----------------|-----------|----------------|
| PAYMENT_STATUS | PAYMENT_D | AMOUNT         |
| 10             | 1010      | credit card    |
| refunded       | 29-SEP-26 | 60.5           |

```
10 rows selected.
```

Successful and failed payments

```
SQL> select * from payment
2 where payment_status in ('successful', 'failed');
```

| PAYMENT_ID | ORDER_ID | PAYMENT_METHOD | PAYMENT_STATUS | PAYMENT_D | AMOUNT |
|------------|----------|----------------|----------------|-----------|--------|
| 1          | 1001     | credit card    | successful     | 20-SEP-26 | 49.99  |
| 3          | 1003     | debit card     | successful     | 22-SEP-26 | 32     |
| 4          | 1004     | bank transfer  | failed         | 23-SEP-26 | 210.75 |
| 5          | 1005     | cash           | successful     | 24-SEP-26 | 75     |
| 7          | 1007     | paypal         | successful     | 26-SEP-26 | 150    |
| 8          | 1008     | debit card     | failed         | 27-SEP-26 | 45.25  |

| PAYMENT_ID | ORDER_ID | PAYMENT_METHOD | PAYMENT_STATUS | PAYMENT_D | AMOUNT |
|------------|----------|----------------|----------------|-----------|--------|
| 9          | 1009     | bank transfer  | successful     | 28-SEP-26 | 300    |

7 rows selected.

## Counts Payments method

```
SQL> select payment_method, count(*) as total
2 from payment
3 group by payment_method;
```

| PAYMENT_METHOD | TOTAL |
|----------------|-------|
| credit card    | 3     |
| paypal         | 2     |
| debit card     | 2     |
| bank transfer  | 2     |
| cash           | 1     |

## Display payment report

```
SQL> select payment_id, order_id, payment_method, payment_status, payment_date, amount
2  from payment
3  order by payment_date;
```

```
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD
```

```
-----
```

```
PAYMENT_STATUS  PAYMENT_D  AMOUNT
```

```
-----
```

```
1 1001 credit card
```

```
successful 20-SEP-26 49.99
```

```
2 1002 paypal
```

```
pending 21-SEP-26 125.5
```

```
3 1003 debit card
```

```
successful 22-SEP-26 32
```

```
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD
```

```
-----
```

```
PAYMENT_STATUS  PAYMENT_D  AMOUNT
```

```
-----
```

```
4 1004 bank transfer
```

```
failed 23-SEP-26 210.75
```

```
5 1005 cash
```

```
successful 24-SEP-26 75
```

```
6 1006 credit card
```

```
pending 25-SEP-26 89.99
```

```
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD
```

```
-----
```

```
PAYMENT_STATUS  PAYMENT_D  AMOUNT
```

```
-----
```

```
7 1007 paypal
```

```
successful 26-SEP-26 150
```

```
8 1008 debit card
```

```
failed 27-SEP-26 45.25
```

```
9 1009 bank transfer
```

```
successful 28-SEP-26 300
```

```
PAYMENT_ID  ORDER_ID  PAYMENT_METHOD
```

```
-----
```

```
PAYMENT_STATUS  PAYMENT_D  AMOUNT
```

```
-----
```

```
10 1010 credit card
```

```
refunded 29-SEP-26 60.5
```

```
10 rows selected.
```