

CoderCommands MCP System

Step 09 Record — Claude Code Integration


DOCUMENT	CoderCommands MCP System — Step Record
SYSTEM	CoderCommands MCP Command-Reference Server
STEP	09 — Claude Code Integration
DATE	2026-08-15
REVISION	1.0
STATUS	Complete

1. Purpose & Scope

Register the gateway as an MCP server Claude Code can call, closing the loop described in the original request: ask a natural-language question in Claude Code and have it pull up the right command and explainer via the tools built in Steps 1–8, with no separate UI.

2. System Context Diagram

Signal-flow view of the four functional units (Sync Service, Postgres, MCP Server, FastAPI Gateway) plus the two external endpoints (source workbook, Claude Code client). Fill/border indicates build state as of this step.



3. File / Component Register

Role of every file or component introduced or modified in this step, with its upstream and downstream interfaces (I/O-list style).

Ref	File / Component	Role	Interface In	Interface Out
R1	claude mcp add (CLI)	Registers the gateway URL in Claude Code's local project config so this project's sessions know to connect to it.	http://127.0.0.1:8100/mcp	This project's Claude Code sessions

Ref	File / Component	Role	Interface In	Interface Out
R2	C:\Users\katlego.gagoopane\.claude.json	Where the registration is persisted -- scoped to this project ("Local config, private to you in this project"), not global.	—	—

4. Work Performed

- Ran `claude mcp add --transport http codercommands http://127.0.0.1:8100/mcp` against the running compose stack from Step 7–8.
- Confirmed registration and connectivity with `claude mcp get codercommands` and `claude mcp list --` both report the server as Connected.
- Confirmed the registration is scoped to this project's local config, not the user's global Claude Code settings, matching the project-specific nature of this tool.

5. Issues Encountered & Resolution

Issue	Root Cause	Resolution
The newly registered server's tools (<code>search_commands</code> , <code>list_topics</code> , <code>browse_<topic></code>) are not callable from the Claude Code session that ran the registration command.	Claude Code establishes an active session's tool set at startup; adding an MCP server mid-session updates the persisted config immediately (confirmed connected via the CLI health check) but doesn't inject new tools into a session that's already running.	Not a bug to fix -- this is normal MCP client behavior, not specific to this project. Documented here rather than worked around: the CLI-level registration and connectivity are fully verified in this step; verifying that a fresh session actually selects and calls these tools correctly from a natural-language prompt needs to happen in a new session, which this record can't self-trigger. Recommended next action for the user below.

6. Verification Record

Check	Method	Result
Server registers successfully	<code>claude mcp add --transport http codercommands http://127.0.0.1:8100/mcp</code>	PASS
Registration persisted to the correct scope	Confirmed entry in <code>.claude.json</code> under this project's local config	PASS
Connectivity from the Claude Code CLI's own health check	<code>claude mcp get codercommands</code> → Status: Connected; <code>claude mcp list</code> → Connected	PASS
A natural-language prompt in an active session selects and calls the right tool	Not exercised -- requires a session that started after registration	DEFERRED to user's next session

7. Next Step / Open Dependencies

Step 10 writes the project README. Separately: start a new Claude Code session in this project directory and try a real prompt, e.g. "how do I insert a new row into a table" -- that's the one check this step couldn't run itself.