
DATUM LINE

Confidence with controls.

Every lab’s cells, on one map.



Kat Titterton · San Francisco



macrofluidic.me/resume

Katherine Titterton

2023–2026 Axiom
founding scientist

2022–2023 insitro
neuroscience assays

2021–2022 MIT
expansion microscopy

2018–2021 abbvie
tau · neurons

2017–2018 HARVARD MEDICAL SCHOOL
frog eggs

2017 COLGATE BA
neuroscience + math biology


MY WORK

1. Cell Painting in primary human hepatocytes
   Cell Systems 2026 · Ewald, Broad Institute
2. Counting cells predicts bioactivity benchmarks
   Nat Commun 2026 · Seal, Univ. of Cambridge
3. Cell Painting of hepatotoxic botanicals
   bioRxiv 2026 · Ollitrault, EMBL-EBI
4. An antibody to pathological tau
   Mol Neurodegen Adv 2026 · Yanamandra, AbbVie
5. Capturing synaptic proteopathic seeds
   iScience 2026 · Sebastian, AbbVie
6. A neuronal tau aggregation assay
   J Biol Chem 2025 · Wu, AbbVie
7. Multiplexed imaging of brain nanostructures
   Nat Commun 2024 · Kang, MIT
8. Tau aggregation in human iPSC neurons
   iScience 2022 · Manos, AbbVie
9. Neurosteroid photolabeling of $GABA_A$ receptors
   Eur J Med Chem 2019 · Wu, U Illinois Chicago

Do my cells look “normal”?

asked @ five benches
… answered @ none

One lab, or six?




same cells ✓

same protocol ✓

no drug ✓

fig 1 Cell Painting · images: DNA channel · classifier: 3,773 numbers per well from all channels · 93,228 wells · 11 labs · plates held out · bars 100 µm · JUMP [7] · A2, A3, A5

Could you tell? A classifier can.




99.9% names the right lab, of 11

9% a random guess

fig 1 Cell Painting · images: DNA channel · classifier: 3,773 numbers per well from all channels · 93,228 wells · 11 labs · plates held out · bars 100 µm · JUMP [7] · A2, A3, A5

One well, onto the map.






fig 1 Cell Painting · images: DNA channel · classifier: 3,773 numbers per well from all channels · 93,228 wells · 11 labs · plates held out · bars 100 µm · JUMP [7] · A2, A3, A5

Eleven labs.
Eleven “normals”.



6×

Lab to lab is 6× the spread of wells inside one plate.


lab to lab

spread inside one plate

6.2 within-plate spreads, lab to lab (results/e13)

fig 2 15,352 untreated wells · PCA of 3,773 numbers · JUMP [7] · A2, A3, A13

Where you sit predicts what you measure.



In every lab: more drift, less agreement. ρ = −0.71 within labs, each lab centred · 118 batches (results/e10)

Lab 2 · you

From 30 Aug to 3 Oct it drifted 3–5× its summer level.


0.85 → 0.67

Same drugs, checked against its own June answers. 1 = identical.

fig 3 118 batches · 11 labs · JUMP [7] · A6, A8, A12, A13

Does my control look like yours?

RSL3, a common ferroptosis control, in about 1,200 papers. [16]



80%

of cells left in lab 7 after RSL3.
14–22% in the other three labs.

Lab 7's other known drugs worked (A8), so the camera is not the reason.


Across labs its wells agree far less.

Well to well: 0.77 within a lab → 0.32 across labs (1 = identical, results/e16).

1 to 5 wells per lab: an example, not proof.

fig 4a RSL3 screened as a compound at JUMP's dose · one well per plate, 1–5 per lab, beside its untreated wells · % of cells left: lab mean · DNA stain, 300 µm · JUMP [7] · PubMed [16] · A9

Does my control look like yours?



0.64 → 0.40

All eight known drugs: two plates agree less across labs than inside one. 1 = identical.

On the map, labs agree a little more:

107 of 125


batches where labs agree more on the map than after each lab's own correction.

pairs of plates, eight drugs (results/e8-same-drug-different-answer); per batch, 7 drugs: 0.75 raw → 0.76 usual fix → 0.78 on the map (results/e12)

fig 4b agreement between pairs of plates, same lab and across labs · 1,829 plates · 11 labs · JUMP [7] · A9, A14

Lab A + lab B ≠ one dataset.

Four labs, one protocol, the same cells, serum and dyes.



“not directly comparable”, the authors wrote. [13]

$30M

Roche paid it for one cell dataset. [11]

Why now


2023 the public reference: JUMP [7]

2025 the FDA moves away from animal tests [9]

now off-the-shelf models read cell images · A10

fig 5 EU-OPENSCREEN · one protocol · Hep G2 · as reported [13] · A23

Every lab that joins sharpens “normal” for everyone.



6.2 → 2.8

The error in “normal”, with one lab and with five.

Map, today

↓

Certificate, next

↓

Exchange, then

↓


Journals, raw images, every paper

↓

…

fig 6 error: distance between two maps built from different labs, in within-plate spreads · measured to five labs, dashed beyond · 1,871 plates · JUMP [7] · results/e13

Is my batch “normal”, next to every other lab?



Your batch, answered

Do my controls look “normal”?

yes, within the usual range

Which lab is closest to mine?

lab 6 · 4.4 away

Do my drugs match other labs?

closer on the map: 0.70 → **0.77**

Did my cells grow as usual?

yes: 188 per well, in range

The four questions it answers first (proposed).

fig 7 replayed on public data · JUMP [7] · A11, A18

Which labs make the most reliable data?

LEADERBOARD · U2OS

controls only

rank	lab	batch	plates	field score
#1	lab 5	28 Jun	7	82
#2	lab 5	2 Jul	6	79
#3	lab 5	6 Jul	5	79
#4	lab 5	16 Jul	8	78
#5	lab 5	1 Oct	6	77
…				
#48	**lab 2**	2 Aug	18	your best 58
…				
#95	**lab 2**	16 Aug	25	this batch 36

Your standing

#95 of 129 batches

Batches in a row on the map

best in the field: 33

To climb: steadier batches

you 2.9

field 1.2

drift · lower is better

Only you see your rank, unless you share it.

fig 8 score = 100 − mean percentile · untreated wells · JUMP [7] · A17

Your certified data, shared on your terms.

U2OS controls, shared by 11 labs

lab	plates	batches certified
lab 3	237	■■■■■■□□□□□■■
lab 6	225	■■■■■■■■■■■■
lab 2 · you	219	■■■■■■■■■■□□□
lab 10	205	■■■■■■■■■■■■■■■■■■■■
lab 8	199	■■■■
lab 5	197	■■■■■■■■■■■■■■■■■■■

Six questions, six tools. Use all of them.

Each answers one question well.
Each misses something, Datum Line too.

tool	answers	does not see
DNA fingerprint (STR)	Is it the line the label says?	how the cells behave A7
vendor certificate	Was it fine when it shipped?	anything after shipping
plate controls	Did this plate work?	a whole lab drifting A1
in-house platforms	Is my own data consistent?	lab differences, removed on purpose A3
data factories	Where do I get cell data at scale?	other labs' "normal" A23
Datum Line	**Do my cells look "normal", next to other labs?**	which cell line it is; unstained images, not yet A7, A10


Eighteen months, four milestones.

$1.8M

$0.9M line by line, ×2 for the usual overrun · A21

→ seed round

1




benchmark playground

+ known drugs + planted faults · A4, A16

2

11 + 3




labs today + 3 partners

three partner labs on the map

U2OS first, then any line

3



99.6%

right lab today, 8 labs

model for any image

from one unstained image · A10, A19

4




first paid certificate

a company pays ~$10–50k to check cell data it bought · A15

proposed · milestones in order, not dated

Every plate you image, placed on the map.

Labs share control images, free.
Each sees its “normal” next to everyone else’s.



$1.8M

raising · pre-seed · eighteen months · A21

leader
to run it

bench
3 partner labs

partners
2 for the benchmark

**Have control images?
Talk to me.**

fig 10 1 square = 1 batch · 1,871 plates · JUMP [7] · A15, A20, A22, A24

The rest, if you ask.

Every number comes from the code here or a cited source.
Unfinished work is marked pending.

A1 **Why not trust the plate's controls?**
sick plate, sick control

A2 **What is the math?**
six calculations on 3,773 numbers

A3 **Why not batch-correct it away?**
erases most of the lab fingerprint

A4 **Is the model the moat?**
counting cells often wins

A5 **Why not just count cells?**
same count · different texture

A6 **How often do I re-certify?**
your "normal" expires

A7 **Isn't this cell-line DNA testing (STR)?**
which cells · how they behave

A8 **Is the assay itself working?**
known answer

A9 **Does it change the result?**
same drug · different answer

A10 **Does it work without stains?**
bet on brightfield

A11 **Does it flag too often?**
rarely · six of 129 batches

A12 **What moved?**
stain brightness, not cell count

A13 **How does one lab move over time?**
own "normal" fine · other labs: moved

A14 **What does the map buy?**
same drug, closer between labs

A15 **Who pays?**
labs join free · companies pay

A16 **What would the money build?**
ugliest dataset · on purpose

A17 **Is the leaderboard fair?**
ranked on controls · never on results

A18 **What is private?**
control wells leave · nothing else does

A19 **What is the machine learning?**
image in · position and correction out

A20 **What about biosecurity?**
cells show their lab · labels can lie

A21 **How much, and what for?**
planned $0.9M × 2 = $1.8M asked

A22 **How big?**
count × price · three streams

A23 **What is cell data worth?**
priced in deals · labs disagree


A24 **Why would a lab share?**
owned by the lab · verified by anyone

A25 **How do labs check cells today?**
search, ask, guess · each lab alone

If the plate is sick, its controls are sick too.

Controls sit on the same plate as the tests.

A REAL JUMP PLATE · 384 WELLS



untreated 32 · known effect 32 · test 320



test = *"normal"* + *plate* + *effect*

control = *"normal"* + *plate*

difference = *effect on this plate*

plate cancels from the number, never from the cells

WHAT CAN SEE A SICK PLATE?

A view from outside the plate.

Same cells in other labs: the map.

Fig. A1 · left: JUMP plate 1053601756, lab 2 · right: schematic, no measurements

Every result is one of six plain calculations.

Results compare averages, or test a model on unseen plates.
Drug discovery removes the lab; a quality check reads it.

1 · IMAGE TO NUMBERS [1]

$$e = \varphi(image)$$

Three ways to turn images into numbers gave similar results on liver cells.
Tool is not the asset.

2 · WHICH LAB? 99.9%

$$f : e \to lab$$

Names the lab from one well, on plates it never saw.
Far above chance (9%): each lab leaves a fingerprint.

3 · HOW FAR FROM "NORMAL"? [e6]

$$d = \| E[e \mid plate] - E[e \mid all\ labs,\ c] \|_{\sigma}$$

How far this plate's average sits from all labs' average, in units of usual spread.
Direction says what moved.

4 · SOURCES OF VARIATION pending

$$Var(e) = V_{model} + V_{lab} + V_{batch} + V_{plate} + V_{well}$$

Splits variation into microscope type, lab, batch, plate, well.
Shares add up to 100%.

5 · REMOVE KNOWN CAUSES pending

$$e_{\perp} = e - \hat{E}[e \mid c]$$

Remove only causes known to be the instrument.
Subtracting each plate's controls goes further: right lab only 24% of the time.

6 · DID THE DRUG CHANGE THE CELLS?

DISTANCE $\delta = b(\|e - E[e \mid untreated]\|)$

CLASSIFIER $g : e' \to label$

Distance from the untreated average, capped so one odd well cannot dominate.
Or a model, after aligning to the reference.

The usual correction erases most of the lab's fingerprint.

What counts as "normal" depends on every variable below.
JUMP records the left column; nobody records the middle.

RECORDED IN JUMP

- lab
- batch date
- plate
- plate type
- well position
- microscope
- confocal or widefield
- laser or LED
- objective NA
- fields per well
- filter set
- pixel size
- brightfield planes
- CellProfiler version


in every image file too:
image size · stored bit depth

NOT IN ITS PUBLIC METADATA

- DMSO % per well
- DMSO lot
- DMSO water uptake
- stock freeze–thaw
- serum lot
- media lot
- passage
- thaw date
- seeding density
- confluence at dosing
- dosing to fixation
- stain and dye lots
- operator
- incubator shelf
- edge evaporation
- mycoplasma status
- CO2 and humidity

not required to publish today
in our own data: tracked, every one

CAN A MODEL TELL WHICH LAB?
HIGHER = CLEARER LAB FINGERPRINT



29,943 untreated wells, 16 per plate
tested on plates it never saw

Batch correction is built to remove this signal [18] · variables: JUMP metadata [7]

On weak benchmarks, counting cells often wins.

I coauthored this paper.
Benchmarks decide which model looks good.

… counting cells achieves unexpectedly high performance in these benchmarks, making them less useful for discerning whether additional properties, such as phenotypic profiles (mRNA or Cell Painting), provide additional useful information on bioactivity. … we recommend filtering benchmarks to exclude such assays and including a cell-count baseline. … we confirm that models leveraging Cell Painting image-based profiles outperformed the baseline cell count model. …

ABSTRACT EXCERPT · VERBATIM `finding` `recommendation · what held up`

209 and 270

tests in two popular benchmarks
many really measure cell health

Images win

on 24 tests aimed at one protein each
Cell Painting beat the cell count

WHY IT MATTERS HERE

Whoever sets the baseline sets the benchmark.

benchmark playground · a cell-count baseline on every task · planted faults · every model scored · A16


Seal S, Dee W, … **Titterton K**, … Carpenter AE. Counting cells can accurately predict small-molecule bioactivity benchmarks. *Nat Commun*, 2026.

Same cell count, different texture: only images see it.


Count moves only when cells die or divide.
Image moves when anything changes.

SAME CELL LINE · SAME PROTOCOL · SAME MICROSCOPE

each lab's typical plate



LAB 5 CV8000 · confocal



LAB 6 CV8000 · confocal

CELLS COUNTED

196 ≈ 222

gap 0.4× the usual spread → same

FINE DETAIL · % OF DNA SIGNAL

0.94% ≠ 1.10%

gap 2.4× the usual spread → different

fine detail: finer than 5 µm, inside nuclei
usual spread: plate to plate, within one lab

NOT ONE LUCKY PAIR

All 44,325 plate pairs, lab 5 × lab 6:
texture differs in 91%, count in 33%.

TWO WAYS TO READ IT · A2

Classifier: does it belong with past runs?
Distance: how far out, which way back?


BOTH NEED A REFERENCE

Somebody else's images.
That is the map.

Fig. A5 DNA channel · 300 µm squares · JUMP cpg0016 [7], CC0 · nuclei by Otsu · both ways: published [1], our tuning unpublished

Plates drift within two weeks: re-check every batch.

Two plates from one batch differ by 0.63; two weeks apart, 1.4. The jump past 13 weeks is lab 2's autumn move (A13).



IS THE CELL LINE RUINED?

This data shows when, not why.
What moved in lab 2: A12.

HOW FAST?

Within 2 weeks: ×2.2 vs same batch.
6 to 13 weeks: ×4.9.

HOW SOLID IS THE NUMBER?


One lab, 219 plates, 13 batches.
Other labs not yet measured.

dot = median pair of plates · bar = middle half of pairs · 1 = how far a typical untreated well sits from its plate's average · JUMP [7]

STR says which line; images say where it was made.

One cell line, U2OS, in all 11 labs.
Images still name the lab: 99.9% right.

STR · DNA FINGERPRINT




17
DNA markers

periodic
per cell line [14]

Standard test for identity.
Cannot say where or how the cells were grown.

DATUM LINE



3,773
numbers per well

every batch
images already taken

Shows where cells were made, next to other labs.
Cannot say which cell line it is.

identity · STR + behaviour · Datum Line = **one certificate**


natural first partner: STR testing services

STR: 17 loci + amelogenin, ATCC [14] · Datum Line: 93,228 untreated U2OS wells · 1,872 plates · 11 labs · plates held out · JUMP [7]


Known drugs show whether the test itself worked.

Untreated wells show where a lab sits.
Lab 3: 4 batches where the known drugs did not work.

LAB 3 · DID THE KNOWN DRUGS WORK?



WHERE DOES THE KNOWN DRUG SHOW?



125 of 129
PUBLIC BATCHES
KNOWN DRUGS WORKED

1 of 4
FAILED BATCHES CAUGHT BY
UNTREATED WELLS ALONE → USE BOTH

–0.71 → –0.70
FIG 3 LINK · DRIFT VS ANSWERS
WITHOUT THESE 4 BATCHES: HOLDS


failed = under ¼ of the lab's usual effect + unlike other labs · 1,829 plates · maps: plates C13443aW, A12069aW, JUMP layout [7]

The same drug looks less alike in another lab.

RSL3 from fig 4a, every well against every other.
Darker = more alike.

WHAT A DRUG SCREEN REPORTS — drug wells – untreated wells, same plate

RSL3 · EVERY WELL AGAINST EVERY OTHER



SAME 12 PLATES · RSL3 ONE WELL EACH, KNOWN DRUGS EIGHT

	SAME LAB	OTHER LABS
RSL3	**0.77**	0.32
8 other known drugs · median	**0.73**	0.23
untreated vs untreated	**0.00**	0.00

DOES IT CHANGE THE NUMBER?

Which lab ran it explains 20% to 71% of how strong a drug's effect looks.

HOW SOLID?


12 wells. Lab 11 has one: no same-lab pair.
Repeats ran close in time (lab 9: one batch).

agreement = cosine of two wells' effects · 8 drugs at full scale: 1,829 plates, 11 labs · JUMP [7]


One unstained image already names the lab.

Evidence: cells stained with six dyes.
Product: plain light, no dye.

CAN ONE WELL TELL WHICH LAB IT CAME FROM?



DOES BRIGHTFIELD SEE LAB 2 DRIFT? · EACH LINE SCALED TO ITS PEAK




Not yet the whole map: nearest lab matches the dye map in 29 of 102 batches.

WHY THE BET IS FAIR

No dye: fewer things can go wrong

~~stain lot~~ · ~~dye lot~~ · ~~staining step~~ A3



BRIGHTFIELD DNA STAIN


same spot in one well · lab 2

% named right, each lab counted equally · unseen batches · one untreated well · image model never trained on cells · JUMP [7]


It flags rarely: six of 129 batches.

8 of 11 labs never flagged.
The one way that differs flags more, not less.

ALL 11 LABS · 129 BATCHES



LAB 2 · YOU · 13 BATCHES × 10 WAYS OF CHECKING



lab 2 · you · other labs · flagged · baseline: the batches it is compared with

WHAT A FLAG MEANS

Batch nearer another lab than its own “normal”, its first batch

LAB 2 · YOU · PLATES FLAGGED

25 of 25 in flagged batches

2 of 194 in the other batches

THE ONE WAY THAT DIFFERS

+3 flags, 26 Jul → 8 Aug


Its baseline takes in 21 Jun:
150 cells per well, lab 2’s lowest · A13

Each plate checked against its own lab’s first batch · 1,871 plates · 11 labs · JUMP [7] · lab 2 over time: A13

Stain brightness rose; the cell count did not.


Lab 2 · you: flagged batches against its own “normal”, its first batch (7 Jun).

BRIGHTNESS



shift from 7 Jun · 0 = none · 1 = usual spread across labs

PATTERN (TEXTURE)




size of shift from 7 Jun · same scale

30 Aug · first flagged · 5 plates

3 Oct · latest · 14 plates

ER · BOTH LOOK FINE ON SCREEN



7 JUN

30 AUG

7× brighter in raw camera counts, one field each
7,612 → 51,230

one field each · ER pattern: around the nucleus → whole cell

LAB 2 · YOU · IN NUMBERS

ER + AGP brightness: up in ≥ 96% of measurements
cells per well: 189 → 165 → 182
inside its own range, 150–199 · A13

CAMERA OR CELLS?

Cell measurements moved,
not only whole-image ones.
New stain batch or real biology?
This check cannot tell.

WHAT YOU GET


Look first: camera exposure, ER stain
Then: stain mix-up, colour leak, biology
Your lab finds the cause

ER, AGP, Mito, DNA: four stain channels, each marking different parts of the cell · each bar averages one channel’s measurements · JUMP [7]


By its own count lab 2 was fine; beside other labs, it had moved.

Lab 2 · you, 13 batches, two views.
Not a verdict: a reason to look.

LAB'S OWN CHECK: CELLS PER WELL



COMPARED WITH OTHER LABS



distance unit: usual spread between wells on one plate · lab 2 · 2021 · JUMP [7] · which batches: A11 · what moved: A12

On the map, labs agree a little more on the same drug.


Seven drugs with a known effect, 125 batches, 11 labs.
Higher is better.

Do labs agree on what a drug does?

0.75 → **0.76** → **0.78**

raw · usual fix · on the map

1 = every lab sees the same effect




107 of 125 batches higher on the map than with the usual fix
than raw: 121 of 125

Can you still tell the drugs apart?

0.52 → **0.56** → **0.59**

raw · usual fix · on the map

gap to the nearest wrong drug · higher is easier



111 of 125 batches higher on the map than with the usual fix
than raw: 125 of 125

NOTHING LOST

Right drug recognised: 0.92 → 0.94
Matches its own past: 0.88 → 0.88

HOLDS

Labs agree more: 5 of 5 ways of checking
Drugs stay apart: 4 of 5

NOT FIXED YET · DRUG STRENGTH

Varies batch to batch · lower is better
raw 6% → usual fix 20% → map 12%: steadier than the usual fix, not yet as steady as raw

usual fix: each batch set against its own “normal”, its untreated wells · map: against every other lab’s · 1,829 plates · JUMP [7]

Labs join free, and companies pay to use the map.

Certificate pays first.
Then the exchange: access, not ownership.

WHO	WHAT THEY GET	WHAT THEY PAY	WHAT IT BUILDS
labs and core facilities	a place on the map certificate · leaderboard	**free, for sharing controls**	the map
companies that buy cell data	a certificate on every dataset they buy	**~$10–50k per certificate**	first revenue
teams that run cell screens all year	a check on every batch they run	**~$5–15k per cell line, per quarter**	repeat revenue
AI labs and model builders	a test set with faults planted on purpose	**~$50–200k a year, as partners**	the standard
then: exchange subscribers	access to certified data from many labs	**a subscription · each lab keeps a share**	the network


only control wells leave a lab, untreated and known drugs, never a test compound · privacy A18 · the lab’s share A24

Biology's ugliest dataset, built on purpose.

4 cell lines × 2 microscope types × known drugs
+ planted faults. Every correction method scored.

TODAY · SAME CELLS, SAME PROTOCOL, NO DRUG

real wells · JUMP [7]



LAB 1	LAB 2 · YOU	LAB 3	LAB 5	LAB 6	LAB 10
Phenix · widefield	CV8000 · confocal	Phenix · widefield	CV8000 · confocal	CV8000 · confocal	CV8000 · confocal


5
microscope models

8
plate layouts

13
labs [7]

PLANTED FAULTS

simulated



AS IMAGED

DEFOCUSED

OVER-EXPOSED

CLIPPED WELL

Can a model name the fault?

cell lines: U2OS, A549, HepG2, iPSC [17] · microscope types: widefield + confocal

Ranked on controls, never on results.

Every lab scored on the other labs' scale, never its own.
Lab 2 · you: 8th of 11 labs.

LAB	BATCHES	SCORE	BEST RANK	CLEAN RUN	HOW UNUSUAL	PLATES DIFFER	BATCH TO BATCH	CELL COUNT OFF
lab 5	33	**70**	#1	33	3.35	0.27	0.81	0.31
lab 6	13	**60**	#16	13	4.44	0.41	1.23	0.12
lab 10	17	**54**	#10	17	3.84	0.62	1.21	0.23
lab 8	4	**52**	#54	4	4.10	1.08	0.86	0.09
lab 11	5	**47**	#23	2	3.79	0.87	1.57	0.17
lab 3	13	**44**	#18	6	3.27	0.80	2.01	0.29
lab 7	8	**42**	#69	8	6.38	0.58	1.17	0.33
lab 2	13	**39**	#48	10	5.68	0.57	1.99	0.14
lab 1	6	**32**	#78	6	8.68	1.10	2.03	0.09
lab 9	11	**25**	#97	11	9.97	0.50	1.76	0.45
lab 15	6	**23**	#68	6	5.53	0.87	1.69	0.44

SCORE

0 to 100 · higher is better

all labs: how unusual 4.01 · plates differ 0.51 · batch to batch 1.17 · cell count off 0.28
average rank on the four measures, among 129 batches
measures: lower is better · green beats all labs

BEST BATCH

82

lab 5 · 28 Jun · 7 plates
lab 5 holds 9 of top 10

YOUR CHOICE TO PLAY

Named only if you opt in.
Private version for your own plates.

Lab medians · 1,871 plates · 11 labs · clean run: batches in a row never flagged (A11) · JUMP [7]

Only control wells leave the lab.

No compound, no target, no result.
Nothing for legal to approve.

WHAT LEAVES THE BUILDING

control wells only: untreated and known drugs



pink: 64 of 384 wells leave · JUMP [7]

images, or numbers from them

proposed: images deleted once measured

a plate map and the batch date

which wells, and when they were imaged

WHAT DATUM LINE DOES WITH IT

builds the map

one average point per plate.
Scale set by the other labs, never by yours.

the map holds untreated wells only

82,319

for lab 2: untreated wells of 10 other labs
0 treated

answers

where you sit · how far you moved · nearest lab · cell count · “normal” or not

ranks every batch


on its untreated wells, never on results · A17

sends a correction, not a model of you

one per batch, fitted on your untreated wells · A19

WHAT IT NEVER SEES

your treated wells



dark: 320 of 384 wells stay with you

your results

corrected in your building, by you


your name, unless you choose

proposed: a number until you opt in.
Every lab here is a number.

An image goes in; a position and a correction come out.

Results stay in the lab.
Untreated wells and the correction travel.

1 · AN IMAGE



brightfield DNA stain

one untreated well · JUMP [7]


2 · NUMBERS

3,773

numbers per well


standard software today: size, shape, brightness, texture

3 · THE MAP



each lab placed on the other labs' scale, never its own

4 · THE CORRECTION



one per batch, fitted on your untreated wells · sketch · A14

EVERY LAB LOOKS DIFFERENT

99.9%

a computer names the lab of each well · by guessing: 9%
93,228 untreated wells · 11 labs · on plates it never saw

AI IMAGE MODEL NEXT · A10

brightfield · 8 labs 99.6%

DNA stain · 11 labs 97.2%

right lab, from one picture

Correction, per batch on 200 components: $x' = C_{field}^{\frac{1}{2}} C_{batch}^{-\frac{1}{2}} (x - m_{batch})$ · every script: github.com/kat-titter/datum-line/analysis


Every lab leaves a fingerprint, so a wrong label stands out.

One map of untreated wells, no results stored.
Two checks work today, two are proposed.

PROVENANCE — today

99.9%

of 93,228 untreated wells get the right lab, on unseen plates. The fingerprint is cells and microscope together: image-quality numbers alone name the lab at 99.9%.




1 square = 1 batch
solid: every well right · 119

INTEGRITY — today

4 batches

Label: known drug in these wells.

Cells: almost no effect, on 65 plates.




lab 3 · drug effect per batch
dark: failed · A8

UNKNOWN ORIGIN — proposed

9×

Farthest of 129 real batches from its nearest other lab.

Farther out: wrong cell line? Mixed culture? Untested.




distance to nearest other lab
1 line = 1 real batch

EARLY WARNING — proposed

30 Aug

2021: lab 2's untreated wells moved; its cell count did not.

A move nobody explains: check reagents, air, water.



lab 2 · you · since batch 1
filled: flagged · A13

Integrity check uses each plate's known-drug wells (A8) · × = times the usual spread of wells within one plate · JUMP [7]

About $1.8M for eighteen months, mostly people.

$884k planned × 2 = $1.77M asked



people 71% · benchmark 17% · other 12%

leader, to run it	18 months	**$180k**
scientific lead (me)	18 months	**$180k**
ML engineer	from month 7	**$160k**
payroll overhead	20% of salaries	**$104k**
benchmark playground	~60 plates · planted faults · A16	**$120k**
partner-lab bench time	3 labs · controls they already image · reagent top-ups · shipping	**$30k**
compute and storage	images · models · hosting · API	**$45k**
legal, IP, insurance, accounting	incorporation to first contract	**$45k**
travel and partner visits	2 benchmark partners · 3 labs	**$20k**
planned	sum	**$884k**
+ buffer	most things take 2–3× the time and money planned · we plan for 2×	$884k
asked · 18 months		**$1.77M**

NO IN-HOUSE LAB

Partner labs or a contract lab.
Own lab: costs more, proves less.

WHAT THE MONEY MUST SHOW

1 benchmark playground, paid in this round · **2** three partner labs on the map
3 model for any image · **4** first paid certificate → seed

salaries below market · leader and scientific lead paid · nothing here committed

About $84M a year, if every likely buyer joined.

Count × price.
Three streams.

assumption	low	base	high
organisations testing drugs on a few cell lines	200	400	800
cell lines each one uses per quarter	2	4	8
price per cell line per quarter, $k	5	10	15
organisations testing drugs on hundreds to thousands of cell lines	10	25	50
site licence per year, $k	50	150	300
per-line checks and site licences, per year	**$8.5M**	**$67.8M**	**$399M**
companies buying cell data they did not make	50	150	300
purchased datasets each certifies per year	2	4	8
price per certificate, $k	10	25	50
certificates on purchased data, per year	**$1M**	**$15M**	**$120M**
benchmark partners	4	10	20
membership per partner per year, $k	50	100	200
benchmark membership, per year	**$200k**	**$1M**	**$4M**
total per year, if every buyer joined	**$9.7M**	**$83.8M**	**$523M**

BASE CASE · PER YEAR



↑ five-year target · a tenth · $8.4M

benchmark $1M ↑

WHY BUYERS PAY

One screen I ran on a line checked late:
3 runs a week × 17 weeks × $50k ≈ $2.6M to redo.
Certificate @ $25k: about 1% of that.
Subscription: insurance against it.

prices proposed on A15 · academic labs join free · they are the map, not the revenue

Cell data sells, but data from different labs does not add up.

Three public prices.
Same cells, four labs, different results.

AI TRAINING DATA

$1.5M a day

paid to experts for AI training data, by one vendor

~$85 an hour · $10B valuation [10]

CELL MAPS

$30M

paid by Roche for one cell dataset

second milestone · $213M to date [11]

CONSORTIA


$1.8B

pledged for cell data to train AI
funders get it a year early

Meta, DeepMind, Isomorphic: $300M [12]

4 EUROPEAN LABS · ONE PROTOCOL · ONE CELL LINE

same cells, same reagents, shipped to every lab [13]



WHAT THE PAPER SAYS

“not directly comparable between imaging sites” [13]

ON ONE SHARED MAP · JUMP [7]

107 of 125

batches: labs agree more on what a drug does · A14

[7] JUMP, 2023 · [10] TechCrunch, 2025 · [11] Recursion, 2025 · [12] eWeek, 2026 · [13] Wolff et al., *iScience*, 2025 · full references in the README

The lab keeps its data and a share; anyone can check it.

Subscribers get access, not ownership.
No crypto token.

CONTROL WELLS ONLY — today

no test compound · no target · no result
results never leave the lab

LAB KEEPS ITS DATA — proposed

sharing is opt-in
withdraw any time

LOW RISK BY DESIGN — today

cell-line images only
no human genetic data · no pathogen data

LABS LEAVE FINGERPRINTS — today

99.9% right lab out of 11
from control-well images · A20

SIGNED AND TIMESTAMPED — proposed

public record · anyone can check
dates cannot be changed · blockchain optional

KNOWN SUBSCRIBERS — proposed

verified at sign-up · odd access flagged
access log open to members

lab shares
images of untreated cells
certificate attached

→

certificate checks
how “normal” the cells look
which lab · what changed

→

subscriber pays
to use certified data
from many labs

→

lab keeps a share
of every subscription
as long as its data is used

public sources [6], [7], [9]

Today each lab judges its own “normal”, alone.

WHY NOW

- 2023 — public cell image set [7]
- 2025 — FDA: fewer animal tests [9]
- 2026 — **the map**


$28B A YEAR · SPENT ON US LAB RESEARCH OTHERS CANNOT REPRODUCE [6]

36% ≈ $10B · cells and reagents

64% · other causes

1
search

do my U2OS cells look “normal”




one cell line · six papers · all look different

2
ask

To: whoever ran this line last

Subject: does this look right to you?



screenshot.png

one screenshot · one opinion

3
guess

$ RUN IT ANYWAY

hundreds of thousands

of R&D dollars at risk

WAIT TO BE SURE

months

of development lost

[6] Freedman et al., *PLoS Biology*, 2015 · [7] JUMP, 2023 · [9] US FDA, 2025 · full references in the README