ISO 20022

Target2-Securities - Party Reference Data - Maintenance 2023 - 2024

Message Definition Report Part 1

Approved by the Securities and Payments SEG under the leadership of the Securities SEG on 15 February 2024.

This document provides information about the use of the messages for Target2-Securities - Party Reference Data and includes, for example, business transactions and messages flows.

March 2024

Table of Contents

Table of Contents **2**

1 Introduction **5**

1.1 Terms and Definitions 5
1.2 Abbreviations and Acronyms 5
1.3 Document Scope and Objectives 6
1.4 References 6

2 Scope and Functionality **7**

2.1 Background 7
2.2 Scope 7
2.3 Groups of MessageDefinitions and Functionality 7

3 BusinessRoles and Participants **10**

3.1 Participants and BusinessRoles Definitions 10
3.2 BusinessRoles and Participants Table 11

4 BusinessProcess Description **12**

5 Description of BusinessActivities **15**

5.1 Party Reference Data 15

6 BusinessTransactions **22**

6.1 Creation Process 22
6.2 Modification Process 24
6.3 Deletion Process 27
6.4 Query/Response Process 29
6.5 Statement Process 31

7 Business Examples **32**

7.1 Party Creation Request - reda.014.001 32
7.2 Party Modification Request - reda.022.001 34
7.3 Party Deletion Request - reda.031.001 35
7.4 Party Status Advice- reda.016.001 36
7.5 Party Query - reda.015.001 39
7.6 Party Report - reda.017.001 40
7.7 Party Activity Advice - reda.041.001 42
7.8 Party Audit Trail Query - reda.042.001 44
7.9 Party Audit Trail Report - reda.043.001 45

8 Revision Record **47**

Preliminary Note

The Message Definition Report (MDR) is made of three parts:

MDR Part 1

This describes the contextual background required to understand the functionality of the proposed message set. Part 1 is produced by the submitting organization that developed or maintained the message set in line with an MDR Part 1 template provided by the ISO 20022 Registration Authority (RA) on www.iso20022.org.

MDR Part 2

This is the detailed description of each message definition of the message set. Part 2 is produced by the RA using the model developed by the submitting organization.

MDR Part 3

This is an extract if the ISO 20022 Business Model describing the business concepts used in the message set. Part 2 is an Excel document produced by the RA.

1 Introduction

1.1 Terms and Definitions

The following terms are reserved words defined in ISO 20022 Edition 2013 – Part1. When used in this document, the UpperCamelCase notation is followed.

Term	Definition
BusinessRole	Functional role played by a business actor in a particular BusinessProcess or BusinessTransaction.
Participant	Involvement of a BusinessRole in a BusinessTransaction.
BusinessProcess	Definition of the business activities undertaken by BusinessRoles within a BusinessArea whereby each BusinessProcess fulfils one type of business activity and whereby a BusinessProcess may include and extend other BusinessProcesses.
BusinessTransaction	Particular solution that meets the communication requirements and the interaction requirements of a particular BusinessProcess and BusinessArea.
MessageDefinition	Formal description of the structure of a message instance.

Note When a MessageDefinition or message identifier is specified, it should include the variant and version number. However, in this document (except in the business examples section, if present), variant and version numbers are not included. In order to know the correct variant and version number for a MessageDefinition, the related Message Definition Report Part 2 document should be consulted.

1.2 Abbreviations and Acronyms

The following is a list of abbreviations and acronyms used in the document.

Abbreviation/Acronyms	Definition
4CB	Banca d'Italia, Banque de France, Deutsche Bundesbank and Banco d'España
ACH	Automated Clearing House
A2A	Application-to-Application mode. Defines a mode of technical communication that permits the exchange of information between software applications of T2S and a directly connected T2S actor.
BAH/head.001	Business Application Header
BIC	Business Identifier Code
CeBM	Central Bank Money
CSD	Central Securities Depository
ID	Identification
MDR	Message Definition Report
NCB	National Central Bank
RTGS	Real-time gross settlement (RTGS) system.

Abbreviation/Acronyms	Definition
	A settlement system in which processing and settlement take place in real-time on a gross basis.
SEG	Standards Evaluation Group
T2S	TARGET2-Securities
TM	Technical Message. Messages which cover technical functions within T2S System
U2A	User-to-Application mode. Defines a mode of technical communication that permits the exchange of information between software applications of T2S and a T2S system user through a graphical user interface (GUI).
URD	T2S User Requirement Document
XML	eXtensible Mark-up language

1.3 Document Scope and Objectives

This document is the first part of the Message Definition Report (MDR) that describes the BusinessTransactions and underlying message set. For the sake of completeness, the document may also describe BusinessActivities that are not in the scope of the business processes covered in this document.

This document describes the following:

- the BusinessProcess scope
- the BusinessRoles involved in these BusinessProcesses

The main objectives of this document are as follows:

- to provide information about the messages that support the business processes
- to explain the BusinessProcesses and BusinessActivities these messages have addressed
- to give a high level description of BusinessProcesses and the associated BusinessRoles
- to document the BusinessTransactions
- to provide business examples

The messages definitions are specified in Message Definition Report Part 2.

1.4 References

Document	Version	Date	Author
ISO 20022 Business Justification #042 – Securities settlement and reconciliation Status of ISO 20022 submissions | ISO20022 (RA ID: 042)	2.0		4CB
T2S User Requirements (URD) https://www.ecb.europa.eu/paym/t2s/pdf/2016-08-01_urd_v5_05.pdf	5.05	Aug 2016	ECB
ISO 20022 Payments Maintenance 2023/2024 - Maintenance Change Request Catalogue of change requests | ISO20022 – RA ID: MCR #234	2023	Sep 2023	Swift

2 Scope and Functionality

2.1 Background

This Message Definition Report covers a set of 9 ISO 20022 Party Reference Data MessageDefinitions developed by Banca d'Italia, on behalf of 4CB in close collaboration with SWIFT, and approved by the Securities and Payments Standards Evaluation Groups (SEG) under the leadership of the Securities SEG on 15 February 2024.

Originally, these messages have been designed to support the T2S community for reference data management. T2S (TARGET2-Securities) is a European securities settlement engine which offers centralised settlement in central bank money across all European securities markets. The fundamental objective of T2S is to integrate and harmonise the highly fragmented securities settlement infrastructure in Europe. It aims to reduce the costs of cross-border securities settlement and increase competition and choice among providers of post-trading services in Europe.

2.2 Scope

As described in the ISO 20022 Business Justification, the scope covers the following communication flows:

2.3 Groups of MessageDefinitions and Functionality

Note These messages are to be used with the ISO 20022 Business Application Header (head.001). The schema and more information about the Business Application Header (BAH) can be found on the www.iso20022.org web site

2.3.1 Groups

2.3.1.1 Party Reference Data

This Party Reference Data message set consists of:

MessageDefinition	Message Identifier
Party Creation Request	reda.014
Party Modification Request	reda.022
Party Deletion Request	reda.031
Party Status Advice	reda.016
Party Query	reda.015
Party Report	reda.017
Party Activity Advice	reda.041
Party Audit Trail Query	reda.042
Party Audit Trail Report	reda.043

2.3.2 Functionality

The Party Reference Data message definitions are specifically designed to support the following technical functions:

1. Party Creation Request (reda.014) provides a user, granted with the appropriate rights, with the possibility to create a new Party.

   The user has to specify information that clearly identifies the party, as for example BIC, opening and closing date, classification, long and short name.

   The Party Status Advice (reda.016) informs the Instructing Party about the lifecycle of its party creation request.

2. Party Modification Request (reda.022) provides a user, granted with the appropriate rights, with the possibility to update an active and valid party.

   The Instructing Party can also block or unblock the related Party.

   The Party Status Advice (reda.016) informs the Instructing Party about the lifecycle of the party modification request.

3. Party Deletion Request (reda.031) provides a user, granted with the appropriate rights, with the possibility to delete an existing party.

   The Party Status Advice (reda.016) informs the Instructing Party about the lifecycle of the party deletion request.

4. Party Query (reda.015) is sent by an authorised party to query on party reference data.

   This message is sent to the servicing party to make the following type of queries:
   - Party Reference Data Query;
   - Party List Query;
   - Restricted Party Query.

   Depending on the query criteria, it is possible that the processing will take more than a certain time or that the query will not retrieve any record. In this case, an error is sent to the Instructing Party within the Party Report message (reda.017).

   Search criteria include the following elements:
   - Party BIC;
   - Opening and closing date;
   - Type of the party;
   - Responsible CSD or CB;
   - Restriction.

5. Party Report (reda.017) is sent to the Instructing Party and includes all of the party records that meet the specified criteria or reports any possible error (e.g. not allowed set of search criteria).

   This query response contains the timestamp specifying the system time when the data selection was actually performed.

   The Party Report is capable to report any piece of information related to a party,

including BIC, name, address, technical address, restrictions and market specific attributes.

6. Party Activity Advice (reda.041) is sent to authorised recipients by the servicing party to provide with information on changes occurred during the business day on party reference data.

   The Party Activity Advice is capable to report any change applied to every piece of information for a party, including BIC, name, address, technical address, restrictions and market specific attributes.

7. Party Audit Trail Query (reda.042) is sent by an authorised party to query on audit trail for party reference data.

   Depending on the query criteria, it is possible that the processing will take more than a certain time or that the query will not retrieve any record. In this case, an error is sent to the Instructing Party within the Party Report message.

   Search criteria include the following elements:
   - Party;
   - Date Period.

8. Party Audit Trail Report (reda.043) is sent to the Instructing Party and includes all of the party audit trail records that meet the specified criteria or reports any possible error (e.g. empty list retrieved).

   This query response contains the timestamp specifying the system time when the data selection was actually performed.

   The Party Audit Trail Report is capable to report any change applied to every piece of information for a party, including BIC, name, address, technical address, restrictions and market specific attributes along with the reference of the user performing the change and the related timestamp.

See Message Definition Report Part 2 for the message and formats.


3 BusinessRoles and Participants

A BusinessRole represents an entity (or a class of entities) of the real world, physical or legal, a person, a group of persons, a corporation. Examples of BusinessRoles: “Financial Institution”, “Automated Clearing House”, “Central Securities Depository”.

A Participant is a functional role performed by a BusinessRole in a particular BusinessProcess or BusinessTransaction. Examples of Participants: the “user” of a system, “debtor”, “creditor”, “investor”.

The relationship between BusinessRoles and Participants is many-to-many. One BusinessRole can be involved as different Participants at different moments in time or at the same time. Examples of BusinessRoles: "user", "debtor", "creditor", "investor". Different BusinessRoles can be involved as the same Participant.

In the context of the Party Reference Data, the high-level BusinessRoles and typical Participants can be represented as follows:



3.1 Participants and BusinessRoles Definitions

Participants

Description	Definition
Instructing Party	Party that instructs the executing/servicing party to process and monitor a transaction.
Executing / Servicing Party	Party that processes, monitors and reports on transactions received from the Instructing party.

Business Roles

Description	Definition
Central Securities Depositories (CSD)	An infrastructure that, holds or controls, the holding of physical or dematerialised financial instruments belonging to all, or a large portion of, the investors in a securities market. This affects the centralised transfer of ownership of such securities by entries on its books and records.
National Central Bank	The principal monetary authority of a nation, a central bank

Description	Definition
(NCB)	performs several key functions, including issuing currency and regulating the supply of credit in the economy.
Corporate	The most common form of business organization, and one which is chartered by a state and given many legal rights as an entity separate from its owners. This form of business is characterized by the limited liability of its owners, the issuance of shares of easily transferable stock, and its existence as a going concern.
Bank	A business establishment in which money is kept for saving or commercial purposes or is invested, supplied for loans, or exchanged. A bank is licensed by a government. Its primary activity is to lend money. A bank does most or all of the following: receives demand deposits and time deposits, honors instruments drawn on them, and pays interest on them; discounts notes, makes loans, and invests in securities; collects checks, drafts, and notes; certifies depositor's checks; and issues drafts and cashier's checks.
Market Infrastructure	The party that provides, through common membership, services to create a fair and open process for the execution of transactions between trading parties and the creation of settlement obligations.
Market Data Provider	An organization that provides data on financial instruments to other parties. Such as services provided by Thomson, Reuters, Bloomberg …


3.2 BusinessRoles and Participants Table

BusinessRole	Instructing Party	Executing/Servicing Party
Bank	X	
Corporate	X	
CSD	X	X
Market Data Provider	X	X
Market Infrastructure		X

4 BusinessProcess Description

This diagram represents the high level BusinessProcesses.

The aim of the below is to describe the high-level scope of T2S concerning “Party Reference Data” and is not to be exhaustive.



Create Party

Item	Description
Definition	When an Instructing Party would like to create a specific party that is not yet supported by the Executing/Servicing Party, an Instructing Party asks the Executing/Servicing Party to create the party in its system.
Trigger	The process is triggered when the Instructing Party sends a Party Creation Request message.
Pre-conditions	The Instructing Party is known by the Executing/Servicing Party system and has been granted the appropriate privileges. The Instructing Party identified a gap in the parties’ coverage of the Executing/Servicing Party. The Instructing Party needs this party to be set-up at the Executing /Servicing Party to perform its activities.
Post-conditions	The acknowledgement of the processing of the creation request.
Role	Instructing Party

Modify Party

Item	Description
Definition	When an Instructing Party is in charge of the modification of a specific Party already supported by the Executing/Servicing Party system, the Instructing Party asks the Executing/Servicing Party to modify a party in the

Item	Description
	Executing/Servicing Party system. The Instructing Party can block/unblock a Party; they ask the Executing/Servicing Party to block/unblock the Party.
Trigger	The process is triggered when the Instructing Party sends a Party Modification Request message.
Pre-conditions	The Instructing Party is known by the Executing/Servicing Party system and has been granted the appropriate privileges. An attribute of the party has changed which requires a modification of the party in the Executing/Servicing Party system. The party needs to be blocked/unblocked.
Post-conditions	The acknowledgement of the processing of the modification request.
Role	Instructing Party

Delete Party

Item	Description
Definition	When an Instructing Party would like to delete a specific party already supported by the Executing/Servicing Party system, an Instructing Party asks the Executing/Servicing Party to delete the party in its system.
Trigger	The process is triggered when the Instructing Party sends a Party Deletion Request message.
Pre-conditions	The Instructing Party is known by the Executing/Servicing Party system and has been granted the appropriate privileges. The Instructing Party identified a gap in the parties' coverage of the Executing/Servicing Party. The Instructing Party needs to remove this party at the Executing /Servicing Party.
Post-conditions	The acknowledgement of the processing of the deletion request.
Role	Instructing Party

Query

Item	Description
Definition	The Instructing Party asks the Executing/Servicing Party a response to a query.
Trigger	The process is triggered when the Instructing Party sends a Party Query message.
Pre-conditions	The query type must be known by the Instructing party and the Executing/Servicing Party.
Post-conditions	The Party Report message including all of the retrieved Party Records
Role	Instructing Party

Statement

Item	Description
Definition	The Recipient Party receives a Party Activity Advice statement which has been automatically produced by the Executing/Servicing Party.
Trigger	The process is triggered automatically.
Pre-conditions	A standing instruction is in place at the Executing/Servicing Party for sending of the statement.
Post-conditions	The acknowledgement of the sending of the statement.
Role	Executing/Servicing Party

5 Description of BusinessActivities


This section presents the different BusinessActivities within each BusinessProcess. The BusinessActivities of a process are described with activity diagrams.

Legend

Symbol	Name	Definition
●	Start Point	Shows where the lifecycle of the business process commences.
◉	End Point	Shows where the lifecycle of the business process may ends.
◇	Lozenge (or diamond)	Indicates that a choice between several actions can be made.
▬	Bar	Indicates that several actions are initiated in parallel.


5.1 Party Reference Data

5.1.1 Creation Process



Step	Description	Initiator
Instruction	Instructing Party instructs the Executing/Servicing Party to create a party	Instructing Party
Validate	Executing/Servicing Party system checks if this instruction is a new occurrence or not. It also checks if this instruction is already handled or not. If validation of the message fails, a status message “REJECTED” will be sent including the related errors and reason information. If the message is valid and the time permits the creation of the party (e.g. not during a night –time sequence), the data will be processed and a status message “COMPLETED” will be sent. Otherwise a status message “QUEUED” will be sent and the instruction will be resubmit to validation after e.g. a night – time cycle.	Executing/Servicing Party
Process	If the instruction is accepted, the Executing/Servicing Party processes the instruction and informs the Instructing Party of the completeness of this instruction.	Executing/Servicing Party
Report	Executing/Servicing Party informs the Instructing Party that this instruction is rejected and why.	Executing/Servicing Party
Monitor process	Instructing Party monitors the status of the instruction.	Instructing Party


5.1.2 Modification Process



Step	Description	Initiator
Instruction	Instructing Party instructs the Executing/Servicing Party to modify a party.	Instructing Party
Validate:	Executing/Servicing Party checks if the instruction already exists in the system. It checks also if the data can or cannot be updated. In case of a Block/Unblock instruction, the Executing/Servicing Party checks also if the party can or cannot be blocked/unblocked If validation of the message fails, a status message “REJECTED” will be sent including the related errors and reason information. If the message is valid and the time permits the update of the party (e.g. not during a night –time sequence), the data will be processed and a status message “COMPLETED” will be sent.	Executing/Servicing Party

Step	Description	Initiator
	Otherwise a status message “QUEUED” will be sent and the instruction will be resubmit to validation after e.g. a night – time cycle.	
Process	If the instruction is accepted, the Executing/Servicing Party processes the instruction and informs the Instructing Party of the completeness of this instruction.	Executing/Servicing Party
Report	Executing/Servicing Party informs the Instructing Party that this instruction is rejected and why.	Executing/Servicing Party
Monitor process	Instructing Party monitors the status of the instruction.	Instructing Party


5.1.3 Deletion Process



Step	Description	Initiator
Instruction	Instructing Party instructs the Executing/Servicing Party to delete a party.	Instructing Party


Step	Description	Initiator
Validate:	Executing/Servicing Party checks if the instruction already exists in the system. It checks also if the data can or cannot be updated. In case of a Block/Unblock instruction, the Executing/Servicing Party checks also if the party can or cannot be blocked/unblocked If validation of the message fails, a status message “REJECTED” will be sent including the related errors and reason information. If the message is valid and the time permits the update of the party (e.g. not during a night –time sequence), the data will be processed and a status message “COMPLETED” will be sent. Otherwise a status message “QUEUED” will be sent and the instruction will be resubmit to validation after e.g. a night – time cycle.	Executing/Servicing Party
Process	If the instruction is accepted, the Executing/Servicing Party processes the instruction and informs the Instructing Party of the completeness of this instruction.	Executing/Servicing Party
Report	Executing/Servicing Party informs the Instructing Party that this instruction is rejected and why.	Executing/Servicing Party
Monitor process	Instructing Party monitors the status of the instruction.	Instructing Party

5.1.4 Query/Query Response process



Step	Description	Initiator
Instruction	Instructing Party instructs Executing/Servicing Party to run a query or Audit Trail Query.	Instructing Party
Process Query	Executing/Servicing Party processes the request. In case the processing of the query takes too much time or cannot give any positive response, the Executing/Servicing Party sends an error message back to the Instructing Party with the error code and the related explanation.	Executing/Servicing Party
Response	Executing/Services Party sends the response to the Instructing Party according to query results.	Executing/Servicing Party
Monitor process	Instructing Party monitors the status of the instruction.	Instructing Party

5.1.5 Statement process



Step	Description	Initiator
Instruction	Instructing Party might instruct Executing/Servicing Party to run a statement. This is not covered by the current process as NO message will be created to cover this.	Instructing Party
Process Statement	Executing/Servicing Party processes the statement.	Executing/Servicing Party
Reporting	Executing/Servicing Party sends the statement to the Instructing Party.	Executing/Servicing Party
Monitor process	Instructing Party monitors the status of the instruction.	Instructing Party


6 BusinessTransactions

This section describes the message flows based on the activity diagrams documented above. It shows the typical exchanges of information in the context of a BusinessTransaction.

6.1 Creation Process

6.1.1 Confirmation Scenario

Applies when the instruction sent by the Instructing Party is processed and confirmed by the Executing/Servicing Party.



Party Creation Request

The Instructing Party sends the instruction to the Executing/Servicing Party to create a new party. This instruction contains information that clearly identify the party.

Party Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

- Queued


  The Executing/Servicing Party might inform the Instructing party that the processing of Party Creation Request has been delayed. In case of e.g. a night-time cycle is running.

- Completed

  The Executing/Servicing Party informs the Instructing party that the Party Creation Request has been successfully processed. The Executing/Servicing Party present to the Instructing Party the identification of the Party that has been processed.

6.1.2 Rejection Scenario

Applies when the instruction sent by the Instructing Party is rejected by the Executing/Servicing Party.



Party Creation Request:

The Instructing Party sends the instruction to the Executing/Servicing Party to create a new party. This instruction contains information that clearly identify the party.

Party Status Advice:

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

- Rejected:
  The instruction did not pass validation, some reasons could be:
  - the mandatory information is not present or incorrect,
  - the instruction is not a new occurrence,
  - the instruction has already been received and is being processed.
- This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

- Queued:
  The Executing/Servicing Party might inform the Instructing party that the processing of the Create Party instruction has been delayed. In case of e.g. a night-time cycle is running.


- Rejected after dequeuing:
  After the re-validation of the instruction, with the new set of data the current instruction did not pass validation, some reasons could be:
  - the mandatory information is not present or incorrect,
  - the instruction is not a new occurrence,
  - the instruction has already been received and is being processed

- This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

6.2 Modification Process

6.2.1 Confirmation Scenario

Applies when the instruction sent by the Instructing Party is processed and confirmed by the Executing/Servicing party



Party Maintenance Request

The Instruction Party sends an instruction to the Executing/Servicing Party to modify data for a Party. This instruction contains information that uniquely identify the Party.

In this instruction, the Instruction Party can also send to the Executing/Servicing Party the request to block/unblock a Party for settlement.

In this case, this instruction contains details of the restriction like the restriction type and timeframe.

Party Status Advice


The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

- Queued:
  The Executing/Servicing Party might informs the Instructing party that the processing of the Modify Party instruction has been delayed. In case of e.g. a night-time cycle is running.

- Completed:
  The Executing/Servicing Party informs the Instructing party that the Modify Party instruction has been successfully processed. The Executing/Servicing Party present to the Instructing Party the identification of the Party that has been processed.

6.2.2 Rejection Scenario

Applies when the instruction sent by the Instructing Party is rejected by the Executing/Servicing Party



Party Maintenance Request

The Instruction Party sends an instruction to the Executing/Servicing Party to modify reference data for a party.

Party Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

- Rejected:
  The instruction did not pass validation, some reasons could be:
  - the mandatory information is not present or incorrect,
  - the data cannot be updated,
  - the party cannot be blocked/unblocked,
  - the Instructing Party does not have the right to (un)block party
  - the instruction has already been received and is being processed
- This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

- Queued:
  The Executing/Servicing Party might inform the Instructing party that the processing of the Modify Party instruction has been delayed. In case of e.g. a night-time cycle is running.
-
- Rejected after dequeuing:
  After the re-validation of the instruction, with the new set of data the current instruction did not pass validation, some reasons could be:
  - the mandatory information is not present or incorrect,
  - the data cannot be updated,
  - the party cannot be blocked,


  - the Instructing Party does not have the right to block/unblock Party
  - the instruction has already been received and is being processed

-
- This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

6.3 Deletion Process

6.3.1 Confirmation Scenario

Applies when the instruction sent by the Instructing Party is processed and confirmed by the Executing/Servicing party:



Party Deletion Request

The Instruction Party sends an instruction to the Executing/Servicing Party to delete a Party. This instruction contains information that uniquely identifies the party and it is used when a party is no longer active.

Party Status Advice


The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

- Queued
  The Executing/Servicing Party might inform the Instructing party that the processing of the Delete Party instruction has been delayed. In case of e.g. a night-time cycle is running.

- Completed
  The Executing/Servicing Party informs the Instructing party that the Delete Party instruction has been successfully processed. The Executing/Servicing Party present to the Instructing Party the identification of the party that has been processed.

6.3.2 Rejection Scenario

Applies when the instruction sent by the Instructing Party is rejected by the Executing/Servicing Party



Party Deletion Request

The Instruction Party sends an instruction to the Executing/Servicing Party to delete a Party.

Party Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:


- Rejected
  The instruction did not pass validation, some reasons could be:
  - the mandatory information is not present or incorrect;
  - the Instructing Party does not have the right to delete Party;
  - the instruction has already been received and is being processed;
- This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status

- Queued
  The Executing/Servicing Party might inform the Instructing party that the processing of the Delete Party instruction has been delayed. In case of e.g. a night-time cycle is running.
-
- Rejected after dequeuing
  After the re-validation of the instruction, with the new set of data the current instruction did not pass validation, some reasons could be:
  - the mandatory information is not present or incorrect;
  - the Party cannot be deleted;
  - the Instructing Party does not have the right to delete Party;
  - the instruction has already been received and is being processed;

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

6.4 Query/Response Process

6.4.1 Party Query/ Party Report Scenario



Party query

The Instructing Party sends an instruction to the Executing/Servicing Party to run a query according to specified criteria.


Party Report

Depending on the query criteria, it is possible that the processing will take more than a certain timeor that the result of the query will be empty due to wrong combination of criteria or no result set. In this case, an error message within a query response message is sent to the Instructing Party.

Party Report

The Executing/Servicing Party sends a query response that meets the specified criteria to the Instructing Party.

6.4.2 Party Audit Trail Query/ Party Audit Trail Report Scenario



Party Audit Trail Query

The Instructing Party sends an instruction to the Executing/Servicing Party to run a query according to specified criteria's to retrieve the complete audit trail on a specific party.


Party Audit Trail Report

Depending on the query criteria, it is possible that the processing will take more than a certain timeor that the result of the query will be empty due to wrong combination of criteria or no result set. In this case, an error message within a query response message is sent to the Instructing Party.

Party Audit Trail Report

The Executing/Servicing Party sends a query response that meets the specified criteria to the Instructing Party.

6.5 Statement Process



Party Activity Advice

The Executing/Servicing Party sends a statement to the Instructing Party containing information on changes occurred for Party reference data during the business day.

The statement is sent unilaterally in an unsolicited manner.

7 Business Examples

This section describes business examples of the use of the various candidate Message Definitions for the Party message set. All XML instances are embedded in the BAH, but the XML message instance provided below does only show the content of the pure business message.

7.1 Party Creation Request - reda.014.001

Description

The instructing Party wants to create a new Payment Bank with the following information:

Party code: BANKXXYYAAA
Party code Valid From: 2017-09-01
Street name: Via Nazionale
Postal code: 00184
Town name: Rome
Country: IT
Party address valid from: 2011-01-01
Party Opening Date: 2017-08-23
Party Type: PMBK
Party Tech. Address: Example_PTA
Party Name valid from: 2008-07-01
Party Name: SAMPLE PAYMENT BANK
Party short Name: SAMPLE

Message Instance

```
<Document>
   <PtyCreReq>
      <MsgHdr>
         <MsgId>SAMPLEPARTYCRE</MsgId>
      </MsgHdr>
      <Pty>
         <PtyId>
            <Id>
               <Id>
                  <AnyBIC>BANKXXYYAAA</AnyBIC>
               </Id>
            </Id>
            <VldFr>2017-09-01</VldFr>
         </PtyId>
         <Adr>
            <StrtNm>Via Nazionale</StrtNm>
            <BldgNb>1</BldgNb>
            <PstCd>00184</PstCd>
            <TwnNm>Rome</TwnNm>
            <Ctry>IT</Ctry>
            <VldFr>2011-01-01</VldFr>
         </Adr>
         <OpngDt>2017-08-23</OpngDt>
```

```
            <Tp>
               <Cd>PMBK</Cd>
            </Tp>
            <TechAdr>
               <TechAdr>Example_PTA</TechAdr>
            </TechAdr>
            <Nm>
               <VldFr>2008-07-01</VldFr>
               <Nm>SAMPLE PAYMENT BANK</Nm>
               <ShrtNm>SAMPLE</ShrtNm>
            </Nm>
         </Pty>
      </PtyCreReq>
</Document>
```

7.2 Party Modification Request - reda.022.001

Description

In this example, the instructing party wants to update the Street name and the building number of the Party BANKXXYYAAA:

Party ID: BANKXXYYAAA
Responsible Party ID: NCBAXXYYAAA
New Street name: Largo Guido Carli
Building number: 01
Address Valid From: 2017-08-23

Message Instance

```
<Document>
   <PtyModReq>
      <MsgHdr>
         <MsgId>SAMPLEPARTYUPD</MsgId>
      </MsgHdr>
      <SysPtyId>
         <Id>
            <Id>
               <AnyBIC>BANKXXYYAAA</AnyBIC>
            </Id>
         </Id>
         <RspnsblPtyId>
            <Id>
               <AnyBIC>NCBAXXYYAAA</AnyBIC>
            </Id>
         </RspnsblPtyId>
      </SysPtyId>
      <Mod>
         <ScpIndctn>UPDT</ScpIndctn>
         <ReqdMod>
            <PtyAdr>
               <StrtNm>Largo Guido Carli</StrtNm>
               <BldgNb>01</BldgNb>
               <VldFr>2017-08-23</VldFr>
            </PtyAdr>
         </ReqdMod>
      </Mod>
   </PtyModReq>
</Document>
```

7.3 Party Deletion Request - reda.031.001

Description

This example message is sent in order to delete the Party BANKXXYYAAA:

Party ID: BANKXXYYAAA
Responsible Party ID: NCBAXXYYAAA

Message Instance

```
<Document>
    <PtyDeltnReq>
        <MsgHdr>
            <MsgId>SAMPLEPARTYDEL</MsgId>
        </MsgHdr>
        <SysPtyId>
            <Id>
                <Id>
                    <AnyBIC>BANKXXYYAAA</AnyBIC>
                </Id>
            </Id>
            <RspnsblPtyId>
                <Id>
                    <AnyBIC>NCBAXXYYAAA</AnyBIC>
                </Id>
            </RspnsblPtyId>
        </SysPtyId>
    </PtyDeltnReq>
</Document>
```

7.4 Party Status Advice- reda.016.001

Description

The following examples are referred to the status advice related to the Party deletion request of the chapter 7.3. in three different cases:

- Deletion completed successfully;
- Deletion queued;
- Deletion rejected.

7.4.1 Party Status Advice- reda.016.001– Completed example

In this case the Party Deletion Request has been successfully executed.

Original Message ID: SAMPLEPARTYDEL
Party ID: BANKXXYYAAA
Responsible Party ID: NCBAXXYYAAA
Status. COMP

Message Instance

```
<Document>
    <PtyStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEPARTYDEL</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PtySts>
            <Sts>COMP</Sts>
            <SysPtyId>
                <Id>
                    <Id>
                        <AnyBIC>BANKXXYYAAA</AnyBIC>
                    </Id>
                </Id>
                <RspnsblPtyId>
                    <Id>
                        <AnyBIC>NCBAXXYYAAA</AnyBIC>
                    </Id>
                </RspnsblPtyId>
            </SysPtyId>
        </PtySts>
```

```
    </PtyStsAdvc>
</Document>
```

7.4.2 Party Status Advice- reda.016.001 – Queued example

This example describes the case in which the Party Deletion Request has been delayed. In case of e.g. a night-time cycle is running.

Original Message ID: SAMPLEPARTYDEL
Status: QUED
Additional Information: REQUEST HAS BEEN QUEUED

Message Instance

```
<Document >
    <PtyStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEPARTYDEL</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PtySts>
            <Sts>QUED</Sts>
            <StsRsn>
                <Rsn>
                    <Prtry>QUED</Prtry>
                </Rsn>
                <AddtlInf>REQUEST HAS BEEN QUEUED</AddtlInf>
            </StsRsn>
        </PtySts>
    </PtyStsAdvc>
</Document>
```

7.4.3 Party Status Advice- reda.016.001 – Rejected example

In this example the Party Status Advice reports that the Party Deletion Request has been rejected, specifying the rejection reason.

Original Message ID: SAMPLEPARTYDEL
Status. REJT
Additional Information: ABCD000 PARTY DELETION REQUEST REJECTED

Message Instance

```
<Document>
    <PtyStsAdvc>
        <MsgHdr>
```

```
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEPARTYDEL</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PtySts>
            <Sts>REJT</Sts>
            <StsRsn>
                <Rsn>
                    <Prtry>REJT</Prtry>
                </Rsn>
                <AddtlInf>ABCD000 PARTY DELETION REQUEST REJECTED</AddtlInf>
            </StsRsn>
        </PtySts>
    </PtyStsAdvc>
</Document>
```

7.5 Party Query - reda.015.001

Description

The PartyQuery (reda.015) message can be used to perform the following queries:

Party Reference Data Query;
Party List Query;
Restricted Party Query.

In this example the NCB NCBAXXYYAAA performs a Party List Query, used to query all the party under the NCB data scope.

Message Instance

```
<Document>
    <PtyQry>
        <MsgHdr>
            <MsgId>SAMPLEPTYLISQUE</MsgId>
            <ReqTp>
                <Prtry>
                    <Id>PYLI</Id>
                </Prtry>
            </ReqTp>
        </MsgHdr>
        <SchCrit>
            <RspnsblPtyId>
                <Id>
                    <AnyBIC>NCBAXXYYAAA</AnyBIC>
                </Id>
            </RspnsblPtyId>
        </SchCrit>
    </PtyQry>
</Document>
```

7.6 Party Report - reda.017.001

Description

The PartyReport (reda.017) message can be used as answer for:

Party Reference Data Query;
Party List Query;
Restricted Party Query

performed using the Party Query message (reda.015). This example shows the answer to the Party List Query described in the chapter 7.5. The query returns only one Party:

Party ID: BANKXXYYAAA
Responsible Party ID: NCBAXXYYAAA
Party name: SAMPLE PAYMENT BANK
Party short name: SAMPLE

Message Instance

```
<Document>
    <PtyRpt>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizQry>
                <MsgId>SAMPLEPTYLISQUE</MsgId>
            </OrgnlBizQry>
        </MsgHdr>
        <RptOrErr>
            <PtyRpt>
                <PtyId>
                    <Id>
                        <Id>
                            <AnyBIC>BANKXXYYAAA</AnyBIC>
                        </Id>
                    </Id>
                    <RspnsblPtyId>
                        <Id>
                            <AnyBIC>NCBAXXYYAAA</AnyBIC>
                        </Id>
                    </RspnsblPtyId>
                </PtyId>
                <PtyOrErr>
                    <SysPty>
```

```
                        <Nm>
                            <Nm>SAMPLE PAYMENT BANK</Nm>
                            <ShrtNm>SAMPLE</ShrtNm>
                        </Nm>
                    </SysPty>
                </PtyOrErr>
            </PtyRpt>
        </RptOrErr>
    </PtyRpt>
</Document>
```

7.7 Party Activity Advice - reda.041.001

Description

The PartyActivityAdvice (reda.041) message provides information on changes occurred for party reference data during the business day. In this example, it shows two changes occurred on 2017-08-23 to the party PAYBXXYYAAA regarding the Party Long Name and its validity:

System date: 2017-08-23

First change:

Field changed: PartyName.ValidFrom
Party ID: BANKXXYYAAA
Responsible Party ID: NCBAXXYYAAA
Old Filed Value: 2008-07-01
New Field Value: 2017-08-23
Timestamp of the Update performed: 2017-08-23T15:10:10

Second change:

Field changed: PartyName.LongName
Party ID: BANKXXYYAAA
Responsible Party ID: NCBAXXYYAAA
Old Filed Value: SAMPLE NAME
New Field Value: NEW SAMPLE NAME
Timestamp of the Update performed: 2017-08-23T16:30:10

Message Instance

```
<Document>
    <PtyActvtyAdvc>
        <MsgHdr>
            <MsgId>SAMPLEPTYSTA</MsgId>
        </MsgHdr>
        <PtyActvty>
            <SysDt>2017-08-23</SysDt>
            <Chng>
                <PtyId>
                    <Id>
                        <Id>
                            <AnyBIC>PAYBXXYYAAA</AnyBIC>
                        </Id>
                    </Id>
                    <RspnsblPtyId>
                        <Id>
                            <AnyBIC>NCBAXXYYAAA</AnyBIC>
                        </Id>
```

```
                </RspnsblPtyId>
            </PtyId>
            <Rcrd>
                <Othr>
                    <FldNm>PartyName.ValidFrom</FldNm>
                    <OdFldVal>2008-07-01</OdFldVal>
                    <NewFldVal>2017-08-23</NewFldVal>
                </Othr>
            </Rcrd>
            <OprTmStmp>2017-08-23T15:10:10</OprTmStmp>
        </Chng>
        <Chng>
            <PtyId>
                <Id>
                    <Id>
                        <AnyBIC>PAYBXXYYAAA</AnyBIC>
                    </Id>
                </Id>
                <RspnsblPtyId>
                    <Id>
                        <AnyBIC>NCBAXXYYAAA</AnyBIC>
                    </Id>
                </RspnsblPtyId>
            </PtyId>
            <Rcrd>
                <Othr>
                    <FldNm>PartyName.LongName</FldNm>
                    <OdFldVal>SAMPLE NAME</OdFldVal>
                    <NewFldVal>NEW SAMPLE NAME</NewFldVal>
                </Othr>
            </Rcrd>
            <OprTmStmp>2017-08-23T16:30:10</OprTmStmp>
        </Chng>
    </PtyActvty>
</PtyActvtyAdvc>
</Document>
```

7.8 Party Audit Trail Query - reda.042.001

Description

The PartyAuditTrailQuery (reda.042) is used to query all the audit trails regarding the Party with:

ID PAYBXXYYAAA
Responsible Party ID NCBAXXYYAAA

Message Instance

```
<Document>
    <PtyAudtTrlQry>
        <MsgHdr>
            <MsgId>SAMPLEPTYATRQUE</MsgId>
        </MsgHdr>
        <SchCrit>
            <PtyId>
                <Id>
                    <Id>
                        <AnyBIC>PAYBXXYYAAA</AnyBIC>
                    </Id>
                </Id>
                <RspnsblPtyId>
                    <Id>
                        <AnyBIC>NCBAXXYYAAA</AnyBIC>
                    </Id>
                </RspnsblPtyId>
            </PtyId>
        </SchCrit>
    </PtyAudtTrlQry>
</Document>
```

7.9 Party Audit Trail Report - reda.043.001

Description

The PartyAuditTrailReport (reda.043) message represents the answer to the Party Audit Trail Query described in the chapter 7.8. In this case, the party with ID PAYBXXYYAAA and responsible party ID NCBAXXYYAAA had only one change performed by the user USER1 and approved by the user USER2 on 2017-08-17T17:59:00 regarding the change of the Postal Code from the value 54321 to the new value 12345.

Message Instance

```
<Document>
    <PtyAudtTrlRpt>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEPTYATRQUE</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <RptOrErr>
            <PtyAudtTrlRpt>
                <PtyAudtTrlOrErr>
                    <AudtTrl>
                        <Rcrd>
                            <Othr>
                            <FldNm>PostalCode</FldNm>
                            <OdFldVal>54321</OdFldVal>
                            <NewFldVal>12345</NewFldVal>
                            </Othr>
                        </Rcrd>
                        <OprTmStmp>2017-08-17T17:59:00</OprTmStmp>
                        <InstgUsr>USER1</InstgUsr>
                        <ApprvgUsr>USER2</ApprvgUsr>
                    </AudtTrl>
                </PtyAudtTrlOrErr>
                <PtyId>
                    <Id>
                        <Id>
                            <AnyBIC>PAYBXXYYAAA</AnyBIC>
                        </Id>
```

```
                    </Id>
                    <RspnsblPtyId>
                        <Id>
                            <AnyBIC>NCBAXXYYAAA</AnyBIC>
                        </Id>
                    </RspnsblPtyId>
                </PtyId>
            </PtyAudtTrlRpt>
        </RptOrErr>
    </PtyAudtTrlRpt>
</Document>
```

8 Revision Record

Revision	Date	Author	Description	Sections affected
1.0	Dec 2023	4CB and SWIFT	Draft version for SEG review, based on maintenance 2023/2024	All
2.0	March 2024	ISO 20022 RA	Approved version	All

Disclaimer:

Although the Registration Authority has used all reasonable efforts to ensure accuracy of the contents of the iso20022.org website and the information published thereon, the Registration Authority assumes no liability whatsoever for any inadvertent errors or omissions that may appear thereon. Moreover, the information is provided on an "as is" basis. The Registration Authority disclaims all warranties and conditions, either express or implied, including but not limited to implied warranties of merchantability, title, non-infringement and fitness for a particular purpose.

The Registration Authority shall not be liable for any direct, indirect, special or consequential damages arising out of the use of the information published on the iso20022.org website, even if the Registration Authority has been advised of the possibility of such damages.

Intellectual Property Rights:

The ISO 20022 MessageDefinitions described in this document were contributed described in this document were contributed by Banca d'Italia and SWIFT for T2-Securites. The ISO 20022 IPR policy is available at www.ISO20022.org > About ISO 20022 > Intellectual Property Rights.