ISO 20022

Target-2 Securities - Securities Reference Data

Message Definition Report Part 1

Approved by the Securities and Payments SEG under the leadership of the Securities SEG on 28 June 2021.

This document provides information about the use of the messages for Target-2 Securities - Securities Reference Data messages and includes, for example, business transactions and examples.

June 2021

Table of Contents

Table of Contents **2**

1 Introduction **5**

1.1 Terms and Definitions 5
1.2 Abbreviations and Acronyms 5
1.3 Document Scope and Objectives 6
1.4 References 6

2 Scope and Functionality **8**

2.1 Background 8
2.2 Scope 8
2.3 Groups of MessageDefinitions and Functionality 8

3 BusinessRoles and Participants **11**

3.1 Participants and BusinessRoles Definitions 11
3.2 BusinessRoles and Participants Table 12

4 BusinessProcess Description **13**

5 Description of BusinessActivities **15**

5.1 Creation Process 15
5.2 Modification Process 17
5.3 Deletion Process 18
5.4 Query/Query Response Process 19
5.5 Statement Process 20

6 BusinessTransactions **22**

6.1 Creation Process 22
6.2 Modification Process 24
6.3 Deletion Process 26
6.4 Query/Response Process 28
6.5 Statement Process 29

7 Business Examples **30**

7.1 Security Creation Request - reda.006.001.01 30
7.2 Security Creation Status Advice - reda.008.001.01 31
7.3 Security Maintenance Request - reda.007.001.01 34
7.4 Security Maintenance Status Advice - reda.029.001.01 35
7.5 Security Deletion Request - reda.013.001.01 38
7.6 Security Deletion Status Advice - reda.030.001.01 38
7.7 Security Query - reda.010.001.01 42
7.8 Security Report - reda.012.001.01 42
7.9 Security Activity Advice - reda.009.001.01 45
7.10 Securities Audit Trail Query - reda.033.001.01 46
7.11 Securities Audit Trail Report - reda.034.001.01 46

8 Revision Record **48**

Preliminary Note

The Message Definition Report (MDR) is made of three parts:

MDR Part 1

This describes the contextual background required to understand the functionality of the proposed message set. Part 1 is produced by the submitting organization that developed or maintained the message set in line with an MDR Part 1 template provided by the ISO 20022 Registration Authority (RA) on www.iso20022.org.

MDR Part 2

This is the detailed description of each message definition of the message set. Part 2 is produced by the RA using the model developed by the submitting organization.

MDR Part 3

This is an extract if the ISO 20022 Business Model describing the business concepts used in the message set. Part 2 is an Excel document produced by the RA.

1 Introduction

1.1 Terms and Definitions

The following terms are reserved words defined in ISO 20022 Edition 2013 – Part1. When used in this document, the UpperCamelCase notation is followed.

Term	Definition
BusinessRole	Functional role played by a business actor in a particular BusinessProcess or BusinessTransaction.
Participant	Involvement of a BusinessRole in a BusinessTransaction.
BusinessProcess	Definition of the business activities undertaken by BusinessRoles within a BusinessArea whereby each BusinessProcess fulfils one type of business activity and whereby a BusinessProcess may include and extend other BusinessProcesses.
BusinessTransaction	Particular solution that meets the communication requirements and the interaction requirements of a particular BusinessProcess and BusinessArea.
MessageDefinition	Formal description of the structure of a message instance.

Note When a MessageDefinition or message identifier is specified, it should include the variant and version number. However, in this document (except in the business examples section, if present), variant and version numbers are not included. In order to know the correct variant and version number for a MessageDefinition, the related Message Definition Report Part 2 document should be consulted.

1.2 Abbreviations and Acronyms

The following is a list of abbreviations and acronyms used in the document.

Abbreviation/Acronyms	Definition
4CB	Banca d'Italia, Banque de France, Deutsche Bundesbank and Banco d'España
ACH	Automated Clearing House
A2A	Application-to-Application mode. Defines a mode of technical communication that permits the exchange of information between software applications of T2S and a directly connected T2S actor.
BAH/head.001	Business Application Header
BIC	Business Identifier Code
CeBM	Central Bank Money
CSD	Central Securities Depository
ID	Identification
MDR	Message Definition Report

Abbreviation/Acronyms	Definition
NCB	National Central Bank
RTGS	Real-time gross settlement (RTGS) system. A settlement system in which processing and settlement take place in real-time on a gross basis.
SEG	Standards Evaluation Group
T2S	TARGET2-Securities
TM	Technical Message. Messages which cover technical functions within T2S System
U2A	User-to-Application mode. Defines a mode of technical communication that permits the exchange of information between software applications of T2S and a T2S system user through a graphical user interface (GUI).
URD	T2S User Requirement Document
XML	eXtensible Mark-up language

1.3 Document Scope and Objectives

This document is the first part of the <**Name of message set**> Message Definition Report (MDR) that describes the BusinessTransactions and underlying message set. For the sake of completeness, the document may also describe BusinessActivities that are not in the scope of the business processes covered in this document.

This document describes the following:

- the BusinessProcess scope
- the BusinessRoles involved in these BusinessProcesses

The main objectives of this document are as follows:

- to provide information about the messages that support the business processes
- to explain the BusinessProcesses and BusinessActivities these messages have addressed
- to give a high level description of BusinessProcesses and the associated BusinessRoles
- to document the BusinessTransactions
- to provide business examples

The messages definitions are specified in Message Definition Report Part 2.

1.4 References

Document	Version	Date	Author
ISO 20022 Business Justification # 42 – Target2-Securities	2.0	15-09-2009	4CB
T2S User Requirements (URD)	5.05	01-08-2016	ECB

Document	Version	Date	Author
https://www.ecb.europa.eu/paym/t2s/pdf/2016-08-01_urd_v5_05.pdf			

2 Scope and Functionality

2.1 Background

This Message Definition Report covers a set of 11 ISO 20022 Securities Reference Data Message Definitions developed by Banca d'Italia on behalf of 4CB in close collaboration with SWIFT and approved by the Securities Standards Evaluation Group (SEG).

Originally, these messages have been designed to support the T2S community for reference data management. T2S (TARGET2-Securities) is a European securities settlement engine which offers centralised settlement in central bank money across all European securities markets. The fundamental objective of T2S is to integrate and harmonise the highly fragmented securities settlement infrastructure in Europe. It aims to reduce the costs of cross-border securities settlement and increase competition and choice among providers of post-trading services in Europe.

The detailed description of each MessageDefinition is provided in Message Definition Report Part 2.

2.2 Scope

The Securities messages are specifically designed to support the management of the securities reference data, the monitoring of the execution of the requests and the activity reporting, including audit trail information.

2.3 Groups of MessageDefinitions and Functionality

Note These messages are to be used with the ISO 20022 Business Application Header (head.001). The schema and more information about the Business Application Header (BAH) can be found on the www.iso20022.org web site

2.3.1 Groups

2.3.1.1 Securities Reference Data message

MessageDefinition	Message Identifier
• Security Creation Request	reda.006
• Security Creation Status Advice	reda.008
• Security Maintenance Request	reda.007
• Security Maintenance Status Advice	reda.029
• Security Deletion Request	reda.013
• Security Deletion Status Advice	reda.030
• Security Query	reda.010
• Security Report	reda.012
• Security Activity Advice	reda.009
• Securities Audit Trail Query	reda.033
• Securities Audit Trail Report	reda.034

The securities reference data messages are specifically designed to support the following functions:

- Security Creation Request (reda.006) provides a user, granted with the appropriate rights, with the possibility to create a new Security.

  The user has to specify information that clearly identifies the Security, as for example ISIN, security long name, security short name, valid from name, denomination currency, classification type, issuance details, settlement information.

  The Security Creation Status Advice (reda.008) informs the Instructing Party about the lifecycle of its security creation request.

- Security Maintenance Request (reda.007) provides a user, granted with the appropriate rights, with the possibility to update an active and valid security.

  The Security Maintenance Status Advice (reda.029) informs the Instructing Party about the lifecycle of its security modification request.

- Security Deletion Request (reda.013) provides a user, granted with the appropriate rights, with the possibility to delete an existing security.

  The Security Deletion Status Advice (reda.030) informs the Instructing Party about the lifecycle of its security deletion request.

- Security Query (reda.010) is sent by an authorised party to query on security reference data.

  This message is sent to the servicing party to make the following type of queries:
  - Securities Reference Data Query;
  - ISIN List Query;
  - Securities CSD Link Query;
  - Securities Deviating Nominal Query.

  Depending on the query criteria, it is possible that the processing will take more than a certain time or that the query will not retrieve any record. In this case, an error is sent to the Instructing Party within the Security Report (reda.012);

  Search criteria include the following elements:
  - ISIN;
  - Classification Type;
  - Maturity Date;
  - Issue Date;
  - Issue Currency;
  - Country of Issue;
  - Maintainer CSD;
  - Investor CSD;
  - Issuer CSD;
  - Technical Issuer CSD;
  - Generic CSD of a security, both investor and issuer CSDs.

- Security Report (reda.012) is sent to the Instructing Party and includes all of the Securities records that meet the specified criteria or reports any possible error (e.g. not allowed set of search criteria).

  This query response contains the timestamp specifying the system time when the data selection was actually performed.

  The Security Report is capable to report any piece of information related to a security, including ISIN, financial instrument name, denomination currency, expiry date, classification type, country of issuance, issue date, restriction, financial instrument identification validity, settlement information.

- Security Activity Advice (reda.009) is sent to authorised recipients by the servicing party to provide with information on changes occurred during the business day on security reference data.

  Security Activity Advice is capable to report any change applied to every piece of information for a security, including financial instrument name, denomination currency, expiry date, classification type, country of issuance, issue date, restriction, financial instrument identification validity, settlement information.

- Securities Audit Trail Query (reda.033) is sent by an authorised party to query on audit trail for securities reference data.

  Depending on the query criteria, it is possible that the processing will take more than a certain time or that the query will not retrieve any record. In this case, an error is sent to the Instructing Party within the Securities Audit Trail Report message (reda.034).

  Search criteria include the following elements:
  - ISIN;
  - Date Period.

  Securities Audit Trail Report (reda.034) is sent to the Instructing Party and includes all of the securities audit trail records that meet the specified criteria or reports any possible error (e.g. empty list retrieved).

  This query response contains the timestamp specifying the system time when the data selection was actually performed.

  Securities Audit Trail Report is capable to report any change applied to every piece of information for a security along with the reference of the user performing the change and the related timestamp.

2.3.2 Functionality

See Message Definition Report Part 2 for the message and formats.


3 BusinessRoles and Participants

A BusinessRole represents an entity (or a class of entities) of the real world, physical or legal, a person, a group of persons, a corporation. Examples of BusinessRoles: “Financial Institution”, “Automated Clearing House”, “Central Securities Depository”.

A Participant is a functional role performed by a BusinessRole in a particular BusinessProcess or BusinessTransaction. Examples of Participants: the “user” of a system, “debtor”, “creditor”, “investor”.

The relationship between BusinessRoles and Participants is many-to-many. One BusinessRole can be involved as different Participants at different moments in time or at the same time. Examples of BusinessRoles: "user", "debtor", "creditor", "investor". Different BusinessRoles can be involved as the same Participant.

In the context of Security, the high-level BusinessRoles and typical Participants can be represented as follows:



3.1 Participants and BusinessRoles Definitions

Participants

Description	Definition
Instructing Party	Party that instructs the executing/servicing party to process and monitor a transaction.
Executing/Servicing Party	Party that processes, monitors and reports on transactions received from the Instructing party.

Business Roles

Description	Definition
Central Securities Depositories (CSD)	An infrastructure that, holds or controls, the holding of physical or dematerialised financial instruments belonging to all, or a large portion of, the investors in a securities market. This affects the centralised transfer of ownership of such securities by entries on its books and records.
Corporate	Most common form of business organization, and one which is chartered by a state and given many legal rights as an entity separate from its owners. This form of business is characterized by the limited liability of its owners, the issuance of shares of easily transferable stock, and its existence as a going concern.
Market Infrastructure	Party that provides, through common membership, services to create a fair and open process for the execution of transactions


Description	Definition
	between trading parties and the creation of settlement obligations.
Market Data Provider	An organization that provides data on financial instruments to other parties.

3.2 BusinessRoles and Participants Table

BusinessRole	Participant Instructing Party	Participant Executing/Servicing Party
Central Securities Depositories (CSD)	X	
Corporate	X	
Market Infrastructure		X
Market Data Provider		X

4 BusinessProcess Description

This diagram represents the high level BusinessProcesses, used to describe the high-level scope of T2S concerning “Securities Reference Data” and is not to be exhaustive.



Create Security

Item	Description
Definition	When an Instructing Party would like to create a specific security that is not yet supported by the Executing/Servicing Party, an Instructing Party asks the Executing/Servicing Party to create the security in its system.
Trigger	The process is triggered when the Instructing Party sends a Security Creation Request message.
Pre-conditions	The Instructing Party is known by the Executing/Servicing Party system and has been granted the appropriate privileges. The Instructing Party identified a gap in the securities’ coverage of the Executing/Servicing Party. The Instructing Party needs this security to be set-up at the Executing /Servicing Party to perform its activities.
Post-conditions	The acknowledgement of the processing of the creation request.
Role	Instructing Party

Modify Security

Item	Description
Definition	When an Instructing Party is in charge of the modification of a specific security already supported by the Executing/Servicing Party system, the Instructing Party asks the Executing/Servicing Party to modify a security in the Executing/Servicing Party system.
Trigger	The process is triggered when the Instructing Party sends a Security Maintenance Request message.
Pre-conditions	The Instructing Party is known by the Executing/Servicing Party system and has been granted the appropriate privileges. An attribute of the security has

Item	Description
	changed which requires a modification of the security in the Executing/Servicing Party system.
Post-conditions	The acknowledgement of the processing of the maintenance request.
Role	Instructing Party

Delete Security

Item	Description
Definition	When an Instructing Party would like to delete a specific security already supported by the Executing/Servicing Party system, an Instructing Party asks the Executing/Servicing Party to delete the security in its system.
Trigger	The process is triggered when the Instructing Party sends a Security Deletion Request message.
Pre-conditions	The Instructing Party is known by the Executing/Servicing Party system and has been granted the appropriate privileges. The Instructing Party identified a gap in the Security' coverage of the Executing/Servicing Party. The Instructing Party needs to remove this security at the Executing /Servicing Party.
Post-conditions	The acknowledgement of the processing of the deletion request.
Role	Instructing Party

Query

Item	Description
Definition	The Instructing Party asks the Executing/Servicing Party a response to a query or to an Audit Trail query.
Trigger	The process is triggered when the Instructing Party sends a Security Query message or a Securities Audit Trail Query message.
Pre-conditions	The query type must be known by the Instructing party and the Executing/Servicing Party.
Post-conditions	The Security Report message including all of the retrieved securities records or the Securities Audit Trail Report message with all the requested audit trail information.
Role	Instructing Party

General Statement

Item	Description
Definition	The Recipient Party receives a Security Activity Advice statement which has been automatically produced by the Executing/Servicing Party.
Trigger	The process is triggered automatically.
Pre-conditions	A standing instruction is in place at the Executing/Servicing Party for sending of the statement.
Post-conditions	The acknowledgement of the sending of the statement.
Role	Executing/Servicing Party


5 Description of BusinessActivities

This section presents the different BusinessActivities within each BusinessProcess. The BusinessActivities of a process are described with activity diagrams.

Legend


Symbol	Name	Definition
	Start Point	Shows where the lifecycle of the business process commences.
	End Point	Shows where the lifecycle of the business process may ends.
	Lozenge (or diamond)	Indicates that a choice between several actions can be made.
	Bar	Indicates that several actions are initiated in parallel.

5.1 Creation Process



Step	Description	Initiator
Instruction	Instructing Party instructs the Executing/Servicing Party to create a security.	Instructing Party
Validate	Executing/Servicing Party system checks if this instruction is a new occurrence or not. It also checks if this instruction is already handled or not. If validation of the message fails, a status message “REJECTED” will be sent including the related errors and reason information. If the message is valid and the time permits the creation of the security (e.g. not during a night – time sequence), the data will be processed and a status message “COMPLETED” will be sent. Otherwise a status message “QUEUED” will be sent and the instruction will be resubmit to validation after e.g. a night – time cycle.	Executing/Servicing Party
Process	If the instruction is accepted, the Executing/Servicing Party processes the instruction and informs the Instructing Party of the completeness of this instruction.	Executing/Servicing Party
Report	Executing/Servicing Party informs the Instructing Party that this instruction is rejected and why.	Executing/Servicing Party
Monitor Process	Instructing Party monitors the status of the instruction.	Instructing Party


5.2 Modification Process



Step	Description	Initiator
Instruction	Instructing Party instructs the Executing/Servicing Party to modify a security.	Instructing Party
Validate	Executing/Servicing Party checks if the instruction already exists in the system. It checks also if the data can or cannot be updated. If validation of the message fails, a status message “REJECTED” will be sent including the related errors and reason information. If the message is valid and the time permits the update of the security (e.g. not during a night – time sequence), the data will be processed and a status message “COMPLETED” will be sent. Otherwise a status message “QUEUED” will be sent and the instruction will be	Executing/Servicing Party

Step	Description	Initiator
	resubmit to validation after e.g. a night – time cycle.	
Process	If the instruction is accepted, the Executing/Servicing Party processes the instruction and informs the Instructing Party of the completeness of this instruction.	Executing/Servicing Party
Report	Executing/Servicing Party informs the Instructing Party that this instruction is rejected and why.	Executing/Servicing Party
Monitor Process	Instructing Party monitors the status of the instruction.	Instructing Party


5.3 Deletion Process



Step	Description	Initiator
Instruction	Instructing Party instructs the Executing/Servicing Party to delete a security.	Instructing Party
Validate	Executing/Servicing Party checks if the instruction already exists in the system.	Executing/Servicing Party


Step	Description	Initiator
	It checks also if the security can or cannot be deleted. If validation of the message fails, a status message “REJECTED” will be sent including the related errors and reason information. If the message is valid and the time permits the deletion of the security (e.g. not during a night – time sequence), the data will be processed and a status message “COMPLETED” will be sent. Otherwise a status message “QUEUED” will be sent and the instruction will be resubmit to validation after e.g. a night – time cycle.	
Process	If the instruction is accepted, the Executing/Servicing Party processes the instruction and informs the Instructing Party of the completeness of this instruction.	Executing/Servicing Party
Report	Executing/Servicing Party informs the Instructing Party that this instruction is rejected and why.	Executing/Servicing Party
Monitor Process	Instructing Party monitors the status of the instruction.	Instructing Party

5.4 Query/Query Response Process



Step	Description	Initiator
Instruction	Instructing Party instructs Executing/Servicing Party to run a query or Audit Trail Query.	Instructing Party
Process query	Executing/Servicing Party processes the request. In case the processing of the query takes too much time or cannot give any positive response, the Executing/Servicing Party sends an error message back to the Instructing Party with the error code and the related explanation.	Executing/Servicing Party
Response	Executing/Services Party sends the response to the Instructing Party according to query results.	Executing/Servicing Party
Monitor Process	Instructing Party monitors the status of the instruction.	Instructing Party

5.5 Statement Process



Step	Description	Initiator
Instruction	Instructing Party might instruct Executing/Servicing Party to run a statement. This is not covered by the current process as NO message will be created to cover this.	Instructing Party

Step	Description	Initiator
Process statement	Executing/Servicing Party processes the statement.	Executing/Servicing Party
Response	Executing/Servicing Party sends the statement to the Instructing Party.	Executing/Servicing Party
Monitor Process	Instructing Party monitors the status of the instruction.	Instructing Party


6 BusinessTransactions

This section describes the message flows based on the activity diagrams documented above. It shows the typical exchanges of information in the context of a BusinessTransaction.

6.1 Creation Process

6.1.1 Confirmation Scenario

Applies when the instruction sent by the Instructing Party is processed and confirmed by the Executing/Servicing Party.



Security Creation Request

The Instructing Party sends the instruction to the Executing/Servicing Party to create a new security. This instruction contains information that clearly identify the security.

Security Creation Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

Queued


The Executing/Servicing Party might inform the Instructing party that the processing of Security Creation Request has been delayed. In case of e.g. a night-time cycle is running.

Completed

The Executing/Servicing Party informs the Instructing party that the Security Creation Request has been successfully processed. The Executing/Servicing Party present to the Instructing Party the identification of the Security that has been processed.

6.1.2 Rejection Scenario

Applies when the instruction sent by the Instructing Party is rejected by the Executing/Servicing Party.



Security Creation Request

The Instructing Party sends the instruction to the Executing/Servicing Party to create a new security. This instruction contains information that clearly identify the security.

Security Creation Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

Rejected

The instruction did not pass validation, some reasons could be:

- the mandatory information is not present or incorrect,
- the instruction is not a new occurrence,
- the instruction has already been received and is being processed.

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

Queued

The Executing/Servicing Party might inform the Instructing party that the processing of the Create Security instruction has been delayed. In case of e.g. a night-time cycle is running.

Rejected

After the re-validation of the instruction, with the new set of data the current instruction did not pass validation, some reasons could be:


- the mandatory information is not present or incorrect,
- the instruction is not a new occurrence,
- the instruction has already been received and is being processed

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

6.2 Modification Process

6.2.1 Confirmation Scenario

Applies when the instruction sent by the Instructing Party is processed and confirmed by the Executing/Servicing party



Security Maintenance Request

The Instructing Party sends an instruction to the Executing/Servicing Party to modify data for a security. This instruction contains information that uniquely identify the security.

In this case, this instruction contains details of the restriction like the restriction type and timeframe.

Security Maintenance Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

Queued


The Executing/Servicing Party might informs the Instructing party that the processing of the Modify Security instruction has been delayed. In case of e.g. a night-time cycle is running.

Completed

The Executing/Servicing Party informs the Instructing party that the Modify Security instruction has been successfully processed. The Executing/Servicing Party present to the Instructing Party the identification of the security that has been processed.

6.2.2 Rejection Scenario

Applies when the instruction sent by the Instructing Party is rejected by the Executing/Servicing Party



Security Maintenance Request

The Instructing Party sends an instruction to the Executing/Servicing Party to modify reference data for a Security.

Security Maintenance Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

Rejected

The instruction did not pass validation, some reasons could be:

- the mandatory information is not present or incorrect,
- the data cannot be updated,
- the instruction has already been received and is being processed.

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

Queued

The Executing/Servicing Party might inform the Instructing party that the processing of the Modify Security instruction has been delayed. In case of e.g. a night-time cycle is running.

Rejected

After the re-validation of the instruction, with the new set of data the current instruction did not pass validation, some reasons could be:


- the mandatory information is not present or incorrect,
- the data cannot be updated,
- the instruction has already been received and is being processed.

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

6.3 Deletion Process

6.3.1 Confirmation Scenario

Applies when the instruction sent by the Instructing Party is processed and confirmed by the Executing/Servicing party



Security Deletion Request

The Instructing Party sends an instruction to the Executing/Servicing Party to delete a security. This instruction contains information that uniquely identifies the security and it is used when a security is no longer active.

Security Deletion Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

Queued


The Executing/Servicing Party might inform the Instructing party that the processing of the Delete Security instruction has been delayed. In case of e.g. a night-time cycle is running.

Completed

The Executing/Servicing Party informs the Instructing party that the Delete Securiy instruction has been successfully processed. The Executing/Servicing Party present to the Instructing Party the identification of the security that has been processed.

6.3.2 Rejection Scenario

Applies when the instruction sent by the Instructing Party is rejected by the Executing/Servicing Party



Security Deletion Request

The Instructing Party sends an instruction to the Executing/Servicing Party to delete a security.

Security Status Advice

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its instruction with the following statuses:

Rejected

The instruction did not pass validation, some reasons could be:

- the mandatory information is not present or incorrect,
- the Instructing Party does not have the right to delete security,
- the instruction has already been received and is being processed.

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

Queued

The Executing/Servicing Party might inform the Instructing party that the processing of the Delete Security instruction has been delayed. In case of e.g. a night-time cycle is running.

Rejected


After the re-validation of the instruction, with the new set of data the current instruction did not pass validation, some reasons could be:

- the mandatory information is not present or incorrect,
- the security cannot be deleted,
- the Instructing Party does not have the right to delete security,
- the instruction has already been received and is being processed

This instruction contains information that identifies the status and the reasons why the instruction is rejected. It is possible to have more than one reason for this status.

6.4 Query/Response Process

6.4.1 Security Query/Security Report Scenario



Security Query

The Instructing Party sends an instruction to the Executing/Servicing Party to run a query according to specified criteria.


Security Report

Depending on the query criteria, it is possible that the processing will take more than a certain time or that the result of the query will be empty due to wrong combination of criteria or no result set. In this case, an error message within a query response message is sent to the Instructing Party.

Security Report

The Executing/Servicing Party sends a query response that meets the specified criteria to the Instructing Party.

6.4.2 Securities Audit Trail Query and Report Scenario



Securities Audit Trail Query

The Instructing Party sends an instruction to the Executing/Servicing Party to run a query according to specified criteria's to retrieve the complete audit trail on a specific security.


Securities Audit Trail Report

Depending on the query criteria, it is possible that the processing will take more than a certain time or that the result of the query will be empty due to wrong combination of criteria or no result set. In this case, an error message within a query response message is sent to the Instructing Party.

Securities Audit Trail Report

The Executing/Servicing Party sends a query response that meets the specified criteria to the Instructing Party.

6.5 Statement Process



Security Activity Advice

The Executing/Servicing Party sends a statement to the Instructing Party containing information on changes occurred for securities reference data during the business day.

The statement is sent unilaterally in an unsolicited manner.

7 Business Examples

This section describes business examples of the use of the various MessageDefinitions.

7.1 Security Creation Request - reda.006.001.01

Description

The instructing Party wants to create a new security with the following information:

- ISIN: SECXXXYYYZZ1
- Security Long Name: Sample equity shares, Fixed Interest Rate
- Security Short Name: Sample ES, FIR
- Valid From Name: 2020-01-01
- Denomination Currency: EUR
- Expiry Date: 2030-12-31
- Classification Type: ESFUFR
- Country of Issue: IT
- Issue Date: 2020-01-01
- ISIN Valid From: 2020-01-01
- Quantity Type: UNIT
- Minimum Denomination: 100
- Minimum Multiple Quantity: 10
- Deviating Settlement Unit: 60,67

Message Instance

```
<Document>
    <SctyCreReq>
        <MsgHdr>
            <MsgId>SAMPLECRESEC001</MsgId>
        </MsgHdr>
        <Scty>
            <FinInstrmId>
                <ISIN>SECXXXYYYZZ1</ISIN>
            </FinInstrmId>
            <FinInstrmAttrbts>
                <ISOSctyLngNm>Sample equity shares, Fixed Interest Rate</ISOSctyLngNm>
                <ISOSctyShrtNm>Sample ES, FIR</ISOSctyShrtNm>
                <NmVldFr>
                    <Dt>2020-01-01</Dt>
                </NmVldFr>
                <DnmtnCcy>EUR</DnmtnCcy>
                <XpryDt>2030-12-31</XpryDt>
                <ClssfctnTp>
```

```
                <ClssfctnFinInstrm>ESXXXX</ClssfctnFinInstrm>
            </ClssfctnTp>
            <Issnc>
                <CtryOfIsse>IT</CtryOfIsse>
                <IsseDt>2020-01-01</IsseDt>
                <ISINVldFr>2020-01-01</ISINVldFr>
            </Issnc>
            <SttlmInf>
                <SctiesQtyTp>
                    <Cd>UNIT</Cd>
                </SctiesQtyTp>
                <MinDnmtn>
                    <Unit>100</Unit>
                </MinDnmtn>
                <MinMltplQty>
                    <Unit>10</Unit>
                </MinMltplQty>
                <DevtgSttlmUnit>
                    <Unit>60</Unit>
                </DevtgSttlmUnit>
                <DevtgSttlmUnit>
                    <Unit>67</Unit>
                </DevtgSttlmUnit>
            </SttlmInf>
        </FinInstrmAttrbts>
    </Scty>
  </SctyCreReq>
</Document>
```

7.2 Security Creation Status Advice - reda.008.001.01

Description

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its Create Security instruction with the following statuses:

- Completed
- Queued
- Rejected

7.2.1 Security Creation Status Advice - reda.008.001.01 – Completed example

Description

In this case the Security Creation Request has been successfully executed.

- Original Message ID: SAMPLECRESEC001
- ISIN: SECXXXYYYZZ1
- Status: COMP

Message Instance

```
<Document>
    <MsgHdr>
        <MsgId>NONREF</MsgId>
        <OrgnlBizInstr>
            <MsgId>SAMPLECRESEC001</MsgId>
        </OrgnlBizInstr>
        </MsgHdr>
        <FinInstrmId>
            <ISIN>SECXXXYYYZZ1</ISIN>
        </FinInstrmId>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>COMP</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SCSS</SchmeNm>
                </PrtrySts>
            </Prtry>
        </PrcgSts>
    </SctyCreStsAdvc>
</Document>
```

7.2.2 Security Creation Status Advice - reda.008.001.01 – Queued example

Description

In this case the Securities Creation Request has been delayed. In case of e.g. a night-time cycle is running.

- Original Message ID: SAMPLECRESEC001
- Status: QUED
- Additional Information: CREATION QUEUED

Message Instance

```
<Document>
    <SctyCreStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLECRESEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>QUED</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SCSS</SchmeNm>
                </PrtrySts>
                <PrtryRsn>
                    <Rsn>
                        <Id>QUED</Id>
                        <Issr>T2S</Issr>
                        <SchmeNm>SCSR</SchmeNm>
                    </Rsn>
                    <AddtlRsnInf>CREATION QUEUED</AddtlRsnInf>
                </PrtryRsn>
            </Prtry>
        </PrcgSts>
    </SctyCreStsAdvc>
</Document>
```

7.2.3 Security Creation Status Advice - reda.008.001.01 – Rejected example

Description

In this example the Securities Creation Status Advice reports that the Securities Creation Request has been rejected, specifying the rejection reason.

- Original Message ID: SAMPLECRESEC001
- Status. REJT
- Additional Information: ERRC001 CREATION REJECTED

Message Instance

```
<Document>
    <SctyCreStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLECRESEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>REJT</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SCSS</SchmeNm>
                </PrtrySts>
                <PrtryRsn>
                    <Rsn>
                        <Id>REJT</Id>
                        <Issr>T2S</Issr>
                        <SchmeNm>SCSR</SchmeNm>
                    </Rsn>
                    <AddtlRsnInf>ERRC001 CREATION REJECTED</AddtlRsnInf>
                </PrtryRsn>
            </Prtry>
        </PrcgSts>
    </SctyCreStsAdvc>
</Document>
```

7.3 Security Maintenance Request - reda.007.001.01

Description

In this example, the instructing party wants to update the classification type of the security SECXXXYYYZZ1.

- Security Identification: SECXXXYYYZZ1
- Classification Type: ESFTFR

Message Instance

```
<Document>
    <SctyMntncReq>
        <MsgHdr>
```

```
            <MsgId>SAMPLEUPDSEC001</MsgId>
        </MsgHdr>
        <UpdTp>
            <UpdTp>
                <Modfy>
                    <FinInstrmAttrbts>
                        <ClssfctnTp>
                        <ClssfctnFinInstrm>ESFTFR</ClssfctnFinInstrm>
                        </ClssfctnTp>
                    </FinInstrmAttrbts>
                </Modfy>
            </UpdTp>
        </UpdTp>
        <FinInstrmId>
            <ISIN>SECXXXYYYZZ1</ISIN>
        </FinInstrmId>
    </SctyMntncReq>
</Document>
```

7.4 Security Maintenance Status Advice - reda.029.001.01

Description

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its Maintenance Security instruction with the following statuses:

- Completed
- Queued
- Rejected

7.4.1 Security Maintenance Status Advice - reda.029.001.01 – Completed example

Description

In this case the Security Maintenance Request has been successfully executed.

- Original Message ID: SAMPLEUPDSEC001
- ISIN: SECXXXYYYZZ1
- Status: COMP

Message Instance

```
<Document>
    <SctyMntncStsAdvc>
```

```
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEUPDSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <FinInstrmId>
            <ISIN>SECXXXYYYZZ1</ISIN>
        </FinInstrmId>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>COMP</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SMSS</SchmeNm>
                </PrtrySts>
            </Prtry>
        </PrcgSts>
    </SctyMntncStsAdvc>
</Document>
```

7.4.2 Security Maintenance Status Advice - reda.029.001.01 – Queued example

Description

In this case the Security Maintenance Request has been delayed. In case of e.g. a night-time cycle is running.

- Original Message ID: SAMPLEUPDSEC001
- Status: QUED
- Reason: MAINTENANCE QUEUED

Message Instance

```
<Document>
    <SctyMntncStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEUPDSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
```

```
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>QUED</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SMSS</SchmeNm>
                </PrtrySts>
                <PrtryRsn>
                    <Rsn>
                        <Id>QUED</Id>
                        <Issr>T2S</Issr>
                        <SchmeNm>SMSR</SchmeNm>
                    </Rsn>
                    <AddtlRsnInf>MAINTENANCE QUEUED</AddtlRsnInf>
                </PrtryRsn>
            </Prtry>
        </PrcgSts>
    </SctyMntncStsAdvc>
</Document>
```

7.4.3 Security Maintenance Status Advice - reda.029.001.01 – Rejected example

Description

In this example the Securities Maintenance Status Advice reports that the Securities Maintenance Request has been rejected, specifying the rejection reason.

- Original Message ID: SAMPLEUPDSEC001
- Status: REJT
- Reason: ERRU001 MAINTENANCE REJECTED

Message Instance

```
<Document>
    <SctyMntncStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEUPDSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PrcgSts>
```

```
            <Prtry>
                <PrtrySts>
                    <Id>REJT</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SMSS</SchmeNm>
                </PrtrySts>
                <PrtryRsn>
                    <Rsn>
                        <Id>REJT</Id>
                        <Issr>T2S</Issr>
                        <SchmeNm>SMSR</SchmeNm>
                    </Rsn>
                    <AddtlRsnInf>ERRU001 MAINTENANCE REJECTED</AddtlRsnInf>
                </PrtryRsn>
            </Prtry>
        </PrcgSts>
    </SctyMntncStsAdvc>
</Document>
```

7.5 Security Deletion Request - reda.013.001.01

Description

This example message is sent in order to delete the security SECXXXYYYZZ1:

- ISIN: SECXXXYYYZZ1

Message Instance

```
<Document>
    <SctyDeltnReq>
        <MsgHdr>
            <MsgId>SAMPLEDELSEC001</MsgId>
        </MsgHdr>
        <FinInstrmId>
            <ISIN>SECXXXYYYZZ1</ISIN>
        </FinInstrmId>
    </SctyDeltnReq>
</Document>
```

7.6 Security Deletion Status Advice - reda.030.001.01

Description

The Executing/Servicing Party informs the Instructing Party about the lifecycle of its Deletion Security instruction with the following statuses:

- Completed
- Queued
- Rejected

7.6.1 Security Deletion Status Advice - reda.030.001.01 – Completed example

Description

In this case the Security Deletion Request has been successfully executed.

- Original Message ID: SAMPLEDELSEC001
- ISIN: SECXXXYYYZZ1
- Status: COMP

Message Instance

```
<Document>
    <SctyDeltnStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEDELSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <FinInstrmId>
            <ISIN>SECXXXYYYZZ1</ISIN>
        </FinInstrmId>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>COMP</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SDSS</SchmeNm>
                </PrtrySts>
            </Prtry>
        </PrcgSts>
    </SctyDeltnStsAdvc>
</Document>
```

7.6.2 Security Deletion Status Advice - reda.030.001.01 – Queued example

Description

In this case the Securities Deletion Request has been delayed. In case of e.g. a night-time cycle is running:

- Original Message ID: SAMPLEDELSEC001
- Status: QUED
- Reason: DELETION QUEUED

Message Instance

```
<Document>
    <SctyDeltnStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEDELSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>QUED</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SDSS</SchmeNm>
                </PrtrySts>
                <PrtryRsn>
                    <Rsn>
                        <Id>QUED</Id>
                        <Issr>T2S</Issr>
                        <SchmeNm>SDSR</SchmeNm>
                    </Rsn>
                    <AddtlRsnInf>DELETION QUEUED</AddtlRsnInf>
                </PrtryRsn>
            </Prtry>
        </PrcgSts>
    </SctyDeltnStsAdvc>
</Document>
```

7.6.3 Security Deletion Status Advice - reda.030.001.01 – Rejected example

Description

In this example the Securities Deletion Status Advice reports that the Securities Deletion Request has been rejected, specifying the rejection reason.

- Original Message ID: SAMPLEDELSEC001
- Status: REJT
- Reason: ERRD001 DELETION REJECTED

Message Instance

```
<Document>
    <SctyDeltnStsAdvc>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEDELSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <PrcgSts>
            <Prtry>
                <PrtrySts>
                    <Id>REJT</Id>
                    <Issr>T2S</Issr>
                    <SchmeNm>SDSS</SchmeNm>
                </PrtrySts>
                <PrtryRsn>
                    <Rsn>
                        <Id>REJT</Id>
                        <Issr>T2S</Issr>
                        <SchmeNm>SDSR</SchmeNm>
                    </Rsn>
                    <AddtlRsnInf>ERRD001 DELETION REJECTED</AddtlRsnInf>
                </PrtryRsn>
            </Prtry>
        </PrcgSts>
    </SctyDeltnStsAdvc>
</Document>
```

7.7 Security Query - reda.010.001.01

Description

The Security Query message can be used to perform the following queries:

- Securities Reference Data Query;
- ISIN List Query;
- Securities CSD Link Query;
- Securities Deviating Nominal Query.

In this example the Party CSDXCCYY001 performs a Securities Reference Data Query to request reference data about all the securities issued after “2020-01-01” and before “2020-31-12”.

Message Instance

```
<Document>
    <SctyQry>
        <MsgHdr>
            <MsgId>SAMPLEQRYSEC001</MsgId>
        </MsgHdr>
        <ReqTp>
            <Id>SECR</Id>
            <SchmeNm>SECQ</SchmeNm>
            <Issr>T2S</Issr>
        </ReqTp>
        <SchCrit>
            <IsseDt>
            <FrToDt>
                <FrDt>2020-01-01</FrDt>
                <ToDt>2020-12-31</ToDt>
            </FrToDt>
            </IsseDt>
        </SchCrit>
    </SctyQry>
</Document>
```

7.8 Security Report - reda.012.001.01

Description

The Security Report message can be used as answer for:

- Securities Reference Data Query;
- ISIN List Query;
- Securities CSD Link Query;
- Securities Deviating Nominal Query;

performed using the Security Query. This example shows the answer to the Securities Reference Data Query described in the chapter 7.7. The query returns only one security:

- Security Identification: SECXXXYYYZZ1
- Security Long Name: Sample equity shares, Fixed Interest Rate
- Security Short Name: Sample ES, FIR
- Valid From Name: 2020-01-01
- Denomination Currency: EUR
- Expiry Date: 2030-12-31
- Classification Type: ESFTFR
- Country of Issue: IT
- Issue Date: 2020-01-01
- ISIN Valid From: 2020-01-01
- Quantity Type: UNIT
- Minimum Denomination: 100
- Minimum Multiple Quantity: 10
- Deviating Settlement Unit: 13

Message Instance

```
<Document>
    <SctyRpt>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEQRYSEC001</MsgId>
            </OrgnlBizInstr>
        </MsgHdr>
        <Pgntn>
            <PgNb>1</PgNb>
            <LastPgInd>true</LastPgInd>
        </Pgntn>
        <SctyRptOrErr>
            <SctyRptOrBizErr>
                <SctyRpt>
                    <FinInstrmId>
                        <ISIN>SECXXXYYYZZ1</ISIN>
                    </FinInstrmId>
                    <FinInstrmAttrbts>
                        <FinInstrmNm>
                            <ISOShrtNm>Sample ES, FIR</ISOShrtNm>
                            <ISOLngNm>Sample equity shares, Fixed Interest Rate</ISOLngNm>
                            <VldFr>
```

```
                        <Dt>2020-01-01</Dt>
                    </VldFr>
                </FinInstrmNm>
                <DnmtnCcy>EUR</DnmtnCcy>
                <XpryDt>2030-12-31</XpryDt>
                <ClssfctnTp>
                <ClssfctnFinInstrm>ESFTFR</ClssfctnFinInstrm>
                </ClssfctnTp>
                <Issnc>
                    <CtryOfIsse>IT</CtryOfIsse>
                    <IsseDt>2020-01-01</IsseDt>
                </Issnc>
                <FinInstrmIdVldty>
                    <FinInstrmId>
                        <ISIN>SECXXXYYYZZ1</ISIN>
                    </FinInstrmId>
                    <ISINVldFr>2020-01-01</ISINVldFr>
                </FinInstrmIdVldty>
                <SttlmInf>
                    <SctiesQtyTp>
                        <Cd>UNIT</Cd>
                    </SctiesQtyTp>
                    <MinDnmtn>
                        <Unit>100</Unit>
                    </MinDnmtn>
                    <MinMltplQty>
                        <Unit>10</Unit>
                    </MinMltplQty>
                    <DevtgSttlmUnit>
                        <Unit>13</Unit>
                    </DevtgSttlmUnit>
                </SttlmInf>
            </FinInstrmAttrbts>
        </SctyRpt>
    </SctyRptOrBizErr>
</SctyRptOrErr>
</SctyRpt>
</Document>
```

7.9 Security Activity Advice - reda.009.001.01

Description

The Security Activity Advice message provides information on changes occurred for securities reference data during the business day. In this example, it shows one change occurred on 2020-09-01 to the security SECXXXYYYZZ1 regarding the classification type.

System date: 2020-09-01

Security Identification ID: SECXXXYYYZZ1
Field changed: ClassificationType
Old Filed Value: ESFUFR
New Field Value: ESFTFR

Message Instance

```
<Document>
    <SctyActvtyAdvc>
    <MsgHdr>
        <MsgId>NONREF</MsgId>
    </MsgHdr>
    <Pgntn>
        <PgNb>1</PgNb>
        <LastPgInd>true</LastPgInd>
    </Pgntn>
    <SctyActvty>
        <SysDt>2020-09-01</SysDt>
        <Chng>
            <FinInstrmId>
                <ISIN>SECXXXYYYZZ1</ISIN>
            </FinInstrmId>
            <FldNm>ClassificationType</FldNm>
            <OdFldVal>ESFUFR</OdFldVal>
            <NewFldVal>ESFTFR</NewFldVal>
            <OprTmStmp>2020-09-01T09:10:10</OprTmStmp>
        </Chng>
    </SctyActvty>
  </SctyActvtyAdvc>
</Document>
```

7.10 Securities Audit Trail Query - reda.033.001.01

Description

The following Securities Audit Trail Query message is used to query all the audit trail records regarding the security with identification SECXXXYYYZZ1 in the period between 2020-01-01 and 2020-09-30.

Message Instance

```
<Document>
    <SctiesAudtTrlQry>
        <MsgHdr>
            <MsgId>SAMPLEATQSEC001</MsgId>
        </MsgHdr>
        <SchCrit>
            <FinInstrmId>
                <ISIN>SECXXXYYYZZ1</ISIN>
            </FinInstrmId>
            <DtPrd>
                <FrToDt>
                    <FrDt>2020-01-01</FrDt>
                    <ToDt>2020-09-30</ToDt>
                </FrToDt>
            </DtPrd>
        </SchCrit>
    </SctiesAudtTrlQry>
</Document>
```

7.11 Securities Audit Trail Report - reda.034.001.01

Description

The following Securities Audit Trail Report represents the answer to the Securities Audit Trail Query described in the chapter 7.10. In this case, the security with identification SECXXXYYYZZ1 had only one change performed by the user USER1 and approved by the user USER2 on 2020-02-15T13:45:00, regarding the change of the short name from the value “Sample ES, FIR” to the new value “Sample ES”.

Message Instance

```
<Document>
    <SctiesAudtTrlRpt>
        <MsgHdr>
            <MsgId>NONREF</MsgId>
            <OrgnlBizInstr>
                <MsgId>SAMPLEATQSEC001</MsgId>
            </OrgnlBizInstr>
```

```
    </MsgHdr>
    <RptOrErr>
        <SctiesAudtTrlRpt>
                <SctiesAudtTrlOrErr>
                    <AudtTrl>
                        <FldNm>ShortName</FldNm>
                        <OdFldVal>Sample ES, FIR</OdFldVal>
                        <NewFldVal>Sample ES</NewFldVal>
                        <OprTmStmp>2020-02-15T13:45:00</OprTmStmp>
                        <InstgUsr>USER1</InstgUsr>
                        <ApprvgUsr>USER2</ApprvgUsr>
                    </AudtTrl>
                </SctiesAudtTrlOrErr>
                <FinInstrmId>
                    <ISIN>SECXXXYYYZZ1</ISIN>
                </FinInstrmId>
            </SctiesAudtTrlRpt>
        </RptOrErr>
    </SctiesAudtTrlRpt>
</Document>
```

8 Revision Record

Revision	Date	Author	Description	Sections affected
1.0	April 2021	Banca d'Italia on behalf of the 4CBs and SWIFT	Draft version for SEG review, including revision requested by Evaluation Team	Banca d'Italia on behalf of the 4CBs and SWIFT
2.0	June-2021	ISO 20022 RA	Approved version and conversion into new template	ISO 20022 RA

Disclaimer:

Although the Registration Authority has used all reasonable efforts to ensure accuracy of the contents of the iso20022.org website and the information published thereon, the Registration Authority assumes no liability whatsoever for any inadvertent errors or omissions that may appear thereon. Moreover, the information is provided on an "as is" basis. The Registration Authority disclaims all warranties and conditions, either express or implied, including but not limited to implied warranties of merchantability, title, non-infringement and fitness for a particular purpose.

The Registration Authority shall not be liable for any direct, indirect, special or consequential damages arising out of the use of the information published on the iso20022.org website, even if the Registration Authority has been advised of the possibility of such damages.

Intellectual Property Rights:

The ISO 20022 MessageDefinitions described in this document were contributed by Banca d'Italia (BDI) and SWIFT for Target2-Securities. The ISO 20022 IPR policy is available at www.ISO20022.org > About ISO 20022 > Intellectual Property Rights.