


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 6 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. CA-AstroPh-ncut-k50	$Q(A)=0.5266$	$\rightarrow$	$Q(\lambda=10.0)=0.5687$	$\Delta Q=+0.0421$
2. CA-AstroPh-ncut-k100	$Q(A)=0.5331$	$\rightarrow$	$Q(\lambda=5.0)=0.5652$	$\Delta Q=+0.0321$
3. CA-AstroPh-ncut-k200	$Q(A)=0.5221$	$\rightarrow$	$Q(\lambda=10.0)=0.5525$	$\Delta Q=+0.0304$
4. CA-AstroPh-ncut-k300	$Q(A)=0.5111$	$\rightarrow$	$Q(\lambda=5.0)=0.5407$	$\Delta Q=+0.0296$
5. CA-AstroPh-ncut-k400	$Q(A)=0.4973$	$\rightarrow$	$Q(\lambda=5.0)=0.5344$	$\Delta Q=+0.0372$
6. CA-AstroPh-ncut-k500	$Q(A)=0.4879$	$\rightarrow$	$Q(\lambda=10.0)=0.5191$	$\Delta Q=+0.0313$


CA-AstroPh quality · modularity




CA-AstroPh quality · cc_avg




CA-AstroPh quality · cc_weighted




CA-AstroPh cut · edges_cut



CA-AstroPh cut · motifs_cut



CA-AstroPh cut · motifs_internal



CA-AstroPh stability · jaccard_vs_base

