


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 6 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. CA-CondMat-ncut-k50	$Q(A)=0.6254$	$\rightarrow$	$Q(\lambda=10.0)=0.6570$	$\Delta Q=+0.0316$
2. CA-CondMat-ncut-k100	$Q(A)=0.6588$	$\rightarrow$	$Q(\lambda=10.0)=0.6765$	$\Delta Q=+0.0177$
3. CA-CondMat-ncut-k200	$Q(A)=0.6553$	$\rightarrow$	$Q(\lambda=10.0)=0.6730$	$\Delta Q=+0.0178$
4. CA-CondMat-ncut-k300	$Q(A)=0.6538$	$\rightarrow$	$Q(\lambda=5.0)=0.6671$	$\Delta Q=+0.0134$
5. CA-CondMat-ncut-k400	$Q(A)=0.6452$	$\rightarrow$	$Q(\lambda=10.0)=0.6586$	$\Delta Q=+0.0134$
6. CA-CondMat-ncut-k500	$Q(A)=0.6383$	$\rightarrow$	$Q(\lambda=10.0)=0.6537$	$\Delta Q=+0.0154$


CA-CondMat quality · modularity




CA-CondMat quality · cc_avg




CA-CondMat quality · cc_weighted




CA-CondMat cut · edges_cut



CA-CondMat cut · motifs_cut



CA-CondMat cut · motifs_internal



CA-CondMat stability · jaccard_vs_base

