


MAIN RESULT – REAL
Real-world dataset (SNAP / MUSAE)


Top 6 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. CA-GrQc-ncut-k50	$Q(A)=0.8161$	$\rightarrow$	$Q(\lambda=10.0)=0.8191$	$\Delta Q=+0.0031$
2. CA-GrQc-ncut-k100	$Q(A)=0.8117$	$\rightarrow$	$Q(\lambda=1.0)=0.8173$	$\Delta Q=+0.0056$
3. CA-GrQc-ncut-k200	$Q(A)=0.7825$	$\rightarrow$	$Q(\lambda=5.0)=0.7930$	$\Delta Q=+0.0104$
4. CA-GrQc-ncut-k300	$Q(A)=0.7508$	$\rightarrow$	$Q(\lambda=1.0)=0.7639$	$\Delta Q=+0.0131$
5. CA-GrQc-ncut-k400	$Q(A)=0.7143$	$\rightarrow$	$Q(\lambda=5.0)=0.7364$	$\Delta Q=+0.0221$
6. CA-GrQc-ncut-k500	$Q(A)=0.6630$	$\rightarrow$	$Q(\lambda=5.0)=0.7105$	$\Delta Q=+0.0476$


CA-GrQc quality · modularity




CA-GrQc quality · cc_avg




CA-GrQc quality · cc_weighted




CA-GrQc cut · edges_cut



CA-GrQc cut · motifs_cut



CA-GrQc cut · motifs_internal



CA-GrQc stability · jaccard_vs_base

