


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 6 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. CA-HepTh-ncut-k50	$Q(A)=0.6878$	$\rightarrow$	$Q(\lambda=5.0)=0.7128$	$\Delta Q=+0.0250$
2. CA-HepTh-ncut-k100	$Q(A)=0.6949$	$\rightarrow$	$Q(\lambda=1.0)=0.7128$	$\Delta Q=+0.0179$
3. CA-HepTh-ncut-k200	$Q(A)=0.6863$	$\rightarrow$	$Q(\lambda=5.0)=0.7029$	$\Delta Q=+0.0165$
4. CA-HepTh-ncut-k300	$Q(A)=0.6680$	$\rightarrow$	$Q(\lambda=5.0)=0.6899$	$\Delta Q=+0.0219$
5. CA-HepTh-ncut-k400	$Q(A)=0.6514$	$\rightarrow$	$Q(\lambda=5.0)=0.6664$	$\Delta Q=+0.0150$
6. CA-HepTh-ncut-k500	$Q(A)=0.6349$	$\rightarrow$	$Q(\lambda=5.0)=0.6527$	$\Delta Q=+0.0179$


CA-HepTh quality · modularity




CA-HepTh quality · cc_avg




CA-HepTh quality · cc_weighted




CA-HepTh cut · edges_cut



CA-HepTh cut · motifs_cut



CA-HepTh cut · motifs_internal



CA-HepTh stability · jaccard_vs_base

