


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 5 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. Email-Enron-ncut-k100	$Q(A)=0.5046$	$\rightarrow$	$Q(\lambda=5.0)=0.5206$	$\Delta Q=+0.0160$
2. Email-Enron-ncut-k200	$Q(A)=0.4675$	$\rightarrow$	$Q(\lambda=10.0)=0.5111$	$\Delta Q=+0.0436$
3. Email-Enron-ncut-k300	$Q(A)=0.4264$	$\rightarrow$	$Q(\lambda=5.0)=0.4904$	$\Delta Q=+0.0640$
4. Email-Enron-ncut-k400	$Q(A)=0.4052$	$\rightarrow$	$Q(\lambda=1.0)=0.4528$	$\Delta Q=+0.0476$
5. Email-Enron-ncut-k500	$Q(A)=0.3880$	$\rightarrow$	$Q(\lambda=10.0)=0.4268$	$\Delta Q=+0.0388$


Email-Enron quality · modularity




Email-Enron quality · cc_avg




Email-Enron quality · cc_weighted




Email-Enron cut · edges_cut



Email-Enron cut · motifs_cut



Email-Enron cut · motifs_internal



Email-Enron stability · jaccard_vs_base

