


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 5 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. facebook_combined-ncut-k50	$Q(A)=0.7810$	$\rightarrow$	$Q(\lambda=W_M)=0.7820$	$\Delta Q=+0.0010$
2. facebook_combined-ncut-k100	$Q(A)=0.6837$	$\rightarrow$	$Q(\lambda=1.0)=0.7013$	$\Delta Q=+0.0175$
3. facebook_combined-ncut-k200	$Q(A)=0.4615$	$\rightarrow$	$Q(\lambda=1.0)=0.4785$	$\Delta Q=+0.0170$
4. facebook_combined-ncut-k400	$Q(A)=0.3216$	$\rightarrow$	$Q(\lambda=10.0)=0.3245$	$\Delta Q=+0.0030$
5. facebook_combined-ncut-k500	$Q(A)=0.2319$	$\rightarrow$	$Q(\lambda=1.0)=0.2838$	$\Delta Q=+0.0519$


facebook_combined quality · modularity




facebook_combined quality · cc_avg




facebook_combined quality · cc_weighted




facebook_combined cut · edges_cut



facebook_combined cut · motifs_cut



facebook_combined cut · motifs_internal



facebook_combined stability · jaccard_vs_base

