


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 6 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. lastfm_asia_edges-ncut-k50	$Q(A)=0.7486$	$\rightarrow$	$Q(\lambda=10.0)=0.7545$	$\Delta Q=+0.0059$
2. lastfm_asia_edges-ncut-k100	$Q(A)=0.6701$	$\rightarrow$	$Q(\lambda=10.0)=0.7167$	$\Delta Q=+0.0466$
3. lastfm_asia_edges-ncut-k200	$Q(A)=0.5662$	$\rightarrow$	$Q(\lambda=5.0)=0.6261$	$\Delta Q=+0.0599$
4. lastfm_asia_edges-ncut-k300	$Q(A)=0.5020$	$\rightarrow$	$Q(\lambda=5.0)=0.5663$	$\Delta Q=+0.0643$
5. lastfm_asia_edges-ncut-k400	$Q(A)=0.4571$	$\rightarrow$	$Q(\lambda=5.0)=0.5348$	$\Delta Q=+0.0777$
6. lastfm_asia_edges-ncut-k500	$Q(A)=0.4155$	$\rightarrow$	$Q(\lambda=10.0)=0.4970$	$\Delta Q=+0.0815$


lastfm_asia_edges quality · modularity




lastfm_asia_edges quality · cc_avg




lastfm_asia_edges quality · cc_weighted




lastfm_asia_edges cut · edges_cut



lastfm_asia_edges cut · motifs_cut



lastfm_asia_edges cut · motifs_internal



lastfm_asia_edges stability · jaccard_vs_base

