


MAIN RESULT – REAL

Real-world dataset (SNAP / MUSAE)


Top 4 bộ test có Q cải thiện mạnh nhất khi dùng mixed matrix W_λ
(filter: $Q(A) \geq 0.1$, score = $\max Q(\lambda > 0) - Q(A)$)

1. musae_facebook_edges-ncut-k200	$Q(A)=0.7515$	$\rightarrow$	$Q(\lambda=1.0)=0.7542$	$\Delta Q=+0.0027$
2. musae_facebook_edges-ncut-k300	$Q(A)=0.7320$	$\rightarrow$	$Q(\lambda=5.0)=0.7409$	$\Delta Q=+0.0089$
3. musae_facebook_edges-ncut-k400	$Q(A)=0.7134$	$\rightarrow$	$Q(\lambda=10.0)=0.7265$	$\Delta Q=+0.0131$
4. musae_facebook_edges-ncut-k500	$Q(A)=0.6949$	$\rightarrow$	$Q(\lambda=10.0)=0.7151$	$\Delta Q=+0.0202$


musae_facebook_edges quality · modularity




musae_facebook_edges quality · cc_avg




musae_facebook_edges quality · cc_weighted




musae_facebook_edges cut · edges_cut



musae_facebook_edges cut · motifs_cut



musae_facebook_edges cut · motifs_internal



musae_facebook_edges stability · jaccard_vs_base

