


3761 E. FARNUM PLACE | TUCSON, AZ 85706  
 TEL: (520) 289 - 8700 | FAX: (520) 289 - 8695

EMAIL: [MAIL@SCHLETTER.US](mailto:MAIL@SCHLETTER.US)  
[WWW.SCHLETTER.US](http://WWW.SCHLETTER.US)

DETAIL G  
SCALE 1:5

SPLICE DETAIL  
SCALE 1 : 4



CONCRETE:



1. ALL CONCRETE WORK SHALL CONFORM WITH THE REQUIREMENTS OF ACI 301 AND ACI 318 CEMENT PER ASTM C150, TYPE II. AGGREGATE PER ASTM C33. CONCRETE SHALL BE READY MIXED IN ACCORDANCE WITH ASTM C94 AND SHALL BE DESIGNED FOR A MINIMUM 28 DAY COMPRESSIVE STRENGTH AS FOLLOWS:

FOUNDATIONS.....3,000 PSI

\*DESIGNED FOR 2,500 PSI

JOB NUMBER: v      SCALE:  
SHEET: 1 of 3      SEE DRAWING VIEWS





NO.	DRAWN:	CHECKED:	REVIEWED:	APPROVED:	REVISIONS:
0	BushBr 7/29/2014				New Drawing
1	BushBr 1/14/2015				Update Post Lengths and Embedments
2	BushBr 2/3/2015				Update Foundation Embedment Depth
3	BushBr 2/11/2015				Update Post Lengths & Girder Length

Client:  
Schletter Inc.  
2201 North Forbes Boulevard  
Tucson, AZ 85745



Standard FS 60 Cell - 25°  
Racking Structure  
Dimensions and Specifications  
ISSUED BY: SCHLETTER INC.  
PROPRIETARY AND CONFIDENTIAL

Project Site:  
Schletter Inc.  
1001 Commerce Center Dr  
Shelby, NC 28150

Drawing Number:  
v.03  
JOB NUMBER: v  
SCALE:  
SHEET: 2 of 3  
SEE DRAWING VIEWS