


Salesforce → FreeWheel Automation — Field Mapping

Purpose: what needs to be built on the Salesforce **Case** object so a planner can fill out a Case, flag it, and the automation creates the FreeWheel draft Order + Placements automatically. This is the up-to-date spec (generated from the live config — 153 campaigns across 15 regions).

Companion file: `docs/salesforce-case-fields.csv` — the same 35 fields as an import-ready sheet for the SF admin (Object, Section, API Name, Data Type, Picklist Values, Required, Help Text).

1. How it works (the flow)



Key point for the discussion: **Salesforce is only the intake form.** All the ad-ops logic (tiering, naming, ad units, geo, exclusions, per-brand products) already lives in the tool and is unit-tested. SF's only job is to capture ~7 required fields cleanly and hold a status flag. We are **not** asking SF to compute anything.

2. The minimal path (build these 7 first)

If we do nothing else, these 7 fields let the automation build a standard order. Every other field is optional polish or an override.

Field Label	API Name	Type	Picklist
Promoted Title	Promoted_Title__c	Text	—
Region	Region__c	Picklist	USA, CA, AU, LATAM, BR, UK, IE, FR, IT, GSA, FI, DK, NO, SE, ES
Language	Language__c	Picklist	English, French (<i>routes Canada to FR vs EN</i>)
Campaign Name	Campaign_Name__c	Picklist	the 153 FreeWheel campaigns (<i>drives Brand/Advertiser/default products</i>)
Flight Start	Flight_Start__c	Date	—
Flight End	Flight_End__c	Date	—
Video Durations	Video_Durations__c	Text	e.g. 30;15 (semicolon-separated)

Everything derives from **Campaign Name** — pick the campaign and the brand, advertiser, default product set, ad units, geo, and naming all resolve automatically.

3. Full field list (35 fields)

Grouped by section. **Required** = planner must fill; everything else defaults or is an override that's normally left blank. Product toggles are Yes / No / (blank) , where blank = "use the brand's standard set."

Required (7)

Field	API Name	Type
Promoted Title	Promoted_Title__c	Text
Region	Region__c	Picklist
Language	Language__c	Picklist (English; French)
Campaign Name	Campaign_Name__c	Picklist
Flight Start	Flight_Start__c	Date
Flight End	Flight_End__c	Date
Video Durations	Video_Durations__c	Text

Optional creative / product selectors (10)

Field	API Name	Type	Values
Season or Messaging	Season_or_Messaging__c	Text	middle of the placement name
Content Type	Content_Type__c	Picklist	show; movie
Content ID	Content_ID__c	Text	ShowID / MovieID
Recommended Show ID	Recommended_Show_ID__c	Text	defaults to Content ID
Flight Code	Flight_Code__c	Text	launch beat
Kids Audience	Kids_Audience__c	Multi-Select	older; younger (<i>Kids brands</i>)
Rating Restrictions	Rating_Restrictions__c	Long Text	(<i>AU Network 10 only</i>)
Video Domination	Video_Domination__c	Picklist	pluto; standard; aus_10_streaming; uk_my5
Video Domination Targeting	Video_Domination_Targeting__c	Long Text	Pluto categories (<i>Pluto VD only</i>)
Takeover	Takeover__c	Picklist	hpto; first_impression; arena_takeover; three_peat

Products — Yes / No toggles (10) (*blank = brand default*)

Include_Remnant_Video__c , Include_Pause_Ads__c , Include_Premium_Pre_Roll__c , Include_Essential_Bumper__c , Include_CBS_Pre_Roll__c , Include_After_Mid_Roll_Bumper__c , Include_1Z_Lockdown__c , Include_2Z_Lockdown__c , Include_Pluto__c (*UK P+ only*), Include_Network_10__c (*AU only*) — all Picklist Yes; No .

Overrides — auto-derived, set only if needed (8)

Brand__c , Advertiser__c , Advertiser_ID__c , Campaign_ID__c , Insertion_Order_Name__c , Recommended_Show__c , Exclude_Show__c , Formats__c . These normally stay blank; they exist as escape hatches when the auto-derivation needs a manual nudge.

4. Status / Reason picklist values (add to existing fields)

These are **not new fields** — they're picklist *values* the automation reads/writes on the Case's existing Status/Reason fields.

Field	Value	Who sets it
Status	Ready for Automation	Planner — this is the trigger
Status	Needs Info	Automation, when a Case can't be built (+ comment)
Reason	Submitted to FreeWheel	Automation, after the draft IO is created (+ IO link)

5. The attached "Targeting" sheet (7 columns)

Detailed targeting lists are captured on a standard **Targeting** sheet attached to the Case (not as Case fields — they're variable-length lists). The automation reads these columns:

Audience Segments (Tier 1), Kids Audience, Networks, Genres, Showlist, Pluto Categories, Pluto Channels.

Most of these auto-resolve (e.g. Tier-1 audience segments derive from the Showlist), so the planner usually only fills Showlist + a couple of genre/category lists.

6. What we need from the Salesforce admin

1. Create the **35 Case fields** above (CSV is import-ready). *Or* start with just the **7 required** to prove the loop, and add the rest incrementally.
2. Add the **3 Status/Reason picklist values** in §4.
3. Confirm the API user + permissions the automation will authenticate as (read Case + fields, write Status/Reason + comments).
4. Confirm we can attach / read the **Targeting** sheet on a Case (or whether targeting should instead be additional Case fields — see open question below).

Once those exist, `promo-ops salesforce-check` logs in and reports any missing field or picklist value, so we get a green/red readiness check before running a real Case.

7. Open questions to decide together

- **Targeting sheet vs. fields** — keep detailed targeting on an attached sheet (flexible, variable-length) or model a few as Case fields? Recommend: attached sheet, since lists vary in length and the planner form already handles it.
- **Picklist upkeep** — Campaign Name (153 values) and Brand change as we add markets. We can regenerate the picklist from config on demand; decide whether the admin pastes the

refreshed list or we wire an automated sync later.

- **Trigger mechanism** — a Status value ("Ready for Automation") is simplest. If the team prefers a checkbox or a specific Record Type/queue, that's an easy swap.
- **Scope for phase 1** — which regions/brands go live first? The tool supports all 15 regions today, but we can pilot with one (e.g. USA) to validate the loop before opening it up.

Generated from the live config. Regenerate the field list any time with `python -c "from promo_ops.integrations.salesforce import build_case_field_rows" → docs/salesforce-case-fields.csv`.