CS 0011 SEC 1020

Prof Matt de Lima Barbosa Lab TA: Katelyn Morrison



New Project

- Cryptography
 - Making a Vigenère cipher
- Lab 1 task

Tommy the Turtle

Key = wa

bubble

Adjust key

wawawa

6 characters

6 characters



- Functions
 - adjusted_key(text, key)
 - encrypt_vigenere()



- encrypt_vigenere()
 - Ask for user to provide text
 - Ask for user to provide key
 - Convert both to lowercase
 - Use .lower()
 - Example:
 - text => "PiTtSbUrGh"
 - text.lower() => "pittsburgh"



- encrypt_vigenere()
 - Call adjusted_key(text, key)
 - Perform shifting on text based on adjusted_key to get



- adjusted_key(text, key)
 - Text is the string of text given from user
 - Key is string given from user
 - Based on number of letters in text, create an adjusted key using key
 - Return adjusted key



- adjusted_key(text, key)
 - Determine special characters
 - ord('t') = 116
 - ord('a') = 97
 - ASCII lower case letters between 97 and 122
 - For every character in *text*, check if it is a valid ASCII lower case letter
 - adjusted_key should be this length



- Shifting
 - Text = 'bubble'
 - **Key** = 'wa'
 - Adjusted Key = 'wawawa'
 - Shift for $\mathbf{w} = 22$
 - Shift for a = 0
 - 1 ('b') + 22 ('w') = 23 ('x')
 - Encrypted text = xuxbhe





