

CPSC 332: Files Structures and Database Systems


Final Project


05/15/26

Professor Shawn Wang

Katelyn Nguyen (CWID: 3629)
Lisette Osorno (CWID: 3312)

ER Diagram





Source Code

dp.php

This PHP code connects to a MariaDB/MySQL database and stops the program with an error message if the connection fails.

```
<?php

$host = "mariadb";
$user = "cs332b26";
$pass = "QwdPETM5";
$db = "cs332b26";

$conn = new mysqli($host,$user,$pass,$db);

if ($conn->connect_error){
die("Connection Error: " . $conn->connect_error);
}
?>
```

create_table.sql

This section was used to create the data tables.

```
CREATE TABLE PROFESSOR (  
    ssn    VARCHAR(11) NOT NULL,  
    first_name VARCHAR(50) NOT NULL,  
    last_name VARCHAR(50) NOT NULL,  
    street  VARCHAR(100),  
    city   VARCHAR(50),  
    state  CHAR(2),  
    zip    VARCHAR(10),  
    area_code CHAR(3),  
    phone_number VARCHAR(50),  
    sex    CHAR(1),  
    title  VARCHAR(50),  
    salary  DECIMAL(10,2),  
    degree  VARCHAR(100),  
    PRIMARY KEY (ssn)  
);  
  
CREATE TABLE DEPARTMENT (  
    dept_number INT NOT NULL,  
    name  VARCHAR(100) NOT NULL,  
    area_code CHAR(3),  
    phone_number VARCHAR(8),  
    office_location VARCHAR (100),  
    chair_ssn VARCHAR(11),  
    PRIMARY KEY (dept_number),  
    FOREIGN KEY (chair_ssn) REFERENCES PROFESSOR(ssn)  
);  
  
CREATE TABLE STUDENT(  
    campus_id VARCHAR(10) NOT NULL,  
    first_name VARCHAR(50) NOT NULL,  
    last_name VARCHAR(50) NOT NULL,  
    street  VARCHAR(100),  
    city   VARCHAR(50),  
    state  CHAR(2),  
    zip    VARCHAR(10),  
    area_code CHAR(3),  
    phone_number VARCHAR(8),  
    major_dept INT,  
    PRIMARY KEY (campus_id),  
    FOREIGN KEY (major_dept) REFERENCES DEPARTMENT(dept_number)  
);  
  
CREATE TABLE STUDENT_MINOR (  
    campus_id VARCHAR(10) NOT NULL,  
    dept_number INT NOT NULL,  
    PRIMARY KEY (campus_id, dept_number),  
    FOREIGN KEY (campus_id) REFERENCES STUDENT(campus_id),  
    FOREIGN KEY (dept_number)REFERENCES DEPARTMENT(dept_number)  
);
```

```
CREATE TABLE COURSE (  
    course_number INT NOT NULL,  
    title VARCHAR(100) NOT NULL,  
    textbook VARCHAR(150),  
    units INT,  
    dept_number INT,  
    PRIMARY KEY (course_number),  
    FOREIGN KEY (dept_number) REFERENCES DEPARTMENT(dept_number)  
);  
  
CREATE TABLE COURSE_PREREQ (  
    course_number INT NOT NULL,  
    prereq_number INT NOT NULL,  
    PRIMARY KEY (course_number, prereq_number),  
    FOREIGN KEY (course_number) REFERENCES COURSE(course_number),  
    FOREIGN KEY (prereq_number) REFERENCES COURSE (course_number)  
);  
  
CREATE TABLE SECTION (  
    course_number INT NOT NULL,  
    section_number INT NOT NULL,  
    classroom VARCHAR(50),  
    seats INT,  
    meeting_days VARCHAR(20),  
    start_time TIME,  
    end_time TIME,  
    professor_ssn VARCHAR(11),  
    PRIMARY KEY (course_number, section_number),  
    FOREIGN KEY (course_number) REFERENCES COURSE(course_number),  
    FOREIGN KEY (professor_ssn) REFERENCES PROFESSOR(ssn)  
);  
  
CREATE TABLE ENROLLMENT (  
    campus_id VARCHAR(10) NOT NULL,  
    course_number INT NOT NULL,  
    section_number INT NOT NULL,  
    grade VARCHAR(2),  
    PRIMARY KEY (campus_id, course_number, section_number),  
    FOREIGN KEY (campus_id) REFERENCES STUDENT(campus_id),  
    FOREIGN KEY (course_number, section_number)  
    REFERENCES SECTION (course_number, section_number)  
);
```

given_data.sql

This section inputs the given data into the database tables.

```
-- University Database Sample Data

-- PROFESSORS
INSERT INTO PROFESSOR VALUES
('444-12-6789', 'Michael', 'Turner', '145 Summit Ave', 'Fullerton', 'CA', '92831', '714', '5551101',
 'M', 'Professor', 98000.00, 'PhD Information Systems'),

('555-23-7890', 'Angela', 'Reyes', '290 Brookside Dr', 'Anaheim', 'CA', '92805', '657', '5552202',
 'F', 'Associate Professor', 85000.00, 'PhD Computer Science'),

('666-34-8901', 'Daniel', 'Kim', '810 Harbor Blvd', 'Brea', 'CA', '92821', '714', '5553303', 'M', '
Assistant Professor', 78000.00, 'MS Software Engineering');

-- DEPARTMENTS
INSERT INTO DEPARTMENT VALUES
(1, 'Computer Science', '714', '5559001', 'CS-401', '444-12-6789'),

(2, 'Information Technology', '714', '5559002', 'IT-205', '555-23-7890');

-- STUDENTS
INSERT INTO STUDENT VALUES
('C001', 'Emily', 'Sanders', '10 Opal St', 'Fullerton', 'CA', '92831', '714', '5554001', 1),

('C002', 'Jason', 'Lopez', '25 Willow Ave', 'Anaheim', 'CA', '92804', '657', '5554002', 1),

('C003', 'Sophia', 'Nguyen', '88 Sunshine Dr', 'Brea', 'CA', '92821', '714', '5554003', 2),

('C004', 'Brandon', 'Patel', '132 Redwood Rd', 'Placentia', 'CA', '92870', '714', '5554004', 1),

('C005', 'Isabella', 'Flores', '55 Moonlight Lane', 'Yorba Linda', 'CA', '92886', '714', '5554005',
 2),

('C006', 'Ethan', 'Morales', '91 Birch St', 'Fullerton', 'CA', '92832', '714', '5554006', 1),

('C007', 'Olivia', 'Hernandez', '300 Elm St', 'Orange', 'CA', '92867', '714', '5554007', 2),

('C008', 'Noah', 'Campbell', '77 Sunset Blvd', 'Anaheim Hills', 'CA', '92807', '714', '5554008', 1)
;

-- STUDENT MINORS
INSERT INTO STUDENT_MINOR VALUES
('C001', 2),
('C002', 2),
('C004', 2),
('C006', 2);

-- COURSES
INSERT INTO COURSE VALUES
(110, 'Programming Fundamentals', 'Starting with Programming Logic', 3, 1),
```

```
(220, 'Object-Oriented Programming', 'Java Programming Essentials', 3, 1),

(330, 'Database Management Systems', 'Modern Database Design', 3, 1),

(140, 'Networking Basics', 'Introduction to Computer Networks', 3, 2);

-- COURSE PREREQUISITES
INSERT INTO COURSE_PREREQ VALUES
(220, 110),
(330, 220),
(330, 140);

-- SECTIONS
INSERT INTO SECTION VALUES
(110, 1, 'CS-110', 30, 'MWF', '08:00:00', '08:50:00', '444-12-6789'),

(110, 2, 'CS-112', 25, 'TR', '10:00:00', '11:15:00', '555-23-7890'),

(220, 1, 'CS-210', 28, 'MWF', '11:00:00', '11:50:00', '666-34-8901'),

(330, 1, 'CS-310', 20, 'TR', '01:00:00', '02:15:00', '444-12-6789'),

(330, 2, 'CS-311', 22, 'MWF', '02:00:00', '02:50:00', '555-23-7890'),

(140, 1, 'IT-101', 35, 'TR', '09:00:00', '10:15:00', '666-34-8901');

-- ENROLLMENT (20 RECORDS)
INSERT INTO ENROLLMENT VALUES
('C001', 110, 1, 'A'),
('C002', 110, 1, 'B+'),
('C003', 110, 1, 'A-'),
('C004', 110, 1, 'B'),
('C005', 110, 1, 'A'),
('C006', 110, 1, 'C+'),

('C007', 110, 2, 'B'),
('C008', 110, 2, 'A-'),

('C002', 220, 1, 'B+'),
('C004', 220, 1, 'A'),
('C006', 220, 1, 'B'),
('C008', 220, 1, 'A-'),

('C002', 330, 1, 'A'),
('C004', 330, 1, 'B+'),
('C006', 330, 1, 'A-'),

('C008', 330, 2, 'B'),
('C001', 330, 2, 'A'),

('C003', 140, 1, 'A-'),
('C005', 140, 1, 'B+'),
('C007', 140, 1, 'A');
```

index.html

This HTML and CSS code creates a styled homepage for a university database web application with links to professor and student functions, team member information, and page formatting.

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8".
<meta name="viewport" content ="width=device-width, initial-scale=1.0".
<title>Term Project</title>

<style>
    body {
        font-family: Arial, sans-serif;
        background-color: #ffffff;
        margin: 0;
        color: #333;
    }
    header {
        background-color: #8458B3
        color: white;
        padding: 25px;
        text-align: center;
    }

    header h1 {
        margin: 0;
        font-size: 30px;
    }

    header p {
        margin-top: 8px;
        font-size: 14px;
    }

    .container {
        width:80%;
        max-width: 850px;
        margin: 30px auto;
    }

    .team-information {
        background-color: white;
        padding: 20px;
        border-radius: 8px;
        margin-bottom: 30px;
        box-shadow: 0 2px 5px rgba(0,0,0,0.1)
    }

    .team-information h2 {
        margin-top:0;
        color:#8458B3;
    }
```

```
.team-information p {
    margin: 8px 0;
}
.section-title {
    margin-top: 30px;
    color: #8458B3;
    border-bottom: 2px solid #ddd;
    padding-bottom: 8px;
}
.card {
    background-color: white;
    padding: 18px;
    margin: 15px 0;
    border-radius: 8px;
    box-shadow: 0 2px 5px rgba(0,0,0,0.1);
}
.card a {
    text-decoration: none;
    color #8458B3;
    font-size: 18px;
    font-weight: bold;
}
.card a:hover {
    color:#b0cece
}
.card p {
    margin-top: 8px;
    font-size: 14px;
    color: #666;
}

footer {
    text-align: center;
    padding: 20px;
    font-size: 13px;
    color: #777;
}
</style>
</head>

<body>

<header>
    <h1>University Database System Project</h1>
    <p> CPSC 332 Spring 2026 | Database Web Application Project</p>
</header>

<div class="container">
    <div class="team-information">
        <h2>Project Team Members</h2>
        <p><strong>Member 1:</strong> Katelyn Nguyen (CWID: 3629)</p>
        <p><strong>Member 2:</strong> Lisette Osorno (CWID: 3312)</p>
```

```
<p><strong>Project Account: cs332b26</p>
</div>

<h2 class="section-title">Professor Functions</h2>
<div class="card">
  <a href="professor_a.php"> Teaching Schedule</a>
  <p> Search using SSN to view courses, classrooms, and meeting times. </p>
</div>

<div class="card">
  <a href="professor_b.php"> Grade Distribution</a>
  <p> Enter a course and section number to see grade counts for the enrolled students.</p>
</div>
<h2 class="section-title">Student Functions</h2>

<div class="card">
<a href="student_a.php">View Course Sections</a>
<p> Search by course number to view available sections, schedules, and enrollment totals.</p>
</div>

<div class="card">
<a href="student_b.php"> My Academic Record</a>
  <p>Search by campus ID number to see a student's completed courses and grades.</p>
</div>

</div>

<footer>
  California State University Fullerton | CPSC 332
</footer>

</body>
</html>
```

professor_a.php

These PHP code creates a webpage where users can enter a professor's SSN to view that professor's teaching schedule from the database, including course titles, classrooms, and meeting times.

```
<?php include 'db.php'; ?>

<!DOCTYPE html>
<html>
<head>
<title>Professor Schedule</title>

<style>
body {
    font-family: Arial, sans-serif;
    background-color: #f8f6ff;
    margin: 0;
    color: #333;
}

header {
    background-color: #5b3cc4;
    color: white;
    padding: 25px;
    text-align: center;
}

a {
    color: white;
    text-decoration: none;
}

.container {
    width: 80%;
    max-width: 900px;
    margin: 30px auto;
}

.card {
    background-color: white;
    padding: 25px;
    border-radius: 10px;
    margin-bottom: 25px;
    box-shadow: 0 3px 10px rgba(91, 60, 196, 0.15);
}

label {
    font-weight: bold;
    color: #5b3cc4;
}

input {
    width: 100%;
    padding: 12px;
```

```
    margin-top: 8px;
    border: 1px solid #d6cfff;
    border-radius: 8px;
}

button {
    margin-top: 15px;
    background-color: #5b3cc4;
    color: white;
    border: none;
    padding: 12px 24px;
    border-radius: 8px;
    cursor: pointer;
}

button:hover {
    background-color: #7b5ce1;
}

table {
    width: 100%;
    border-collapse: collapse;
}

th {
    background-color: #5b3cc4;
    color: white;
    padding: 12px;
}

td {
    padding: 12px;
    border-bottom: 1px solid #eee;
}

tr:hover {
    background-color: #f4f0ff;
}
</style>
</head>

<body>

<header>
    <h1>Professor Teaching Schedule</h1>
    <p>Search classes by professor SSN</p>
    <a href="index.html"> Back to Home</a>
</header>

<div class="container">

<div class="card">
    <form method="GET">
```

```
<label>Professor SSN</label>
<input type="text" name="ssn" placeholder="Example: 444-12-6789">
<button type="submit">View Schedule</button>
</form>
</div>

<?php
if (isset($_GET['ssn'])) {

    $ssn = $_GET['ssn'];

    $sql = "
        SELECT C.title, S.classroom, S.meeting_days,
               S.start_time, S.end_time
        FROM SECTION S
        JOIN COURSE C
        ON S.course_number = C.course_number
        WHERE S.professor_ssn = '$ssn'
    ";

    $result = $conn->query($sql);

    echo "<div class='card'>";
    echo "<h2>Schedule for Professor SSN: $ssn</h2>";

    if ($result && $result->num_rows > 0) {
        echo "<table>";
        echo "<tr>
            <th>Course Title</th>
            <th>Classroom</th>
            <th>Meeting Days</th>
            <th>Start Time</th>
            <th>End Time</th>
        </tr>";

        while ($row = $result->fetch_assoc()) {
            echo "<tr>";
            echo "<td>" . $row['title'] . "</td>";
            echo "<td>" . $row['classroom'] . "</td>";
            echo "<td>" . $row['meeting_days'] . "</td>";
            echo "<td>" . $row['start_time'] . "</td>";
            echo "<td>" . $row['end_time'] . "</td>";
            echo "</tr>";
        }

        echo "</table>";
    } else {
        echo "<p>No classes found for this professor.</p>";
    }

    echo "</div>";
}
```

```
$conn->close();  
?>  
  
</div>  
</body>  
</html>
```

professor_b.php

```
<?php include 'db.php'; ?>

<!DOCTYPE html>
<html>
<head>
<title>Grade Distribution</title>

<style>
body {
    font-family: Arial, sans-serif;
    background-color: #f8f6ff;
    margin: 0;
    color: #333;
}

header {
    background-color: #5b3cc4;
    color: white;
    padding: 25px;
    text-align: center;
}

a {
    color: white;
    text-decoration: none;
}

.container {
    width: 80%;
    max-width: 900px;
    margin: 30px auto;
}

.card {
    background-color: white;
    padding: 25px;
    border-radius: 10px;
    margin-bottom: 25px;
    box-shadow: 0 3px 10px rgba(91, 60, 196, 0.15);
}

label {
    font-weight: bold;
    color: #5b3cc4;
}

input {
    width: 100%;
    padding: 12px;
    margin-top: 8px;
    border: 1px solid #d6cfff;
```

```
    border-radius: 8px;
}

button {
    margin-top: 15px;
    background-color: #5b3cc4;
    color: white;
    border: none;
    padding: 12px 24px;
    border-radius: 8px;
    cursor: pointer;
}

button:hover {
    background-color: #7b5ce1;
}

table {
    width: 100%;
    border-collapse: collapse;
}

th {
    background-color: #5b3cc4;
    color: white;
    padding: 12px;
}

td {
    padding: 12px;
    border-bottom: 1px solid #eee;
}

tr:hover {
    background-color: #f4f0ff;
}
</style>
</head>

<body>

<header>
    <h1>Grade Distribution</h1>
    <p>Count grades for a course section</p>
    <a href="index.html"> Back to Home</a>
</header>

<div class="container">

<div class="card">
    <form method="GET">
        <label>Course Number</label>
        <input type="text" name="course" placeholder="Example: 330">
```

```
<br><br>

<label>Section Number</label>
<input type="text" name="section" placeholder="Example: 1">

<button type="submit">Show Grade Count</button>
</form>
</div>

<?php
if (isset($_GET['course']) && isset($_GET['section'])) {

    $course = $_GET['course'];
    $section = $_GET['section'];

    $sql = "
        SELECT grade, COUNT(*) AS total
        FROM ENROLLMENT
        WHERE course_number = '$course'
        AND section_number = '$section'
        GROUP BY grade
    ";

    $result = $conn->query($sql);

    echo "<div class='card'>";
    echo "<h2>Grades for Course $course, Section $section</h2>";

    if ($result && $result->num_rows > 0) {
        echo "<table>";
        echo "<tr>
            <th>Grade</th>
            <th>Number of Students</th>
        </tr>";

        while ($row = $result->fetch_assoc()) {
            echo "<tr>";
            echo "<td>" . $row['grade'] . "</td>";
            echo "<td>" . $row['total'] . "</td>";
            echo "</tr>";
        }

        echo "</table>";
    } else {
        echo "<p>No grade records found for this section.</p>";
    }

    echo "</div>";
}

$conn->close();
?>
```

```
</div>  
</body>  
</html>
```

student_a.php

This PHP code creates a webpage where users can enter a course number to view all course sections from the database, including classrooms, meeting times, and the number of enrolled students versus available seats.

```
<?php include 'db.php'; ?>

<!DOCTYPE html>
<html>
<head>
<title>Course Sections</title>

<style>
body {
    font-family: Arial, sans-serif;
    background-color: #f8f6ff;
    margin: 0;
    color: #333;
}

header {
    background-color: #5b3cc4;
    color: white;
    padding: 25px;
    text-align: center;
}

a {
    color: white;
    text-decoration: none;
}

.container {
    width: 80%;
    max-width: 900px;
    margin: 30px auto;
}

.card {
    background-color: white;
    padding: 25px;
    border-radius: 10px;
    margin-bottom: 25px;
    box-shadow: 0 3px 10px rgba(91, 60, 196, 0.15);
}

label {
    font-weight: bold;
    color: #5b3cc4;
}

input {
    width: 100%;
    padding: 12px;
```

```
    margin-top: 8px;
    border: 1px solid #d6cfff;
    border-radius: 8px;
}

button {
    margin-top: 15px;
    background-color: #5b3cc4;
    color: white;
    border: none;
    padding: 12px 24px;
    border-radius: 8px;
    cursor: pointer;
}

button:hover {
    background-color: #7b5ce1;
}

table {
    width: 100%;
    border-collapse: collapse;
}

th {
    background-color: #5b3cc4;
    color: white;
    padding: 12px;
}

td {
    padding: 12px;
    border-bottom: 1px solid #eee;
}

tr:hover {
    background-color: #f4f0ff;
}
</style>
</head>

<body>

<header>
    <h1>Course Section Lookup</h1>
    <p>Search sections by course number</p>
    <a href="index.html"> Back to Home</a>
</header>

<div class="container">

<div class="card">
    <form method="GET">
```

```
<label>Course Number</label>
<input type="text" name="course" placeholder="Example: 330">
<button type="submit">Find Sections</button>
</form>
</div>

<?php
if (isset($_GET['course'])) {

    $course = $_GET['course'];

    $sql = "
        SELECT S.section_number, S.classroom, S.meeting_days,
               S.start_time, S.end_time, S.seats,
               COUNT(E.campus_id) AS enrolled
        FROM SECTION S
        LEFT JOIN ENROLLMENT E
        ON S.course_number = E.course_number
        AND S.section_number = E.section_number
        WHERE S.course_number = '$course'
        GROUP BY S.section_number, S.classroom, S.meeting_days,
                 S.start_time, S.end_time, S.seats
    ";

    $result = $conn->query($sql);

    echo "<div class='card'>";
    echo "<h2>Results for Course $course</h2>";

    if ($result && $result->num_rows > 0) {
        echo "<table>";
        echo "<tr>
            <th>Section</th>
            <th>Classroom</th>
            <th>Days</th>
            <th>Start</th>
            <th>End</th>
            <th>Enrolled / Seats</th>
        </tr>";

        while ($row = $result->fetch_assoc()) {
            echo "<tr>";
            echo "<td>" . $row['section_number'] . "</td>";
            echo "<td>" . $row['classroom'] . "</td>";
            echo "<td>" . $row['meeting_days'] . "</td>";
            echo "<td>" . $row['start_time'] . "</td>";
            echo "<td>" . $row['end_time'] . "</td>";
            echo "<td>" . $row['enrolled'] . " / " . $row['seats'] . "</td>";
            echo "</tr>";
        }

        echo "</table>";
    } else {
```

```
        echo "<p>No sections found for this course.</p>";
    }

    echo "</div>";
}

$conn->close();
?>

</div>
</body>
</html>
```

student_b.php

```
<?php include 'db.php'; ?>

<!DOCTYPE html>
<html>
<head>
<title>Student Grades</title>

<style>
body {
    font-family: Arial, sans-serif;
    background-color: #f8f6ff;
    margin: 0;
    color: #333;
}

header {
    background-color: #5b3cc4;
    color: white;
    padding: 25px;
    text-align: center;
}

a {
    color: white;
    text-decoration: none;
}

.container {
    width: 80%;
    max-width: 900px;
    margin: 30px auto;
}

.card {
    background-color: white;
    padding: 25px;
    border-radius: 10px;
    margin-bottom: 25px;
    box-shadow: 0 3px 10px rgba(91, 60, 196, 0.15);
}

label {
    font-weight: bold;
    color: #5b3cc4;
}

input {
    width: 100%;
    padding: 12px;
    margin-top: 8px;
    border: 1px solid #d6cfff;
```

```
    border-radius: 8px;
}

button {
    margin-top: 15px;
    background-color: #5b3cc4;
    color: white;
    border: none;
    padding: 12px 24px;
    border-radius: 8px;
    cursor: pointer;
}

button:hover {
    background-color: #7b5ce1;
}

table {
    width: 100%;
    border-collapse: collapse;
}

th {
    background-color: #5b3cc4;
    color: white;
    padding: 12px;
}

td {
    padding: 12px;
    border-bottom: 1px solid #eee;
}

tr:hover {
    background-color: #f4f0ff;
}
</style>
</head>

<body>

<header>
    <h1>Student Academic Record</h1>
    <p>Search courses and grades by campus ID</p>
    <a href="index.html"> Back to Home</a>
</header>

<div class="container">

<div class="card">
    <form method="GET">
        <label>Campus ID</label>
        <input type="text" name="id" placeholder="Example: C001">
```

```
<button type="submit">View Grades</button>
</form>
</div>

<?php
if (isset($_GET['id'])) {

    $id = $_GET['id'];

    $sql = "
        SELECT C.course_number, C.title, E.section_number, E.grade
        FROM ENROLLMENT E
        JOIN COURSE C
        ON E.course_number = C.course_number
        WHERE E.campus_id = '$id'
    ";

    $result = $conn->query($sql);

    echo "<div class='card'>";
    echo "<h2>Courses for Student $id</h2>";

    if ($result && $result->num_rows > 0) {
        echo "<table>";
        echo "<tr>
            <th>Course Number</th>
            <th>Course Title</th>
            <th>Section</th>
            <th>Grade</th>
        </tr>";

        while ($row = $result->fetch_assoc()) {
            echo "<tr>";
            echo "<td>" . $row['course_number'] . "</td>";
            echo "<td>" . $row['title'] . "</td>";
            echo "<td>" . $row['section_number'] . "</td>";
            echo "<td>" . $row['grade'] . "</td>";
            echo "</tr>";
        }

        echo "</table>";
    } else {
        echo "<p>No records found for this student.</p>";
    }

    echo "</div>";
}

$conn->close();
?>

</div>
</body>
```

```
</html>
```

Developed Interface

Location of database: cs332b26 (<http://ecs.fullerton.edu/~cs332b26>)




Figure 1: Homepage




Figure 2: Homepage

Professor Teaching Schedule

Search classes by professor SSN

[← Back to Home](#)

Professor SSN

[View Schedule](#)

Figure 3: Professor Scheduling Homepage

Grade Distribution

Count grades for a course section

[← Back to Home](#)

Course Number

Section Number

[Show Grade Count](#)

Figure 4: Grade Distribution Homepage

Course Section Lookup

Search sections by course number

[← Back to Home](#)

Course Number

Example: 330

Find Sections

Figure 5: Grade Distribution Homepage

Student Academic Record

Search courses and grades by campus ID

[← Back to Home](#)

Campus ID

Example: C001

View Grades

Figure 6: Student Academic Record Homepage

Sample Runs of the System

Search up teaching schedule for Professor Angela Reyes, 555-23-7890.

Professor Teaching Schedule

Search classes by professor SSN

[← Back to Home](#)

Professor SSN

[View Schedule](#)

Schedule for Professor SSN: 555-23-7890

Course Title	Classroom	Meeting Days	Start Time	End Time
Programming Fundamentals	CS-112	TR	10:00:00	11:15:00
Database Management Systems	CS-311	MWF	02:00:00	02:50:00

Figure 7: Professor Teaching Schedule Sample

Search up the grade distribution for course number 110, section 2.

Grade Distribution

Count grades for a course section

[← Back to Home](#)

Course Number

Section Number

[Show Grade Count](#)

Grades for Course 110, Section 2

Grade	Number of Students
A-	1
B	1

Figure 8: Grade Distribution Sample

Search the available sections for course 140

Course Section Lookup

Search sections by course number

[← Back to Home](#)

Course Number

Find Sections

Results for Course 140

Section	Classroom	Days	Start	End	Enrolled / Seats
1	IT-101	TR	09:00:00	10:15:00	3 / 35

Figure 9: Course Section Sample

Search for Brandon Patel's academic record, CWID C004.

Student Academic Record

Search courses and grades by campus ID

[← Back to Home](#)

Campus ID

View Grades

Courses for Student C004

Course Number	Course Title	Section	Grade
110	Programming Fundamentals	1	B
220	Object-Oriented Programming	1	A
330	Database Management Systems	1	B+

Figure 10: Student Academic Record Sample