

The screenshot shows a browser window displaying the Petstore API documentation at petstore.swagger.io/#/store/placeOrder. The page lists two methods: GET /store/inventory and POST /store/order. The POST method is selected, showing its parameters: body (required) which is an object representing a pet order.

On the right side of the browser, the Postman application is open, showing the Network tab. It displays a POST request to <https://petstore.swagger.io/v2/store/order> with the following headers:

```
POST /petstore.swagger.io/v2/store/order HTTP/1.1
Host: petstore.swagger.io
Connection: keep-alive
Content-Length: 129
sec-ch-ua-platform: "Windows"
sec-ch-ua: "Windows NT 10.0; Win64; x64"
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/110.0.0.0 Safari/537.36
accept: application/json
sec-ch-ua-mobile: ?0
Sec-Fetch-Site: same-origin
Sec-Fetch-Mode: cors
Sec-Fetch-Dest: empty
Referer: https://petstore.swagger.io/
Accept-Encoding: gzip, deflate, br
```

The Response tab shows the JSON body of the response:

```
{ "id": 8, "petId": 55, "quantity": 3, "shipDate": "2025-04-15T12:38:41.913Z", "status": "placed", "complete": true }
```

The screenshot shows the Charles Proxy interface with the following details:

- Top Bar:** Trial expires in 10 days!, Buy Now, Report an issue, Feedback, Contact Support, Kate Zhovtanska.
- Left Sidebar:** Snapshots, My Snapshots, Shared with Me.
- Toolbar:** Live Traffic, Compare Sessions (BETA), Filters, System Proxy, Browser, Terminal, Overview, Inspectors, Rules.
- Table Headers:** #, URL, Client HTTP Ver..., Remote HTTP Ver..., Request, Headers (17), Params (0), Cookies (4), Raw, Body, Auth.
- Table Data:** A list of 50 requests, mostly from https://update.googleapis.com/service/... and https://petstore.swagger.io/v2/store/..., all showing HTTP/1.1 as the protocol.
- Request Details:** Headers, Content-Type: application/json, User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36, Accept: application/json.
- Response Details:** Headers, Cookies (0), Raw, Preview, Body.
- Raw Response Body:** JSON object with fields id, petId, quantity, shipDate, status, and complete.

The screenshot shows the Swagger UI interface for the Petstore API. The top navigation bar includes links for Trial expires in 10 days!, Swagger UI, an Issue, Feedback, Contact Support, and a user profile for Kate Zhovtanska.

The main content area displays the Petstore API documentation. It includes:

- Snapshots**: A sidebar showing "My Snapshots" and "Shared with Me".
- POST /pet/{petId}**: Updates a pet in the store with form data. Includes a red **DELETE** button labeled `/pet/{petId}` Deletes a pet.
- store**: Access to Petstore orders. Includes a **GET /store/inventory** endpoint that returns pet inventories by status. Description: Returns a map of status codes to quantities. Parameters: No parameters. Buttons: Execute, Cancel.
- Responses**: Response content type set to application/json. Includes a code block for curl command:

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/store/inventory' \
  -H 'accept: application/json'
```
- Request URL**: Placeholder for the URL.
- Overview**, **Inspectors**, and **Rules** tabs for API inspection.
- Headers (14)**, **Params (0)**, **Cookies (4)**, **Raw**, **Body**, and **Auth** sections for request configuration.
- Request** section with URL https://petstore.swagger.io/... (TLS 1.3), HTTP/1.1, and GET method.
- Headers** section showing the following headers:

```
1 GET https://petstore.swagger.io/v2/store/inventory HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 sec-ch-ua-platform: "Windows"
5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/115.0.0.0 Safari/537.36
6 accept: application/json
7 sec-ch-ua: "Google Chrome";v="115", "Not-A-Brand";v="8", "Chromium";v="115"
8 sec-ch-ua-mobile: ?0
9 Sec-Fetch-Site: same-origin
10 Sec-Fetch-Mode: cors
11 Sec-Fetch-Dest: empty
12 Referer: https://petstore.swagger.io/
13 Accept-Encoding: gzip, deflate, br, zstd
14 Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
15 Cookie: userId=888214174472096238; _ga=GAI.1.4867829.1744720398; ...
```
- Response** section with CERTIFICATE VALID, BODY: 243.00 B, TLS 1.2, and HTTP/1.1.
- Text**, **JSON**, **HEX**, **MessagePack**, **XML**, and **JavaScript** options for response preview.

The screenshot shows the NetworkMiner interface with the following details:

- Session:** Trial expires in 10 days!
- Buy Now**
- Live Traffic:** 1 selected (Filter Applied)
- Filters:** Live Traffic, Compare Sessions (BETA), System Proxy, Browser, Terminal
- Overview:** Headers (14), Params (0), Cookies (4), Raw, Body, Auth
- Request:** https://petstore.swagger.io/v2/store/inventory HTTP/1.1
- Headers (14):**
 - 1 GET https://petstore.swagger.io/v2/store/inventory HTTP/1.1
 - 2 Host: petstore.swagger.io
 - 3 Connection: keep-alive
 - 4 sec-ch-ua-platform: "Windows"
 - 5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/1357.36
 - 6 accept: application/json
 - 7 sec-ch-ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
 - 8 sec-ch-ua-device: "70"
 - 9 Sec-Fetch-Site: same-origin
 - 10 Sec-Fetch-Mode: cors
 - 11 Sec-Fetch-Dest: empty
 - 12 Referer: https://petstore.swagger.io/
 - 13 Accept-Encoding: gzip, deflate, br, zstd
 - 14 Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
 - 15 Cookie: user_id=3882141744720396230; _ga=GA1.1.487607829.1744720398; _fingerprint=c1.1.174773029.1.1.174773029.0.0.0.
- Response (CERTIFICATE VALID):** BODY: 243.00 B
- Headers (8), Cookies (0), Raw, Preview, Body**
- Selected Request (HTTP/1.1 200 OK):**
 - 1 Date: Tue, 15 Apr 2025 12:49:58 GMT
 - 2 Content-Type: application/json
 - 3 Transfer-Encoding: chunked
 - 4 Connection: keep-alive
 - 5 Access-Control-Allow-Origin: *
 - 6 Access-Control-Allow-Methods: GET, POST, DELETE, PUT
 - 7 Access-Control-Allow-Headers: Content-Type, api_key, Authorization
 - 8 Server: Jetty(9.2.9.v20150224)
 - 9
 - 10
 - 11 e8
 - 12 {"ZsGARCrY1":1,"sold":50,"string":88,"XYcItitzx0":1,"s0bHjlqagN":1,"Jhylgm6gC":1,"pending":1,"available":392,"GDMedjyqk":1,"GRYCHFEN":1,"cvkkBLXcolr":1,"RvxFLGosP":1,"wdmHlwvbIs":1,"eNjHzkoKJ":1,"idMgjCHKA":1,"mhOclmTP":1}
 - 13 0
 - 14

Snapshots

- My Snapshots
- Shared with Me

Swagger UI

petstore.swagger.io/#/store/getOrderById

GET /store/order Place an order for a pet

POST /store/order Find purchase order by ID

For valid response try integer IDs with value >= 1 and <= 10. Other values will generate exceptions

Parameters

Name	Description
orderId * required	ID of pet that needs to be fetched
integer(\$int64)	(path)
8	

Execute Clear

Responses

Response content type application/json

Curl

```
curl -X 'GET' \
'https://petstore.swagger.io/v2/store/order/8' \
-H 'accept: application/json'
```

Request Headers (14) Params (0) Cookies (4) Raw Body Auth

1 GET https://petstore.swagger.io/v2/store/order/8 HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 Sec-Ch-Ua-Platform: "Windows"
5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
6 Accept: application/json
7 Sec-Ch-Ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
8 Sec-Ch-Ua-Mobile: ?0
9 Sec-Fetch-Site: same-origin
10 Sec-Fetch-Mode: cors
11 Sec-Fetch-Dest: empty
12 Referer: https://petstore.swagger.io/
13 Accept-Encoding: gzip, deflate, br, zstd
14 Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
15 Cookie: userId=38822141744720396230;_ga=GAI.1.487607829.1744720398;_f110D00C-C61.1.1744720398.0.0.0

Response Headers (8) Cookies (0) Raw Preview Body

Text JSON HEX MessagePack XML JavaScript

```
1 {
2   "id": 8,
3   "petId": 55,
4   "quantity": 3,
5   "shipDate": "2025-04-15T12:38:41.913+0000",
6   "status": "placed",
7   "complete": true
8 }
```

Snapshots

- My Snapshots
- Shared with Me

Live Traffic

Filters System Proxy Browser Terminal

Overview Inspectors Rules

Request Headers (14) Params (0) Cookies (4) Raw Body Auth

1 GET https://petstore.swagger.io/v2/store/order/8 HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 Sec-Ch-Ua-Platform: "Windows"
5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
6 Accept: application/json
7 Sec-Ch-Ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
8 Sec-Ch-Ua-Mobile: ?0
9 Sec-Fetch-Site: same-origin
10 Sec-Fetch-Mode: cors
11 Sec-Fetch-Dest: empty
12 Referer: https://petstore.swagger.io/
13 Accept-Encoding: gzip, deflate, br, zstd
14 Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
15 Cookie: userId=38822141744720396230;_ga=GAI.1.487607829.1744720398;_f110D00C-C61.1.1744720398.0.0.0

Response Headers (8) Cookies (0) Raw Preview Body

Text JSON HEX MessagePack XML JavaScript

```
1 HTTP/1.1 200 OK
2 Date: Tue, 15 Apr 2025 12:54:34 GMT
3 Content-Type: application/json
4 Transfer-Encoding: chunked
5 Connection: keep-alive
6 Access-Control-Allow-Origin: *
7 Access-Control-Allow-Methods: GET, POST, DELETE, PUT
8 Access-Control-Allow-Headers: Content-Type, api_key, Authorization
9 Server: Jetty(9.2.9.v20150224)
10
11
12 {"id":8,"petId":55,"quantity":3,"shipDate":"2025-04-15T12:38:41.913+0000","status":"placed","complete":true}
13
14
15
```

The screenshot displays a Swagger UI interface for a DELETE API endpoint at `/store/order/{orderId}`. The interface is divided into two main sections: a left panel for API documentation and a right panel for detailed request configuration.

Left Panel (API Documentation):

- DELETE /store/order/{orderId}**: Delete purchase order by ID
- For valid response try integer IDs with positive integer value. Negative or non-integer values will generate API errors
- Parameters:**

Name	Description
orderId *	ID of the order that needs to be deleted
- Responses:** Response content type: application/json
- Curl command:

```
curl -X 'DELETE' \
https://petstore.swagger.io/v2/store/order/8' \
-H 'accept: application/json'
```
- Request URL: <https://petstore.swagger.io/v2/store/order/8>

Right Panel (Request Configuration):

- Overview tab selected.
- Request URL: https://petstore.swagger.io/v2/store/order/8
- TLS 1.3 (HTTP/1.1) selected.
- Headers (15):
 - 1. DELETE https://petstore.swagger.io/v2/store/order/8 HTTP/1.1
 - 2. Host: petstore.swagger.io
 - 3. Connection: keep-alive
 - 4. sec-ch-ua-platform: "Windows"
 - 5. User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
 - 6. accept: application/json
 - 7. sec-ch-ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
 - 8. sec-ch-ua-mobile: ?0
 - 9. Origin: https://petstore.swagger.io
 - 10. Sec-Fetch-Site: same-origin
 - 11. Sec-Fetch-Mode: cors
 - 12. Sec-Fetch-Dest: empty
 - 13. Referer: https://petstore.swagger.io/
 - 14. Accept-Encoding: gzip, deflate, br, zstd
 - 15. Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
- Response tab selected.
- BODY: 54.00 B (TLS 1.2, HTTP/1.1)
- Headers (8):
 - 1. Content-Type: application/json
 - 2. Content-Length: 10
 - 3. Date: Mon, 03 Jul 2023 14:47:48 GMT
 - 4. Server: Apache/2.4.41 (Ubuntu)
 - 5. Vary: Accept
 - 6. X-Powered-By: PHP/8.1.12
 - 7. X-Content-Type-Options: nosniff
 - 8. X-Frame-Options: SAMEORIGIN
- Body:

```
{"code": 200, "type": "unknown", "message": "8"}
```

The screenshot shows the NetworkMiner interface with the following details:

- Snapshots** tab selected.
- Live Traffic** and **Compare Sessions (BETA)** tabs are also present.
- Filters**, **System Proxy**, and **Browser** buttons are available.
- Overview** tab is active.
- Request** pane shows the URL: <https://petstore.swagger.io/v2/store/order/8> (HTTP/1.1).
- Headers (15)**:
 - 1 DELETE https://petstore.swagger.io/v2/store/order/8 HTTP/1.1
 - 2 Host: petstore.swagger.io
 - 3 Connection: keep-alive
 - 4 sec-ch-ua-platform: "Windows"
 - 5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/115.0.0.0 Safari/537.36
- Params (0)**: None.
- Cookies (4)**: None.
- Raw**: Shows the raw DELETE request message.
- Body**: Shows the raw JSON body of the request.
- Auth**: Shows the raw Authorization header.
- Response (CERTIFICATE VALID)**:
 - BODY: 54.00 B
 - TLS 1.2
 - HTTP/1.1 200 OK
 - Date: Tue, 15 Apr 2025 12:56:21 GMT
 - Content-Type: application/json
 - Transfer-Encoding: chunked
 - Connection: keep-alive
 - Access-Control-Allow-Origin: *
 - Access-Control-Allow-Methods: GET, POST, DELETE, PUT
 - Access-Control-Allow-Headers: Content-type, api_key, Authorization
 - Server: Jetty(9.2.9.v20150224)
- Headers (8)**:
 - 1 HTTP/1.1 200 OK
 - 2 Date: Tue, 15 Apr 2025 12:56:21 GMT
 - 3 Content-Type: application/json
 - 4 Transfer-Encoding: chunked
 - 5 Connection: keep-alive
 - 6 Access-Control-Allow-Origin: *
 - 7 Access-Control-Allow-Methods: GET, POST, DELETE, PUT
 - 8 Access-Control-Allow-Headers: Content-type, api_key, Authorization
- Cookies (0)**: None.
- Raw**: Shows the raw response message.
- Preview**: Shows a preview of the JSON response.
- Body**: Shows the raw JSON body of the response.

The screenshot shows the Swagger UI interface for a pet store API. The URL is `petstore.swagger.io/#/user/createUser`. The main content area displays the following message:

This can only be done by the logged in user.

Parameters

Name **Description**

body * required Created user object

object
(body)

Edit Value | Model

```
{  
    "id": 0,  
    "username": "kate",  
    "firstName": "Kate",  
    "lastName": "kate",  
    "email": "kate@mail.com",  
    "password": "string",  
    "phone": "string",  
    "userStatus": 0  
}
```

Parameter content type
application/json

The right side of the interface shows the Request and Response sections. The Request section includes the following details:

- Method: POST
- URL: `https://petstore.swagger.io/v2/user`
- Protocol: HTTP/1.1
- TLS Version: TLS 1.3
- Headers:
 - Content-Type: application/json
 - Accept: application/json
 - User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
 - sec-ch-ua-platform: "Windows"
 - sec-ch-ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
 - Content-Type: application/json
 - sec-ch-ua-mobile: ?0
 - Origin: https://petstore.swagger.io
 - Sec-Fetch-Site: same-origin
 - Sec-Fetch-Mode: cors
 - Sec-Fetch-Dest: empty
 - Referer: https://petstore.swagger.io/
- Body (Text):

```
{"code": 200, "type": "unknown", "message": "9223372836854755243"}
```

The Response section shows a status code of 200 OK with a response time of 72.00 ms and a protocol of HTTP/1.1. The response body is identical to the request body.

The screenshot shows the NetworkMiner interface with the following details:

- Top Bar:** Trial expires in 10 days!, Buy Now, Report an Issue, Feedback, Contact Support, Kate Zhovtanska.
- Left Sidebar:** Snapshots, My Snapshots, Shared with Me.
- Header:** Live Traffic, Compare Sessions (BETA), Filters, System Proxy, Browser, Terminal.
- Table View:** Shows 599 rows of network traffic. Columns include #, URL, Client HTTP Ver..., Remote HTTP Ver..., and Status. Many entries show requests to update.googleapis.com and petstore.swagger.io.
- Selected Request:** https://petstore.swagger.io/v2/user/HTTP/1.1. Headers, Params, Cookies, Raw, Body, Auth tabs are visible. The Raw tab shows:

```
1 POST https://petstore.swagger.io/v2/user HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 Content-Length: 173
5 sec-ch-ua-platform: "Windows"
6 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/83.0.4103.97 Safari/537.36
7 accept: application/json
8 sec-ch-ua: "Google Chrome";v="135", "Not A Brand";v="8", "Chromium";v="135"
9 Content-Type: application/json
10 sec-ch-ua-mobile: ?0
11 Origin: https://petstore.swagger.io
12 Sec-Fetch-Site: same-origin
13 Sec-Fetch-Mode: cors
14 Sec-Fetch-Dest: empty
15 Referer: https://petstore.swagger.io/
16 Accept-Encoding: gzip, deflate, br
17 Accept-Language: en-US,en;q=0.9
```
- Selected Response:** https://petstore.swagger.io/v2/user/HTTP/1.1. Headers, Cookies, Raw, Preview, Body tabs are visible. The Raw tab shows:

```
1 HTTP/1.1 200 OK
2 Date: Tue, 15 Apr 2025 13:18:22 GMT
3 Content-Type: application/json
4 Transfer-Encoding: chunked
5 Connection: keep-alive
6 Access-Control-Allow-Origin: *
7 Access-Control-Allow-Methods: GET, POST, DELETE, PUT
8 Access-Control-Allow-Headers: Content-Type, api_key, Authorization
9 Server: Jetty(9.2.9.v20150224)
10
11 3d
12 {"code":200,"type":"unknown","message":"9223372036854755243"}
13 0
14
15
```

The screenshot shows a browser window with a Swagger UI interface. On the left, there's a sidebar with 'Snapshots' and 'Shared with Me'. The main area displays a list of API endpoints for a 'petstore.swagger.io' service. One endpoint, '/user/login', is highlighted. Below it, a 'Parameters' section shows two fields: 'username' (value: 'kate') and 'password' (value: 'string'). At the bottom, there are 'Execute' and 'Clear' buttons, and a dropdown for 'Responses' set to 'application/json'. To the right, a detailed view of the request and response is shown. The request is a GET to https://petstore.swagger.io/v2/user/login?username=kate&password=string. The response is a JSON object with the following content:

```

1 GET https://petstore.swagger.io/v2/user/login?username=kate&password=string HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 sec-ch-ua: "Not-A-Brand";v="1", "Microsoft Edge";v="100", "Chromium";v="100"
5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/105.0.5052.127 Safari/537.36
6 accept: application/json
7 sec-ch-ua-mobile: ?0
8 sec-ch-ua: "Google Chrome";v="105", "Not-A-Brand";v="8", "Chromium";v="105"
9 sec-ch-ua-mobile: ?0
10 Sec-Fetch-Site: same-origin
11 Sec-Fetch-Mode: cors
12 Sec-Fetch-Dest: empty
13 Referer: https://petstore.swagger.io/
14 Accept-Encoding: gzip, deflate, br, zstd
15 Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
16 Cookie: user_id=38822141744720396230; ga=GAI.1.487607829.1744720398; ... (truncated)
    
```

The response status is 200 OK, and the body is a JSON object:

```

1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "logged in user session:1744722820112"
5 }
    
```

The screenshot shows a NetworkMiner interface with a list of captured traffic entries on the left. The entries are numbered and show details like URL, Client HTTP Version, and Remote HTTP Version. One entry, with number 1, is highlighted. It corresponds to the same '/user/login' request and response seen in the previous screenshot. The details pane on the right shows the request and response. The request is a GET to https://petstore.swagger.io/v2/user/login?username=kate&password=string. The response is a JSON object with the following content:

```

1 GET https://petstore.swagger.io/v2/user/login?username=kate&password=string HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 sec-ch-ua: "Windows"
5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/105.0.5052.127 Safari/537.36
6 accept: application/json
7 sec-ch-ua: "Google Chrome";v="105", "Not-A-Brand";v="8", "Chromium";v="105"
8 sec-ch-ua-mobile: ?0
9 Sec-Fetch-Site: same-origin
10 Sec-Fetch-Mode: cors
11 Sec-Fetch-Dest: empty
12 Referer: https://petstore.swagger.io/
13 Accept-Encoding: gzip, deflate, br, zstd
14 Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7
15 Cookie: user_id=38822141744720396230; ga=GAI.1.487607829.1744720398; ... (truncated)
    
```

The response status is 200 OK, and the body is a JSON object:

```

1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "logged in user session:1744722820112"
5 }
    
```

Snapshots

- My Snapshots
- Shared with Me

Swagger UI

petstore.swagger.io/#/user/logoutUser

Request

Overview Inspectors Rules

Headers (14) Params (0) Cookies (4) Raw Body Auth

GET https://petstore.swagger.io/v2/user/logout HTTP/1.1

POST /user/createWithList Creates list of users with given input array

GET /user/{username} Get user by user name

PUT /user/{username} Updated user

DELETE /user/{username} Delete user

GET /user/login Logs user into the system

GET /user/logout Logs out current logged in user session

Parameters

No parameters

Execute Clear

Responses Response content type application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/user/logout' \
  -H 'accept: application/json'
```

Request URL

Response (CERTIFICATE VALID)

Headers (8) Cookies (0) Raw Preview Body

BODY: 55.00 B TLS 1.2 (HTTP/1.1) 200

Traffic Sources: 0 0 0

... Trial expires in 10 days! Buy Now

Report an Issue Feedback Contact Support

Snapshots

- My Snapshots
- Shared with Me

Live Traffic Compare Sessions (BETA)

Filters System Proxy Browser Terminal

URL Client HTTP Ver. Remote HTTP Vers.

#	URL	Client HTTP Ver.	Remote HTTP Vers.
469	https://petstore.swagger.io/v2/store/or...	HTTP/1.1	HTTP/1.1
474	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
499	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
501	https://licensing.mp.microsoft.com/v7...	HTTP/1.1	HTTP/1.1
503	https://licensing.mp.microsoft.com/v7...	HTTP/1.1	HTTP/1.1
505	https://storecatalogrevocation.storequ...	HTTP/1.1	HTTP/1.1
515	https://petstore.swagger.io/v2/user/...	HTTP/1.1	HTTP/1.1
524	https://petstore.swagger.io/v2/user/log...	HTTP/1.1	HTTP/1.1
530	https://petstore.swagger.io/v2/user/log...	HTTP/1.1	HTTP/1.1
537	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
538	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
539	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
548	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
550	https://default.exp-tas.com/exp017/a5...	HTTP/1.1	HTTP/1.1
552	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
556	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
558	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
559	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
571	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
575	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
579	https://assets.msn.com/service/news/f...	HTTP/1.1	HTTP/1.1
581	https://windows.msn.com/staticsb/stat...	HTTP/1.1	HTTP/1.1
583	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1

Request

Overview Inspectors Rules

Headers (14) Params (0) Cookies (4) Raw Body Auth

GET https://petstore.swagger.io/v2/user/logout HTTP/1.1

POST /user/createWithList Creates list of users with given input array

GET /user/{username} Get user by user name

PUT /user/{username} Updated user

DELETE /user/{username} Delete user

GET /user/login Logs user into the system

GET /user/logout Logs out current logged in user session

Parameters

No parameters

Execute Clear

Responses Response content type application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/user/logout' \
  -H 'accept: application/json'
```

Request URL

Response (CERTIFICATE VALID)

Headers (8) Cookies (0) Raw Preview Body

BODY: 55.00 B TLS 1.2 (HTTP/1.1) 200

Snapshots

- My Snapshots
- Shared with Me

petstore.swagger.io#/user/getUserName

POST /user/createWithList Creates list of users with given input array

GET /user/{username} Get user by user name

Parameters

Name	Description
username * required	The name that needs to be fetched. Use user1 for testing.
string (path)	kate

Execute **Cancel**

Responses Response content type application/json

Curl

```
curl -X 'GET' \
  'https://petstore.swagger.io/v2/user/kate' \
  -H 'accept: application/json'
```

Request URL

https://petstore.swagger.io/v2/user/kate

Server response

Code Details

1 selected (Filter Applied) | 100%

Snapshots

- My Snapshots
- Shared with Me

Live Traffic Compare Sessions (BETA)

URL Client HTTP Ver. Remote HTTP Vers.

#	URL	Client HTTP Ver.	Remote HTTP Vers.
469	https://petstore.swagger.io/v2/store/or...	HTTP/1.1	HTTP/1.1
474	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
499	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
501	https://licensing.mp.microsoft.com/v7...	HTTP/1.1	HTTP/1.1
503	https://licensing.mp.microsoft.com/v7...	HTTP/1.1	HTTP/1.1
505	https://storecatalogrevocation.storeq...	HTTP/1.1	HTTP/1.1
515	https://petstore.swagger.io/v2/user	HTTP/1.1	HTTP/1.1
524	https://petstore.swagger.io/v2/user/log...	HTTP/1.1	HTTP/1.1
530	https://petstore.swagger.io/v2/user/log...	HTTP/1.1	HTTP/1.1
537	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
538	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
539	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
548	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
550	https://default-exp-tas.com/exp017/a5...	HTTP/1.1	HTTP/1.1
552	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
556	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
558	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
559	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
571	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
575	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
579	https://assets.msn.com/service/news/f...	HTTP/1.1	HTTP/1.1
581	https://windows.msn.com/staticbs/stati...	HTTP/1.1	HTTP/1.1
583	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1

Overview Inspectors Rules

Request https://petstore.swagger.io/... TLS 1.3 (HTTP/1.1) GET

Headers (14) Params (0) Cookies (4) Raw Body Auth

```
1 GET https://petstore.swagger.io/v2/user/kate HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 sec-ch-ua: "Not-A-Brand";v="135", "Google Chrome";v="135", "Chromium";v="135"
5 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
6 accept: application/json
7 sec-ch-ua-mobile: 0
8 Sec-Fetch-Site: same-origin
9 Sec-Fetch-Mode: cors
11 Sec-Fetch-Dest: empty
12 Referer: https://petstore.swagger.io/
13 Accept-Encoding: gzip, deflate, br, zstd
14 Accept-Language: en-US,uk;q=0.9,en;q=0.8,es;q=0.7
15 Cookie: user_id=38822141744720396230; _ga=GAI.1.487607829.1744728398; ...
```

Response CERTIFICATE VALID BODY: 169.00 B TLS 1.2 (HTTP/1.1) 200

Headers (8) Cookies (0) Raw Preview Body

Text JSON HEX MessagePack XML JavaScript

```
1 {
2   "id": 9223372036854755243,
3   "username": "kate",
4   "firstName": "kate",
5   "lastName": "kate",
6   "email": "kate@gmail.com",
7   "password": "string",
8   "phone": "string",
9   "userStatus": 0
10 }
```

The screenshot shows a browser window with a dark theme. On the left, there's a sidebar titled "Snapshots" with sections "My Snapshots" and "Shared with Me". The main content area has a title bar "Swagger UI" and a URL "petstore.swagger.io/#/user/updateUser". Below the title, there's a form for updating a user. It has two fields: "username" (with value "kate") and "body" (with value "Updated user object"). The "body" field has a dropdown menu showing "application/json". At the bottom of the form are "Execute" and "Clear" buttons.

On the right side of the screen, there's a detailed view of the API request. It shows the "Request" tab with the following details:

- Method: PUT
- URL: https://petstore.swagger.io/v2/user/kate
- Protocol: HTTP/1.1
- Headers:
 - Host: petstore.swagger.io
 - Connection: keep-alive
 - Content-Length: 175
 - sec-ch-ua-platform: "Windows"
 - User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
 - accept: application/json
 - sec-ch-ua: "Google Chrome";v="135", "Not-A.Brand";v="8", "Chromium";v="135"
 - sec-ch-ua-mobile: ?0
 - Origin: https://petstore.swagger.io
 - Sec-Fetch-Site: same-origin
 - Sec-Fetch-Mode: cors
 - Sec-Fetch-Dest: empty
 - Referer: https://petstore.swagger.io/
- Response (CERTIFICATE VALID):

```
1 PUT https://petstore.swagger.io/v2/user/kate HTTP/1.1
2 Host: petstore.swagger.io
3 Connection: keep-alive
4 Content-Length: 175
5 sec-ch-ua-platform: "Windows"
6 User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
7 accept: application/json
8 sec-ch-ua: "Google Chrome";v="135", "Not-A.Brand";v="8", "Chromium";v="135"
9 sec-ch-ua-mobile: ?0
10 Origin: https://petstore.swagger.io
11 Sec-Fetch-Site: same-origin
12 Sec-Fetch-Mode: cors
13 Sec-Fetch-Dest: empty
14 Referer: https://petstore.swagger.io/
15 
```
- Headers (8):
 - Content-Type: application/json
 - Content-Length: 175
 - Accept: application/json
 - Sec-Fetch-Mode: cors
 - Sec-Fetch-Site: same-origin
 - Sec-Fetch-Dest: empty
 - Referer: https://petstore.swagger.io/
 - Origin: https://petstore.swagger.io
- Body (Raw):

```
{ "code": 200,
  "type": "unknown",
  "message": "9223372036854755315"}
```

This screenshot shows a browser-based proxy tool interface. On the left, there's a sidebar with "Snapshots" and "Shared with Me" sections. The main area is titled "Live Traffic" and shows a list of network requests. The list includes entries such as 469, 474, 499, 501, 503, 505, 515, 524, 530, 537, 538, 539, 548, 550, 552, 556, 558, 559, 571, 575, 579, 581, and 583. Each entry shows the URL, Client HTTP Version, and Remote HTTP Version.

On the right, there's a detailed view of a selected request (HTTP/1.1 PUT). The "Request" tab shows the following details:

- Method: PUT
- URL: https://petstore.swagger.io/v2/user/kate
- Protocol: HTTP/1.1
- Headers:
 - Host: petstore.swagger.io
 - Connection: keep-alive
 - Content-Type: application/json
 - Content-Length: 175
 - sec-ch-ua-platform: "Windows"
 - User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/135.0.0.0 Safari/537.36
 - accept: application/json
 - sec-ch-ua: "Google Chrome";v="135", "Not-A.Brand";v="8", "Chromium";v="135"
 - sec-ch-ua-mobile: ?0
 - Origin: https://petstore.swagger.io
 - Sec-Fetch-Site: same-origin
 - Sec-Fetch-Mode: cors
 - Sec-Fetch-Dest: empty
 - Referer: https://petstore.swagger.io/
- Response (CERTIFICATE VALID):

```
1 HTTP/1.1 200 OK
2 Date: Tue, 15 Apr 2025 13:23:53 GMT
3 Content-Type: application/json
4 Transfer-Encoding: chunked
5 Connection: keep-alive
6 Access-Control-Allow-Origin: *
7 Access-Control-Allow-Methods: GET, POST, DELETE, PUT
8 Access-Control-Allow-Headers: Content-Type, api_key, Authorization
9 Server: Jetty(9.2.9.v20150224)
10
11 3d
12 { "code":200,"type":"unknown","message":"9223372036854755315"}
```
- Headers (8):
 - Content-Type: application/json
 - Content-Length: 175
 - Accept: application/json
 - Sec-Fetch-Mode: cors
 - Sec-Fetch-Site: same-origin
 - Sec-Fetch-Dest: empty
 - Referer: https://petstore.swagger.io/
 - Origin: https://petstore.swagger.io
- Body (Raw):

```
{ "code": 200,
  "type": "unknown",
  "message": "9223372036854755315"}
```

Snapshots

My Snapshots

Shared with Me

DELETE /user/{username} Delete user

This can only be done by the logged in user.

Parameters

Name	Description
username * required	The name that needs to be deleted
string (path)	kate

Execute Clear

Responses Response content type application/json

Curl

```
curl -X 'DELETE' \
  'https://petstore.swagger.io/v2/user/kate' \
  -H 'accept: application/json'
```

Request URL

<https://petstore.swagger.io/v2/user/kate>

Server response

in Issue Feedback Contact Support

Headers (15) Params (0) Cookies (4) Raw Body Auth

Request https://petstore.swagger.io/... TLS 1.3 (HTTP/1.1) DELETE

1. DELETE https://petstore.swagger.io/v2/user/kate HTTP/1.1
2. Host: petstore.swagger.io
3. Connection: keep-alive
4. sec-ch-ua-platform: "Windows"
5. User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/115.0.0.0 Safari/537.36
6. accept: application/json
7. sec-ch-ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
8. sec-ch-ua-mobile: ?0
9. Origin: https://petstore.swagger.io
10. Sec-Fetch-Site: same-origin
11. Sec-Fetch-Mode: cors
12. Sec-Fetch-Dest: empty
13. Referer: https://petstore.swagger.io/
14. Accept-Encoding: gzip, deflate, br, zstd
15. Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7

Response (CERTIFICATE VALID)

BODY: 57.00 B (TLS 1.2) (HTTP/1.1) 200

Headers (8) Cookies (0) Raw Preview Body

Text JSON HEX MessagePack XML JavaScript

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "kate"
5 }
```

Traffic Sources: 0 0 0 | 1 selected (Filter Applied) | 100% +

Snapshots

Live Traffic

Compare Sessions (BETA)

Report an issue Feedback Contact Support

Kate Zhovtanska

URL Client HTTP Ver. Remote HTTP Ver.

#	URL	Client HTTP Ver.	Remote HTTP Ver.
469	https://petstore.swagger.io/v2/store/or...	HTTP/1.1	HTTP/1.1
474	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
499	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
501	https://licensing.mp.microsoft.com/v7...	HTTP/1.1	HTTP/1.1
503	https://licensing.mp.microsoft.com/v7...	HTTP/1.1	HTTP/1.1
505	https://storecatalogrevocation.storequ...	HTTP/1.1	HTTP/1.1
515	https://petstore.swagger.io/v2/user	HTTP/1.1	HTTP/1.1
524	https://petstore.swagger.io/v2/user/log...	HTTP/1.1	HTTP/1.1
530	https://petstore.swagger.io/v2/user/log...	HTTP/1.1	HTTP/1.1
537	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1
538	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
539	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
548	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
550	https://default-exptas.com/exp017/as...	HTTP/1.1	HTTP/1.1
552	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
556	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
558	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
559	https://self.events.data.microsoft.com/...	HTTP/1.1	HTTP/1.1
571	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
575	https://petstore.swagger.io/v2/user/kate	HTTP/1.1	HTTP/1.1
579	https://assets.msn.com/service/news/...	HTTP/1.1	HTTP/1.1
581	https://windows.msn.com/staticsb/stat...	HTTP/1.1	HTTP/1.1
583	https://ulogzproxy.reasonsecurity.com/	HTTP/1.1	HTTP/1.1

in Issue Feedback Contact Support

Headers (15) Params (0) Cookies (4) Raw Body Auth

Request https://petstore.swagger.io/... TLS 1.3 (HTTP/1.1) DELETE

1. DELETE https://petstore.swagger.io/v2/user/kate HTTP/1.1
2. Host: petstore.swagger.io
3. Connection: keep-alive
4. sec-ch-ua-platform: "Windows"
5. User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/115.0.0.0 Safari/537.36
6. accept: application/json
7. sec-ch-ua: "Google Chrome";v="135", "Not-A-Brand";v="8", "Chromium";v="135"
8. sec-ch-ua-mobile: ?0
9. Origin: https://petstore.swagger.io
10. Sec-Fetch-Site: same-origin
11. Sec-Fetch-Mode: cors
12. Sec-Fetch-Dest: empty
13. Referer: https://petstore.swagger.io/
14. Accept-Encoding: gzip, deflate, br, zstd
15. Accept-Language: uk-UA,uk;q=0.9,en-US;q=0.8,en;q=0.7

Response (CERTIFICATE VALID)

BODY: 57.00 B (TLS 1.2) (HTTP/1.1) 200

Headers (8) Cookies (0) Raw Preview Body

Text JSON HEX MessagePack XML JavaScript

```
1 HTTP/1.1 200 OK
2 Date: Tue, 15 Apr 2025 13:26:35 GMT
3 Content-Type: application/json
4 Transfer-Encoding: chunked
5 Connection: keep-alive
6 Access-Control-Allow-Origin: *
7 Access-Control-Allow-Methods: GET, POST, DELETE, PUT
8 Access-Control-Allow-Headers: Content-type, api_key, Authorization
9 Server: Jetty(9.2.9.v20150224)
10
11 2e
12 {"code":200,"type":"unknown","message":"kate"}
13 0
14
15
```