
ALL done

Shivaji University, Kolhapur Question Bank for Mar 2022 (Summer) Examination MCQ's = 35 Theory ques = 38

Subject Code: \$1547, Subject Name: Operating System - 11

Sr. No.	Question	A	В	С	D
1	Pool of internal data buffers are called as	Memory	Free list	Buffer eache	
2	A is an executable file and a is an instance of the program in execution.	Process.	Page, segment	Program, process	Application, process
3	The kernel must write buffer contents to disk before reassigning		delayed write	read	append
4	A buffer consists of two parts: a	memory array, buffer header	data array, buffer index	cache array, buffer pointer	buffer header, memory ·
5	A is a file whose data is a sequence of entries, each consisting of an inode number and the name of a file.	Device file	File	directory	folder
6	Theoccupies the beginning of a file system, typically the first sector, and may contain the bootstrap code that is read into the machine to boot or initialize, the operating system.	super block	boot block	data blocks	inode list
7	The is responsible for process synchronization, inter-process communication, memory management, and process scheduling	system call interface	process contractions subsystem		hardware
8	The algorithm parses the path name one component at a time, converting each component into an inode based on its name and	open	namei •	write	read

- 1	the directory being searched, and eventually returns the inode of the input path name.					
	'ialloc' assigns to a newly created file.	disk inode	disk bloc	k byt	e offset	None of the above
)	Processes can use system call to position the I/O and allow random access to the file.	read	creat	Г	nknod	lseek •
1	The translates a file system address, consisting of a logical device number and block number, to a particular sector on the disk.	terminal driver	disk driv	rer dev	rice driver	stream
12	System call allows a process to query the status of file, returning information such as file type, file owner, file access times, access permissions.	pipe	stat		lseek	none of the
13	The system call connects the file system in a specified section of disk to the existing file system hierarchy.	mount	lin	k	unmount	attach
1.	A process may expand or contract its virtual address space with the system call.	sbrk	bi	rk	attachreg	allocreg
1	A process can synchronize its execution with the termination o child process by executing the	f a fork	W	rait	exit	close
	When a process accesses a page that is not part of its working se incurs a page fault.			tection	invalid	file
100	The register context of a procest contains	ss process status reg	or and	general- urpose egister	progra	



	When process executes	A 42/14	Tail		75 7 3
!8	system call, kernel sets Effective User Id field in the process table and U area to the owner Id of the file.	fork	exec •	setgrp	setuid
29	The scheduler of UNIX belongs to general class of operating system schedulers known as	Round robin	Multilevel Round robin	Round robin with multilevel feedback	Round robin feedback
30	Process can control the scheduling priority by system call.	decay	nice	priority	random
31	system call retrieves the cumulative times that the calling process spent executing in user mode and kernel mode.	time	times	stime	tîming
32	Kernel gives measure of how much time system executing in kernel and user mode and how much time it spends in executing individual routines in the kernel.	Monitoring	Accounting	Profiling	Statistics
3	The clock handler adjusts the priorities of all processes in user mode at second intervals (on System V) and causes the kernel to go through the schedulin algorithm to prevent a process fro monopolizing use of the CPU.	-	2	5	4
	Thedevice is a block device in a configurable section of a disk.	lock device in a configurable secondary page		swap	block
	have the same function as other drivers to cont the transmission of data to and terminals.		disk dri	iver device d	river stream

UNIT – III 1. Explain the dup() system call with example. Explain difference between Named pipe and unnamed pipe. 11 3 Explain the read() system call 96 4. Write short note on: Change directory and Change root. 109 5. Explain algorithm creat() for creating a new file. Draw the file system tree before and after executing following mount() system call Mount("/dev/dsk1","/usr",0); Explain the algorithm for mounting a file system? [2] (8.) Explain the read and write operations in the pipe? Explain the algorithm for open system call to open a file? 10. Draw and explain the data structures for file system when following system calls are executed: 94195 fd1=open("/etc/passwd", O_RDONLY); fd2=open("/etc/passwd", O_WRONLY); fd3=open("local", O_RDONLY); fd4=dup(fd1): fd5=dup(fd4); close(fd1); close(fd3); 11. Draw and explain the file system data structures for each statem (A/B) executes following system calls: fd1=open("/etc/passwd",O_RDONLY);

Explain H

UNIT - IV

Draw and explain the complete process state transition diagram. | 47 | 148

Write and explain algorithm for allocating a region 173

Explain with diagram the context of a process in detail. 159

fd2=open("local",O_RDWR);

fd3=open("/etc/passwd",O WRONLY);

fd1=open("/etc/passwd",O_RDONLY); fd2=open("private",O_RDONLY);

Explain with example mapping of process virtual address into physical memory address. List and explain the fields of process table. What is region? Describe algorithm for allocate region? 7. What is U area? List fields from the U area? | 57 8. What is a region? Discuss mapping between per-process region table and page 152/113 table. Explain with example mapping of process virtual address into physical memory address. Write and explain algorithm for allocating a region. 11. What is context switch? Explain the steps for Context switch. \68 UNIT - V 1. Explain the algorithm for exit() system call. 2. Explain different functions of clock interrupt handler Explain system calls for time? What is the use of fork system call? Explain the sequence of operations kernel executes for fork? What is the use of signal? Explain the types of signals? Explain System Boot and the Init process. 235 7. Draw and explain use level and kernel level priority. 8. Explain how kernel prevent a process from monopolizing the use of CPU in Unix System Explain simple process scheduling algorithm with example. 248 10. Explain profiling in detail. Explain process scheduling with example. 248 UNIT - VI What is demand paging? Explain data structure used for demand paging? Explain the working of page stealer process. What is page fault? Explain handling of validity page fault. 298 Explain in detail allocation of space on swap device. 272 Explain the functions of line discipline and clists? - 6. Explain the swapping of a process between swap space and main memory? 276 Explain the data structures for demand paging? 28 5

- 8. Write a short note on: Streams 344