



HepB3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







RCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MenA / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







HepB3, Hib3, PCV3, RotaC, MCV1, RCV1, MenA, YFV, MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




HepB3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




RCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MenA / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




HepB3, Hib3, PCV3, RotaC, MCV1, RCV1, MenA, YFV, MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




HepB3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




RCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






MenA / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




HepB3, Hib3, PCV3, RotaC, MCV1, RCV1, MenA, YFV, MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




HepB3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




RCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MenA / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



HepB3, Hib3, PCV3, RotaC, MCV1, RCV1, MenA, YFV, MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children and the control of the c




HepB3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





2.5 2.0 1.5 1.0 0.5

Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





MCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children






PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



RCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




benefit-risk ratio

YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children







MenA / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children





MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



benefit-risk ratio

400

200

HepB3, Hib3, PCV3, RotaC, MCV1, RCV1, MenA, YFV, MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children

