



HepB3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children

Hib3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




EPI benefits versus COVID-19 risks


MCV1 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children




EPI benefits versus COVID–19 risks

RCV1 / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID–19 risks

RotaC / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children

YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



EPI benefits versus COVID–19 risks

MenA / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID–19 risks

HPVfem / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID–19 risks

HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID-19 risks

MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



EPI benefits versus COVID–19 risks

HepB3, Hib3, PCV3, RotaC, MCV1, RCV1, MenA, YFV, MCV2 / EPI suspension period: 6 months / vaccine impact: under 5–year–old children



benefit–risk ratio

