



EPI benefits versus COVID–19 risks

HepB3 / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID–19 risks

Hib3 / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID–19 risks

MCV1 / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children

MCV2 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



PCV3 / EPI suspension period: 6 months / vaccine impact: under 5-year-old children



EPI benefits versus COVID–19 risks


RCV1 / EPI suspension period: 6 months / vaccine impact: under 5–year–old children



RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children


EPI benefits versus COVID–19 risks

YFV / EPI suspension period: 6 months / vaccine impact: under 5–year–old children




EPI benefits versus COVID–19 risks

MenA / EPI suspension period: 6 months / vaccine impact: under 5–year–old children



EPI benefits versus COVID–19 risks

HPVfem / EPI suspension period: 6 months / vaccine impact: under 5–year–old children



HepB3, Hib3, PCV3, RotaC / EPI suspension period: 6 months / vaccine impact: under 5-year-old children

MCV1, RCV1, MenA, YFV / EPI suspension period: 6 months / vaccine impact: under 5-year-old children

--