SAC KY v2

CHECK-IN + ACTION + REFLECTION


ONE-BATCH FIX - CODEX GUIDELINE v1.0

Desktop-first | MacBook 13.3 in / 2560x1600 priority | Functional + visual + bounded-scroll fix


BATCH SCOPE

Fix together: Check-in landing fit/scroll, Emotion selector bounded viewport, Home Recent Journey formatting, redesigned Action selection modal, redesigned Reflection modal. Preserve existing Check-in product rules and local-first runtime.

ACTION MODAL



REFLECTION MODAL



1. Locked decisions for this batch

These decisions are product/UX authority. Do not reinterpret them during implementation.

- Check-in landing must fit a normal laptop viewport better, but the page/content pane MUST still scroll if content exceeds the viewport.
- Emotion selection MUST be bounded. Do not render all 117 emotions as an endlessly growing page. Search/family controls and the right summary remain stable while only the emotion-list viewport scrolls.
- Action modal uses the chosen visual direction: contextual left rail + two-column bounded suggestion list + selected summary + fixed footer.
- Reflection modal uses the chosen split layout: left Check-in context rail; right 5 reflection options in ONE horizontal row; optional note; footer actions.
- Reflection options are exactly: (1) Ổn hơn; (2) Thoải mái / thông suốt hơn nhiều; (3) Không có gì khác biệt; (4) Tệ hơn; (5) Khác.
- Check-in context visuals must use canonical Check-in data: emoji, emotion_name_vn, emotion_name_en and color_hex. Never print raw hex code to the user.
- Home Recent Journey date format becomes dd/mm/yy hh:mm and card vertical alignment is rebalanced.

2. Check-in landing - fit, scroll and vertical density

Polish the landing without removing the new hero, two modes or recent activity.

2.1 Fix the scroll architecture

- Inspect html/body/#root/AppShell/main. The current failure mode clips content below the fold. The layout must not combine a fixed-height content region with overflow hidden.
- Preferred shell: outer app height: 100dvh; fixed sidebar; right content pane min-width:0 and overflow-y:auto. Alternatively allow document scrolling, but use one predictable scroll owner.
- Do not make 'fit the viewport' by hiding overflow. If a browser viewport is shorter, scrolling remains available.

2.2 Compress the hero

- Reduce hero vertical height and top/bottom padding by roughly 20-25% from the current oversized state.
- Remove the three decorative metric ICONS above '0 ngày liên tiếp / 8 lần check-in / 8 trong tháng này'. The numbers/labels may remain in a much simpler text-only treatment.
- Reduce orb diameter modestly. Keep it vivid/clean but do not let it dominate vertical space.
- Keep current streak + Today state + useful counts only. No new scoring system.

2.3 Rebalance the two mode cards

- Emotion Check-in and Unknown Check-in cards currently have excess top whitespace. Make top and bottom padding visually equal.
- Vertically center the visual + eyebrow + title + description + CTA block. Move the content down slightly relative to the current card.
- Keep the cards shorter. No old checklist bullets.
- CTA remains clear; no gradient primary buttons.

2.4 Compact recent activity

- Keep latest 3 items only on landing.
- Reduce section padding and item height. It should be visible or nearly visible in the priority laptop viewport without making the entire page feel cramped.

3. Emotion selector - bounded scroll is mandatory

The current page has regressed into a long/infinite document-style emotion grid. Fix the scroll owner, not just the scrollbar appearance.

- On /checkin/emotion, do NOT allow all 117 emotion cards to expand the page height.
- Header/step title, search + family chips and right-side 'Tóm tắt hiện tại' should remain visible/stable.
- Emotion grid gets a bounded viewport. Suggested desktop max-height: clamp(420px, calc(100dvh - 300px), 610px), tuned against the actual shell/header/footer.
- Only the grid/list body uses overflow-y:auto. Use a subtle scrollbar or native thin scrollbar; do not hide the ability to scroll.
- Bottom navigation/save region stays reachable without scrolling through all emotion records.
- Reset the emotion viewport scrollTop appropriately when switching family/filter if that gives clearer UX. Do not reset user selection.
- Search/family filter must filter the same cached reference set; do not refetch 117 records per filter interaction.
- Right summary can be position:sticky within the content area if needed, but must not create nested clipping.
- At narrower desktop widths, keep card minimum width and reduce columns rather than shrinking text into narrow vertical strips.


Acceptance

At the priority laptop viewport, the user can reach any emotion by scrolling INSIDE the bounded emotion area. The page itself must not become thousands of pixels tall because of 117 cards.

4. Home - Recent Journey card polish

Small change, but apply consistently to every recent Check-in card on Home.

- Date/time format on each Home journey card: dd/mm/yy hh:mm. Example: 30/08/26 06:02.
- Date and time stay on one row. Time may have stronger weight/color than date, but neither should truncate at normal desktop width.
- The current card is top-heavy and leaves extra empty padding at the bottom. Move emoji/orb + Vietnamese name + English name slightly downward.
- Rebalance card inner padding so visual content feels vertically centered. Preserve existing card height unless a very small reduction improves the section.
- Keep Vietnamese emotion name and English name centered. Keep the tighter name-to-name spacing already requested.
- No native horizontal scrollbar. Carousel arrows remain the navigation mechanism.



5. Action selection modal - chosen redesign

Use the selected reference as visual authority. The current broken narrow-column cards are a layout defect, not an accepted dense style.

5.1 Modal frame

- Desktop large modal, centered, max-width approximately 1050-1180px depending on app scale; max-height roughly 82-88dvh.
- Header stays fixed: 'Chọn action' + supporting copy + close.
- Selected summary row stays near the top and shows 0/2, 1/2 or 2/2 plus selected action chips/cards.

5.2 Left Check-in context rail

- Show the current primary emotion context because this modal is entered from a Check-in.
- Use canonical emoji, emotion_name_vn, emotion_name_en, and the Check-in/emotion color_hex as a subtle tint/orb/background pigment.
- May include a short 'Vì sao gợi ý này phù hợp?' explanation/categories if supported by current Action Catalog mapping. Do not invent AI-generated rationale at runtime.
- Keep this rail visually calm and narrow (~220-260px).

5.3 Suggestion area


- Right content is a 2-column suggestion list on the priority desktop viewport.
- Each card: emoji/icon, title, short description (2-3 lines max), duration, optional category, '+ Thêm' action.
- Use CSS grid-template-columns: repeat(2,minmax(0,1fr)); every nested flex/grid child that contains text needs min-width:0.
- Do not allow words to wrap one-by-one vertically. Clamp descriptions instead of narrowing columns.
- Suggestion area is bounded and internally scrollable. Header/toolbar and footer remain fixed.
- 'Làm mới gợi ý', 'Xem tất cả', '+ Tự viết action' stay compact in the toolbar.

5.4 Footer

- Sticky/fixed modal footer: 'Thôi không chọn' left, solid violet 'Lưu action' right.
- Primary = #743CFF with white text. No gradient.

6A. Visual authority - Action modal

This exact direction is selected. Reproduce hierarchy/layout intent with real data; do not rasterize the screenshot into the app.



7. Reflection modal - chosen split layout

Reflection always appears immediately after Action Done. This pass changes presentation, not the completion/reflection product rule.

7.1 Left source rail - 'Đến từ Check-in'

- Make the Check-in source visually meaningful, not a grey metadata row.
- Show actual primary emotion emoji prominently.
- Below emoji: emotion_name_vn, then emotion_name_en. DO NOT show raw #hex text.
- Use color_hex as a soft contextual pigment: tinted rail/background/orb/ring. Do not flood the entire modal with that color.
- Optionally show Check-in date/time and a small related context icon/label if useful.
- If Action is independent and has no Check-in source, use a neutral/Action Space source treatment instead of fabricating an emotion.

7.2 Reflection choices

- Exactly five options, all on ONE horizontal row at the priority desktop size:
- 1. Ổn hơn
- 2. Thoải mái / thông suốt hơn nhiều
- 3. Không có gì khác biệt
- 4. Tệ hơn
- 5. Khác
- Use distinct semantic colors/visuals: positive green, clearer/flow teal, neutral blue/slate, worse coral/red, other violet. Keep them vivid but editorial.
- Selection must have a non-color cue (check/ring/raised state).

7.3 Optional note


- Add one optional multiline note field under the five choices.
- Label: 'Ghi chú tùy chọn'. Placeholder can remain short, e.g. 'Viết một dòng nếu bạn muốn...'.
- Note is not required to save reflection.

7.4 Actions and behavior

- 'Bỏ qua' remains available. 'Lưu lại' is solid global violet with white text.
- Reflection persistence must be real. Do not reintroduce the old database-missing warning.
- Keep Action Done semantics: completing any Action immediately opens this modal.

8A. Visual authority - Reflection modal

Selected direction: split source rail + horizontal five-state reflection row + optional note. Use actual Check-in data and global button rules.



9. CSS/runtime defects to eliminate

The screenshots show two structural regressions. Fix root causes; do not patch with hard-coded line breaks or overflow hiding.

- Emotion page: unbounded list/grid expands the page. Define one intentional bounded scroll owner.
- Action modal: cards collapse into extremely narrow text columns. Audit CSS grid/flex width inheritance, min-width:auto, nested percentage widths and overflow rules.
- Set min-width:0 on grid/flex children that contain wrapping text. Use minmax(0,1fr) for flexible grid tracks.
- Never use fixed tiny widths on title/description text columns.
- Modal body gets min-height:0 when inside a flex column, otherwise overflow-y:auto may fail.
- Sticky footer/header must not reduce body to zero/negative height.
- Do not fix either issue by decreasing font-size substantially.
- Preserve local-first navigation/autosave and shared reference caching.

10. Definition of Done - one batch

Do not commit until the authenticated browser matches the visual references and all functional checks pass.

- [ ] /checkin landing scrolls when needed and is visibly more compact at laptop height.
- [ ] Check-in hero icons above the three metrics are removed; hero and mode-card vertical padding are tightened.
- [ ] Emotion selector is bounded; all 117 emotions remain reachable inside the internal scroll region.
- [ ] Home Recent Journey uses dd/mm/yy hh:mm and card contents are vertically rebalanced.
- [ ] Action modal matches chosen left-context + 2-column bounded list layout.
- [ ] Action card text wraps normally; no word-by-word vertical columns.
- [ ] Max 2 Action selection remains unchanged; self-write / skip / refresh / view-all still work.
- [ ] Reflection modal uses Check-in emoji + VI name + EN name + color_hex pigment, never raw hex text.
- [ ] Reflection five states are exactly the locked labels and are one horizontal row on desktop.
- [ ] Reflection optional note works and is not required.
- [ ] Action Done still immediately opens Reflection; reflection persistence is real.
- [ ] Primary buttons are solid #743CFF + white text, no gradient.
- [ ] No console errors/warnings introduced.
- [ ] npm run lint passes.
- [ ] npm test -- --run passes.
- [ ] npm run build passes.
- [ ] Capture authenticated screenshots: Check-in landing; Emotion selector; Home Recent Journey; Action modal 0/2 and 1/2; Reflection modal.