
SAC KY v2

CHECK-IN LANDING REDESIGN

Codex Implementation Guideline v1.0

Desktop-first visual authority - MacBook 13.3 in / 2560 x 1600 priority target



Visual authority: use composition and hierarchy; runtime data is illustrative.

1. Visual contract & target screen

Implement this landing as a real responsive desktop screen, not as a fixed screenshot recreation.

Priority viewport

- Primary target: MacBook 13.3-inch, 2560x1600 native display, 16:10 composition. The app may render at scaled CSS pixels, so optimize by available viewport ratio rather than physical pixel assumptions.
- Desktop-first: layout should fit comfortably without requiring vertical scroll for the primary landing content whenever browser chrome leaves a normal laptop viewport.
- At intermediate desktop widths, preserve mode-card readability and hero hierarchy; do not squeeze text or orb into narrow columns.

Important reconciliation with global polish rules

- The approved mockup still contains sidebar icons as illustration. DO NOT implement those icons. Global rule wins: sidebar module labels are text-only; Admin Studio is text-only as well.
- Primary buttons must be solid global violet (#743CFF) with white text. No gradient CTA.
- Use the canonical page-heading system shared with Diary / Action Space / Future Letter / Gift. Check-in should no longer have its own smaller or structurally different header style.

2. Canonical landing layout

The screen contains four clear layers: page heading, hero/streak zone, two mode cards, recent activity.

A. Page heading

- Use the shared PageHeader primitive. Eyebrow may be 'SẮC KÝ' or omitted according to the current global heading pattern.
- H1: 'Check-in'. Subtitle should remain short and supportive.
- History entry sits at the top-right as a restrained secondary button/link: 'Lịch sử check-in'.

B. Hero / gentle gamification

- Hero is the visual anchor. It should show current streak/rhythm, today state and a concise lifetime/period summary.
- Recommended metrics: current streak, total check-ins and continuity/maintenance indicator. Use only metrics that are actually supported by current data.
- Do not invent a productivity score. Streak/gamification is gentle and non-punitive.
- The center visual should be an orb/rhythm visual generated at runtime, not a required static image asset.

C. Two mode cards

- Emotion Check-in and Unknown Check-in receive equal product weight. They should look intentional and distinct, not like two generic white cards.
- Remove the old checklist copy such as 'Chọn cảm xúc chính / Chọn cường độ / Có thể đi sâu hơn'.
- Keep only a short mode explanation and one clear CTA per card.
- Do not add fake time estimates or capability chips unless product owner has explicitly approved them.

D. Recent activity

- Keep a compact 'Hoạt động gần đây' strip below the mode cards.
- Show the latest 3 items on the 2560x1600-priority desktop composition if data is available.
- Each item can show: visual pigment/orb, relative date/time, mode, main emotion or Unknown summary, and intensity where meaningful.
- 'Xem tất cả' routes to Check-in History. This is a contextual entry; the top-right history link remains the primary global history entry.

3. Visual implementation - no new asset dependency

The landing should remain visually rich without requiring a separate illustration production pipeline.

Orb / hero visual

- Implement with CSS gradients, SVG, Canvas or an existing reusable orb renderer. Do not require exported PNG/WebP assets for the hero orb.
- Prefer several distinct translucent lobes/rings with controlled overlap rather than heavy Gaussian blur. Colors should stay vivid and separable instead of mixing into a muddy grey-purple mass.
- Use soft glow only as supporting depth. Avoid magical sparkles, mascot faces, or illustrative details that would require unique artwork.
- If no current-emotion data exists, render a clean neutral/violet-pastel orb state. If emotion data exists, use actual emotion/check-in color inputs.

Mode-card visuals

- Emotion card can reuse the runtime orb primitive in a smaller, simplified form.
- Unknown card should use a code-native abstract writing/prompt motif (simple SVG lines, rounded document glyph, soft circles), not a custom illustration asset.
- The visuals are decorative and must not become content dependencies; product works even if the visual layer is reduced.

Color discipline

- Global violet is application chrome and primary CTA color.
- Emotion pigment may use the emotion's own color_hex.
- Unknown may use a calm cool secondary palette (blue/periwinkle) while remaining inside the same Sắc Ký visual system.
- No gradient primary buttons. Background gradients/soft color fields are allowed when they are not buttons.

4. Data and behavior contract

Redesign presentation only; preserve Check-in v2 product semantics and history behavior.

Hero metrics

- Current streak must be computed from canonical Check-in streak logic; do not create a second streak algorithm only for this page.
- Today state is derived from today's actual Check-in data, not local mock state.
- Total/period count uses lightweight summary queries or cached aggregates; do not load full history just to render counts.

Mode entry

- Emotion card routes into the canonical Emotion Check-in flow.
- Unknown card routes into the canonical Unknown flow.
- Do not change autosave, Unknown→Emotion conversion, Action linkage, or existing draft semantics during this landing redesign.

History

- Top-right 'Lịch sử check-in' and recent-strip 'Xem tất cả' must route to the existing Check-in History page.
- Do not create a second history implementation.
- Recent activity should reuse the same canonical records/snapshots used by History.

Explicit removals

- Remove the sentence: 'Bạn luôn có thể chỉnh sửa check-in sau khi lưu.' from the landing.
- Remove the mode checklist bullets currently shown inside Emotion / Unknown cards.
- Remove the old large recommendation badge if it creates visual noise; any recommendation treatment must be subtle and justified by real logic.

5. Responsive & performance acceptance

This screen should feel immediate on the production app and must preserve recent runtime optimizations.

Desktop layout

- Sidebar keeps current canonical width; content area uses the remaining width with a sensible max-width and centered alignment.
- Hero should remain one row on the priority desktop viewport.
- Mode cards stay two columns on desktop; recent activity stays one compact horizontal strip.
- At narrower desktop widths, reduce internal gaps first; stack only when the two cards would otherwise become too narrow.

Performance

- No new DB request on hover/selection purely for decorative visuals.
- Reference data and summary metrics should use existing shared caches/runtime-config cache.
- Recent activity fetch should be bounded (e.g. latest 3) and select only fields needed for the landing.
- Do not preload full Check-in History.

Accessibility

- Both mode cards and all CTAs must have keyboard focus states.
- Color is never the only selection/state cue.
- Honor reduced-motion for orb animation and hover transitions.

6. Codex implementation checklist

Do not report complete until the actual authenticated desktop UI matches the visual authority and the checks below pass.

- [ ] Sidebar labels render without module icons and without Admin Studio icon.
- [ ] Check-in page heading uses the shared global page-heading system.
- [ ] Hero fits the priority 16:10 laptop viewport without oversized vertical dead space.
- [ ] Hero has gentle streak/rhythm gamification based on canonical data.
- [ ] Hero/mini visuals are code-generated (CSS/SVG/Canvas), not dependent on new bespoke assets.
- [ ] Emotion and Unknown mode cards no longer contain the old checklist bullets.
- [ ] No 'Bạn luôn có thể chỉnh sửa...' sentence remains.
- [ ] Recent activity shows latest items compactly and links to canonical History.
- [ ] Primary CTAs are solid #743CFF with white text; no gradient buttons.
- [ ] No new console errors/warnings.
- [ ] No performance regression or extra repeated DB queries.
- [ ] npm run lint passes.
- [ ] npm test -- --run passes.
- [ ] npm run build passes.
- [ ] Authenticated screenshot captured at the MacBook-priority desktop composition and at one narrower desktop width.