SẮC KÝ v2

MOBILE APP FULL CONVERSION CODEX HANDOFF v1.0

Từ responsive webapp → mobile app experience thực sự

Desktop preserved · Mobile-native interaction · Pack A → B → C → D · Capacitor later

QUYẾT ĐỊNH KIẾN TRÚC
Giai đoạn này KHÔNG phải chỉ responsive hóa web. Codex phải tạo một Mobile App Shell và các composition mobile riêng, đồng thời dùng chung domain logic, repositories, Supabase, reference data và design tokens với desktop. Chưa thêm Capacitor trong batch này.

Visual language

- Soft Editorial Color System; canvas #F8F6FF; ink #231B46; global violet #743CFF.
- Primary button = solid violet + chữ trắng; không gradient.
- Emotion/check-in color_hex là content pigment, không phải app chrome.
- Mobile phải cảm giác như app: bottom tabs, full-screen flows, bottom sheets, sticky CTA, safe-area, keyboard-aware.

1. North Star & phạm vi

Mục tiêu của batch này là chuyển toàn bộ trải nghiệm mobile hiện tại từ dạng “desktop/web bị co xuống điện thoại” thành một mobile app interaction model hoàn chỉnh. Desktop web hiện tại vẫn là một surface hợp lệ và phải được giữ nguyên.

- Không dùng desktop sidebar trên mobile.
- Không dùng hàng navigation module kéo ngang.
- Không ép desktop modal thành modal nhỏ trên điện thoại.
- Không stack toàn bộ desktop dashboard thành một page mobile dài.
- Không làm mất business logic, persistence, RLS, runtime config, reference data hoặc autosave hiện tại.

DONE ≠ RESPONSIVE
Chỉ coi là hoàn thành khi trải nghiệm mobile có navigation, flow, sheet, keyboard, scroll, history và ritual riêng; không phải chỉ media query.

2. Kiến trúc implementation

Giữ một codebase, tách composition:

```
Shared product/domain logic
├── Desktop App Shell
└── Mobile App Shell
    ├── Tab-level screens
    ├── Full-screen focused flows
    ├── Bottom / full-screen sheets
    ├── Sticky bottom actions
    ├── Mobile history/detail
    └── Native-ready system states
```

Ưu tiên viewport: 390×844 / 393×852. Bắt buộc test thêm 375×812 và 430×932.

3. Mobile App Shell

Bottom navigation canonical:

Home	Check-in	Diary	Action	More
Daily surface	Emotion flow	Writing	Actions	Future/Gift/Settings

- Bottom nav fixed phía trên safe-area, touch target tối thiểu 44×44.
- Focused creation flow thường ẩn bottom nav.
- More chứa Future Letter, Gift for Tomorrow, Settings/Profile, Admin Studio entry.
- Create reusable MobileAppShell, MobileTopBar, ScreenScaffold, FullScreenFlowScaffold, BottomSheet, FullScreenSheet, StickyBottomAction, SafeAreaContainer.

4. 4 interaction patterns bắt buộc

Tab-level: Home, Check-in landing, Diary landing, Action, More. Compact top bar + content scroll + bottom nav.

Full-screen flow: Emotion/Unknown Check-in, Diary editor, Future Letter, Gift creation. Back + progress nhỏ + một nhiệm vụ + sticky CTA.

Bottom/Full-screen sheet: Prompt picker, reflection, create Action, schedule, filters, attachments. Không compress desktop modal.

Detail/Reveal: Check-in detail, Diary read, Open Letter, Open Gift. Content-first, minimal chrome, ritual khi cần.




Figure A - Canonical Pack A direction: Mobile Foundation + Check-in

5. Pack A - Foundation + Check-in

- Check-in Landing: compact rhythm/streak, 2 mode entry, recent activity, history.
- Primary Emotion: full-screen, search + family filters + bounded 2-column grid; 117 emotions không được làm page dài vô hạn.
- Intensity: bước riêng, 5 mức, optional note, sticky CTA.
- Decision: sheet với Vậy là đủ / Đào sâu hơn / Chọn action.
- Secondary max 2; Need max 3; Context max 2; selected item không đổi vị trí.
- Unknown: một prompt làm visual anchor, Đổi prompt, textarea bắt buộc; giữ provenance khi convert sang Emotion.
- Action Selection mobile: full-screen sheet, source Check-in context ở top, suggestion list dọc, max 2.
- History: timeline/list mobile, detail navigation; created_at DESC.
- Reflection: mở ngay sau Action Done; source context dùng emoji + VN/EN emotion name + color_hex pigment.

Reflection labels locked

1. Ổn hơn
2. Thoải mái / thông suốt hơn nhiều
3. Không có gì khác biệt
4. Tệ hơn
5. Khác

Optional note. Nếu chiều ngang không đủ, cho phép adaptive 2-row layout thay vì ép 5 lựa chọn trên một hàng quá chật.

6. Pack B - Diary + Action Space

6.1 Diary

- Landing: Empty / Draft / Done, compact streak summary, CTA, History. Không copy 4-stat desktop dashboard + giant hero.
- Core Editor: title required + Overall required trước; optional features mở theo section/sheet; autosave; sticky Draft/Done.
- Prompt Picker: max 6, order preserved, emoji + hex_color, bounded list, selected counter.
- Prompt Response: response multiline + Done tick; tick không bắt buộc để Diary Done.
- Daily Emotion: optional, 117 emotions, no intensity.
- Attach Check-ins: chỉ same local_date; independent percentage sliders, không cần tổng 100%.
- Images: max 4, reorder/replace/remove/caption optional; adapter cho native photo picker sau.
- History: compact calendar + Done/Draft/Missing + timeline; backfill entry chỉ từ History.
- Read: content-first; edit Done vẫn giữ Done.




Figure B1 - Diary landing visual direction (directional, not runtime authority)




Figure B2 - Diary prompt selection direction




Figure B3 - Diary image manager direction

6.2 Action Space

- Main: segmented filters Today / Upcoming / Overdue / Unscheduled / Completed; compact insight, list là primary.
- Create: bottom/full-screen sheet; title required, note optional, schedule, attach Check-in optional.
- Detail/Edit: status, schedule, source, edit/delete.
- Schedule: native-style picker/sheet.
- Done: animation ngắn, rewarding; Reflection mở ngay lập tức.
- History/Insights: compact rhythm/completed/reflection summary, không enterprise dashboard.




Figure B4 - Action Space visual direction




Figure B5 - Action creation/selection interaction reference

7. Pack C - Future Letter + Gift for Tomorrow

7.1 Future Letter - 8 screens

- Library: Draft / Waiting / Returned/Open / Archive.
- Write: title + body required, plain multiline, arbitrary emotion/check-in attachment optional, autosave, delete draft.
- Trigger Builder: random pool/date, specific date, Check-in streak, Diary streak, emotion repetition, Done Action count; AND/OR.
- Condition Detail: comparator > < =, threshold, emotion, period/window.
- Decorate: 6 envelopes + 6 seals; mobile selector/horizontal or 2-column; live preview; no letter color accent.
- Preview & Seal: trigger summary + ceremonial seal action.
- Opened Letter: full-screen reveal, subtle animation/haptic hook, reduced-motion fallback; remains accessible until Archive.
- Archive/History: Archive ≠ Delete; delete drafts where allowed.

7.2 Gift for Tomorrow - 7 screens

- One Gift per day. Draft auto-deleted at 23:30 if not sent. Sent remains editable before 23:30 and must deliver.
- Delivery always 03:00 next day; no date picker.
- Two modes: Question / Message. Message may attach optional emotion.
- Decorate gift box, preview, send.
- Receive/Open: ritual screen. Message read-only. Question answer persists, editable, Done/Undone.
- Optional Convert to Diary: question → prompt, answer → bodytext, counts toward max 6.
- History riêng; delivered gifts cannot be deleted; unopened gifts go to history after day ends.




Figure C - Pack C canonical direction: Future Letter + Gift for Tomorrow

8. Pack D - Native/System states

- Offline: local data remains safe, retry, continue where safe.
- Sync Conflict: never silently overwrite; compare device/server; keep one; merge only if genuinely supported.
- Notification / Deep Link: prepare routes for Future Letter returned, Gift delivered, Action reminder later.
- Permission pre-sheet: explain why before native OS prompt for Notifications/Photos/Camera.
- Error/Recovery: friendly Retry/Home/fallback; preserve unsaved local draft whenever possible.




Figure D - Pack D canonical direction: Native/System states

9. Scroll, keyboard, autosave & runtime

9.1 Scroll architecture

- Mỗi screen có một main scroll owner rõ ràng.
- Không body + inner full-page double scroll.
- Không horizontal overflow trừ intentional carousel.
- Long selectors phải bounded.
- Sticky CTA không che content; account safe-area.
- Nested flex/grid: min-height:0; text/grid children: min-width:0.
- Không dùng overflow:hidden để fake 'fit'.

9.2 Keyboard

- Active field luôn visible.
- Sticky CTA né keyboard hoặc adapt.
- Không layout shift ngang.
- Không mất draft khi keyboard open/close hoặc app background.

9.3 Local-first / autosave

- Navigation phải immediate; không chờ 3-7s remote save.
- Local state → background/debounced persistence → reconciliation/error feedback.
- Cache reference/config; không refetch 117 emotions mỗi lần mở selector.
- History dùng bounded queries; Home không preload toàn lịch sử.
- Giữ current runtime config cache và local-first optimizations.

9.4 Server-side timing

KHÔNG DÙNG CLIENT TIMER

Gift 23:30 cutoff / 03:00 delivery và toàn bộ Future Letter trigger evaluation phải nằm ở server-runtime/scheduled jobs. Mobile app chỉ render trạng thái.

10. Routing & native-ready preparation

Recommended route families:

```
/home
/checkin/*
/diary/*
/action/*
/more
/future-letter/*
/gift-for-tmr/*
```

- Focused flow hide bottom nav.
- Back dùng route/history semantics thật, không fake chỉ bằng local state.
- Chuẩn bị service interfaces cho haptic, push, native photo picker, lifecycle resume, deep link.
- CHƯA tích hợp Capacitor trong batch này.

11. Desktop preservation

- Desktop hiện tại phải tiếp tục hoạt động.
- Shared domain logic + tokens + primitives; mobile-specific composition khi interaction khác.
- Không tạo hàng trăm fragile media overrides nếu tách component mobile sạch hơn.
- Admin Studio desktop vẫn primary; mobile chỉ cần open/use cơ bản trong phase này.

12. Test matrix & acceptance

Viewports bắt buộc: 375×812, 390×844, 393×852, 430×932.

- Test empty/normal/long text/max selection/error-loading khi relevant.
- Test keyboard open, scroll, back, close sheet, route restoration, autosave.
- No horizontal overflow; no clipped sticky footer; no desktop navigation on mobile.
- No desktop modal compressed into phone viewport.
- Touch target >= 44×44; color không là cue duy nhất; reduced motion.

13. Quality gates

- npm run lint
- npm test -- --run
- npm run build
- Không new console errors / meaningful warnings do batch.
- Capture authenticated screenshots cho tất cả major flows trước khi báo Done.

14. Definition of Done

6. Desktop app vẫn hoạt động.
7. Mobile có App Shell riêng và bottom navigation.
8. Focused flows full-screen; modal desktop được thay bằng sheet/flow phù hợp.
9. Selectors bounded; scroll/keyboard/safe-area ổn.
10. Home là daily app surface, không phải desktop stack.
11. Check-in focused/mobile-native.
12. Diary là mobile writing experience.
13. Action là mobile action/task space.
14. Future Letter có seal/open ritual.
15. Gift có send/open/answer ritual.
16. History patterns app-native.

17. Offline/error states có UX.
18. Autosave không block transition.
19. Không desktop regression.
20. Lint/tests/build + authenticated screenshot acceptance pass.

15. Execution rule for Codex

IMPLEMENT ALL IN ONE BATCH

Thực hiện M0 Mobile Foundation → Pack A → Pack B → Pack C → Pack D → full regression → authenticated mobile acceptance. Có thể dùng internal checkpoints, nhưng KHÔNG push / deploy / merge trước owner visual approval.

Final report phải nêu: architecture, files/routes/components changed, Pack A/B/C/D status, desktop regression, mobile viewport results, autosave/runtime results, lint/test/build, console, known issues, screenshot paths, recommendation before Capacitor.