

UNIVERSITY OF NEBRASKA-LINCOLN

Institute of Agriculture and Natural Resources (<http://ianr.unl.edu/>)

NEBRASKA LTAP

[Create Area] (<https://stage.ne-ltap.org/siteadmin/AreaEX.asp?>

MODE=NEW&Area_Name=ActionFormTop%2D1818&Area_SiteType=1&Language=0&Area_GlobalContent=)

Required field(s) are indicated by an *.

* The Flagger's job is not considered important because anyone can do it.

☐ True

☐ False

* The Flagger may always use a Red Flag instead of the "Stop/Slow" sign.

☐ True

☐ False

* After the first car in a series of cars has been stopped, the Flagger should move from the shoulder to the centerline of the road to make themselves more visible to other cars.

☐ True

☐ False

* The Flagger should face oncoming traffic for safety reasons.

☐ True

☐ False

* Flaggers are permitted to abandon their position to take care of personal needs.

☐ True

☐ False

* When two Flaggers are necessary to control traffic, they shall communicate with each other by visual signals, radio, pilot car, or passing a baton.

☐ True

☐ False

* The Flagger must exercise good judgment in stopping and releasing cars at the correct time and giving advanced warning so the drivers can stop safely before reaching the Flagger's "Stop" sign.

☐ True

☐ False

* Reflectorized vests must be worn for Flagging.

☐ True

☐ False

* To stop cars at night, the Flagger should wave a red-sleeved flashlight up and down across the edge of the traffic lane to be stopped.

☐ True

☐ False

* When work has halted and the Flagger is not required, the Flagger warning signs should be removed or covered.

☐ True

☐ False

* In an emergency, if a "Stop/Slow" sign is not available, a red flag can be used.

☐ True

☐ False

* When releasing traffic on a two-lane road (for example, loading or unloading equipment), the "Stop/Slow" sign should be rotated so the words cannot be seen by motorists approaching from either direction.

☐ No Items

* A Flagger should be intelligent, resourceful, patient, courteous, helpful, and tactful.

☐ No Items

* A Flagger can use any hand signal because the motorist will understand the signal.

☐ No Items

* These are examples of "Warning" signs: "Stop", "Speed Limit", "Do Not Enter", and "Detour."

☐ No Items

* The Flagger's clothing must be neat, clean, and include a vest, shirt, or jacket and a cap or hardhat which are either bright orange or yellow-green.

☐ No Items

* All Flaggers should be alert and conscientious because they are in the eye of the public.

☐ No Items

* Flaggers need not be aware of the work around them.

☐ No Items

* All motorists are aware of the construction zone and work activities.

☐ No Items

* When dealing with motorists in the workzone, the Flagger must be able to communicate clearly and effectively in English.

☐ No Items

* The Flagger is responsible for:

☐ No Items

* Advance warning signs must be in place when traffic is being controlled by Flaggers. Flagging-related warning signs should be placed:

☐ No Items

* The "Stop/Slow" sign should be:

☐ No Items

* To maintain a good public image for the Contractor and the Department of Roads, the Flagger should:

☐ No Items

* A properly issued Flagger Certification Card is valid for:

☐ No Items