







Estimated trend for ANARHICHAS_LUPUS




Estimated trend for ANARHICHAS_MINOR







Estimated trend for CORYPHAENOIDES_RUPESTRIS




Estimated trend for COTTUNCULUS_MICRIPS




Estimated trend for CYCLOPTERUS_LUMPUS




Estimated trend for ENCHELYOPUS_CIMBRIUS







Estimated trend for GADUS_MORHUA




Estimated trend for GLYPTOCEPHALUS_CYNOGLOSSUS




Estimated trend for HIPPOGLOSSOIDES_PLATESSOIDES




Estimated trend for LIMANDA_FERRUGINEA




Estimated trend for LYCODES_ESMARKI







Estimated trend for LYCODES_VAHLII




Estimated trend for MACROURUS_BERGLAX




Estimated trend for MYOXOCEPHALUS_OCTODECEMSPINOSUS







Estimated trend for NEZUMIA_BAIRDI




Estimated trend for NOTACANTHIDAE




Estimated trend for NOTACANTHUS_NASUS




Estimated trend for RAJA_RADIATA







Estimated trend for RAJA_SPINICAUDA




Estimated trend for REINHARDTIUS_HIPPOGLOSSOIDES




Estimated trend for SEBASTES_MARINUS





Estimated trend for UROPHYCIS_CHESTERI



Estimated trend for UROPHYCIS_TENUS

