| District Sout ? | kylones nystylkiny fisoffan Ardyselfes | Martin and Copin of the Anthony Section of Anthony control of the An | (| 1 | n Record and Re // SA/ nnedy (Leavel | west Provide Party | And the second s | Well No. | J ana C 1 |
|--|--|--|--|--|--|---|--|--|--|
| State Kansas Well Location | $n\pi/4$ nv | /4 SW/4 | | Selected by | Township ——Block 30 Whom Leavel | 1 Coal Co | y 5 Rast | Elevation 1 | |
| | Pmp'g Der All Meas DF above Drlg. Com Drlg. Com G. O. Com | From Der Grd. 2.4 menced (R) menced (CT menced (| rick Flo o' 11/8/4 11/19/ -20-4 | DF to Bot of Cellar—RTT Abov Delg Com Drlg Com | tom 7.40° ve DF 1.60° pleted (R) 11/1 pleted (CT) | Ke is Derr Ke Di Pr 8/41 Do | sily Bshg. Above rlg. Contr. Helpice per Ft. Fa ays Drlg. (R)—ays Drlg. (CT) ays C. O. Stall | RTT 1.4(merich & Pe | |
| Rotary From | • | _To 204 | 1 C | Cable Tool From- | 28 41 To | S. Arr. John | Method of | Completion— | _0 |
| VERTICAL | TESTS | SIZE I | HOLE DRILL | ÆD D | | Formatio | n Record | | |
| Depth | Degree | Dep | | | ing Formation (Na | | | nervaniana arasi harazini ipi anang gibandah gadharini | white-sources |
| 500 1000 | 0 | 118. | | 11" Top of 13/3/4" Bottom | Pay 2035 | Remarks: | (Specify any Break | s in Producing For | rmati |
| 1500 2000 2500 | 2 | 2035,,, | 1441-26-44 PA | 9" disa Thickn 6 3/4"Total I | ess — — — — — — — — — — — — — — — — — — | (III) | SHPUES No. Size ODia of Dura | Nanika | . 03:s5 |
| in the second se | Ir mangangan gip saganikan saga | | A hard of the section | | M | aterials Lost | and Left in We | 11 | |
| | - compression of the compression | | We will have a second and a second se | | LEFT AT | Cemented D | escription: | | |
| vendeja diferensiyosi direcensiyli di ereniyli vinendiri dentiniyi dentiniyi di elemendiri. | | | | Fron | n To | (Yes or No) | noir in commencement and any company to the inventional tile | romanian-dopadrojaktoran p ⁱ ngilendri petitikan | kirosap kindaki |
| p Perspire | em akinganukan Pisar | 100 | cost restaurs | | | | | and the second s | - |
| Piriel | Jasič | or. | 13 | CASIN | G RECORD | | | molle (Sallon | Parte. |
| Date | Size | | hds. | MAKE | Pipe Seat (From Derrick Floor | Csg. (To Collar Be D. Floo | op) clow Casing N cr Less Th | Iea. Landii ds. Above | ng Ni e R. T |
| 11/16/11 | 3 9 36 | 140 142 16 | X : | New . | 28 38:85 | 4:2 | | 8 10 1 6 3 2 | 127 |
| lemarks:11/ nipple 601 1 | 18/41 - ar stri _l | · While ! | in process | string - p | ug cement dow paira made as oW do site Cl | n in oil nicement | string the | lower land | line |
| ikan menteri kikan perimpungkan perimpungkan perimpungkan perimpungkan perimpungkan perimpungkan perimpungkan BSO KAD MATA MATA PERIMPUNGKAN PERIMPUNGKAN PERIMPUNGKAN PERIMPUNGKAN PERIMPUNGKAN PERIMPUNGKAN PERIMPUNGKAN P | gadya a digwyddiwydd yr air ac diad a digwyddiwyddiad a digwyddiwyddiad a digwyddiad a digwyddiad a digwyddiad Gaell y charller y gaell y gae | Acidised | | (8 8) bottomed CASING CEM | tuO banad ENTING RECOR | 1 | Drilled Orsper | anti in mang pendambangan dan mangan apadapan binang di | isomon Ngjar |
| Date | Size | Sacks Used | Kind | Plug Left A | Cement Found in Pipe At | Top of Cemer Behind Casin | nt Cementer | By REMA | RKS |
| 11/8/41 11/18/41 | 10 3/4 | 75 200 | Incor Common | 88.65° 2340° | 88.651 | Surface | | her righten der designe å melser film å der fræmdæmen. Sprinssperator att melser film fra der fræmde skriver i | in the state of th |
| | 1 | | | | | | | Is Botto | om of |

CRA KENNEDY No!

MOTTAHOTHOD MULINERTRECORDATIOSMOD MAYN Top of Liner Up Inside Casing REMARKS:(Give Details as to Shoes, Perfora-tions, Hanger, etc., and how placed) Cemented (Sacks) Date Wt. Size From From i fatte i MonayX Dates L. Bouth Contral Canada M HoW stone N qidenvvoll 1.05Y Remarks: Kally Babg Alme KTT Delg Conte Zalmania 100 x 1 400 0 10 Price per Ft L'EXTRESS 105.Z RIT Above DR. Days Delg. (R)-BRADENHEAD RECORD OUTLETS Top Below Derrick Floor Kind Thd. No. Size 11/10/41 10 3/4" No 7" Amrionn 34 0 7 5.101 Rotary Pronu Sile Aethod of Coxaplet 1 100 bross R act DRULL SIZE HOLE VERTICAL TESTS lamtol Renarks: (Specify any Breaks in Producing Formalian) 7 INITIAL SHOT RECORD SHELLS Length Anchor Number Quarts Top of Shot Bottom of Shot Shot By REMARKS: Size & Diam. No. ted Back. W mi a.I but the Materials I Description atomorine O LEFT AT INITIAL ACID RECORD Formation Treated Pump Pressure Quantity (Gallons) Date Formula Acidized By From Start Finish Ves U op Coller Below D. Floor Pine Seat (From Deirekt Bloom jeciyi kalba Turkiya BOLAN .ebsTT Stare shall ALL S Intod 40.000 Manaches 11/13/1/1 - 10/12 to propose or propose or to all the total - 10/51/11 extended A DESCRIPTION OF THE PROPERTY (Date of Work Only) Drilled Deeper Cleaned Out Shots Cemented (P. B.) Acidized Abandoned anoonn amh HAND ONWAL Cerneut Found in Pipe At REMARKS Cemented By Plus Left At farst. COUNT *80.99 *80.89 OI 3041 なら数 篇章 Is Botteen of Colla Consented?..

Leavel Coal Co K #1

| AND THE PARTY OF T | | REMARKS | New | Well Co | mpletion Reco | ord and Rel | lated Data | Albana" | SW. | | |
|--|---|--|--|--|--|--|--|--|---|--|--|
| District Loute | n Centra | 1 Kausa | - de- | Leas | e Kennedy | | A | eres 80 | 2 | Well N | 10. 1 |
| | | | | 1 | Ϋ́ | | Ras | ada . | 4 | 1 | |
| State Kanse | 4 C | ounty Ca | wley. | Sec | -/2B | lock Tup 3 | O Su | rvey H | s Enst | —AFE N | lo |
| Well Location | NE NW | 300 | and the second s | Sel | ected by Who | n /ce. | Bedan | Classica | <u> Andrewson</u> | — Elevati | on <u>' ' ' '</u> |
| Reference Stake | | d af mensylvadesfluteriste. | the properties of the second | angadi ababbandi ang ka | A A | k Santilania Londora esperador es hig | golfin Makaisin na mana | | | aki billa bara mahad asana sanarana musa | 1225 |
| <u></u> | Pmp'g De | rrick | and the second s | ĎI | F to Bottom | and the state of t | ener eg | Kally B | shg. Abov | RTT / | . 0 a |
| | | | wich Flo | | Cellar 7. | 10 | | Dela C | ontr- blek | murica | + Payne |
| | DF above | Grd. 2. | 40 | and the second section is a second section of the second | IT Above DF | | Martin characteristic control of the first and the | Price pe | er Ft. —2 | .30 | |
| | Drlg. Con | nmenced (R | 1)11-8-41 | | rlg, Completed | | 1 +14-1 | Days D | Prlg. (R) | 10 | PPOwiets of Alasman and Assessment Applicating Spanning Street |
| <u>add establic didirio al saferold establic bosini</u> (1907) | | omenced (C | | | rlg. Completed | | | Days D | rlg. (CT) | galagas — Region apadasia haring | |
| | C. O. Con | nmenced | Sect Maranti jar | C. | O. Completed | - 32 X J | SISC communication | Days C | C. O. 28-28 | | 90/(1 |
| | ekki proprince a armada i i i Lik | and the second s | | | 2 4 4 4 | W. T. | | | 2 4 7 7 | | 120 |
| Rotary From— | | То | | Cable To | ol From | Tc |), | | Method of | Completi | on l.T. |
| VERTICAL | TESTS | SIZE | HOLE DRII | LED | | | Forma | tion I | Record | | |
| Depth | Degree | de la contra De | epth | Diam | Producing Fo | mation (Na | ime) Ba | atles | ville . | land 1 | Burbas |
| 500 | 0 | | 20 | 11" | Top of Pay - | 2838 | | | | | ing Formation |
| 1000 | 4 | | 15 (S | 132" | Bottom of Pa | y | 41 | populjorani, au asumpte ka | hannes gestävitellitäristogenegatus je sian | ni delik mendelik kentratak kentra bera | - The state of the |
| 1500 | | C. (2) | Andri 10 se liv | 911 | Thickness ,— | mitoli lud | Clod s: | 1,3 30 Daniel | 19 F/A 2181 | Nagaber Oranga | Date |
| 6 3 8 8 A S S S S S S S S S S S S S S S S S | <u> </u> | | 44 [| 6 \$ | Total Depth- | | | grys/U | No. 1 | en anni Pi | |
| 1500 | | | | | Plugged Back | | Alberta de la companione de la companion | | | | |
| rikan 19 mili | · Sections of a consultation | | man arma haran | - | | М | laterials L | ost and | Left in W | e 11 | |
| | | | | | LEFT | AT | *** | Descrip | rtion: | | |
| en e | | nicitive section of contract of the | and the feet of the second | en o di | From | To | (Yes or No) | ta agin an marantanina girm | energen er en | ongraphy and the second of the second | el fringe star fine service spisore frigues and differ |
| | | Ministry of the Park State Sta | | | | 1014 - 20 mars 11 12 | 4. 10 | | | | |
| | | | | | | | | 1 | | entirio de la constitución de la c | |
| with made is a relative track that a track in a security of a section of | characher and a house separation as painted | and control of the control of the con- | | | | | 1 | | | | |
| Springer on months of the state | 40:49 | | butawi'i boilas | | ACING B | e dan n | and the second desired in the second desired desired in the second desired desired in the second desired des | Margaella Pargaella | | Chartify Challand | Slot.I |
| and a supplied to the supplied | | | katawii boiles | | ASING R | | | | | Sandlaks) | |
| Date | Size | where the state of | Thds. | C. MAKE | (From | E C O R D Pipe Seat Derrick Floor | Cse Colle | . (Top) ir Below Floor | Casing N Less Th | Amilas) Nea. | |
| Date | | and the second s | Thds. | MAKE | (From | Pipe Seat Derrick Floor 3 | Cse Colle | . (Top) ir Below Floor | Casing N | Acadlass) Acad | |
| Date 1-8-41 | Size | Wt. 40 /6. 8 | Thds. | MAKE | (From | Pipe Seat Derrick Floor | . Css Colla D. 6 • 0 | . (Top) ir Below Floor | Casing N Less Th | Acaids. | Landing Nip Above R. T. |
| Date 1-8-41 | Size | Wt. 40 16. 8 1 | Thds. | MAKE | (From 99,7 | Pipe Seat Derrick Floor 3 2827.36 | . Css Colla D. 6 • 0 | . (Top) ir Below Floor | Casing N Less Th | Acaids. | Landing Nip Above R. T. |
| Date 1-8-41 | Size | Wt. 40 16. 8 1 | Thds. | MAKE | (From 99,7 | Pipe Seat Derrick Floor 3 2827.36 | . Css Colla D. 6 • 0 | . (Top) ir Below Floor | Casing N Less Th | Acaids. | Landing Nip Above R. T. |
| Date 1-8-41 | Size | Wt. 40 16. 8 1 | Thds. | MAKE MAKE MAKE MAKE MAKE MAKE | (From 99,7 | Pipe Seat Derrick Floor 3 2827.36 | . Css Colla D. 6 • 0 | . (Top) ir Below Floor | Casing N Less Th | Acaids. | Landing Nip Above R. T. |
| Date 1-8-41 1 8-41 | Size 103, 17 "00. | Wt. 4016. 8. 4016. 8. 104" fel | Thds. | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99.7) New Charles Forg & Q | Pipe Seat Derrick Floor 3 2829. 36 | . Css Colle D. 6.0 | . (Top) ar Below Floor \$ | Casing N Less Tr 93168 | Aea. ds. | Landing Nip Above R. T. |
| Date 1-8-H1 1 18-41 | Size 103, 17 "00. | Wt. 4016. 8. 4016. 8. 104" fel | Thds. | MAKE MAKE M | (From 99,7 | Pipe Seat Derrick Floor 3 2899, 36 | Cost Coil. D. 6.0 | . (Top) ar Below Floor \$ | Casing N Less Tr 93168 | Aea. ds. | Landing Nip Above R. T. |
| Date 11-8-41 18-41 | Size 103, 17 "00. | Wt. 4016. 8. 4016. 8. 104" fel | Thds. | MAKE MAKE M | (From 199,77 mgs lang and to second | Pipe Seat Derrick Floor 3 2899, 36 | Cost Coil. D. 6.0 | . (Top) ar Below Floor \$ | Casing N Less Tr 93168 | Aea. ds. | Landing Nip Above R. T. |
| Date 11-8-41 18-41 | Size 103, 17 "00. | Wt. 4016. 8. 4016. 8. 104" fel | Thds. | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99.7) Men Congress of the Alexand Party Sas Of the Alexand Party | Pipe Seat Derrick Floor 3 4 8 9 9, 3 6 34 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | Coole Colle D. 6.0 4. | (Top) Ir Below Floor S 49 | Casing N Less Tr 93168 | Aea. ds. | Landing Nip Above R. T. |
| Date 11-8-41 118-41 Remarks: Batton DIPM and | Size 103, 17 "00. | Wt. 4016. 8. 4016. 8. 104 " fel | Thds. | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 2 99.7) The streng 6.0 2 | Pipe Seat Derrick Floor 3 4 8 9 9, 3 6 34 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | Coole Colle D. 6.0 4. | (Top) Ir Below Floor S 49 | Casing N Less Tr 93168 28207) | Aea. ds. | Landing Nips Above R. T. |
| Date 11-8-41 118-41 Remarks: Batton D. Pm and | Size 103, 17 "00. | Wt. 4016. 8. 4016. 8. 104 " fel | Thds. | MAKE | (From 199.7) A to second | Pipe Seat Derrick Floor 3 3 4 5 7 7 3 6 3 4 5 7 7 5 6 A FORD NG RECOIL | from bet | . (Top) ur Below Floor | Casing N Less Tr 93168 28207) | Aeads. | Landing Nip Above R. T. |
| Date 11-8-41 118-41 118-41 Date Date | Size 103, 17.10,0, privated | Wt. 4016. 8 1 10 10 10 10 10 10 10 10 10 10 10 10 1 | Thds. | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99,7) When the stand for 600 and 600 an | Pipe Seat Derrick Floor 3 3 4 5 7 10 10 10 10 10 10 10 10 10 | Coole Colle D. 6.0 4. | (Top) Ir Below Floor S M P P P P P P P P P P P P | Casing Market 1931 C8 2830.7) | Aeads. | Landing Nips Above R. T. |
| Date 11-8-41 118-41 Remarks: Botton Date Date | Size 103 17 100 m joint) finished Size | Wt. 40 76. 8 | Thds. V Co Islandia Led "and Islandia d Kin | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99.7) When fory 6.0 con the start of a start of | Pipe Seat Derrick Floor 3 3 4 5 7 7 3 6 3 4 5 7 7 5 6 A FORD NG RECOIL | from bet to down | (Top) Ir Below Floor S M P P P P P P P P P P P P | Casing N Less Tr 93168 2830.7) | Aeads. | Landing Nip Above R. T. |
| Date 11-8-41 18-41 Remarks: Botton 0 19m and | Size 103 17 100 m joint) finished Size | Wt. 40 76. 8 | Thds. V Co Islandia Led "and Islandia d Kin | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99,7) When the stand for 600 and 600 an | Pipe Seat Derrick Floor 3 3 4 5 7 10 10 10 10 10 10 10 10 10 | from bet to down | (Top) Ir Below Floor S M P P P P P P P P P P P P | Casing N Less Tr 93168 2830.7) | Aeads. | Landing Nips Above R. T. |
| Date 11-8-41 118-41 118-41 Date Date | Size 103 17 100 m joint) finished Size | Wt. 40 76. 8 | Thds. V Co Islandia Led "and Islandia d Kin | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99,7) When the stand for 600 and 600 an | Pipe Seat Derrick Floor 3 3 4 5 7 10 10 10 10 10 10 10 10 10 | from bet to down | (Top) Ir Below Floor S M P P P P P P P P P P P P | Casing N Less Tr 93168 2830.7) | Aea. ds. | PEMARKS: |
| Date 11-8-41 118-41 Remarks: Botton Date Date | Size 103 17 100 m joint) finished Size | Wt. 40 76. 8 | Thds. V Co Islandia Led "and Islandia d Kin | MAKE MAKE MAKE MAKE MAKE MAKE MAKE MAKE | (From 99,7) When the stand for 600 and 600 an | Pipe Seat Derrick Floor 3 3 4 5 7 10 10 10 10 10 10 10 10 10 | from bet to down | (Top) Ir Below Floor S M P P P P P P P P P P P P | Casing N Less Tr 93168 2830.7) | Aeads. | Landing Nips Above R. T. |

VOITAMO DO MAINER RECORDIDO VIDE Top of Liner Up Inside Casing REMARKS:(Give Details as to Shoes, Perfora-tions, Hanger, etc., and how placed) Date Size Wt. Cemented (Sacks) Length Etomon book Town I metricle School Day Con Control od IIsW agreea A Cove ship Survey R. APE N L Karak O. Remarks: Kelly Babet Aberra RITT All Mays Fromas(laC) to l -- RIT Above DP __ Lak a. Pelos per Pt..... Days Drig (R). BRADENHEAD RECORD OUTLETS Top Below Derrick Floor Date Make O Days Type Kind No. Size Thd. 1-18-91 10 3 XY 1200 american E. S 81 2 2 · Robbey From Nedard of Completi(3.7) VICTORY TERES BURE BLOCK broos H col L. A. E. of State State States Researcher (Specify any British in Preducing Lorenation) INITIAL SHOT RECORD SHELLS Length Anchor Number Date Top of Shot Bottom of Shot Make of Bomb Shot By Size & Diam, or Dump REMARKS: Quarts No. sicall be III W Mis Materials I tal large ter i Cerestin TA THAI INITIAL ACID RECORD Formation Treated Pump Pressure Quantity (Gallons) Date Formula Acidized By From Start Finish Coller Below Q. Moor irs Mag. anduna Nipole bove N. Y. N. 2 3/2 6,800 20 0 × 3 531 200 Bounder Gulder for a first "behind" build accepted to the second of the form from the will be WORK SUBSEQUENT TO COMPLETION (Date of Work Only) Shots Drilled Deeper Cleaned Out Cemented (P. B.) Acidized Abandoned anama makama Content Feorid in Pipe At i kreane) AA Had Sulfi REMARKS Centented By 1.14 4 18 Care 4

But it is given to their in parties were and

is Botteen of Called Convented?, LAM

| rantanta e consider qual considerant de considerant | alante le transférie constituir que propriée de second descri | and the second section is the property of the section of the secti | | rangin wa miya w | ATE |) PET | oracione finale accione escape | UM C | ORPOR | NOITAS | R |
|--|--|--|---|--|--|--|---|--|---|--|--|
| la sa ta Bhosa, Perfora and have placed | 3:1 Give Detai Hander, etc. | IBVIAKKI licos, | butnama((ada Ne | J 1 | And to the same | etion Re | ord and | Related | Data | Wt | Siza |
| District South | Central | Kansa | n'a | I | Lease | E 1 | Kenne | dy | _Acres | 240 | - Well No |
| State | ansas 😋 | | | e | 12 | T | ownship Block | 308 | Range Survey | | AFE No.30 |
| State K | E4 SE4 S | SWA | | | Selected | -bv-Wh | 3 10 | Vic E | Baum | gergalaetaeur in al linea il anti i tanscosto consis | F14:-17 |
| Reference Stake | '"x6' LP | post s | set 64' | NE of | _well, | cemer | ted w/ | ₫ SX | Victor 8 | L cu ft | sd / |
| and the market street from the street control of the street street street control of the street street street s | Pmp'g Deri | rick No | ne | | DF to | Bottom | | | Kelly | Bshg. Above | RTT_7" |
| Night Committee Charles and Committee Committe | All Meas. F DF above G | | | the second particular supply for good | | ar | Compared to the second | <u> 11.31'</u> | Drlg. | Contr. Big | West |
| | Drlg. Comp | | | /40 | RTT | Above Di | r U(R) = L | 1,00 | Price | | 75 Oil Pay |
| ellerenten beleinfige migrepieten fantstyde regionalis metalisten motoriolis | Drig. Com | nenced (| OT) 11/1 | 7/40 | Drlo (| ompleted Complete | ! (R) — * ! (СТ) — | $\frac{12}{5}$ | 40 Days | Drlg. (R) | Dimension of the series |
| | Drlg, Comn C. O. Comn | nenced | Top Be | . 8731.I | c. o, c | Complete | l sqvF | 83.62 | Days | C. O | |
| Rotary From | istif Oaten | asi n | ্ ত্রেপ্তরপ্ত | | | י וען | Anst | 7'8x'7 | 4 | | |
| "Kötary" From | | To | - 0000 | —Cable | Tool Fr | om | d AOSI | _То | X83L | Method of | Completion (|
| VERTICAL ' | TESTS | SIZI | E HOLE DR | ILLED | | TC 454 TITHE BETTLEM AND ALCOHOLOGY | | For | mation | Record | North and the second se |
| Commence of Depth | Degree | D. | epth | Diam | Pro | ducing F | rmation | (Name) | Bartles | ville Ser | ries (Burk |
| 250 | 0 | 10 | | 11 | То | p of Pay | 280% | 2 | Remarks: (Sp | ecify any Break | s in Producing F |
| 500 | 0 | C Little Americal Philips Spirite Control of the Co | erformous commence and appear in | 17 3/ <u>/</u> | / | A 54 AH G | , DA3 | Q1. 12. 1 | Well 5 | hot w/ 60 | 85. Drill |
| 750 | 0 | 282 | | 9 7/8 | dian Th | ickness - | B | 5 | 28 4 3 | 5 New | HOLE SI |
| 1250 | 102 10 | 283 | 8 | 7 7/8 | 5_ 10 | tai Lepth | &U FF | 3 | 50Ft | Gray Ver | y FING |
| 1500 | 0 | | 200 | 1 | - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | gged Bac | K | | | | 8-21 |
| 1750 | Q | | | | lan or company | * * * * | 49 1 21 | | | d Left in We | 11 |
| 2000 | | egga anno linear en | | | Company of the Compan | *********************** | rat | noncorr apos | nented Descr | ription: | |
| 2250 | 0 | | CONTRACTOR OF THE PROPERTY OF | ************************************** | | From | To | | es or Vô) | | Mari |
| 2500 | | | | 440 | 994 | (110-8 | Liati | ' | | 70741 | Dep/A |
| r Pressure | Page | Adda Uriginal Japan | stion Treated | Forms | | | handhar A | | | -3 U | titasaQ |
| | froit. | | 7 | Proor | CASI | NGR | ECOR | R D | enssila | . (é | mallatő) |
| Date | Size * | Wt. | Thds. | MA | AKE | (Fro | Pipe Seat n Derrick F | loor | Csg. (Top) Collar Below D. Floor | Casing M Less Thd | lea. Land |
| 10/30/40 | 13 3/8 | 54 | g v | Smls (| 72* | | 97.09 | , | 10.20 | 86.8 | . and the same of |
| 11/10/40 | 7 | 2 | # | # | (An) | | 2801.83 | | 8.60 | 2793.2 | |
| and a second | | 7. | and a second | | n reppendiction | | | The state of the s | | | |
| | <u> </u> | | | aran anio van banana | | | - | | | | |
| Remarks: *Welde | ed prote | ctor f | or shoe | w/ we | elded | collar | s, top | & btm | (3 pcs | 13 3/8") | |
| #7"0D x 289 | <u>.91' (12</u> | jts) | 24# 10M | L_1 thd $_2$ | LW_C2 | inclu | ling H(| OWCO gi | uide sho | e & float | collar; |
| x128.85' (4 Nat'1 Smls 1 | jts) 207 | TO A | thd Sm] | s nev | v; 700. | D x 23 | 14:27 (| (77 its | : & 1. pu | p) (78 pc | s) 22# 8. |
| panobacan I | TEM STT | AS OU | nom cor | | | | | | order ab | ove set o | ut. |
| | | ************************ | ···1 | | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | · | ING REC | - | | ************************************** | |
| Date | Size | Sacks Use | | and the Control on the Control of th | Plug Le | ft At (| Cement Fou in Pipe A | ind Top t Beh | of Cement and Casing | Cemented | By REM |
| 10/30/40 11/10/40 | L3 3/8 | 85 150 | Atlas Atlas | 1 | | 7.09 7.00 | 88 2755 | | op 2300*** | HOWCO: | Control of the Contro |
| an and and the strength of the | and the second standards of the second standards of the second | innering primited any developing | - | urged en integral property e-store | elebratisticus (diricita letri grelebri | nteres no esperanteles en espetente de esperante | राज्या मुन्दराक्ष के नवर्षे के प्रकार क्रमक व | is the place of place of the property of the second | r-Til Megalipati fra digi bishta wannoon wa ayo o a | errige in the confession and state and the confession and the confession of the conf | n en gegene de la commencia de la fina de la companio de la companio de la companio de la companio de la compa |
| | | | 1 | | | 1 | | 1 | | | Is Boti |

YAYAN CONSOLID**ARIRENIM** CORPORTIONAYA SET REMARKS:(Give Details as to Shoes, Perfora-tions, Hanger, etc., and how placed) Cemented (Sacks) Date Size From Land E V Kennedy M IIaW Lanns.I qideavvo T Range Karril County bolti. Provid Decries All Meas From Price per Pt. St. T. Of above Grd. Drig. Commenced (R)_1Q Days Drig. (R) 14 BRADENHEADORECORD Make O. O sys OUTLETS Top Below Derrick Floor Date REMARKS: Kind No. | Size Thd. 1/10/40 American Mfg Colos 13 3/8x7 120A Ports fitted w/ 2 CI flats 89.20 bross H aol DRILL VERTICAL TESTS Format DRODER TO HE LALTINI Well Show to the la Producing Formation) 500 No. Size & Diam. Number Top of Shot Bottom of Shot Make of Bomb Shot By REMARKS: Quarts 8-22-4 2842 G 60 4 1/2 2820 NONE 7200 W/ esi 1 Materials I. ed bag to 0871 LEFT AT INITIAL ACID RECORD Formation Treated Pump Pressure Quantity (Gallons) Date Formula Acidized By NO From Start Finish Use (Lop) Collar Below D. Floor anding Nipple sind Mea. sa Thds. Pipe Seat (From Derrick Floor Date MAKE abeTT V A SD. 31 **108.08**9 90. T9 990 alog 2793.23 04.8 £8,1089 3.30 Remarks Welded protector for shoe m/ relded collars, top & btm (3 pas 13 3/8") 40° r incline that: A sade stwork subsequent to completion of was (steel SI) 128-888 k +2" The (REG ST) (man 1 3 set TT) (Date of Work Only) (Woll State of Total St 1 man) (PR pea) Juo Drilled Deeper 19 100 Cleaned Out 1 3 Acidized Cemented (P.B.) Shots HAMING GRAFFE Coment Pound in Pipe At Top of Lement Behind Casing REMARKS: LA That boly bastJedov2 Date 2755 2757,00 la Bottom of Callan Cemented!__

(WELL-RECORL

| B KANNES DAVE VICE TO SERVICE SECTIONS | | | - | | | and later to | | | | | WELL N | 10.4 | |
|--|--|--|--|--|---|--|--|--|--|--|---|--|--|
| | | spision of Associat | ng na kanganjan | - Design of the Colors of the | 100 | | omand y | A Super A | LE | | | JE 3. WK. | A, 6.9 |
| | | AND CARSES | | | | COMPILED | | 1 State 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |) D By | ACI | RESAL | | ipo provincial propinsi a strategica de la compania del compania de la compania de la compania del compania de la compania del compania del la compania del compan |
| anger esterografia despession especial | | p d | | SEC | | TWP. | RGE. | | COUNTY | | STA | TE | eth em on all |
| | | | | SURVE | | AAT 120000 | KGE. | | BLOCK | and the second | SECTION | - Missoshir | 3144 (1) 13 · · · · · · · · · · · · · · · · · · |
| Section 25 (1974) | | | | LOCAT | 1 | | | | | | | | |
| Merchania and an analysis and | | | | | | 3Y | | ATE ^{B/##} | Tan I | A Property of the Control of the Con | | WAK I | er er |
| Mariner State State on St. | | | | ati ye sabiya Afayaliyada. | more installed | difering our arters delay departs on a | Street Hilliam Carlotte Andrews | ika angerakerakkakkak | s Newson in the description of the signature of the signa | | ATION. & | | |
| in and the second of | ni parino mana bajar parin | California de la provincia com | | TOOL | 247 | MENCED | COMPLETE | COMPI | | то | OM CON | ONTRAC | |
| | | | GLANE PROCES | ROTAR | | SIARIED | and the desired property and the | | 2M | | | MIRAC | |
| | | 106 | | | g sjá Sag Helsteriste | | | | | <u> </u> | P-6 | 6% | The second |
| | <u>. 2967.57</u> | | | CABLE | | 4.1 /2.7/40 | | 40 / 1144 | 1 14.6 | 1//4 | NO. U | | Fi |
| OMPLE | TION MET | гнор | | - Cat | 40 | | 16 314 | (A) | and the second second second | The state of the s | | e analy spike or or ex- | ۇلەمچى ئىمچى بىد سومى را . مەمەر <u>ئۇنىچىدىلى سىمىرىچى مىسانىسى</u> |
| RODUC | TION DA | ta <u>Uo</u> p | o Commita | ioton. | 60 | i ili es es | nless (| 5 b.1 | 10000 | 1/22/3 | | or | |
| er er eredeskippelje | energe de la companya | , produ | ation <u>.</u> | offic | 1.5. | | L not y | L Lace | 1 (11)/12 | 41 | Y is a proclamatic français and processing and a second transfer of the second and a second and | Temporario | mar en |
| GAS WE | LL SHUT- | IN PRES | SURE | | | di ne di sain managa di m | esta esta esta esta esta esta esta esta | _ VOLUN | /E | 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | М. СU | . FT | a term into distribute |
| (1) | king panton pagamanan ya Kari | igen gelek over en som græ | Signaria ya zanamania in | CAS | IN | G AND T | UBING I | RECOR | B) is an arthropological color | ricerisation, and opening the | the first of the state of the s | Contrades | terresis in a series and the entirely |
| SIZE HOLE | e state type and a standard or state | CASING | in to the facility of the months of the facility of the facili | | | E, TYPE, GRADE, | CASING | PULLED | LEFT IN | CE | MENT | | |
| DRILLED | DEPTH | SIZE | WT. | THDS. | | NEW, USED | POINT | PULLED | LEFTIN | SACKS EST | FIMATED TOP | K | EMARKS |
| 4 | 400 | 1. opt | | 6V | | | 07.0 | | <u> </u> | | FT. | | |
| 7 1/4 | VV | | Note | item. | 1,2 | raine to the rail of the company of the control of | A. Land | attachina angunan ya sali ya | - 1 × + - 2 | 137 23 | | ** | |
| 9 7/ 8 | 10.3 | griginiya araya tur o a | | | e englana, enique | and the second of the second o | engagi pring sengara sessi siyat ir | n kan judah sahitmerin yan | - and the state of | | 4 | epologia e tomoro | are the transfer of the second |
| 7 7/8 | | * # | | | | | ada ayada nagalasan | 23323 | | Company of the second of the second | <u> </u> | endan Segunaga | |
| managaran artista | , Marie and the second | \ | 1523459 3 | | 1A | | | (0) | | | | - | |
| | . aravest | " | 70 | 75.1588 1 600 F | and Pilane | per tita | | MATAG (| | | γ. 4 . | | |
| | | 4 | | | | and the second and an experience of the second and | Security of the Security of th | describe as all absorbers (1) | Objective contract of the second | | engles, program | | |
| - supersion les interests | principal de la companya de la compa | annipriesional proprietant to 4 m | | en Caracteria de la 1999 | | i der og er konfigterskelspromeritykersense går. | Annah maka Kanada ang Sarah Janah Sarah Sarah | nde-le-system en jarten ja Linguista jarten | | and the secondary solvests | Stabil straft arrests (Second typingstrag spring all the country | Olemik Halipto-Kalapsiansayon Line o | |
| (2) ACIDIZING RECORD (3) PRODUCING METHODS | | | | | | | | | | | | | |
| DATE | ng gyay kan jina guan yan tagun kempulan at dijinda a miy | en grafin franchischer in der der gebeuren. | e de la companya de l | . I sanfahir sa sa sa in sa san | - mandy program | WELL FLOWI | NG NATURAL | FROM | 4/2/49 | -19 тс | Orași a arași - grănar c | in a deliveration | 19 |
| QUANTIT | Y (GALS.) | and the frequency recognizations | and all region of a 12 of a material of a gray | | ang Jawa | PRODUCED B | Y GAS LIFT. | IN. TL | BING FROM | | 19 TC | Printer statement of | 19 |
| MAX. TUI | 3. PR. | g they have been a | Care Strange - A green and pre- | a sanga palapan sana a | enders. | The late | 75723 | | | | | PV t | • |
| MAX. CAS | B'G PR. | · · · · · · · · · · · · · · · · · · · | A service of the serv | · · · · · · · · · · · · · · · · · · · | on sies o | OTHER LIFTS | 11-11-11-1 | **** | | | | | <u> </u> |
| BLANKET | * | | | | | | · · · · · · · · · · · · · · · · · · · | <u> </u> | | | 1 | | 3 |
| HOURS | | <u>i - a a a grade a diference de la casa de l</u> | | | halayan. | PUT ON JACK | C/BEAM/UNIT | | | THE PERSON NAMED IN COLUMN | | | 19 |
| METHOD | | | | 141411 | | 8 6 9 | | iopenisci. Pr 1983 - I | ereng production type in Course (c) year. | nation of along minings, as | de de maderial de persona | option the last to a | |
| randikinishnasi kip a as | a gira professor som fra sign tid skalenskalenska de | Para Signaturi da sa di Arabi n | Marie Control parties of the Control | n entre sin mareni pincin | <u>NOS Asia</u> paresteras a | La de la companya de | de la | Contractor to the by Nobel Contractor | many several resource regular | nor cap any aparteral | k de trad total en la promisionale e | dia | |
| ganga sebagai kananga kagi | the state of the s | Mary free op 1, min 1 mar 1 | | to have the second to the second | | | | CA. | ND DE | COD | allengter didio | - Arte or a company way to - | |
| - Markela (| 1882-4 - 0.51 | THE THE TANK THE TANK THE | 1 3155571 3 | 201933 | 1.9-8-22 | (4) | | 24.17 | ND REC | 21 | | | COLOR, HAR |
| | | (.YHAW) | 408F V 838 | | er (J) | NAM | | TOP | ВОТТО | THICK | NESS CON | TENT | OR SOFT |
| an programme | Standarden anderes nan Ingenezate en y e | en engagagagatatanahan pakaratan | The state of the s | e estente grandis | 21 24 24 24 24 24 24 24 24 24 24 24 24 24 | Dex Lienv | | | jos skiliki | ALL MANAGEMENT AND ADDRESS OF THE PARTY OF T | Silyata ayaa aa aa aa aa aa aa aa aa | trate (Marie Consulta | na na pain in page in natural distriction |
| OIL BEFO | | · y | i matalahiri karatan penangan begi | P there is not by a | enzenen 1 | (Durrana) | Programme Anno anno deprendente de la colonia | 1.63(.) | | | ***** | (1) / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 | |
| OIL AFTE | and the state of t | | | and the second of the by the Spirit consists | eritarite | n in Spekinstern water to his hij ship kengapit same angkenga | ethefetaer op fil og tystocholog styll gjerne gas er seene e | to be a superior of the state o | <u> </u> | -12-2 ja | | | eine om et ibri seilendligtige |
| WATER E | EFORE | | <u> </u> | - | | <u> </u> | Širolijanov rasnavas | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| WATER A | FTER | | - | | | | | | | | | V | |
| DONE BY | , | | 1 | | | | | | | | | | |

INDEX

(CONTINUED)

| District S. Challed Competition Record and Related Data District S. Challed Competition Record and Related Data State Reverse State Stat | Merchanist | ak deriolek alapiropina propinsi republik ori perak ori kenomen eksteriolek | incombibility contration speciment in the | ومادا فالمناورة والمراورة والمؤولة والمؤولة والمؤولة والمراودة والمراودة | CON | With Communication Control of the Co | nos Američanski postavana pravaza se na visti se vis | PETROLEUI | M COR | PORA | MOITA | (| (R) |
|--|--|--|--|--|---------------------------|--|--|--|--|--|--|---|---|
| New Jacobian County State Let Joseph See 12 Township 30 Range Media Lacations C.S. M. S. M. S. Salected by Whom Jacobian C.S. M. S. M. S. Salected by Whom Jacobian C.S. M. S. M. S. Salected by Whom Jacobian C.S. M. S. M. S. Salected by Whom Jacobian County Jacobian Coun | 1000 | Massaid of sad Ussaid wed has | (Give Detai langer, olo | REMARKS | neated Pokal | ् Vew Wel | l Completio | | lated Dat | ritges.I a | www. | Size | |
| Sints 10-2-2 a.d. County 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Dist | $trict_i S_i \mathcal{A}$ | ulh | 24 21c | ms | ¢) | Lease Hd | underf | A | cres_B | 40 | - Well I | vo. 1 |
| Well-Loations Call M. 38.38 28.6.33 28.48 Selected by Whom McC E Called State Selected by Whom McC E Called State Selected by Whom McC E Called State Selected State Selected State Selected State State Selected State | Stat | e 21224 | ad c | ounty A | wl | ₩ s | ec. 12 | | 3 | | J- | AFF | 1 |
| Prop's Derrick All Mens, From D.F. of Cellar Order Grd. All Mens, From D.F. of Cellar Order Grd. Drig Commenced (N. D. 2. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19 | | | e,sw.si | v. 380 hth | ,3301 | WII. | Selected by | 1971 | L' La | lden | | | |
| All Mean From A. S. Oblight Continue (R) Market (R) Ma | | rence Stake | ************************************** | *************************************** | | *************************************** | And the second s | | and the second second second second | | and the same of th | er all despite also reference for a law order | |
| Priüs per Pt. Drig Commenced (R. D. 1944) Drig Commenced (R. D. 1944) Drig Commenced (R. D. 1945) Drig Completed (R. D. 1945) Rotary From D. To 2838 Cable Tool From To Method of Completion VERTICAL TESTS SIZE HOLE DRILLED Depth Depth Down Producing Formation (Name) 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Page of Least | ************************************** | Pmp'g Der | rrick | /) <i>E</i> | Control of the Control | | | | :00 | | | |
| Drig. Commenced (R) 12.4 Hb Drig. Completed (R) 12.4 Hb Drig. Completed (CT) Drig. Commenced (CT) Drig. Commenced (CT) Drig. Commenced (CT) Drig. Completed (CT) Days Drig. (R) Drig. Commenced (CT) Days Drig. (R) Drig. Commenced (CT) Days Drig. (R) Drig. Commenced (CT) Days Drig. (R) Drig. Completed (CT) Drig. Completed | | | DF above | Grd | 3.0 | 4 | | The state of the s | 11 | 1 (30) | | | |
| Rotary From D To 2828 Capie Tool From To Amethod of Completion. VERTICAL TESTS SIZE HOLE DRILLED Formation (Name) Depth Degree Depth Dam. Producing Formation (Name) Top of Pay Thatheses Total Depth Delay Total Depth Delay Total Depth Total Depth Total Depth Total Depth Delay Total De | | | | | | | Drlg. Com | pleted (R) //-//- | | Days I | orlg. (R) | | |
| Rotary From O To 2828 Caisle Teol From To Method of Completion. VERTICAL TESTS SIZE HOLE DRILLED Depth Degree Depth Dearen 1007 | The second second | | Orig. Com C. O. Com | menced (C. | (*)*********** | CIAI | Drlg. Com | pleted (CT) | j. 9818 | Days D | Flg. (CT) _ | e-and phase production and english | |
| VERTICAL TESTS SIZE HOLE DRILLED Formations Record | | | | | | Yo - 1 | American de la composition della composition del | 1 Vin 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | Days | agaig ta cains galas prairie an ann an | | 100000000000000000000000000000000000000 |
| Depth Description Producing Formation (Name) Jan | Kote | ry from | | To A.B. | al V | Cable | Tool From | | 0 | +-7 | | | ion |
| Top of Pay Top of Pay Thickness Bottom of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth Top of Pay Thickness Total Depth To | | VERTICAL T | ESTS | SIZE | HOLE [| RILLED | | | Forma | tion (J | Record | anner anni anni pipuseti. | *************************************** |
| Bettom of Pay Thickness Th | enemonia principali di seriesa di | Depth | Degree | * | | Diam | Produc | ing Formation (N | | | e includent is a physical respectively experience, | permitte des des des des des des des des des de | |
| Total Depth Plugged Back 1 2 2 3 4 1 | (************************************** | | | - LOL |) | 1 a # 6 | Top of | Pay | Rema | rks: (Speci | fy any Breaks | in Produc | ing Formation |
| Total Depth Plugged Back A | | ;c.2712.771231 | | | undi geni V | 127 | | | Tolor | | | | Transmission. |
| Materials Lost and Left in Well LEFT AT Cemented Description: (Year or No.) Date Size Wt. Thds. MAKE (Prom Dereick Floor Pipe See Pipe S | : Protesticals | |) Separation of the second of | 200 | 檀 | 100 | 2 1. | - | | Dame | o lon | Quarte | instrumentation in controlling and in |
| LEFT AT Cemented Description: Prom To Nesor Neso | in the mineral of | | | | ## | 1-7-6 | Flugge | | faterials I | act and | I afe :- VV/ | | <u> </u> |
| Remarks: First 12-91. of 1" of 24th 10 yelds and some state of 12 that 10 yelds and 12 that 12 | | The same of the sa | o en maiore de la companya de la com | 1.27.2 | Z | 1 1/8 | | | | V * / 40 A | | - water property and district | |
| Date Size Wt. Thds. MAKE Pipe Seat Colar Below Casing Mea. Landing Nipe Above R. T. 10-30-40 133/5 54 8 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | A section | | | The second secon | enverte leprover experien | | From | m To | (Yes or No) | | ris distribution protection in the constitution of | troine player operations of property in the graph | |
| Date Size Wt. That. MAKE Pige Seat Cord Color Below Casing Mea. Landing Nipp Above R. T. 19-30-40 133/8 54/8 8 8 8 8 8 8 9 1 1 1 1 1 1 1 1 1 1 1 1 | | | | Marie (Spring School Street Street School Street Street Street School Street Street School Street Street Street School Street St | | 1-0-2-0 | oʻd a a a | 9* 3**** | 4 | - | | | |
| Date Size Wt. Thds. MAKE Pips Seat (From Derrick Floor Collar Below Less Thds. Landing Nips Above R. T. 19-30-40 133/8 548 84 550/8 1464 1670 1670 1670 1670 1670 1670 1670 1670 | | anesana | Pun | £.y | tagaT no | Formati | | vil hander.A | | .1 | V. 1 | Orrani O | 7.27 |
| Remarks: Fult/2-12. of 1" of 24th 10 vessel, 289 91f. without a shirt short confuse of the state | | | April de Laboration proprietation de la constitución de la constitució | | | Prom | CASIN | AND THE PERSON AND TH | | | | | |
| Remarks: First/2-file of 2" of 24th 10 V-fol. 289,916t, whiteword since Shot of Frat confirmed with 4-file 20th 10 V-fol. 289,916t, whiteword since Shot of Frat confirmed with the state of the state o | , 1 | | Size | Wt. T | hds. | initial second second | | Pipe Seat (From Derrick Floor | | r Below Floor | Casing Mo Less Thds | 3a. | Landing Nipp Above RT. |
| Remarks: FILST /2 - GLS. of 1" OD 24# 10 V-Lot 1289,914t. WHOUR O HILLS hold a food confirm) w/4 - GLS. 20# /0 V the (128,83)C-2) W/ - H122# /0 V to 8 feet, that confirm (New) now ho shall be anothered. 22# VILTO /0 V the Confirm (New) now ho shall be benealed be skind Casing CEMENTING RECORD Date Size Sacks Used Kind Plug Left At Cement Found in Pipe At Top of Cemented By REMARKS: 10 30 - 40 / 3 / 100 Atf. H.E., 87,09 TOP Howco, Is Bottom of Cemented V.C. | 1 M W. | 4 m 4 | 1 2 3/8" | 5/18 | | Sim | MI . | 94.09 | 10 | 120 | 8618 | 9 | 15102. |
| benchesed Laxibo (8.9) belowers the benchesed Laxibo (8.9) belowers the benchesed belief the benchesed CASING CEMENTING RECORD Date Size Sacks Used Kind Plug Left At Cement Found in Pipe At Behind Casing Cemented By REMARKS: 10-36-46 134 100 At 14.E., 87.09 To House 1 Is Bottom of C. Cemented? Left At Cemented At Cemente | | 7.0 7.0 | 7 | 20 10 | Y Ya | LPWI | | • | e my Kifay jamasana | | | | |
| bandard basis A (8.9) batavara the bandard basis A (8.9) batavara the bandard basis A (8.9) batavara the bandard the bandard basis A (8.9) batavara the bandard and basis A (8.9) batavara the bandard and basis A (8.9) batavara the bandard and basis A (8.9) batavara the bandard A (8.9) batavara the bandard and basis A (8.9) batavara the bandard A (8.9) ban | | | | de 1 de 1 1 9° 1 9 | 4. | mi v Median 1 | | | der eine Anderson der eine And | | | | |
| benchesed basis A (8.9) between two bences to be bences t | Rem | arks: FUST | 12-123.0 | 1 1 100 2 | 44 10 | /+41/G | 89.912£ 12 | of House of Girls | Shata Fi | and Cad | (2) 2.cl | 4 19 1 1 | |
| bandhandA basibin (8.9) baseyms to banage agos believe and bandhand (8.9) baseyms to banage agos believe and believe and banage agos believe agos believe and banage agos believe agos believe agos believe and banage agos believe and banage agos believe agos | (/2 | 8.85)0-2) 2 | . 11 | // | 48/A | di the | audient | (MAR) han) | J=16=40 | 4.224 | 8 BJ BJ 12 | 7-17-04. A | Left Drive |
| Date Size Sacks Used Kind Plug Left At Cement Found in Pipe At Behind Casing Cemented By REMARKS: 10-36-46 19 10 0 041 H.E., 81,09 TOP HOUSE, Is Bottom of C. Cemented? Le | -W7 | t passing and a service services of the declaration of the | 2-241-8-14 | 470-70VI | 744 | 20 ezhfun | 4 (21.442) | Oats oNVer | | and the second of the second o | obrospenskieg (opiskas (principy)) propries a sa | | |
| 10-36-46 /374 100 ath HiE, 87,09 TOP Howco, Is Bottom of C. Cemented By REMARKS: | Service results | maintainin salamainin salamanin may ka MMM MMMATATATATATATA | on the same of the same of | | | | | t | 3 | 490201 | a balled | | AND FAR. |
| 10-30-40 1374 100 CU/H.E. 87.09 TOP Flower 11-10-40 7 200 Ft.L.H.E. 27571 Howco, Is Bottom of C. Cemented? LE | | Date | Size | Sacks Used | Į į | Kind | Plug Left A | t Cement Found | Top of C | ement | Cemented | Ву ј | REMARKS: |
| Is Bottom of Co | 70 | -30-40 | 1379 | 100 | ayl | H.E. | 87,09 | and the state of t | The second of the second of the second | At . | Mary Ca | | |
| Is Bottom of Co Cemented? LC | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 10 m 40 | > | 200 | 137.1. | hy pi | 26661 | . The second sec | a paragraphic and the state of | r ann ann an garagaigean a sgèidhean | trans enjesterette judgemennen japen jaga i japan | marijahan karantalah kara | rainen etakidatatikkatatatatatat |
| | . • | r w | | Marrie Na. Alla. | 1/2/-1/ | y riperio 8 | And I and I | | | . 7 | louco, | ı | s Bottom of Ce |
| Kemarks: | (Annaige sept. | anthering the special control of the | | and and an analysis of the state of the sta | | | lighervannikus, prosesymilikaks vo anekki sykilinooseeski | B. Matthewson or antimorphist orapportunity and active and active or antimorphism of the second active or antimorphism of the second active or an incident o | · · · · · · · · · · · · · · · · · · · | | mirrodonio de concessió al aspesa da espesa (a. | | Demented? <u>YES</u> |
| | Rem | arks: | To be delinguagement of the special of the special states and special states are special states are special states and special states are special | antitata aya kara kara da kara aya kara aya ayaan ayaan ayaan ahaa ayaa ayaa a | · | - Anna mandring, a 17 a mart say, mart say on the sayan a | "Park" bedaman debakar man menenin pamapangan sing | and a second desired the destroys and to del their despendance courses. The course well beautions | | | | | |

RYAN CONSOLD GROOTBRINGIAL CORPORATION Top of Liner Up Inside Casing Cemented (Sacks) REMARKS:(Give Details as to Shoes, Perfora-tions, Hanger, etc., and how placed) Date Size Wt. M HoW Township Range garrad Remarks: Kelly, Baby Abova KTT Prople Derrick." of Cellan Principle Pt. RTT Above DF. OF above Grd. Orle, Commenced (R) Days Delg. (R) BRADENHEAD RECORD OUTLETS Date Top Below Derrick Floor Kind REMARKS: Size Thd. American 1-10-40 20 A broso Algoo VERTICAL TESTS Inmanol CHULING SIZE FROLE Remarks: (Specify any Breaks in Producing Formation) INITIAL SHOT RECORD SHELLS Number Date Size & Diam. or Dump Length Anchor Top of Shot Bottom of Shot Make of Bomb Shot By REMARKS: Quarts No. Plagged Back W mi od bra ar Materials 1 Description Cemente LEFT AT ATTENDED ! INITIAL ACID RECORD Formation Treated Quantity (Gallons) Pump Pressure Date Formula Acidized By То Start Finish Cest (Lep) Sollar Below D. Fløse anding Nipple Dove R., I. T ded Mec. Pipe Sest (From Derrick Place NEAKE abrIT 30 Make All and the said of the state of the state of Attha Ad Raynarks. WORK SUBSEQUENT TO COMPLETION (Date of Work Only) Shots Drilled Deeper Cleaned Out Cemented (P. B.) Acidized Abandoned THOSE BECORD CANNO CEME Consut Found by Pipe At RUMARKS Cemented By Plud Left AL is Bottom of Calley Link Westmann O Kemarés

WELL RECORD-(Continue,

WELL NO.1

LEASE 1 Kanney

PONJACION

Core enalysis by Core Lab, Dallas

Reported by rotary cres: Slight odor of oil in samples 2190-2200. Lots of mud lost 2782-2764, mixed 5 sx hulls. Lost returns 2837, mixed 8 sx hulls, 6 sx aquagel.

12/ 7/40- Ceg pressure 575# 12/ 8/40- Ceg pressure 600#

(13) MATERIAL LOST IN HOLE

| ٤ | | - 3 · | | -1 | 10.0 | - G | | N.W. | | 8 8 | . 8 | .(| 24 | 1 |
|-----|-------------|----------|-----------|--------------|------|-----|--|-------|---------|--------------|-------------------|--------------|-----|----------|
| (| 14 |) | | - | | 1 | | . W | 11 | | | . 1 | 9.8 | enge |
| ٦ | H mode | , | | | | 1 | | . ** | . استقل | بالله استا | .AB. | -1.3 | ∕ \ | |
| ينب | متلخصت تحفق | خننستند | تكسستثنيه | and the same | | | بيح ووزار المتناول والمتاريخ والمتاريخ والمتاريخ | _ | diam'r. | and the same | and the second of | economic and | | distanta |

| | FORMATION | FROM | то | NO. OF | DRILL, | FORMATION | FROM | NO. OF DRILL |
|------------|--|------|-----------|--------|---------------------------|--|--|--|
| 1444 | Company begin of april 1995 of the contract of | | | 16.0 | | Core //1 (Sd) | 2603 2805 | |
| | 7 0 1 | 100 | 17) | 10 | | | 2813 | 10 |
| 11100 | والراوية والمراوية والمحاورة والمساورة والمساورة والمراوية والمتأولة والمساورة والمساورة والمتاريخ | | | 115 | | er i destre grafia tele servici el tilend enconservento este post de estres fig | | |
| 11110 | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | 105 | | | Accordence of the | | | |
| . 20 | | 44.0 | 900 | 71 | a ve jena a nazvelji sire | | 28382 | es e |
| 1,1,00 | | 2177 | 1.11 | 202 | | the second secon | and a market of the property o | 1 / 1 - 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / |
| endantis d | | 1200 | 1.212 | C. | a apaga kanal | and the second s | Accessor of the special control of the second control of the secon | e e de la compensadação (e) |
| 41.140 | | 1272 | | 350 | | Secretary and the secretary of the secre | Assessment of the second | |
| Sh & | | | | 114 | | | E control of the cont | |
| di i | | | | 200 | | and the second of the second o | | |
| Lancia (| | 1000 | 1.00 | 105 | 4.9(-1-1.7.4.4.2-1.4 | | 3 | |
| i in | prophy of the second | | | | | | | |
| i i | - service de response de la constante de la co | | 1110 | 117 | 1 | 1 | | |
| da c. | lies shells | 1110 | 2707 | 78 | | a productive and a second conference of the se | | |
| 4-4 | | 1231 | | 200 | | | | |
| 41 | | 2444 | | | | | | |
| Lalian | | | - 776-3-3 | 100 | | | | |
| Lalus (| e shiji bekn | 2610 | | 64 | | | | |
| 4 | The second secon | | 2742 | 68 | | | and the second s | The state of the s |
| Lime 8 | & sh | 2742 | 2786 | 44 | | | | |
| Sh | | 2786 | 2802 | 16 | | mangar ngay singa, ay a gag ² ay ay ngung gama sa | · · · · · · · · · · · · · · · · · · · | |
| Sand | Marganes personal franchische Springer der Street der S | 2802 | 2803 | | d Green | | | |