

Pool Name Trapp PoolMap No. 72 Sec. 19 Twp. 15 R. 13WWell No. 9 SellensCoralena Company**COMPLETED**

Contractor

NE/C


SECTION PLAT

330 Ft. from N. Line

Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

Russell County

Location

Rig up

Drilling and Remarks:

Line 28357" (3017)1000 acidPump 190 w/lt20% W.P.T40 c/w**RECORD**Cased in ft.

Sand

Gas

Oil

Total Depth 3422**PRODUCTION**

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

SEP 11 1946

19

S. J. LEWIS

Scout

Pool Name TrappMap No. 72 Sec. 19 Twp. 15 R. 13WWell No. 9 SellensCoralena Company**FIRST REPORT**

Contractor

NE/C


SECTION PLAT

330 Ft. from N. Line

Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line

Russell CountyLocation X

Rig up

Drilling and Remarks:

RECORDCased in ft.

Sand

Gas

Oil

Total Depth

PRODUCTION

1st 24 hrs. Nat.

1st 24 hrs. after shot

Gas Cu. Ft.

Dry Hole

Abandoned

Date

JUL 24 1946

19

S. J. LEWIS

Scout

J. G. McGEHEE

Drig. Data	SWD well	TD 3571
Recent 5" @ 3242	sq. all perf. DD	
Began 3501	Gr. 3555	TD 3571 set 103'
of 4" liner to 3292	4000 A	
Comp. for SWD well	Input 282 bwpd	

J. G. McGEHEE

O.W.D. P. KANSAS Russell County
 Sec. 19 Twp. 15 R. 13W

Well No. #9 Sellens Farm

Coralenz C.R.A. Company


Trapp

330 Ft. from N. Line

Ft. from S. Line

330 Ft. from E. Line

Ft. from W. Line



NE/o NE NE NE

1946 REPORT

Elev. 1796'

7/24 Location

7/30 "

8/6 "

8/13 8" @ 440
 Anhy 781
 Drlg 2026'

8/20 Topeka 2691
 Lans 2987
 Arb 3242
 TD 3259
 Run 5"

8/27 5" @ 3242 RUST

9/5 TD 3259
 2800' oil 1 hr

9/11 Lans 2935'
 7" @ 3017'
 TD 3032'
 Acid 1000 gal
 Pump 190 Oil plus 20% water POT
 Grav 40

COMPLETED

OVER

O.W.P.B.

1953

#9 Sellens

9/16

Oil Well

TD 3308'

8" @ 440'

2nd Tarkio 2352, Tarkio 2406, Top
 2691, KC 2987, Arb 3242

OTD 3259

5" @ 3242'

SP 3195 12/ 3139-42

15/ 3079-84 1 qt wtr ph

24/ 3002-06 2 gwph scum oil 5 hr.

PB 3060 500 A 4 1/2 gwph 1 pt oil

20/ 3021-25

PB 2935

24/ 2861-67 1 gwph scum dead oil

3 hr. 20/ 2424-29 2 gwph 30/ 2353.

58

PB 2410

10 gwph scum oil 164 mcf/gpd

sd-frac

F/ 18 bo CO to 2410

F/ 6.3 bo 18.9 bw

Comp. 6.3 bopd 29.4 bw.

FIRST REPORT

COMPLETED

O.W.D.D

1954

1/13

SWD Well

TD 3571'

Recement 5" @ 3242'

Sq. all perf., DD

Regan 3501', Gr 3555'

TD 3571'

Set 103' of 4" liner to 3292', 4000A

Comp. for SWD Well

Input 282 bwph

FIRST REPORT

ABANDONED

Section 19 Township 15 Range 13W

Well No. #9 Sellens

Company Corralena C.R.A.

