

TYPE

AFFIDAVIT OF COMPLETION FORM

ACO-1 WELL HISTORY

Compt. 11

SIDE ONE

(Rules 82-3-130 and 82-3-107)

DOCKET NO. NP

This form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within ninety (90) days after the completion of a well, regardless of how the well was completed.

FOR INFORMATION REGARDING THE NUMBER OF COPIES TO BE FILED AND APPLICATIONS REQUIRING COPIES OF ACO-1 FORMS SEE PAGE TWO (2), SIDE TWO (2) OF THIS FORM.

F Letter requesting confidentiality attached.

C Attach ONE COPY of EACH wireline log run (i.e. electrical log, sonic log, gamma ray neutron log etc.)***Check here if NO logs were run X.

PLEASE FILL IN ALL INFORMATION. IF NOT AVAILABLE, INDICATE. IF INFORMATION LATER BECOMES AVAILABLE, SUBMIT BY LETTER.

LICENSE # 6678 EXPIRATION DATE 6/85

OPERATOR John E Galemore API NO. 205-23-994

ADDRESS PO Box B, Chanute, KS COUNTY Wilson

FIELD

** CONTACT PERSON Same PROD. FORMATION Bartlesville

PHONE 431-6340 Indicate if new pay.

PURCHASER Square Deal LEASE Myers North

ADDRESS Chanute, KS WELL NO. 7

WELL LOCATION

DRILLING D&M Oil Company 4555 Ft. from N from SE Corner and

CONTRACTOR 5115 Ft. from W from SE Corner of (E)

ADDRESS 804 N Garfield, Chanute, KS the (Qtr.) SEC 10 TWP 28 RGE 17 (W).

PLUGGING

CONTRACTOR

ADDRESS

WELL PLAT

(Office Use Only)

KCC /

KGS /

SWD/REP

PLG.

NGPA

TOTAL DEPTH 1000 PBDT

SPUD DATE 11/05/84 DATE COMPLETED 11/09/84

ELEV: GR DF KB

DRILLED WITH (CABLE) (ROTARY) (AIR) TOOLS.

DOCKET NO. OF DISPOSAL OR REPRESSURING WELL BEING USED TO DISPOSE OF WATER FROM THIS LEASE

Amount of surface pipe set and cemented 20 DV Tool Used?

TYPE OF COMPLETION THIS AFFIDAVIT APPLIES TO: (Circle ONE) - Oil, Shut-in Gas, Gas, Dry, xDisposal, Injection, Temporarily Abandoned. If OWWO, indicate type of re-completion. Other completion. NGPA filing.

Will be drilled for Arbuckle for disposal later

ALL REQUIREMENTS OF THE STATUTES, RULES AND REGULATIONS PROMULGATED TO REGULATE THE OIL AND GAS INDUSTRY HAVE BEEN FULLY COMPLIED WITH.

A F F I D A V I T

DEC 21 1984

John E Galemore, being of lawful age, hereby certifies that:

I am the Affiant, and I am familiar with the contents of the foregoing Affidavit. The statements and allegations contained therein are true and correct.

Side TWO

OPERATOR

LEASE NAME Myers North SEC 10 TWP 28 RGE 17 (W)WELL NO 7

FILL IN WELL INFORMATION AS REQUIRED;

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

Show Geological markers, logs run, or other Descriptive information.

Formation description, contents, etc.	Top	Bottom	Name	Depth
---------------------------------------	-----	--------	------	-------

Check if no Drill Stem Tests Run.
Check if samples sent Geological Survey.

ENCLOSED COPY

If additional space is needed use Page 2

Report of all strings set — surface, intermediate, production, etc.

CASING RECORD (New) or (Used)

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface		7 inch		20 ft	Portland	5	

LINER RECORD

Top, ft.	Bottom, ft.	Sacks cement
----------	-------------	--------------

PERFORATION RECORD

Shots per ft.	Size & type	Depth interval
---------------	-------------	----------------

TUBING RECORD

Size	Setting depth	Packer set at
------	---------------	---------------

D & M OIL COMPANY X

P.O. BOX 372

CHANUTE, KANSAS 66720

PHONE: (316) 431-7905

PRODUCER: JOHN GALEMORE FARM: MYERS WELL NO: 7
LOCATION: NORTHWEST $\frac{1}{4}$ of SEC: 10 TWP: 28 RG: 17 E.
ELEVATION: 1000 Ft. STATE: Kansas COUNTY: Wilson

0-3	Clay	Set 20 ft. of 7" surface casing
3-12	Limerock	
12-84	Shale	Cemented with 5 sacks of Portland Cement.
84-91	Limerock	
91-121	Shale	
121-187	Sandrock	We did not set a long string of casing. There was an old hole found to close to the new well to chance a frac. This well will probably be drilled on down and made into a disposal well.
187-203	Shale	
203-226	Sandrock	
226-238	Sandrock & Limerock	
238-287	White Limerock	
287-292	Shale	
292-301	Limerock	
301-323	Shale	
323-347	Limerock	
347-357	Shale	
357-389	Limerock	
389-499	Shale	
499-528	Limerock	
528-598	Shale	
598-604	Shale & Limerock	
604-631	Lime 30' Lime they call it	
631-673	Shale	
673-697	Lime 20' Limerock	
697-713	Shale	
713-716	Lime 5' Lime	
716-878	Shale	
878-937	Shale & Sandrock lite oder	
937-964	Sand & Shale good oder show of oil	
964-1001	Shale	
T.D.-1001		

JAN 7 1964

State Geological Survey
WICHITA BRANCH

RECEIVED
STATE CORPORATION COMMISSION

DEC 21 1964

CONSERVATION DIVISION
Wichita, Kansas