


REST API Jenkins 2.492.2

```
Activities Terminal Mar 17 18:58 vboxuser@Ubuntu: ~

After this operation, 321 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://in.archive.ubuntu.com/ubuntu jammy/main amd64 bridge-utils amd64 1.7-1ubuntu3 [34.4 kB]
Get:2 http://in.archive.ubuntu.com/ubuntu jammy-updates/main amd64 containerd amd64 1.7.24-0ubuntu1-22.04.1 [37.3 MB]
Get:3 http://in.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 docker.io amd64 26.1.3-0ubuntu1-22.04.1 [32.5 MB]
Get:4 http://in.archive.ubuntu.com/ubuntu jammy/universe amd64 ubuntu-fan all 0.12.16 [35.2 kB]
Fetched 69.8 MB in 19s (3,584 kB/s)
Preconfiguring packages ...
Selecting previously unselected package pigz.
(Reading database ... 140305 files and directories currently installed.)
Preparing to unpack .../0-pigz_2.6-1_amd64.deb ...
Unpacking pigz (2.6-1) ...
Selecting previously unselected package bridge-utils.
Preparing to unpack .../1-bridge-utils_1.7-1ubuntu3_amd64.deb ...
Unpacking bridge-utils (1.7-1ubuntu3) ...
Selecting previously unselected package runc.
Preparing to unpack .../2-runc_1.1.12-0ubuntu2-22.04.1_amd64.deb ...
Unpacking runc (1.1.12-0ubuntu2-22.04.1) ...
Selecting previously unselected package containerd.
Preparing to unpack .../3-containerd_1.7.24-0ubuntu1-22.04.1_amd64.deb ...
Unpacking containerd (1.7.24-0ubuntu1-22.04.1) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../4-docker.io_26.1.3-0ubuntu1-22.04.1_amd64.deb ...
Unpacking docker.io (26.1.3-0ubuntu1-22.04.1) ...
Selecting previously unselected package liberror-perl.
Preparing to unpack .../5-liberror-perl_0.17029-1_all.deb ...
Unpacking liberror-perl (0.17029-1) ...
Selecting previously unselected package git-man.
Preparing to unpack .../6-git-man_1:2.34.1-1ubuntu1.12_all.deb ...
Unpacking git-man (1:2.34.1-1ubuntu1.12) ...
Selecting previously unselected package git.
Preparing to unpack .../7-git_1:2.34.1-1ubuntu1.12_amd64.deb ...
Unpacking git (1:2.34.1-1ubuntu1.12) ...
Selecting previously unselected package ubuntu-fan.
Preparing to unpack .../8-ubuntu-fan_0.12.16_all.deb ...
Unpacking ubuntu-fan (0.12.16) ...
Setting up runc (1.1.12-0ubuntu2-22.04.1) ...
Setting up liberror-perl (0.17029-1) ...
Setting up bridge-utils (1.7-1ubuntu3) ...
Setting up pigz (2.6-1) ...
Setting up git-man (1:2.34.1-1ubuntu1.12) ...
Setting up containerd (1.7.24-0ubuntu1-22.04.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service → /lib/systemd/system/containerd.service.
Setting up ubuntu-fan (0.12.16) ...
Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service → /lib/systemd/system/ubuntu-fan.service.
Setting up docker.io (26.1.3-0ubuntu1-22.04.1) ...
Adding group 'docker' (GID 137) ...
Done.
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service → /lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket → /lib/systemd/system/docker.socket.
Setting up git (1:2.34.1-1ubuntu1.12) ...
Processing triggers for man-db (2.10.2-1) ...
vboxuser@Ubuntu:~$ docker --version
Docker version 26.1.3, build 26.1.3-0ubuntu1-22.04.1
vboxuser@Ubuntu:~$
```

```
Activities Terminal Mar 19 13:38 vboxuser@Ubuntu: ~

commit Create a new image from a container's changes
cp Copy files/folders between a container and the local filesystem
create Create a new container
diff Inspect changes to files or directories on a container's filesystem
events Get real time events from the server
export Export a container's filesystem as a tar archive
history Show the history of an image
import Import the contents from a tarball to create a filesystem image
inspect Return low-level information on Docker objects
kill Kill one or more running containers
load Load an image from a tar archive or STDIN
logs Fetch the logs of a container
pause Pause all processes within one or more containers
port List port mappings or a specific mapping for the container
rename Rename a container
restart Restart one or more containers
rm Remove one or more containers
rmi Remove one or more images
save Save one or more images to a tar archive (streamed to STDOUT by default)
start Start one or more stopped containers
stats Display a live stream of container(s) resource usage statistics
stop Stop one or more running containers
tag Create a tag TARGET_IMAGE that refers to SOURCE_IMAGE
top Display the running processes of a container
unpause Unpause all processes within one or more containers
update Update configuration of one or more containers
wait Block until one or more containers stop, then print their exit codes

Global Options:
--config string Location of client config files (default
                  "/home/vboxuser/.docker")
-c, --context string Name of the context to use to connect to the
                    daemon (overrides DOCKER_HOST env var and
                    default context set with "docker context use")
-D, --debug Enable debug mode
-H, --host list Daemon socket to connect to
-l, --log-level string Set the logging level ("debug", "info",
                      "warn", "error", "fatal") (default "info")
--tls Use TLS; implied by --tlsverify
--tlscacert string Trust certs signed only by this CA (default
                  "/home/vboxuser/.docker/ca.pem")
--tlscert string Path to TLS certificate file (default
                 "/home/vboxuser/.docker/cert.pem")
--tlskey string Path to TLS key file (default
                "/home/vboxuser/.docker/key.pem")
--tlsverify Use TLS and verify the remote
-V, --version Print version information and quit

Run 'docker COMMAND --help' for more information on a command.

For more help on how to use Docker, head to https://docs.docker.com/go/guides/

vboxuser@Ubuntu: ~$ docker --version
Docker version 26.1.3, build 26.1.3-0ubuntu1-22.04.1
vboxuser@Ubuntu: ~$
```