


A
MINI PROJECT-1 REPORT
On
ORGAN DONATION SYSTEM
B.E.(AI&DS)- III SEMESTER
BY
PASUNURI KATHYAYINI (1601-21-771-088)

Under the guidance of
Dr. Pragati Priyadarshinee
Assistant Professor
IT Department



DEPARTMENT OF INFORMATION TECHNOLOGY
CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY (A)
(Affiliated to Osmania University; Accredited by NBA(AICTE) and NAAC(UGC), ISO Certified 9001:2015)
KOKAPET(V), GANDIPET(M), RR District HYDERABAD-500075

Website: www.cbit.ac.in

2022-2023



**CHAITANYA BHARATHI
INSTITUTE OF TECHNOLOGY (A)**

Kokapet(Village), Gandipet, Hyderabad, Telangana-500075. www.cbit.ac.in



COMMITTED TO
RESEARCH,
INNOVATION AND
EDUCATION

44
years

CERTIFICATE

This is to certify that the project work entitled “ORGAN DONATION SYSTEM” submitted to CHAITANYA BHARATHI INSTITUTE OF TECHNOLOGY, in fulfillment of the requirements for the completion of Mini Project-I of III Semester B.E. in Artificial Intelligence and Data Science, during the Academic Year 2022-2023, is a record of original work done by **Pasunuri Kathyayini** (1601-21-771-088) during the period of study in Department of IT, CBIT, HYDERABAD, under our guidance.

Project Guide

Dr. Pragati Priyadarshinee

Assistant Professor, Dept. of IT,
CBIT, Hyderabad.

Head of the Department

Dr. K. Radhika

Professor, Dept. of IT,
CBIT, Hyderabad.

ACKNOWLEDGEMENTS

I would like to extend my heartfelt gratitude to **Dr. Pragati Priyadarshinee**, our Project Guide, for her invaluable guidance and constant support, along with her capable instruction and persistent encouragement.

I am grateful for the Head of Department of Information Technology, **Dr. K. Radhika**, for her steady support and for the provision of every resource required for the completion of this project.

I would like to take this opportunity to thank our principal, **Dr. P. Ravinder Reddy**, as well as the Management of the Institute for having designed an excellent learning atmosphere for us.

Our thanks are due to all staff members and our lab assistants for providing us with the help required to carry out this project's groundwork.

CONTENTS

S. No	Topics	Page. No
	Acknowledgements	3
	List of figures	5
	Abstract	6
1	Introduction	7
	1.1 Motivation	7
	1.2 Problem Statement	7
2	System Requirements	8
	2.1 Hardware specifications	8
	2.2 Software specifications	8
3	Proposed Methodology	8
	3.1 Existing System	8
	3.2 Proposed System	9
	3.3 System Design	9
4	Implementation	10-14
5	Results	15-18
6	Conclusion	19
7	Future Scope	20
8	References	21

LIST OF FIGURES

Figure No	Name of the Figure	Page No
1	Index.php	10
2	Header.php	11
3	Donate.php	11
4	Donor.php	12
5	Search.php	12
6	Navigation.php	13
7	Config.php	13
8	Database and table	14
9	Homepage of the website	15,16
10	Donate page of the website	17
11	Request page of the website	18
12	Saviours page of the website	18

ABSTRACT

Organ donation refers to the donation of biological tissue or an organ of the human body, from a living or dead person to a living recipient in need of a transplant. Often, it becomes difficult for a patient to find the required donor at needed times. The contact between the donor and patient is the demand of the hour and requires a solution. Even if the donor is found, it becomes hard for the transportation of the organ within the prescribed time and finding a suitable medical team to operate on them is also a dramatic problem. Considering all the anomalies that we find in this process; it is concluded that we require automation of the whole activity. The system that is being proposed here addresses all the above problems and provides an all-in-one online platform for all organ solutions. This helps doctors of the patients who need organs and donors connect with each other easily when essential. It eases the process of finding an organ donor rather than searching in multiple hospitals which helps in reducing the time the patient spends on the waiting list. The similar kind of systems that exist now do not have all the solutions at one place. Some websites spread awareness on organ donation, while others help people find blood or eyes, i.e., a specific organ is made available for the recipient online. But, the system proposed here acts as a one-stop destination for anything related to organ donation from finding an organ to making the organ found successfully to the people in need. The tools required to implement this project are a Text editor, a live web server, and a browser. The frontend part of the website is developed using HTML, CSS and Bootstrap. The backend part of the website is developed with PHP which helps in making the website more maintainable and easily modifiable. The databases are stored and managed using MySQL which will be connected to the website.

1. INTRODUCTION

The Organ Donation Website made as this project is dedicated to promoting organ donation and increasing awareness about the importance of this life-saving act. Organ donation is a selfless act that can transform the lives of people who are in desperate need of an organ transplant. By donating organs, we can give someone a second chance at life and help them overcome their health challenges.

This website provides a wealth of information on organ donation, including the different types of organ donation, how to become an organ donor, and the benefits of organ donation. There are also resources and support provided for people who are waiting for an organ transplant, as well as their families.

The mission is to encourage more people to become organ donors and to help create a world where everyone who needs an organ transplant can receive one. Organ donation is a vital part of healthcare and that it should be accessible to everyone who needs it.

1.1 MOTIVATION

Organ Donation is need of the hour these days and finding organ donors who would want to donate organs while dead is hard. Often, it becomes difficult for a patient to find the required donor at needed times. The contact between the donor and patient is the demand of the hour and requires a solution. Even if the donor is found, it becomes hard for the transportation of the organ within the prescribed time and finding a suitable medical team to operate on them is also a dramatic problem. Many people die due to late arrival/ not finding of a suitable organ. This website is developed to save lives through organ donation, spread awareness and make organs accessible for everyone in need easily.

1.2 PROBLEM STATEMENT

To create a system that serves as a one-stop-solution to all organ-donation queries and problems which connects the doctors/patients who need organs and donors connect whenever needed and make sure patient receives required organ in time.

2. SYSTEM REQUIREMENTS

2.1 HARDWARE REQUIREMENTS

- 1) Processor: intel COREi5, 10th Gen
- 2) RAM: 8GB
- 3) Disk Space: 100GB or more

2.2 SOFTWARE REQUIREMENTS

- 1) Operation System: Windows 11
- 2) Programming Languages used: HTML, CSS, PHP, MySQL
- 3) Other Applications: Visual Studio Code, XAMPP

3. PROPOSED METHODOLOGIES

3.1 EXISTING SYSTEM

There exist several organ donation websites online whose focus is laid on spreading awareness on Organ Donation and making people understand the intensity of need for the organ transplant. Through which, they aim to get pledges from the people to donate their organs when they die. These organ donation websites, once a user has taken pledge, sends a donor card to them or attaches a sticker on the person's driving license. So, when the donor dies, the hospital personnel would check if he is a donor and make him ready for organ donation. They collect the donated organs and hand the body of the dead to the respective relatives. These collected organs are then used for urgencies where the recipient is decided based on the match to blood group, the preserved time of organ, location distance and time he spent on the waiting list

Drawbacks:

This existing system do not also collect organs from dead donors which are readily available to use. They also do not show the donor's data to the public. The time spent by recipient on the waiting list is also a fallback for deaths.

3.2 PROPOSED SYSTEM

In this proposed system of Organ Donation, in addition to spreading awareness on Organ Donation, solving queries, and making people pledge to be organ donors, there is a provision for the dead people to register as donors which will be displayed on the site with all the contact details. The patients/doctors in urgent need of organs can search for the required organ, the blood group and from nearest available location.

Advantages:

The donations can be collected from dead persons who are willing to donate but have not registered as an organ donor before. The ease in contact between donors and recipients reduces the time spent on waiting list in turn saving many lives.

3.3 SYSTEM DESIGN

An Organ Donation System is built as a web-based platform using HTML, CSS, Bootstrap for front-end and PHP for backend and MySQL for storing and managing database. The code is written in a text-editor such as Visual Studio Code , PHP code is run and database is connected through Apache and MySQL servers respectively.

The **HyperText Markup Language or HTML** is the standard markup language for documents designed to be displayed in a web browser. Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a webpage semantically and originally included cues for the appearance of the document.

Cascading Style Sheets (CSS) is the language we use to style an HTML document. It describes how HTML elements should be displayed.

Hypertext preprocessor (PHP) is a server scripting language, and a powerful tool for making dynamic and interactive Web pages. It is a widely used, free, and efficient alternative to competitors such as Microsoft's ASP.

MySQL(Structured Query Language) is an open-source relational database management system. A relational database organizes data into one or more data tables in which data may be related to each other; these relations help structure the data. SQL is a language programmers use to create, modify and extract data from the relational database, as well as control user access to the database.


Visual Studio Code, also commonly referred to as **VS Code**, is a source-code editor made by Microsoft, for Windows, Linux and macOS. Features include support for debugging, syntax highlighting, intelligent code completion, snippets, code refactoring, and embedded Git. Users can change the theme, keyboard shortcuts, preferences, and install extensions add additional functionality.

XAMPP is a free, open-source, cross-platform web-server solution stack package developed by Apache Friends, consisting mainly of the Apache HTTP Server, MariaDB database, and interpreters for scripts written in the PHP and Perl programming languages.

4. IMPLEMENTATION

Several .php and .css files are created in Visual Studio Code using HTML, CSS and PHP which gives the overall look and functionality for the website.

An “index.php” file is created that contains the front-end and functioning part of the homepage of website.



```
1 <?php
2
3 //include header file
4 include ('include/header.php');
5
6 >
7
8 <div class="container-fluid header-img">
9   <div class="row">
10     <div class="col-md-8 offset-md-1">
11
12       <div class="header">
13         <h1 class="text-center">Don't Waste Your Second Chance, Give Someone Thiers</h1>
14         <p class="text-center">A Life for a Life</p>
15       </div>
16
17       <div class="text-center">Search for Organs</div>
18       <div class="black bar text center">
19
20       <form action="search.php" method="get" class="form-inline text-center" style="padding: 40px 0px 5px 0px">
21         <div class="form-group text-center justify-content-center">
22           <select style="width: 180px; height: 40px;" name="city" id="city" class="form-control demo default" required>
23             <option value="">-- Select --</option>
24             <optgroup title="Hyderabad" label="Hyderabad"></optgroup>
25             <option value="Abids">Abids</option>
26             <option value="Afzalgunj">Afzalgunj</option>
27             <option value="Alwal">Alwal</option>
28             <option value="Ameerpet">Ameerpet</option>
29             <option value="Arampur">Arampur</option>
30             <option value="Attapur">Attapur</option>
31             <option value="Balapur">Balapur</option>
32             <option value="Bandlaguda">Bandlaguda</option>
33             <option value="Banjara Hills">Banjara Hills</option>
34             <option value="Begumpet">Begumpet</option>
35           </select>
36         <input type="submit" value="Search" class="btn btn-primary">
37       </div>
38     </div>
39   </div>
40 </div>
```

```
192 <div class="col-md-4">
193   <div class="card para-text">
194     <div class="text-center red">Our Vision</div>
195     
196     <p>
197       To promote and facilitate organ donation and transplantation in order to save and improve lives.
198     </p>
199   </div>
200 </div>
201
202 <div class="col-md-4">
203   <div class="card para-text">
204     <div class="text-center red">Our Goal</div>
205     
206     <p>
207       To create an environment where every person in need of an organ transplant has access to a life saving donati
208     </p>
209   </div>
210 </div>
211
212 <div class="col-md-4">
213   <div class="card para-text">
214     <div class="text-center red">Our Mission</div>
215     
216     <p>
217       Increase the number of registered organ donors and ease the reception process for required patients.
218     </p>
219   </div>
220 </div>
221 </div>
222
223 <!-- end aboutus section -->
224
225 <?php
226 //include footer file
227 include ('include/footer.php');
```

Fig 1.1,1.2 “index.php”

There is a header file that contains all required links and actions needed to be performed by respective pages on the website and it is included in all other php files.

```

1 <DOCTYPE html>
2
3
4
5
6
7
8
9
10 <head>
11     <title>FINDLIFE</title>
12     <meta charset="utf-8">
13
14     <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
15     <meta http-equiv="X-UA-Compatible" content="IE=edge">
16     <meta name="description" content="Blood Donation Website">
17     <meta name="author" content="">
18
19     <link rel="stylesheet" href="css/styles.css">
20
21     <!-- Bootstrap Link CSS Files -->
22     <link rel="stylesheet" type="text/css" href="bootstrap/css/bootstrap.min.css">
23
24     <!-- Custom Link CSS Files -->
25     <link rel="stylesheet" href="css/custom.css">
26
27     <!-- Font awesome -->
28     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/font-awesome@6.3.0/css/all.min.css" integrity="sha512-SzlrXmUlpuQzpc"
29     <!-- Google fonts -->
30     <link rel="preconnect" href="https://fonts.googleapis.com">
31     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
32     <link href="https://fonts.googleapis.com/css2?family=Comfortaa:wght@300&family=Montserrat&family=MontserratAlternates&family=Pacifico&dis
33
34     <!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
35     <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
36
37     <!--[if lt IE 9]>
38         <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
39         <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
40     <![endif]>
41 </head>

```

Fig 2 “header.php”

The CSS files are written in custom.css and styles.css which override some of the bootstrap CSS to give us the required look for the website.

The “donate.php” contains a form which is available for donors to donate organs. The data coming from this is stored in database.

```

372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408

```

```

<form class="form-group" action="" method="post" novalidate="">
    <div class="form-group about para">
        <label for="fullname">Full Name of Donor</label>
        <input type="text" name="d_name" id="d_name" placeholder="Full Name" required pattern="[A-Za-z/s]" title="Only lower and" />
        <php if(isset($d_nameerror)) echo $d_nameerror; />
    </div><!-- Donor full Name -->

    <div class="form-group about para">
        <label for="fullname">Name of Guardian/Close-Relative</label>
        <input type="text" name="g_name" id="g_name" placeholder="Full Name" required pattern="[A-Za-z/s]" title="Only lower and" />
        <php if(isset($g_nameerror)) echo $g_nameerror; />
    </div><!-- Guardian full Name -->

    <div class="form-group about para">
        <label for="name">Blood Group</label><br>
        <select class="form-control demo-default" id="blood_group" name="blood_group" required >
            <option value="">---Select Your Blood Group---</option>
            <option value="A">A+</option>
            <option value="A-">A-</option>
            <option value="B">B+</option>
            <option value="B-">B-</option>
            <option value="O">O+</option>
            <option value="O-">O-</option>
            <option value="AB+">AB+</option>
            <option value="AB-">AB-</option>
        </select>
        <php if(isset($bloodgrprerror)) echo $bloodgrprerror; />
    </div><!-- Blood-group -->

    <div class="form-group about para">
        <label for="name">Organ you wish to donate</label><br>
        <select class="form-control demo-default" id="organ" name="organ" required>
            <option value="">---Select the Organ---</option>
            <option value="heart">Heart</option>
            <option value="kidney">Kidney</option>
            <option value="intestine">Intestine</option>
        </select>
    </div>

```

Fig 3 “donate.php”

The “donor.php” file shows the list of donors and their contact details

```

114 </div> -->
115
116 <div class="container" style="padding: 60px 0;">
117   <div class="row data">
118     <?php
119       $sql= "SELECT * FROM donors";
120       $res = mysqli_query($connection,$sql);
121       if (mysqli_num_rows($res)>0)
122       {
123         while($row=mysqli_fetch_assoc($res))
124         {
125           echo '<div class="col-md-3 col-sm-12 col-lg-3 donors_data">
126             <h4 class="name text-center">Organ: '.$row['organ'].'</span></h4>
127             <span class="d_name"><strong>Donor Name: </strong>'.$row['d_name'].'</span>
128             <span class="g_name"><strong>Guardian Name: </strong>'.$row['g_name'].'</span>
129             <span><strong>Blood Group: </strong>'.$row['blood_group'].'</span>
130             <span><strong>Contact Number: </strong>'.$row['contact'].'</span>
131             <span><strong>Email-ID: </strong>'.$row['email'].'</span>
132             <span><strong>dob: </strong>'.$row['dob'].'</span>
133           </div>';
134         }
135       }
136       else
137       {
138         echo '<div class="alert alert-success alert-dismissible fade show" role="alert">
139           <strong>Data not found</strong>
140           <button type="button" class="close" data-dismiss="alert" aria-label="Close">
141             <span aria-hidden="true">&times;</span>
142           </button>
143         </div>';
144       }
145     </div>
146   </div>
147 </div>
  
```

Fig 4 “donor.php”


The “search.php” enables us to search for the organs by applying filters on city, organ and blood group.

```

167 <!-- Display The Search Result -->
168
169 <?php
170 if (isset( $_GET['city'] ) && !empty( $_GET['city'] ) && isset( $_GET['blood_group'] ) && !empty( $_GET['blood_group'] ) && isset( $_GET['organ'] ) && !empty( $_GET['organ'] ))
171 {
172   $city=$_GET['city'];
173   $blood_group=$_GET['blood_group'];
174   $organ=$_GET['organ'];
175   $sql= "SELECT * FROM donors WHERE city = '$city' or blood_group = '$blood_group' or organ = '$organ' ";
176   $res = mysqli_query($connection,$sql);
177   if (mysqli_num_rows($res)>0)
178   {
179     while($row=mysqli_fetch_assoc($res))
180     {
181       echo '<div class="col-md-3 col-sm-12 col-lg-3 donors_data">
182         <h4 class="name text-center">Organ: '.$row['organ'].'</span></h4>
183         <span class="d_name"><strong>Donor Name: </strong>'.$row['d_name'].'</span>
184         <span class="g_name"><strong>Guardian Name: </strong>'.$row['g_name'].'</span>
185         <span><strong>Blood Group: </strong>'.$row['blood_group'].'</span>
186         <span><strong>Contact Number: </strong>'.$row['contact'].'</span>
187         <span><strong>Email-ID: </strong>'.$row['email'].'</span>
188         <span><strong>Location: </strong>'.$row['city'].'</span>
189       </div>';
190     }
191   }
192   else
193   {
194     echo '<div class="alert alert-success alert-dismissible fade show" role="alert">
195       <strong>Data not found</strong>
196       <button type="button" class="close" data-dismiss="alert" aria-label="Close">
197         <span aria-hidden="true">&times;</span>
198       </button>
199     </div>';
200   }
201 }
202 else
203 {
  
```

Fig 5 “search.php”


The “navigation.php” and “usernav.php” contain navigation bar used across all pages in website which will be displayed when no user is logged in and when a user logs in respectively.



```
11 <ul class="navbar-nav mr-auto mt-2 mt-lg-0">
12
13 </ul>
14
15 <ul class="navbar-nav form-inline my-2 my-lg-0">
16
17 <li class="nav-item">
18 <a class="nav-link" href="index.php">Home</a>
19 </li>
20
21 <li class="nav-item">
22 <a class="nav-link" href="about.php">About Us</a>
23 </li>
24
25 <li class="nav-item">
26 <a class="nav-link" href="donate.php">Donate</a>
27 </li>
28
29 <li class="nav-item">
30 <a class="nav-link" href="search.php">Request</a>
31 </li>
32
33 <li class="nav-item">
34 <a class="nav-link" href="donor.php">Saviours</a>
35 </li>
36
37 <li class="nav-item">
38 <a class="nav-link" href="signin.php">SignIn</a>
39 </li>
40
41 </ul>
42 </div>
43 </nav>
```

Fig 6 “navigation.php”


The “config.php” is used to connect to the database.



```
1 <?php
2
3 $connection = mysqli_connect("localhost", "root", "", "findlife") or die("Database is not connected".mysqli_connect_error());
4
5 // if($connection){
6 //     echo "connected";
7 // }
8 // else{
9 //     echo "Not connected";
10 // }
11 ?>
```

Fig 7 “config.php”

This connection is taken from the “localhost/phpMyAdmin” where our database and required table is constructed while connecting to a MySQL server from XAMPP.




The screenshot shows the phpMyAdmin interface in a web browser. The URL is `http://localhost/phpmyadmin/index.php?route=/sql&db=findlife&table=donors&pos=0`. The interface displays the 'donors' table in the 'findlife' database. The table has 12 columns: id, d_name, g_name, blood_group, organ, gender, dob, email, contact, city, save_life_date, and password. There are 6 rows of data. The interface includes a sidebar with a tree view of databases and tables, a top navigation bar with various tools, and a main content area with a query editor and a table view. The table view shows the data for the 'donors' table.

	id	d_name	g_name	blood_group	organ	gender	dob	email	contact	city	save_life_date	password
☐	1	Aarav Gupta	Pooja Gupta	O+	Liver	Male	23-08-1997	aaravgupta@example.com	9876543210	Panagutta	0	abc123
☐	2	Riya Patel	Neel Patel	AB-	Kidney	Female	19-05-1995	riya.pat@example.com	9876543211	Dilsukhnagar	0	xyz789
☐	4	Rohith Singh	Anjali Singh	A+	Heart	Male	27-11-1993	rohith@example.com	9849280987	Banjara Hills	0	singh1
☐	5	Ishika Sharma	Rajeev Sharma	B+	intestine	Female	08-02-1998	ishikaish@example.com	9849280965	Begumpet	0	ishika
☐	6	Karan Verma	Dhruva Verma	O-	liver	Male	19-05-1992	karan.verma@example.com	6729171091	Charminar	0	karanv

Fig 8 Database and table

5. RESULTS

The homepage of the “FindLife” (Organ Donating System) is displayed below:






Fig 9.1,9.2,9.3,9.4 Homepage of the website

The Donate page containing the form is shown below:

The image displays two screenshots of the FINDLIFE website's Donate page. The top screenshot shows the 'SignUp' form with the following fields: 'Full Name of Donor' (text input), 'Name of Gaurdian/Close-Relative' (text input), 'Blood Group' (dropdown menu with '---Select Your Blood Group---'), and 'Organ you wish to donate' (dropdown menu with '---Select the Organ---'). The bottom screenshot shows the full registration form with the following fields: 'Date of Birth' (three dropdown menus for '---Date---', '---Month---', and '---Year---'), 'Email' (text input), 'Contact No' (text input with a masked placeholder '*****'), 'City' (dropdown menu with '-- Select --'), 'Password' (text input), and 'Confirm Password' (text input). Below these fields is a checkbox labeled 'I agree to donate the organ(s) and display Donor's Name, Contact No. and E-Mail in Organ donors List'. At the bottom of the form is a red button labeled 'Save a Life!'. The website's header includes the 'FINDLIFE' logo and navigation links: 'Home', 'About Us', 'Donate', 'Request', 'Saviours', and 'Signin'.

Fig 10.1,10.2 Donate page of the website

When the above form is filled and submitted successfully, the data gets saved in the database create in phpMyAdmin.

When you search for an organ in the Request page, this is how the result will be displayed when an organ is searched:

http://localhost/Mini%20Project/donateblood/search.php?city=Banjara+Hills&organ=heart&blood_group=A%2B

FINDLIFE Home About Us Donate Request Savours Signin

Search Organs

-- Select -- ---Select Organ--- ---Select Your Blood Group---

FindLife

Organ: Heart

Donor Name: Rohith Singh
Guardian Name: Anjali Singh
Blood Group: A+
Contact Number: 9849280987
Email-ID: rohith@example.com
Location: Banjara Hills

Fig 11 Request page of the website

This search can also be done on the homepage and it will redirect you with the same page as above (Request page) with required results.

The Savours page contains list of all the donors who donated organs:

http://localhost/Mini%20Project/donateblood/donor.php

FINDLIFE Home About Us Donate Request Savours Signin

Our Donors

Organ: Liver

Donor Name: Aarav Gupta
Guardian Name: Pooja Gupta
Blood Group: O+
Contact Number: 9876543210
Email-ID: aaravgupta@example.com

Organ: Kidney

Donor Name: Riya Patel
Guardian Name: Neel Patel
Blood Group: AB-
Contact Number: 9876543211
Email-ID: riya.pat@example.com

Organ: Heart

Donor Name: Rohith Singh
Guardian Name: Anjali Singh
Blood Group: A+
Contact Number: 9849280987
Email-ID: rohith@example.com

Organ: intestine

Donor Name: Ishika Sharma
Guardian Name: Rajeev Sharma
Blood Group: B+
Contact Number: 9849280965
Email-ID: ishika.ish@example.com

Organ: liver

Donor Name: Karan Verma
Guardian Name: Divya Verma
Blood Group: O-
Contact Number: 6729171091
Email-ID: karan.verma@example.com

Fig 12 Savours page of the website

6. CONCLUSION

Creating a successful Organ Donation website like “FindLife” requires a thoughtful approach and careful consideration of several key factors. First and foremost, it's important to prioritize the user experience by designing a website that is user-friendly, intuitive, and easy to navigate. This means providing clear information on the donation process and any related topics such as legal and ethical issues. It also means incorporating features that allow users to easily register as donors.

Another important factor considered is building trust with potential donors and their families. This is done by ensuring that the website is secure, and that personal information is protected. It's also important to provide clear and accurate information on the donation process, including any risks or concerns, as well as highlighting the potential benefits to recipients and their families.

This website solves many problems for organ recipients and helps in motivating and creating awareness among people to donate without any doubts.

7. FUTURE SCOPE

The future scope of this Organ Donation website called “FINDLIFE” is vast and holds a lot of promise for making a positive impact in the lives of individuals and families in need. One potential area of growth is in the integration of emerging technologies, such as artificial intelligence and machine learning, to improve the donation process and increase efficiency. For example, AI algorithms could help to match donors with recipients more quickly and accurately or assist with predicting the likelihood of success for a given transplant.

Another potential area of growth is in expanding the reach and impact of the website through partnerships with other organizations and initiatives. This could include collaborations with hospitals and medical centers, as well as partnerships with advocacy groups and other organizations working to raise awareness and promote organ donation.

The website could also potentially serve as a platform for research and data analysis, allowing for a better understanding of trends and patterns in organ donation and transplantation. This could help to identify areas where improvements could be made, as well as provide valuable insights for policy makers and healthcare professionals.

There can also be a provision made for this website for recipients to directly request for organs from the list and an admin to manage and process these requests to match required donor with recipient.

Overall, the future scope of the organ donation website is significant and has the potential to make a lasting impact on the lives of individuals and families in need of organ donations. With continued innovation, collaboration, and dedication, such a website can help to save lives and make a real difference in the world.

8. REFERENCES

Organ Donation Websites:

1. www.notto.nic.in
2. www.organdonor.gov
3. www.organindia.org
4. www.mohanfoundation.org

Web development tools:

1. www.getbootstrap.com
2. www.fontawesome.com
3. <https://www.phpmyadmin.net/docs/>
4. <https://en.wikipedia.org/wiki/PHP>
- 5.

Know more about Organ Donation:

1. www.organdonation.nhs.uk/helping-you-to-decide/about-organ-donation/
2. www.organdonor.gov/learn/process
3. www.organindia.org/myths-and-facts/
4. www.organindia.org/overviews/know-organ-donation/