WEBSITE OVERVIEW

Project guide and knowledge base

Project type	Django-based multi-page website
Framework	Django (project settings indicate version 6.1.1)
Main application	index
Template system	Django templates with a shared layouts.html template and static assets

Purpose of this document

This PDF summarizes the pages, Django routes, database-backed content, and contact-form behavior visible in the uploaded project source. It can be used as a basic reference document or as a starting knowledge base for a website assistant. It describes the source code, not a live website verification.

Website pages

Page	Route	What the code does
Home	/	Renders index.html. Loads the first about1 record and all client records for the page.
About	/about/	Renders about.html with team-member and client records.
Services	/services/	Renders services.html.
Portfolio	/portfolio/	Renders portfolio.html.
Pricing	/pricing/	Renders pricing.html using the first price record.
Blog	/blog/	Renders blog.html with article records.
Contact	/contact/	Renders contact.html. On POST, saves valid name, email, subject, and message values to contactforms.
Service details	/servicedetails/	Renders service-details.html.
Team	/team/	Renders team.html.
Testimonials	/testimonials/	Renders testimonials.html.

Database models and admin

The index app defines the following Django models. They are registered in Django Admin, allowing site content and contact submissions to be managed from the admin interface.

Model	Fields / purpose described by source
about1	Title (stored as tittle), description (stored as discription), and image. Used on the home page.
ourteam	Title, image, name, and role. Used on the About page.
client	Title and image. Client entries are passed to the home and About templates.
article	Title, image, description fields, name, and role. Article records are passed to the blog template.
price	Title, three names, description, three price values, and seven point fields. First record is used on the pricing page.
contactforms	Name, email, subject, message, and created_at timestamp. Contact messages are saved when the view receives a valid POST.

Contact form: how submissions work

1. The contact page form should use method="POST" and include {% csrf_token %}.
2. The form submits to the Django URL named contact, mapped to /contact/.
3. The contact view reads name, email, subject, and message from request.POST.
4. When all four values are present, the view creates a contactforms database record and displays a success message.
5. Open Django Admin → Index → Contactforms to review saved messages.

Note: the current contactforms model does not define a phone field, even though an earlier form version included one. If phone numbers need to be stored, add a phone model field and run migrations.

Other URL groups

Prefix	Routes implemented in the source	Current response
/mens/	/mens/footwears/ and /mens/shoes/	These views return simple text responses.
/womens/	/womens/handbags/ and /womens/cosmetics/	These views return simple text responses.
/electronics/	/electronics/laptop/, /tv/, /fridge/, and /ac/	These views return simple text responses.
/admin/	Django administration	Requires an authorized admin login.

Important notes and recommended checks

- The uploaded source contains template text and placeholder contact details; replace them with real business information before publishing.
- The home and pricing views use objects.all()[0], so the database must contain at least one about1 record and one price record or those pages may raise an error.
- Project settings show DEBUG=True and an insecure development SECRET_KEY. Do not deploy with these settings; use environment variables and production settings.

- The extra mens, womens, and electronics views currently return text rather than full product-category pages.
- This PDF does not list actual prices or business claims because the source reviewed does not provide reliable, populated live data for those details.

Source basis: code and templates extracted from the uploaded amazon(6).zip archive. Content may differ from the running website if the project has changed since the archive was created.