DID EPRC Workshop Talk

Working Slide Outline With Planned Figures and Tables

Draft working document

October 2026

Overview

This document drafts the main content for each slide in the DID EPRC workshop talk. It is not the final slide deck. Each entry gives the slide-facing text and then shows the table, equation, or figure that would appear on that slide.

The empirical motivation is Strickland, Chan, and Gottfried (2026), an *Educational Evaluation and Policy Analysis* paper on NYC's Gifted and Talented (G&T) program using a staggered difference-in-differences design. The workshop exercises use synthetic panel data generated for teaching, inspired by that setting; they are not the NYC administrative data used in the paper.

Part A. DID Setup and Intuition

Slide 1. Title and Roadmap

Main.tex 1: DID is popular in policy and program evaluation, and TWFE is commonly used.

Difference-in-differences (DID) is widely used in education policy and program evaluation when some students, schools, or districts are exposed to a policy and others are not. The roadmap makes clear that the talk moves from traditional DID to TWFE, event studies, staggered adoption, and then hands off before the covariates section.

Approx. time	Topic
0–5 min	Why DID is useful for education policy questions.
5–15 min	Main.tex 1(a): traditional DID and parallel trends.
15–25 min	Main.tex 1(b): TWFE, event studies, and TWFE limitations.
25–35 min	Main.tex 1(c): staggered DID example and TWFE problem.
35–45 min	Main.tex 1(c)(ii): CSA-style estimator, aggregations, inference, and alternatives.

Planned table for Slide 1: roadmap keyed to the main.tex outline.

Slide 2. Policy Example: NYC Gifted and Talented

Main.tex 1(a), setup: use one education-policy example to motivate traditional DID.

Policy example / research question. NYC's Gifted and Talented (G&T) program. Do students who enter G&T experience better outcomes after entry than comparable students who do not enter? This example is motivated by Strickland, Chan, and Gottfried (2026), which studies the longitudinal effects of NYC's G&T program using a staggered DID design.

Important clarification. The workshop data are synthetic. They are inspired by this education policy setting, but they are not the NYC administrative data used in the paper.

DID piece	G&T example	Synthetic workshop data
Unit	Student, school, or district	District.
Time	School year or grade	Year.
Treatment	G&T entry	Treatment turns on.
Treated group	Students exposed to G&T	Districts treated in year 5.
Comparison group	Not-yet or never exposed students	Never-treated districts.
Outcome	Achievement, attendance, or behavior	Standardized achievement outcome.

Planned table for Slide 2: policy example mapped to the synthetic data.

Slide 3. Traditional DID Setup

Main.tex 1(a): one example of traditional DID.

In the simplest DID design, we compare two groups across two periods. One group receives treatment after the pre-period. The other group is not treated. DID asks whether the treated group changes more after treatment than the comparison group changes over the same period.

$$\widehat{\delta}_{DID} = (\bar{Y}_{T,post} - \bar{Y}_{T,pre}) - (\bar{Y}_{C,post} - \bar{Y}_{C,pre}).$$

Concept. DID is not just treated versus comparison after treatment. It is the treated group's change minus the comparison group's change.

Group	Pre	Post	Change
Treated	Mean before year 5	Mean after year 5	Treated change.
Comparison	Mean before year 5	Mean after year 5	Comparison change.
DID			Treated change minus comparison change.


Planned table for Slide 3: two-group, two-period DID structure.

Slide 4. Parallel Trends: The Identifying Assumption

Main.tex 1(a): use a graph to show the idea of parallel trends.

Key identifying idea. DID asks what would have happened to treated units after treatment if they had not been treated. The comparison group is useful if it tells us what would have happened to the treated group in the absence of treatment.

$$E[Y_{T,post}(0) - Y_{T,pre}(0)] = E[Y_{C,post}(0) - Y_{C,pre}(0)].$$



Planned figure for Slide 4: raw group trends from the synthetic data. Treated units adopt in year 5; comparison units are never treated.


Slide 5. Classic DID Picture: Observed vs. Counterfactual

Main.tex 1(a): use a traditional DID graph to show observed treated outcomes, the counterfactual trend, and the DID effect.

This is the classic DID teaching figure. The treated group has an observed post-treatment outcome, but the missing object is the treated group's counterfactual post-treatment outcome: where would the treated group have been without treatment?

$$\widehat{Y}_{T,post}(0) = \bar{Y}_{T,pre} + (\bar{Y}_{C,post} - \bar{Y}_{C,pre}).$$

$$\widehat{\delta}_{DID} = \bar{Y}_{T,post} - \widehat{Y}_{T,post}(0).$$



Planned figure for Slide 5: comparison trend, observed treated trend, dashed treated counterfactual trend, and the DID estimate.

Slide 6. DID as a Regression

Main.tex 1(a), bridge: connect the traditional DID example to the regression version before introducing TWFE.

The same two-by-two contrast can be estimated with a regression. The coefficient on the interaction between treatment group and post period is the DID estimate. Because the data are generated, we can compare the estimated effect with the known simulated effect.

$$Y_{it} = \alpha + \beta Treat_i + \gamma Post_t + \delta(Treat_i \times Post_t) + \varepsilon_{it}.$$

Term	Meaning
$Treat_i$	Treated units differ from comparison units.
$Post_t$	Outcomes differ after treatment begins.
$Treat_i \times Post_t$	Treated units change more or less after treatment.
δ	DID estimate.

Planned table for Slide 6: terms in the two-by-two DID regression.

Model	Estimated effect	Known simulated effect
Two-by-two DID regression	0.087	0.090

Planned table for Slide 6: estimated DID effect versus the known simulated effect.

Part B. TWFE and Event Studies

Slide 7. Introduce the TWFE Model

Main.tex 1(b)(i): introduce the TWFE model.

Many applied DID papers estimate a two-way fixed effects (TWFE) model. Instead of only using one pre-period and one post-period, TWFE uses the full panel and controls for unit fixed effects and time fixed effects.

$$Y_{it} = \alpha_i + \lambda_t + \delta D_{it} + \varepsilon_{it}.$$

Concept. In the simple one-treatment-cohort case, TWFE maps closely onto the familiar DID contrast. The model is attractive because it uses repeated observations and absorbs stable unit differences and common time shocks.

Model piece	Interpretation
α_i	Unit fixed effects: stable differences across districts.
λ_t	Year fixed effects: shocks common to all districts in a year.
D_{it}	Treatment indicator that equals 1 after treatment begins.
δ	Average treatment effect in the simple setup.

Planned table for Slide 7: pieces of the TWFE model.


Slide 8. Event Studies: Re-centering Time Around Treatment

Main.tex 1(b)(ii): introduce event-study models.

An event study replaces the single treatment indicator with indicators for time relative to treatment. This lets us look at outcomes before and after treatment entry. In the G&T example, event time 0 is the year a student enters G&T. In the synthetic data, event time 0 is year 5.

$$Y_{it} = \alpha_i + \lambda_t + \sum_{k \neq -1} \beta_k 1[t - G_i = k] + \varepsilon_{it}.$$

Concept. Pre-treatment coefficients describe whether treated and comparison units were already diverging. Post-treatment coefficients show how effects evolve after treatment. Event time -1 is omitted as the reference period.



Planned figure for Slide 8: outcomes centered at event time -1. Pre-treatment event times show whether treated and comparison groups were already diverging; post-treatment event times show how effects evolve after treatment.

Slide 9. Limitation of a Single TWFE Coefficient

Main.tex 1(b)(iii): explain the limitation of TWFE models - one constant ATT can hide dynamic or heterogeneous effects.

A single TWFE coefficient is simple, but it compresses many possible effects into one number. This can be misleading if effects grow, fade, or appear only several years after treatment.

In the simple design, TWFE is close to the familiar DID contrast. Once treatment timing varies, TWFE can compare newly treated units to never-treated units, not-yet-treated units, and already-treated units in ways that are harder to interpret.

What TWFE gives us	What it can hide
One treatment coefficient	Effects that change over time.
A simple average	Differences across treatment cohorts.
A familiar regression model	Comparisons involving already-treated units.

Planned table for Slide 9: why one TWFE coefficient can be too compressed.


Part C. Staggered DID Preview

Slide 10. Staggered DID Example: G&T Entry at Different Times

Main.tex 1(c): one example of staggered DID, G&T, with one graph to show different treatment timing.

In many education settings, treatment does not start for everyone at the same time. Students may enter G&T at different grade points. Districts or schools may adopt a policy in different years.

In the synthetic data, one treated group adopts in year 5 and another adopts in year 8. A third group is never treated. This mirrors the core staggered-adoption problem: treatment timing is itself part of the design.




Planned figure for Slide 10: early adopters, later adopters, and never-treated units.

Slide 11. Why Staggered Timing Complicates TWFE

Main.tex 1(c)(i): discussion of the problem of TWFE - Bacon decomposition.

With staggered timing, the comparison group changes over time. In some years, later-treated units can serve as comparisons for early-treated units. After the later group becomes treated, those comparisons become more complicated.



Planned figure for Slide 11: early-treated, later-treated, and never-treated group trends.

Comparison type	Interpretation
Treated vs. never treated	Usually the most intuitive DID comparison.
Early treated vs. not-yet treated	Useful before the later group adopts.
Later treated vs. already treated	Can be problematic if effects evolve over time.

Planned table for Slide 11: why staggered timing changes the comparison problem.

This motivates the Goodman-Bacon decomposition: TWFE with staggered adoption can be understood as a weighted average of many two-by-two DID comparisons, not all of which answer the same policy question.

Slide 12. Staggered DID Estimator: CSA Logic

Main.tex 1(c)(ii)(A): CSA - group units into 2-by-2 designs, estimate ATT(g,t), then take a weighted average.

Modern staggered DID estimators avoid relying on one opaque TWFE coefficient. The Callaway and Sant'Anna logic is to define treatment cohorts, estimate group-time treatment effects, and then aggregate those effects in a way that matches the research question.

$$ATT(g,t) = E[Y_t(g) - Y_t(0) \mid G_i = g].$$

For group g, first treated in period g, estimate the effect at time t by comparing that group to appropriate untreated or not-yet-treated units.

$$ATT = \sum_{g,t} w_{gt} ATT(g,t).$$

Object	Meaning
$G_i = g$	Unit i first receives treatment in period g.
$ATT(g,t)$	Effect for cohort g at calendar time t.
w_{gt}	Weight used to summarize group-time effects.
ATT	Weighted average of selected group-time treatment effects.

Planned table for Slide 12: CSA-style group-time estimand and weighted aggregation.

Slide 13. CSA Aggregations: Group, Simple, and Event-Time ATT

Main.tex 1(c)(ii)(A)(i): group, simple, and aggregate ATT summaries.

After estimating $ATT(g,t)$, the next question is what summary to report. The `did` package often describes these as `aggte()` summaries. The important idea for the workshop is that the same group-time effects can be aggregated in different ways.

Aggregation	Meaning
Simple ATT	Weighted average of all relevant post-treatment $ATT(g,t)$ values.
Group ATT	Average effect by treatment cohort or adoption group.
Dynamic / event-time ATT	Average effect by time since treatment.
Calendar ATT	Average effect in a given calendar period.

Planned table for Slide 13: CSA aggregation choices after estimating $ATT(g,t)$.

Slide 14. Inference for Staggered DID

Main.tex 1(c)(ii)(A)(ii): inference.

Inference is not just a detail after estimating $ATT(g,t)$. The standard errors need to reflect that group-time effects are estimated from clustered panel data and then combined into aggregate summaries.

Issue	Workshop explanation
Clustering	Account for repeated observations within districts or schools.
Aggregation	Uncertainty carries from $ATT(g,t)$ into simple, group, and dynamic summaries.
Software	Use estimator-specific standard errors or bootstrap procedures where appropriate.
Interpretation	Report uncertainty for the estimand being discussed, not just the raw regression coefficient.

Planned table for Slide 14: inference issues to flag without fully teaching implementation details.

Slide 15. Brief Alternatives and Reading Group Handoff

Main.tex 1(c)(ii)(B): briefly introduce alternative methods; 1(c)(ii)(B)(i): briefly introduce Wooldridge pooled OLS and ETWFE.

This workshop will not fully cover every modern staggered DID estimator. The goal is to show why we need alternatives to naive TWFE and where those alternatives fit. The reading group can return to the details.

Method	What it helps clarify
Goodman-Bacon decomposition	What comparisons TWFE is using.
Callaway and Sant'Anna	Group-time treatment effects and aggregation.
Sun and Abraham	Event-study estimates with staggered timing.
Wooldridge pooled OLS / ETWFE	Regression-based alternatives for staggered designs.

Planned table for Slide 15: methods to flag before Wei's next section.

Main.tex point intentionally skipped for now: Covariates - Wei; three-level clustering or multisite design - Wei; PT/CPT testing and possible solutions - Wei; further topics and lab session.

The introductory section closes by pointing participants to the workshop materials: the synthetic data, starter code, outline/slides, and readings. The next section can pick up with covariates and conditional parallel trends.

https://katjanestrickland.github.io/did-eprc-workshop/

References To Include

Strickland, K., Chan, W., and Gottfried, M. A. (2026). Longitudinal effects of NYC's Gifted and Talented program: Evidence from a staggered difference-in-differences approach. *Educational Evaluation and Policy Analysis*. https://doi.org/10.3102/01623737261438146

Goodman-Bacon, A. (2021). Difference-in-differences with variation in treatment timing. *Journal of Econometrics*, 225(2), 254–277.

Callaway, B., and Sant'Anna, P. H. C. (2021). Difference-in-differences with multiple time periods. *Journal of Econometrics*, 225(2), 200–230.

Sun, L., and Abraham, S. (2021). Estimating dynamic treatment effects in event studies with heterogeneous treatment effects. *Journal of Econometrics*, 225(2), 175–199.

Wooldridge, J. M. (2021). Two-way fixed effects, the two-way Mundlak regression, and difference-in-differences estimators.