



# RELEVANT LITERATURE & DATA

- https://www.ncbi.nlm.nih.gov/books/NBK5
   32447/
- https://link.springer.com/article/10.1007/s12
   652-019-01374-3
- https://www.ncbi.nlm.nih.gov/pmc/articles/
   PMC8560840/
- <a href="https://www.cdc.gov/nchs/nhanes/index.htm">https://www.cdc.gov/nchs/nhanes/index.htm</a>

Journal of Ambient Intelligence and Humanized Computing (2023) 14:15523-15533 https://doi.org/10.1007/s12652-019-01374-3

#### ORIGINAL RESEARCH



#### Lipid profile prediction based on artificial neural networks

Milan Vrbaški 1 - Rade Doroslovački 1 0 - Aleksandar Kupusinac 1 - Edita Stokić 2 - Dragan Ivetić 1

Received: 9 May 2018 / Accepted: 20 June 2019 / Published online: 24 June 2019 © Springer-Verlag GmbH Germany, part of Springer Nature 2019

### LDL (<15mg/dL)


Apo-B (<20mg/2L)

Frequency in data set = 2/8621


Frequency in data set = 3/5867

Can estimate around 18 Americans underdiagnosed Can estimate around 86 Americans underdiagnosed

## **OUR CURRENT MODEL & OUTREACH**



# WEB-APP DEMO



•

# PREDICTING LOW LIPID LEVELS IN ABL — CHALLENGES AND FUTURE DIRECTIONS

- Continue to research more definitive links between low lipid profiles and other commonly tested measurements to predict these more extreme lipid profiles
- Include a module component specifically for ABL patients to share data
- Validate and generalize our predictive model to translate to the paediatric population for early diagnosis and intervention
- Continue using our model to show that ABL is underdiagnosed, and hence provide compelling reason for lipid screening in infancy

