



ZAP by
Checkmarx

ZAP by Checkmarx Scanning Report

Site: <http://127.0.0.1:9000>

Generated on Fri, 8 May 2026 01:37:54

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	3

Insights

Level	Reason	Site	Description	Statistic
Info	Informational	http://127.0.0.1:9000	Percentage of responses with status code 2xx	48 %
Info	Informational	http://127.0.0.1:9000	Percentage of responses with status code 3xx	2 %
Info	Exceeded Low	http://127.0.0.1:9000	Percentage of responses with status code 4xx	48 %
Info	Informational	http://127.0.0.1:9000	Percentage of endpoints with content type text/css	30 %
Info	Informational	http://127.0.0.1:9000	Percentage of endpoints with content type text/html	60 %

Info	Informational	http://127.0.0.1:9000	Percentage of endpoints with content type text/javascript	8 %
Info	Informational	http://127.0.0.1:9000	Percentage of endpoints with method GET	82 %
Info	Informational	http://127.0.0.1:9000	Percentage of endpoints with method POST	17 %
Info	Informational	http://127.0.0.1:9000	Count of total endpoints	23

Alerts

Name	Risk Level	Number of Instances
Authentication Request Identified	Informational	2
Session Management Response Identified	Informational	4
User Controllable HTML Element Attribute (Potential XSS)	Informational	1

Alert Detail

Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://127.0.0.1:9000/accounts/login/
Node Name	http://127.0.0.1:9000/accounts/login/ ()(csrfmiddlewaretoken,password,username)
Method	POST
Attack	
Evidence	password
Other Info	userParam=username userValue=ZAP passwordParam=password referer=http://127.0.0.1:9000/accounts/login/ csrfToken=csrfmiddlewaretoken

URL	http://127.0.0.1:9000/admin/login/?next=/admin/
Node Name	http://127.0.0.1:9000/admin/login/ (next)(csrfmiddlewaretoken,next,password,username)
Method	POST
Attack	
Evidence	password
Other Info	userParam=username userValue=ZAP passwordParam=password referer=http://127.0.0.1:9000/admin/login/?next=/admin/ csrfToken=csrfmiddlewaretoken
Instances	2
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
WASC Id	
Plugin Id	10111

Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://127.0.0.1:9000/accounts/login/
Node Name	http://127.0.0.1:9000/accounts/login/
Method	GET
Attack	
Evidence	csrftoken
Other Info	cookie:csrftoken
URL	http://127.0.0.1:9000/accounts/password_reset/
Node Name	http://127.0.0.1:9000/accounts/password_reset/
Method	GET
Attack	
Evidence	csrftoken
Other Info	cookie:csrftoken
URL	http://127.0.0.1:9000/admin/login/?next=/admin/
Node Name	http://127.0.0.1:9000/admin/login/ (next)
Method	GET
Attack	

Evidence	csrftoken
Other Info	cookie:csrftoken
URL	http://127.0.0.1:9000/register/
Node Name	http://127.0.0.1:9000/register/
Method	GET
Attack	
Evidence	csrftoken
Other Info	cookie:csrftoken
Instances	4
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://127.0.0.1:9000/admin/login/?next=/admin/
Node Name	http://127.0.0.1:9000/admin/login/ (next)
Method	GET
Attack	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://127.0.0.1:9000/admin/login/?next=/admin/ appears to include user input in: a(n) [a] tag [href] attribute The user input found was: next=/admin/ The user-controlled value was: /admin/
Instances	1
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031

