

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="fr">
  <head>
    <meta charset="UTF-8">
    <link rel="icon" href="/favicon.ico">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="description" content="Bienvenue sur mon portfolio! Voici
mes créations, mes projets et expériences en tant que développeuse web ">
    <title>Portfolio de Katiana BRICOTTEAUX</title>
    <link href="https://fonts.googleapis.com/css2?
family=Comic+Neue:ital,wght@0,300;0,400;0,700;1,300;1,400;1,700&display=sw
ap" rel="stylesheet">
  </head>

  <body>
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="fr">↵
3.   <head>↵
4.     <meta charset="UTF-8">↵
5.     <link rel="icon" href="/favicon.ico">↵
6.     <meta name="viewport" content="width=device-width, initial-
scale=1.0">↵
7.     <meta name="description" content="Bienvenue sur mon portfolio!
Voici mes créations, mes projets et expériences en tant que
développeuse web ">↵
8.     <title>Portfolio de Katiana BRICOTTEAUX</title>↵
9.     <link href="https://fonts.googleapis.com/css2?
family=Comic+Neue:ital,wght@0,300;0,400;0,700;1,300;1,400;1,700&display
=swap" rel="stylesheet">↵
10.   </head>↵
11.   ↵
12.   <body>↵
13.     <div id="app"></div>↵
14.     <script type="module" src="/src/main.js"></script>↵
```

```
15.    </body>↵
16.    ↵
17. </html>
```

Used the HTML parser.

Total execution time 2 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 25.3.6

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ CSS

```
<template>
  <div id="app">
    <Header />

    <HomeView />

    <RouterView />

    <Footer />
  </div>

  <RouterLink />
</template>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 10](#)

```
<template>␣<di
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 10](#)

```
<template>␣<di
```

- Error

Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 3, column 5; to line 3, column 14](#)

```
app">  
    <Header />
```

Error

Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 5, column 5; to line 5, column 16](#)

```
r />  
    <HomeView />
```

Error

Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 7, column 5; to line 7, column 18](#)

```
w />  
    <RouterView />
```

Error

Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 9, column 5; to line 9, column 14](#)

```
w />  
    <Footer /> </d
```

Error

End tag `div` seen, but there were open elements.

[From line 10, column 3; to line 10, column 8](#)

```
oter /> </div> <R
```

Error

Unclosed element `footer`.

[From line 9, column 5; to line 9, column 14](#)

```
w />  
    <Footer /> </d
```

Error

Unclosed element `routerview`.

[From line 7, column 5; to line 7, column 18](#)

```
w />  
    <RouterView />
```

Error

Unclosed element `homeview`.

[From line 5, column 5; to line 5, column 16](#)

```
r />  
    <HomeView />
```

Error

Unclosed element `header`.

[From line 3, column 5; to line 3, column 14](#)

```
app">  
    <Header />
```

12. **Error** Self-closing syntax (`/>`) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 12, column 3; to line 12, column 16](#)

```
</div> <RouterLink /></tem
```

13. **Error** End tag `template` seen, but there were open elements.

[From line 13, column 1; to line 13, column 11](#)

```
erLink /></template>
```

14. **Error** Unclosed element `routerlink`.

[From line 12, column 3; to line 12, column 16](#)

```
</div> <RouterLink /></tem
```

15. **Error** Element `head` is missing a required instance of child element `title`.

[From line 13, column 1; to line 13, column 11](#)

```
erLink /></template>
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

Source

```
1. <template>
2.   <div id="app">
3.     <Header />
4.   ↵
5.     <HomeView />
6.   ↵
7.     <RouterView />
8.   ↵
9.     <Footer />
10.  </div>
11. ↵
12.  <RouterLink />
13. </template>
```

Used the HTML parser.

Total execution time 2 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ css

```
<template>
  <div>
    <h1>404 - Page non trouvée</h1>
    
    <p>Oups ! La page que vous cherchez n'existe pas.</p>
    <router-link to="/">Retour à l'accueil</router-link>
  </div>
</template>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 10](#)

```
<template>...  <
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 10](#)

```
<template>...  <
```

3. **Error** Element **head** is missing a required instance of child element**title**.[From line 8, column 3; to line 8, column 13](#)`</div>␣ </template>`Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

Source

```
1. <template>␣
2.   <div>␣
3.     <h1>404 - Page non trouvée</h1>␣
4.     ␣
5.     <p>Oups ! La page que vous cherchez n'existe pas.</p>␣
6.     <router-link to="/">Retour à l'accueil</router-link>␣
7.   </div>␣
8. </template>
```

Used the HTML parser.

Total execution time 1 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 25.3.6

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Check

Message Filtering

- If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

- ```
<template>↵ <ma
```

3. **Warning** Attribute `@click` is not serializable as XML 1.0.  
[From line 17, column 7; to line 17, column 54](#)

```
/p>␣ <button class="card" @click="showModal1 = true">Ouvrir
```
4. **Warning** Attribute `@click` is not serializable as XML 1.0.  
[From line 18, column 7; to line 18, column 54](#)

```
on>␣ <button class="card" @click="showModal2 = true">Ouvrir
```
5. **Warning** Attribute `@click` is not serializable as XML 1.0.  
[From line 19, column 7; to line 19, column 54](#)

```
on>␣ <button class="card" @click="showModal3 = true">Ouvrir
```
6. **Warning** Attribute `:isOpen` is not serializable as XML 1.0.  
[From line 23, column 5; to line 23, column 60](#)

```
) -->␣ <Modal :isOpen="showModal1" @close="showModal1 = false">
```
7. **Warning** Attribute `@close` is not serializable as XML 1.0.  
[From line 23, column 5; to line 23, column 60](#)

```
) -->␣ <Modal :isOpen="showModal1" @close="showModal1 = false">
```
8. **Warning** Attribute `:src` is not serializable as XML 1.0.  
[From line 25, column 7; to line 25, column 61](#)

```
h2>␣
```
9. **Warning** Attribute `:isOpen` is not serializable as XML 1.0.  
[From line 32, column 5; to line 32, column 60](#)

```
) -->␣ <Modal :isOpen="showModal2" @close="showModal2 = false">
```
10. **Warning** Attribute `@close` is not serializable as XML 1.0.  
[From line 32, column 5; to line 32, column 60](#)

```
) -->␣ <Modal :isOpen="showModal2" @close="showModal2 = false">
```
11. **Warning** Attribute `:src` is not serializable as XML 1.0.  
[From line 34, column 7; to line 34, column 85](#)

```
h2>␣
```
12. **Warning** Attribute `:isOpen` is not serializable as XML 1.0.  
[From line 41, column 5; to line 41, column 60](#)

```
) -->␣ <Modal :isOpen="showModal3" @close="showModal3 = false">
```

13. **Warning** Attribute `@close` is not serializable as XML 1.0.  
[From line 41, column 5; to line 41, column 60](#)  
 ) --> <Modal :isOpen="showModal3" @close="showModal3 = false">

14. **Warning** Attribute `:src` is not serializable as XML 1.0.  
From line 43, column 7; to line 43, column 79
- ```
h2>.....
```

15. **Error** Element head is missing a required instance of child element title.
- [From line 49, column 1; to line 49, column 11](#)
- ```
</main></template>
```
- Content model for element head:
- If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.
- Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

## Source

```

1. <template>↵
2. <main>↵
3. <h1>Katiana BRICOTTEAUX</h1>↵
4. ↵
5. <section id="presentation">↵
6. <h2>Présentation</h2>↵
7. <p>Bienvenue sur mon portfolio, je suis passionné par le
développement web. Je suis débutante avec une grande motivation pour ce
métier.↵
8. Avec mon expérience récente, j'acquiers de bonnes bases solides
dans les langages du HTML, CSS et JavaScript.↵
9. J'ai déjà réalisé plusieurs projets qui permettent de montrer
mes compétences acquises.↵
10. Vous trouverez dans ce portfolio quelques exemples ainsi que des
illustrations de mes réalisations.↵
11. </p>↵
12. </section>↵
13. ↵
14. <section id="projet">↵
15. <h2>Mes projets</h2>↵
16. <p>Venez découvrir mes capacités techniques :</p>↵
17. <button class="card" @click="showModal1 = true">Ouvrir CV
HTML</button>↵
18. <button class="card" @click="showModal2 = true">Ouvrir Cahier des
charges</button>↵
19. <button class="card" @click="showModal3 = true">Ouvrir Dynamiser
un commentaire</button>↵
20. </section>↵
21. ↵
22. <!-- Modale 1 (CV) -->↵
23. <Modal :isOpen="showModal1" @close="showModal1 = false">↵

```

```

24. <h2>CV HTML</h2>↵
25. ↵
26. <p>Utilisation des langages HTML et CSS</p>↵
27. Télécharger mon
CV↵
28. <p class="creation-date">Date de création : {{ creationDate1 }}
</p> ↵
29. </Modal>↵
30. ↵
31. <!-- Modale 2 (Cahier des charges) -->↵
32. <Modal :isOpen="showModal2" @close="showModal2 = false">↵
33. <h2>Cahier des charges</h2>↵
34. ↵
35. <p>Utilisation d'aucun langages mais d'un cahier des charges</p>↵
36. <a href="/src/assets/pdf/CDC devoir.pdf"
target="_blank">Télécharger mon Cahier des Charges↵
37. <p class="creation-date">Date de création : {{ creationDate2 }}
</p>↵
38. </Modal>↵
39. ↵
40. <!-- Modale 3 (Commentaires) -->↵
41. <Modal :isOpen="showModal3" @close="showModal3 = false">↵
42. <h2>Commentaire</h2>↵
43. ↵
44. <p>Utilisation du langages HTML et JavaScript</p>↵
45. <a href="/src/assets/pdf/Commentaire.pdf"
target="_blank">Télécharger mon Commentaire Dynamique↵
46. <p class="creation-date">Date de création : {{ creationDate3 }}
</p>↵
47. </Modal>↵
48. </main>↵
49. </template>

```

Used the HTML parser.

Total execution time 3 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 25.3.6

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by  ☐ CSS

```
<template>
 <Teleport to="body">
 <Transition name="fade">
 <div v-if="isOpen" class="modal-overlay" @click.self="close">
 <div class="modal-content">
 <button class="close-btn" @click="close">×</button>
 <slot></slot>
 </div>
 </div>
 </Transition>
 </Teleport>
</template>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 10](#)

```
<template>...<
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 10](#)

```
<template>...<
```

3. **Warning** Attribute `@click.self` is not serializable as XML 1.0.[From line 4, column 9; to line 4, column 69](#)

```
>... <div v-if="isOpen" class="modal-overlay"
@click.self="close">...
```

4. **Warning** Attribute `@click` is not serializable as XML 1.0.[From line 6, column 13; to line 6, column 53](#)

```
<button class="close-btn" @click="close">×
```

5. **Error** Element `head` is missing a required instance of child element `title`.[From line 12, column 3; to line 12, column 13](#)

```
leport>... </template>
```

Content model for element [head](#):

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

## Source

```
1. <template>...
2. <Teleport to="body">...
3. <Transition name="fade">...
4. <div v-if="isOpen" class="modal-overlay" @click.self="close">...
5. <div class="modal-content">...
6. <button class="close-btn" @click="close">×</button>...
7. <slot></slot>...
8. </div>...
9. </div>...
10. </Transition>...
11. </Teleport>...
12. </template>
```

Used the HTML parser.

Total execution time 1 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 25.3.6

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☒ text input ☐ css

```

 alt="Logo"
 @click="scrollTop"
 class="logo"
 />

 <nav>

 Présentation
 Projets
 Contact

 </nav>
</header>
</template>

```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 10](#)

```
<template>␣<he
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 10](#)

```
<template>␣<he
```

3. **Warning** Attribute `@click` is not serializable as XML 1.0.[From line 3, column 5; to line 8, column 8](#)

```

ader>

```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).[From line 3, column 5; to line 8, column 8](#)

```

ader>

```

5. **Error** Element `head` is missing a required instance of child element `title`.[From line 19, column 1; to line 19, column 11](#)

```

</header>
</template>

```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

## Source

```

1. <template>
2. <header>
3.
9.
10.
11. <nav>
12.
13. Présentation
14. Projets
15. Contact
16.
17. </nav>
18. </header>
19. </template>

```

Used the HTML parser.

Total execution time 2 milliseconds.





# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▼ ☐ css

```
<template>
<footer>
 <div class="footer_social">
 <div class="img">

 </div>
 </div>

 <p>Dernière mise a jour : {{ lastUpdated }}</p>
<ContactForm/>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 10](#)

```
<template>↵ <fo
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 10](#)

```
<template>↵ <fo
```

3. **Error** Self-closing syntax ( `</>` ) used on a non-void HTML element. Ignoring the slash and treating as a start tag.

[From line 12, column 3; to line 12, column 16](#)

```
}}</p>␣<ContactForm/>␣</f
```

4. **Error** End tag `footer` seen, but there were open elements.

[From line 13, column 3; to line 13, column 11](#)

```
tForm/>␣</footer>␣</tem
```

5. **Error** Unclosed element `contactform`.

[From line 12, column 3; to line 12, column 16](#)

```
}}</p>␣<ContactForm/>␣</f
```

6. **Error** Element `head` is missing a required instance of child element `title`.

[From line 14, column 1; to line 14, column 11](#)

```
</footer>␣</template>
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

## Source

```
1. <template>␣
2. <footer>␣
3. <div class="footer_social">␣
4. <div class="img">␣
5. ␣
6. ␣
7. ␣
8. </div>␣
9. </div>␣
10. ␣
11. <p>Dernière mise a jour : {{ lastUpdated }}</p>␣
12. <ContactForm/>␣
13. </footer>␣
14. </template>
```

Used the HTML parser.

Total execution time 1 milliseconds.



# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by  ☐ CSS

```
</div>

<div>
 <label for="message">Message</label>
 <textarea id="message" v-model="form.message" required>
</textarea>
</div>

 <button type="submit">Envoyer</button>
</form>

<div v-if="submitted" class="success-message">
 <p>Merci pour votre message !</p>
</div>
</section>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 10](#)

```
<template>... <
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 10](#)

```
<template>... <
```

3. **Warning** Attribute `@submit.prevent` is not serializable as XML 1.0.[From line 5, column 7; to line 5, column 43](#)`<form @submit.prevent="handleSubmit">`4. **Error** Element `head` is missing a required instance of child element `title`.[From line 28, column 3; to line 28, column 13](#)`action> </template>`Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

Document checking completed.

## Source

```

1. <template>
2. <section class="contact-form">
3. <h2>Contactez-moi</h2>
4. ↵
5. <form @submit.prevent="handleSubmit">
6. <div>
7. <label for="name">Nom</label>
8. <input type="text" id="name" v-model="form.name" required>
9. </div>
10. ↵
11. <div>
12. <label for="email">Email</label>
13. <input type="email" id="email" v-model="form.email" required>
14. </div>
15. ↵
16. <div>
17. <label for="message">Message</label>
18. <textarea id="message" v-model="form.message" required>
19. </div>
20. ↵
21. <button type="submit">Envoyer</button>
22. </form>
23. ↵
24. <div v-if="submitted" class="success-message">
25. <p>Merci pour votre message !</p>
26. </div>
27. </section>
28. </template>

```

Used the HTML parser.

Total execution time 2 milliseconds.

