



INTERIOR DESIGN

BEST HOME DECORATION INSPIRATION

INDEX

<i>About Us</i>	1
<i>Product Portfolio</i>	2 - 3
<i>Polygranite Sheets</i>	4 - 11
<i>WPC Interior Fluted Panels</i>	12 - 16
<i>Stone Panels</i>	17 - 19
<i>SPC Flooring</i>	20 - 22
<i>WPC Exterior Fluted Panels</i>	23 - 24
<i>Wood Ceiling & Wall Panels</i>	25 - 27
<i>Bamboo Charcoal Board</i>	28 - 30
<i>PU Stone Panels</i>	31 - 33
<i>Stone Coated Steel Roofing Sheets</i>	34 - 36
<i>Wallpapers</i>	37 - 40
<i>PVC Panels</i>	41 - 43
<i>Adhesive</i>	44 - 46
<i>Contact Details</i>	47

ABOUT US

Welcome to Business Bench Company, where we redefine spaces with our exceptional range of interior and exterior products. Our company was established in 2018 by a team of two young and passionate entrepreneurs. Primitively, we started as a small interior design company. Subsequently, our journey took an exciting turn when we embellished an interior and exterior design import company. Currently, we have warehouses in Tamilnadu, Delhi and Andhra Pradesh for interior and exterior materials. Right Now, we have more than 450+ Branches across the country.

Driven by our ambitious growth strategy, we are expanding our footprint across India and planning cross-border inspiration. We aim to expand into the international market shortly. We plan to expand our operations to prosperous destinations **ALL OVER THE WORLD**.

Our main goal at Business Bench is to disrupt the interior design industry by providing quality interior and exterior products at competitive prices. We are committed to building strong customer relationship. Across south and north india and beyond. Focusing on the world's leading importers of interiors and Exterior. In addition, our vision includes us as a leading builder known for our innovative and sustainable construction practices. With a relentless pursuit of excellence and an unwavering commitment to our clients, we are poised to redefine the boundaries of success in interior design and Construction industry. We are eager to embark on this transformative journey to design remarkable spaces and create unique experiences for our valued customers.

Our products seamlessly blend international trends with local convenience, making it easy to **ELEVATE YOUR INTERIORS**.

At Business Bench, quality is our top priority. We assure you that each product in our collection undergoes rigorous quality control measures to ensure **DURABILITY, FUNCTIONALITY & AESTHETIC APPEAL**.

Whether you're furnishing a home, office, or commercial space, our team is dedicated to providing personalized solutions. Explore our customizable options to bring your vision to life. We believe in offering exceptional value for your investment. Enjoy competitive pricing on all our products, making luxury and style accessible to a wide range of customers.


PRODUCT PORTFOLIO



CAFETERIA



TV UNIT




COURTYARD



BALCONY



LIVING ROOM



RECEPTION



CAFE

PRODUCT PORTFOLIO




LIVING ROOM



GAZEBO



PARLOUR



WAITING LOUNGE



RELAXING SPACE



OUTDOOR SITTING AREA



WORK STATION

POLYGRANITE SHEETS

Business Bench Polygranite Sheets are eventually utilized to decorate interior walls in both commercial and residential buildings. These sheets are ideal for use in restaurants, theaters, offices, hotels, clubs, hospitals, and hallways. With numerous advantages, Business Bench brings Polygranite Sheets to the market.

SPECIFICATION:

- Material** : PVC And Calcium Carbonate, Mimicking Natural Granite Or Marble.
- Application** : Ideal For Interior Walls In Both Commercial And Residential Spaces.
- Function** : Enhances living rooms, bedrooms, and accent walls with a premium granite-like finish while seamlessly refreshing old surfaces with minimal effort.
- Advantages** : Water Resistant, Durable, Low Maintenance, Cost-Effective & Termite-Resistant.
- Life time** : 20-25 Years With Proper Care.
- Installation** : Easily Installed Using Adhesive, With Minimal Surface Preparation Required.
- Accessories** : PVC Border, PVC Internal Corner, PVC L Corner & Aluminium Accessories

ADVANTAGES & FEATURES

SCAN ME



ISO
Certified



Easy To
Install



Easy To
Clean



Anti
Corrosive



Low
Maintenance



Weather, UV &
Resistant



High
Strength



Fire
Resistant



Water
Resistant



Reuse



No Coating
/ Painting



Natural Granite
& Marble Look



ALL IN ONE VIEW

POLYGRANITE SHEETS - 3 MM PATTERNS

Size: 8 Feet Height x 4 Feet Width | Covered Area: 32 Sq. Ft

Thickness: 3 mm - 36 Patterns | 1.2 mm - 5 Patterns

Per Sheet Weight- 17.5 Kg (3 mm) | 6 Kg (1.2 mm)




**PG01
ITALIAN BLACK**



**PG02
ITALIAN WHITE**



**PG03
INDUS GOLD**



**PG04
FONCE IMPERIAL**



**PG05
RAINFOREST GOLD**



**PG06
OPERA GREEN**



**PG07
PINK PEARL**



**PG08
PEARL WHITE**

POLYGRANITE SHEETS - 3 MM PATTERNS



**PG09
WOODEN PATTERN**



**PG10
IMPERIAL BLUE**



**PG11
DIAMOND CUT**



**PG12
LAVADIA BLACK
MARBLE**



**PG13
OPERA ORANGE**



**PG14
SAFFRON BROWN**



**PG15
3D PASTORAL
GRANITE**



**PG16
VERDANT GRANITE**


POLYGRANITE SHEETS - 3 MM PATTERNS



**PG17
NOVOCENO PINE**



**PG18
BRAZILIAN WOOD**



**PG19
WHITE**



**PG20
STATUARIO GRANITE**



**PG21
BLACK MIRAGE**



**PG22
OASIS WHITE**



PG23 - GOLD

PG GLITTER PATTERNS - 3 MM



**PGG01
GOLDEN HARVEST**



**PGG02
MOUNTAIN GRANITE**



**PGG03
SWISS GRANITE**




**PGG04
GOLDEN VEIN**



**PGG05
GOLD CALACATTA**



**PGG06
GREEK GRANITE**



**PGG07
METALIZED GOLD**



**PGG08
LOUIS KING**

PG GLITTER PATTERNS - 3 MM



**PGG09
GILDED BLUE ROSE**



**PGG10
LANDU JIN**



PGG11 - OX BLUE




**PGG12
OCEAN BLUE**



PGG13 - ROSY INK

POLYGRANITE SHEETS - 1.2 MM PATTERNS



PC01 - WHITE




PC02 - RED



PC03 - GREEN



PC04 - PINK



PC05 - YELLOW

ACCESSORIES - PVC BORDER



Color: Black
Size: 8 inch Width x 10 Feet Height



Color: Brown
Size: 8 inch Width x 10 Feet Height



Color: Black
Size: 4 inch Width x 10 Feet Height



Color: White
Size: 4 inch Width x 10 Feet Height



Color: Brown
Size: 4 inch Width x 10 Feet Height



Color: Brown
Size: 2 inch Width x 10 Feet Height



Color: Black
Size: 2 inch Width x 10 Feet Height



Color: Off White
Size: 2 inch Width x 10 Feet Height

INTERNAL CORNER



Color: Black
Size: 10 Feet Length



Color: White
Size: 10 Feet Length



Color: Brown
Size: 10 Feet Length




Color: Black
Size: 10 Feet Length

L CORNER



Color: Black
Size: 10 Feet Length


ALUMINIUM ACCESSORIES



EDGE STRIP



FLAT STRIP



EXTERNAL CORNER



INTERNAL CORNER



I STRIP



L CORNER

Size: 10 Running Feet | Color: Rose Gold

WPC INTERIOR FLUTED PANELS

WPC (Wood-Plastic Composite) interior panels are an eco-friendly & versatile wall cladding solution. Known for their durability, aesthetics & low maintenance, WPC panels are widely used in modern interior design for both residential & commercial spaces.

SPECIFICATION:

- Material :** Wood Fiber, Plastic, Additives, pigments, and UV stabilizers.
- Application :** Interior Wall Cladding, Ceiling Panels, Partitions.
- Function :** Moisture-Resistant, Durable, and Decorative Interior Surface Material.
- Advantages :** Water and Termite-Resistant, eco-friendly, low maintenance, UV and Weather-Resistant.
- Life time :** 20 Years According To Proper Installation & Area Of Usage
- Installation :** Easy To Cut, Screw, And Nail, Requires Standard Tools And Adhesive For Mounting.

ADVANTAGES & FEATURES



ISO Certified



Light Weight



Reusable



Easy To Clean



Natural Wood Look



Easy to Install



Fire Resistant



Water Resistant



Low Maintenance



Weather & UV Resistant

SCAN ME



ALL IN ONE VIEW

MODEL - 1



4001
JADE BLACK



4002
PRINCETON ORANGE



4003
BERRY BLUE



4004
COLONIAL MAPLE



4005
JACOBEAN WOOD

Size: 9 Feet 6 Inch Height x 6.6 Inch Width | Thickness: 24 mm

Per Box: 14 Pcs | Pattern: 5+ | Covered Area: 5.2 Sq. Ft

MODEL - 2



3001
PLATINUM GREY



3002
PADOAK



3003
MAHOGANY



3004
REDCHEST NUT



3005
WHITE OAK

MODEL - 2




3006
STATUARIO WHITE



3007
JAMAICAN WOOD

Size: 9 Feet 6 Inch Height x 8 Inch Width | Thickness: 28 mm
Per Box: 12 Pcs | Pattern: 7+ | Covered Area: 6.3 Sq. Ft

MODEL - 3



3001A
SCOTCH MIST



3002A
SILVER CHARCOAL



3003A
AFRICAN TEAK




3004A
CHERRY PINE



3005A
ROMAN CREAM

Size: 9 Feet 6 Inch Height x 7.6 Inch Width | Thickness: 12 mm
Per Box: 18 Pcs | Pattern: 5+ | Covered Area: 6 Sq. Ft

MODEL - 4




4001A
CARNEL BEIGE




4002A
EIRA GOLD



4003A
CEDAR PINE



4004A
LIMED OAK




4005A
ROYAL MAHOGANY

Size: 9 Feet 6 Inch Height x 6" Inch Width | Thickness: 18 mm
Per Box: 16 Pcs | Pattern: 5+ | Covered Area: 4.7 Sq. Ft

MODEL - 5




6001
OAK WHITE



6002
WHITE BEACH




6003
POLAR WHITE



6004
SEA GREEN

Size: 9 Feet 6 Inch Height x 5.9 Inch Width | Thickness: 8 mm
Per Box: 16 Pcs | Pattern: 4+ | Covered Area: 4.6 Sq. Ft

MODEL - 6



8001
SOFT IVORY



8002
FRISO DARK




8003
TURKEY WOOD



8004
KASTURA LIGHT

Size: 9 Feet 6 Inch Height x 6.6 Inch Width | Thickness: 17 mm
Per Box: 18 Pcs | Pattern: 4+ | Covered Area: 5.2 Sq. Ft

ACCESSORIES



Size: 10 Feet Length | Per Box: 200 Pcs

STONE PANELS

Stone Panels are durable cladding solutions crafted from natural or composite stone, offering a premium aesthetic for both interior and exterior surfaces. Known for their weather resistance, fire safety, and long lifespan, they enhance structural beauty while requiring minimal maintenance, making them ideal for feature walls, and outdoor landscapes.

SPECIFICATION:

- Material** : PVC and Calcium Carbonate, Mimicking Natural Granite Or Marble, Have Both Visual & Physical Texture.
- Application** : Suitable For Both Commercial And Residential Interior Wall Cladding.
- Function** : Enhances Aesthetics, Provides Insulation, Durability, & Weather Resistance.
- Advantages** : Long-lasting, Low-maintenance, Fire-Resistant, Adds Premium Look.
- Life time** : Can last over 30 years with proper installation and care.
- Installation** : Fixed with Adhesives & Aluminum Accessories.

ADVANTAGES & FEATURES



Natural
Stone Look



ISO
Certified



Water
Resistant



Easy to
Clean



Low
Maintenance



Weather &
UV Resistant



Fire
Resistant



Only Used
in Interior



Reuse



Termite &
Pest Resistant

SCAN ME



ALL IN ONE VIEW

PATTERNS



**SP01
BRONZE ARMANI**



**SP02
ANTIQUE GRIS**



**SP03
WAVE GOLD**



**SP04
PLATINUM WHITE**



**SP05
METALLIC GREY**



**SP06
CRUST WINTER**



**SP07
VISCON WHITE**



**SP08
ETERNAL SILESTONE**

PATTERNS



**SP09
LAVA GRAPHITE**




**SP10
GROOVED STATUARIO**

Size: 8 Feet Height x 4 Feet Width | Covered Area: 32 Sq. Ft
Thickness: 3mm - | Pattern: 10+ | Per Sheet Weight- 17.5 Kg (3mm)

ACCESSORIES


ALUMINIUM ACCESSORIES



EDGE STRIP



FLAT STRIP



EXTERNAL CORNER



INTERNAL CORNER



I STRIP



L CORNER

Size: 10 Running Feet | Color: Rose Gold

SPC FLOORING

SPC (Stone Plastic Composite) Flooring is revolutionizing the flooring industry with its robust construction and versatile applications. Designed with a rigid core made from a combination of natural limestone powder, polyvinyl chloride (PVC), and stabilizers, SPC Flooring is engineered to offer superior durability, stability & waterproof performance.

SPECIFICATION:

- Material** : Stone Powder, PVC Powder & IXPE Pad.
- Application** : Flooring For Both Commercial And Residential
- Function** : Water-Proof, Fire-Resistant, Moisture-Proof, Anti-Corrosion & Anti-Insect
- Advantages** : Affordable Price, Safe, Beauty, Durability, Easy Installation & Environmental Protection
- Life time** : 20 Years.
- Installation** : Inter Locking
- Accessories** : Skirting line, Reducer, StairNose & T-shape Mould.

ADVANTAGES & FEATURES



Water
Proof



Durability



Easy To
Install



Cost
Effective



Low
Maintenance



Weather &
UV Resistant



Fire
Resistant



Easy to
Clean



Scratches
Resistant



Termite &
Pest Resistant

SCAN ME



ALL IN ONE VIEW

PATTERNS



BBF01 - CHIC WALNUT



BBF02 - DARK SEN



BBF03 - THERMO PINE



BBF04 - MOON LIGHT OAK



BBF05 - EXOTIC BEIGE



BBF06 - RIDGED BRAZILIAN

Size: 4 Feet Height x 7 Inch Width | Per Panel Coverage Area: 2.33 Sq. Ft

Thickness: 6.5 mm (5mm SPC core + 1.5mm IXPE PAD)


Per Panel Weight: 2.3 Kg | Pattern: 6+

Per Box: 8 Pcs | Per Box Coverage Area: 18.6 Sq. ft

SPC FLOORING ACCESSORIES



STAIRNOSE



SKIRTING LINE



T-SHAPED MOULD



REDUCER

Size: 8 Feet Length

Per Box: 20 Pcs | Per Box Weight : 13 Kg

Size: 8 Feet Length

Per Box: 10 Pcs | Per Box Weight : 19 Kg

WPC EXTERIOR FLUTED PANELS

WPC (Wood Plastic Composite) panels are decorative wall panels with vertical fluted design creates a visually striking effect, giving walls and facades a Contemporary appearance.

SPECIFICATION:

- Material** : Composed of wood-plastic composite (WPC), combining wood fibers and thermoplastics for enhanced durability and aesthetics.
- Application** : Ideal for exterior cladding, decking, fencing, and landscaping, suitable for residential and commercial projects.
- Function** : Provides weather resistance, insulation, and protection against UV rays, moisture, and pests.
- Advantages** : Low Maintenance, Eco-Friendly, Available In Various Colours And Finishes, And Resistant To Warping And Fading.
- Life time** : 25-30 years with proper care and maintenance.
- Installation** : Installed using hidden fasteners or clips for a seamless appearance, with straight forward alignment and securing methods.
- Accessories** : L Corners (Available in our pattern color)

ADVANTAGES & FEATURES



ISO
Certified



Easy to
Clean



Wooden
Finishing



Easy to
Install



Low
Maintenance



Weather &
UV Resistant



Fire
Resistant



Water
Resistant



Reusable




Anti
Corrosive

SCAN ME



ALL IN ONE VIEW

PATTERNS



EW01
GREEN HEART WOOD




EW02
METAL GREY WOOD



EW03
EBONY BROWN WOOD



EW04
OXFORD BROWN WOOD



**WPC Exterior Accessories
L CORNERS Available in
Our Pattern Color**

**Size: 9 Feet 6 Inch Height x 8.7 Inch Width | Covered Area: 6.8 Sq. Ft
Thickness: 26mm | Pattern: 4+ | Per Panel Weight- 9 Kg
Per Box Panel: 5 Pcs | Per Box Weight- 45 Kg**

WOOD CEILING & WALL PANELS

Wood Ceiling & Wall Panel cover the underside of eaves and roof overhangs, combining aesthetic appeal with practical benefits.

SPECIFICATION:

- Material** : Typically Made From PVC with Embossed Wood Texture / Wooden Designs.
- Application** : Ceilings Of Porches Or Patios, Balconies. Enhancing Aesthetics & Shielding The Structural Supports From Exposure.
- Function** : Provides Ventilation To Attic Spaces, Protects Rafters From Moisture, And Enhances Curb Appeal.
- Advantages** : Low-maintenance, Resistant To Rot And Insects, Available In Various Styles And Colours.
- Life time** : Generally Lasts 20-40 Years, Depending On The Material And Environmental Conditions.
- Installation** : The Installation Involves The Use Of Aluminum Channels Along With A Combination Of Accessories And Fasteners.
- Accessories** : H-Channel, J-Channel, Inner Corner & Outer Corner.

ADVANTAGES & FEATURES

SCAN ME



ISO
Certified



Light
Weight



Easy To
Install



Easy To
Clean



Seamless
Look



Low
Maintenance



Anti
Corrosive



Anti
Bacterial



Reuse



Fire
Resistant



Water
Resistant



Weather, UV &
Termite Resistant



ALL IN ONE VIEW

PATTERNS

Size: 12 Feet Height x 1 Feet Width | Covered Area: 12 sq.ft

Thickness: 1mm - 7+ pattern | Per Panel Weight- 2.8 Kg

Per Box: 12 Pcs | Per Box Weight- 27.4 Kg



**SW001
EARLY AMERICAN**



**SW002
TEAK WOOD**



**SW003
LIGHT OAK**



**SW004
WALNUT BROWN**



**SW005
JACOBEAN WOOD**



**SW006
GRAPHITE**

PATTERNS



SW007
WHITE



SW008
WESTERN BROWN



SW009
ORIENTAL WHITE OAK

ACCESSORIES



H-CHANNEL
Traditional Wood Pattern



J-CHANNEL
Traditional Wood Pattern



INNER CORNER
Traditional Wood Pattern



OUTER CORNER
Traditional Wood Pattern

Size: 12 Feet Length

H-Channel - Box Weight - 21 Kg | Per Box - 24 Pcs
J-Channel - Box Weight - 15 Kg | Per Box - 40 Pcs
Inner Corner - Per Box - 10 Pcs
Outer Corner - Per Box - 10 Pcs

BAMBOO CHARCOAL BOARD

Bamboo Charcoal Boards are a revolutionary Eco-friendly building material crafted from sustainable bamboo, which is carbonized through a high-temperature process. As the world shifts towards greener and healthier living environments, these boards stand out for their unique combination of environmental benefits, functional features & stylish design.

SPECIFICATION:

- Material** : Bamboo Fiber Solid Board, PET, PU, PP, PVC film, Stone Powder, Wood Powder & PVC
- Application** : Interior Wall Decoration & Ceiling
- Function** : Water-Proof, Fire-Proof, Moisture Proof, Heat Insulation, Anti-Corrosion & Anti-Insect
- Advantages** : Affordable Price, Flexible, Safe, Beauty, Durability, Easy Installation & Environmental Protection.
- Life time** : 20 Years.
- Accessories** : H-Profile, Mid-Profile, External Profile, Edge Profile & Collor Profile.

ADVANTAGES & FEATURES

SCAN ME



Light Weight



Cost Effective



Excellent Insulation



Smooth Surface



Easy Cut



Moisture Proof



Non Toxic



Versatile Applications



Durability



Reusable




ALL IN ONE VIEW

PATTERNS



BCB01
GREY IRISH




BCB02
GREEN LINEN



BCB03
MATTY BROWN




BCB04
PRESTIGE WHITE




BCB05
SPANDEX WHITE



BCB06
SILVER HORIZON



BCB07
BROWN TUSSAR




BCB08
COTTON BLEND




BCB09
CREAM DIAMOND

Size: 8 Feet Height x 4 Feet Width | Coverage Area: 32 Sq. ft
Thickness: 8 mm | Patterns: 9+ | Per Sheet Weight: 15.8 Kg

ACCESSORIES



H PROFILE



MID PROFILE



EXTERNAL PROFILE



EDGE PROFILE



COLLOR PROFILE

Height: 10 Feet

Each Accessories Per Bundle: 100 Pcs

PU STONE PANELS

PU (Polyurethane) Stone Panels are cutting-edge building materials that offer the perfect blend of aesthetics and practicality. These light weight, durable panels are designed to replicate the natural beauty and texture of traditional stone with added modern benefits.

SPECIFICATION:

Material : Polyurethane (PU)

Application : Wall Panelling, Lobby Areas, Feature Walls, Interior.

Function : Water-Proof, Anti-corrosion, Anti-Insect & Heat insulation

Advantages : Affordable Price, Safe, Attractive, Durable,
Easy Installation & Environmentally friendly

Life time : 20-30 years, Depending on Installation & Exposure

Accessories : Silicon Glue, Screw & Nail

ADVANTAGES & FEATURES

SCAN ME



Light
Weight



Cost
Effective



Durability



Easy to
Install



Water
Proof



Fire
Resistant



Low
Maintenance



Weather
Resistant



Thermal
Insulation




ECO
Friendly



ALL IN ONE VIEW

50 MM - PATTERNS



PU01
PURE BLACK
(MODEL M)



PU02
ELEGANT BLACK
(MODEL M)



PU03
VOLCANIC GREY
(MODEL M)

30 MM - PATTERNS




PU04
WHITE HUMP
(MODEL J)



PU05
EARTHY HUMP
(MODEL J)




PU06
HALF DISK
(MODEL B1)



PU07
TWIN MOON
(MODEL JLZ)

30 MM - PATTERNS



PU08
VERTICAL TERRACOTTA
(MODEL W1)

Size: 4 Feet Height x 2 Feet Width | Thickness: 30 mm & 50 mm
Patterns: 8+ | Coverage Area: 8 Sq. ft

Model Name	MODEL M	MODEL J	MODEL B1	MODEL JLZ	MODEL W1
Box Per Piece	7	16	10	16	12
Per Box Covered Sq. Ft	56	64	80	128	96

STONE COATED STEEL ROOFING SHEETS

Stone Coated Steel Roofing is a durable roofing solution that combines the strength of steel with the aesthetic appeal of natural stone. Light weight, weather-resistant, and energy-efficient, it offers long-lasting protection with minimal maintenance.

SPECIFICATION:

- Material :** Made From Galvanized Steel Layer With Natural Stone Chips Bonded By Acrylic Resin
- Application :** Used In Residential, Commercial, And Public Buildings, Especially In Harsh Climates
- Function :** Provides Weather Protection, Thermal Insulation, Noise Reduction, And Fire Resistance.
- Advantages :** Light Weight, Durable, Low-maintenance, Eco-friendly & Aesthetically Versatile.
- Life time :** 40–70 years, or more than 50 years with proper maintenance
- Installation :** Overlapping of Panels With Fasteners, Frame works & Proper Sealing.
- Accessories :** Flat Sheet, Eaves Flashing, Valley Gutter, Ridge Cap, Barge Board 3 Way Ridge & Side Flashing.

ADVANTAGES & FEATURES



No Rain
Water Sound



Corrosion
Resistant



5 Colors



Weather
Resistant



Strong
(High Quality)



Light
Weight



Fire
Resistant



10 Years
Color Warranty



Beautiful
Matt Look



Low
Maintenance

SCAN ME



ALL IN ONE VIEW

PATTERNS



BBSC 01 - WINE RED



BBSC 02 - BROWN BLACK



BBSC 03 - FOREST GREEN




BBSC 04 - ARTICAL BLUE




BBSC 05 - SMOKY GREY

Size: 7 Feet 7 Inch Height x 2 Feet 8 Inch Width | Patterns: 5+
Thickness: 0.4 mm | Covered Area: 21.56 Sq. Ft | Per Sheet Weight: 10 Kg


ACCESSORIES



Name - Flat Sheet
Width - 1 Feet 6 Inch
Height - 6 Feet 6 Inch




Name - Eaves Flashing
Width - 8.3 Inches
Height - 6 Feet 6 Inch



Name - Valley Gutter
Width - 8.3 Inches
Height - 6 Feet 6 Inch



Name - Ridge Cap
Width - 5.9 Inches
Height - 6 Feet 6 Inch



Name - Barge Board
Width - 9.4 Inches
Height - 6 Feet 6 Inch



Name - 3 Way Ridge



Name - Side Flashing
Width - 5.5 Inches
Height - 6 Feet 6 Inch

WALLPAPERS

Wallpaper is a versatile decorative material used to enhance interior spaces, offering a wide range of colours, patterns, and textures. Made from paper with 210 GSM. Commonly used on one wall to create a focal point, drawing attention and adding depth to a room.

SPECIFICATION:

- Material** : Made from paper with 210 GSM & non-woven, offering diverse textures & finishes.
- Application** : Used for interior wall decoration in residential, commercial, and institutional spaces, providing a range of design possibilities.
- Function** : Adds Visual Interest And Complements Interior Themes, Providing A Sleek And Polished Appearance
- Advantages** : Available in a wide array of colours and patterns, easy to clean, and can be used to hide wall imperfections.
- Installation** : Applied using paste or adhesive, often requiring specific techniques for alignment and smoothing.
- Life time** : 5-15 years or more, depending on the Area of Application maintenance.


Size: 1 Feet 9 Inch Width x 32 Feet Height

Thickness: 210 GSM | Covered Area: 56 Sq. Ft


Patterns: Model 1 - 49+ | Model 2 - 8+



MODEL - 1



MC120044



MC120035



MC120037



MC120036



MC120038



MC120031



MC120041




MC120034



MR130125



MC120145



MC120140



MC120141



MC120143



ML110158



MC120152



MC120159




MC120155



MR130107



MR130106



MC120011




MR130605



MR130603



MR130601



MC120074




MC120060

MODEL - 1



MC120135



MC120136




ML110506



MR130207




MR130131



MC120052



MC120125




MC120123



MC120091



MC120093



MC120092



MC120094



GU873605



GU873606



MS370904



MS370901




MS370606



B580105




B581302



B581301




B581303



A381805




A381902




A381901

MODEL - 2



LD188051



LD188052




LX888041



LX888042




LX888044



LX888051



LX888052



LX888054

ACCENTUATE
The Feel of Your Decor



PVC PANELS

PVC (Polyvinyl Chloride) Panels are a cutting-edge interior and exterior cladding solution that combines aesthetic versatility with practical performance. As a modern solution for both decorative and functional cladding, PVC Panels are paving the way for innovative design while offering superior durability, affordability and environmental resistance.

SPECIFICATION:

- Material** : Polyvinyl Chloride (PVC)
- Application** : Wall And Ceiling Panelling, Living Rooms, Lobbies & Commercial Spaces.
- Function** : Water Resistant, Fire Resistant, Moisture Resistant, Heat Insulation, Anti-Corrosion & Anti-Insect.
- Advantages** : Affordable Price, Safe, Aesthetic, Durable, Easy to Install & Environmentally Friendly.
- Life time** : 10-15 years, Depending on installation and environment.
- Accessories** : U-Corner, L-Corner & H-Corner .

ADVANTAGES & FEATURES



Water
Resistant



Easy To
Install



Smooth
Surface



Cost
Effective



Low
Maintenance



Fire
Resistant



Light
Weight



ECO
Friendly



Seamless
Finish



Termite &
Pest Resistant

SCAN ME



ALL IN ONE VIEW

PVC FLAT PANELS



PVC01
NOVA WALNUT



PVC02
WILD CHEERY



PVC03
DECORATIVE GOLD



PVC04
RIVER STONE GREY



PVC05
DARK CARAMEL



PVC06
BRUMA TEAK

Size: 10 Feet Height x 15 Inch Width | Thickness: 6 mm
Coverage Area: 12.5 Sq. Ft | Patterns: 6+

PVC TWO GROOVE PANELS



TGP01
SNOW TEAK



TGP02
IVORY WHITE



TGP03
CREAMY OAK



TGP04
URBAN TEAK

Size: 10 Ft Height x 1 Feet Width | Thickness - 8.5 mm

Coverage Area- 10 Sq. Ft | Per Panel Weight - 3 Kg | Patterns: 4+

PVC PANEL ACCESSORIES



U CORNER



L CORNER



H CORNER

Size: 10 Feet Length | Per bundle: 40 Pcs.

ADHESIVE



MAIN PURPOSES

Bonding Wood And Pvc, Ceramic, Masonry, Aluminum, Metal, Timber, Steel, Concrete, Glass, Plasterboard, And flooring Paneling, Etc.,

PRODUCTS FEATURES

- Good weather resistance
- Low - odour and eco-friendly
- Super Initial Strength, Long-Lasting Viscosity and Good Bonding Strength
- Wide application range, suitable for most of materials and also suitable for tha gap filling.
- No containing to toluene, benzene or other hazardous material.

APPLICATION METHOD

- Clean the surface and make sure there's no oil stains and ash left.
- Cut open the orifice and fit the nozzle on squeeze the adhesive out with a gun.

BONDING PROCESS FOR LIGHT MATERIALS:

(Applicable to light materials and bonding places with light bearing pressure) squeeze the adhesive out and gelatinize in a "Z" Shape with a 40cm distance, press the materials tightly and then take them a part for several minutes and squeeze them again.

BONDING PROCESS FOR HEAVY MATERIALS:

Squeeze the adhesive out and gelatinize as described above, then fix with clamp, iron nails, screws and others instruments, remove the clamp after adhesive dried (above 24 hours). Sticking positions can be adjusted within 20 mins, adhesiveness will be stronger within 2-3 days, optimum efficiency will be achieved after 7 days.

ADHESIVE



INTRODUCTION

Liquid nails are with super strength, can be used in place of nails to fix and bond the woods, plasterboard, medium density fiberboard, stones, metals plastics, rubbers etc., without surface drilling.

FEATURES

- Super adhesiveness.
- Excellent flexibility, Stable adhesiveness.
- Wide application can be used or most base materials even wet woods.
- Will not sag, can be used for joint filling, can be painted after drying.
- Perfect weather resistance and water tightness.
- Non-toxic, tasteless and no pollution.

APPLICATION METHOD

- Clean the surface and make sure there's no oil stains and ash left.
- Cut open the orifice and fit the nozzle on squeeze the adhesive out with a gun

BONDING PROCESS FOR LIGHT MATERIALS:

(Applicable to light materials and bonding places with light bearing pressure) squeeze the adhesive out and gelatinize in a "Z" Shape with a 40cm distance, press the materials tightly and then take them a part for several minutes and squeeze them again.

BONDING PROCESS FOR HEAVY MATERIALS:

Squeeze the adhesive out and gelatinize as described above, then fix with clamp, iron nails, screws and other instruments, remove the clamp after adhesive dried (above 24 hours). Sticking positions can be adjusted within 20min, adhesiveness will be stronger within 2-3days, optimum efficiency will be achieved after 7 days.

ADHESIVE



PRODUCT DESCRIPTION

Neutral silicone sealant is an anti-bacterial; single component Oxime cure sealant, cured by atmospheric moisture to form a high-strength waterproof seal. It is a flexible multi-purpose silicone sealant with a powerful anti-fungal property to prevent mold/bacteria growth.

INSTRUCTION

1. All surfaces must be clean and dry.
2. This product should not be used for structural assembly, the areas that may contain alkaline substances like marble and granite, as well as the surfaces that are frosty, humid, or with bad ventilation conditions and may contain transudatory grease, or plasticizer.

WARNING

1. Keep out of reach of children.
2. Keep the package well sealed, and ensure the operation site has good ventilation conditions.
3. Avoid contact with eyes and skin, in case that happens should wash with clean water immediately, then turn to the doctor for help.
4. Consumers should have a trial test before operation while following the instructions stated above to avoid person danger or loss.

NOTICE

The product should be stored in a dry and cool place with the temperature below 27°C.

SHELF LIFE

12 Months

STAY CONNECTED WITH US

For Tamil Language:

+91 7094 8888 33 | +91 84899 22225 | +91 84899 33366

For Hindi Language:

+91 7094 8888 14 | +91 84899 11112 | +91 84899 11113

SCAN TO FOLLOW US ON

Social media



LinkedIn



Instagram



Youtube



FaceBook



Google Review

CORPORATE OFFICE

No.5/302, 2nd Floor, Near Honda
Showroom, Thirukkampuliyur, Covai Road,
Karur - 639 002.

BRANCH OFFICE

Novel MSR Building, Subbaiah Reddy Colony,
Marathahalli Village, Marathahalli, Bengaluru,
Karnataka - 560 037.

WAREHOUSE

1. Karur - Tamilnadu
2. Vijayawada - Andhra Pradesh
3. New Delhi

PAN INDIA DEALER MAP



Where Ever You Go,
Our **BBC Land Mark**
is there!

6+
Years
Being a Reputed
Décor Products
Company

20+
State
Presence

400+
Branches In
All Over India

3 Lakhs+
Happy Clients



THANKS FOR YOUR READING!

We will design your space and give you a healthy and better life



WWW.BUSINESSBENCH.IN