JDRF Artificial Pancreas Project Randomized Clinical Trial Treatment Related Utilities Survey- Parent Version TblASurveyTxP

Patient ID:	PtID	

TREATMENT-RELATED UTILITIES

Throughout this study we have evaluated your child's quality of life using time tradeoff questions. It is important for us to understand how the different testing choices being studied in this trial might affect your child's quality of life. We will again ask you to make some imaginary choices. Again, you may stop if these questions make you uncomfortable.

Use the "Time frame" that corresponds to the age of the patient to select the correct the hierarchical diagrams beginning on page 3. The hierarchical diagram must be used in conjunction with every question below.

Age of patient	Time frame*
8-15	50
15-25	40 TimeFrameP
25-35	30
>35	20

The first question is simply a choice between the full time in current health vs. the full time in perfect health. If parent chooses full time in current health then discuss answer, determine if parent intends answer and go to next question. All questions are a choice between 1) "X years in perfect health" 2) "Y years with condition" or 3) "No preference, because these seem about the same". Every questions must be asked six different times using the hierarchical diagram flow or until the patient chooses "No preference".

If this section is unclear please see example at the end of this document.

TREATMENT-RELATED UTILITIES

Look at the chart below. The chart describes the differences in life experience with continuous glucose monitoring and life with traditional self monitoring of blood glucose. There are differences in the experience with the testing device, the period of time spent in different sugar levels, and your awareness of your sugar levels.

	Continuous Glucose Monitoring	Traditional Self Monitoring of Blood
		Glucose
Experience with the device	You wear a real-time continuous glucose monitor which includes a small probe inserted into your skin.	You prick your finger 4-8 times per day in order to measure your pre-meal or post-meal glucose levels.
	You replace the monitor probe every 3-	
	7 days	

	You still use traditional self monitoring to determine insulin doses	
Time spent in a good blood sugar range (70-180 mg/dL)	14.5 hours	12.5 hours
Sugar level awareness	You are notified of low and high blood sugar levels by an alarm throughout the day, including when you are sleeping.	You are unaware of low and high blood sugar levels throughout the day and night without using the glucose monitor.

Interviewer: The time tradeoff questions begin at this point.

Primary caregiver EduCareGvrP
Continuous Glucose Monitor
Now I am going to ask you an imaginary question. Imagine your child had the following choice, which would he/she prefer?
 years living with the continuous glucose monitor years in perfect health without diabetes years in perfect health without diabet
☐ Parent refuses to continue 'continuous glucose monitoring' question RefContCGMP
Self Monitoring Of Blood Glucose
Now I am going to ask you an imaginary question. Imagine your child had the following choice, which would he/she prefer?
 years living with the traditional self monitoring of blood glucose years in perfect health without diabetes years in perfect hea
☐ Parent refuses to continue 'traditional self monitoring of blood glucose' question RefContSMBGP
☐ Parent refuses to continue survey RefContP
Interviewer: If parent does not choose living in perfect health then discuss answer, determine if parent intends answer and go to nex question.

50

39 50

36

45 50

_Choice6P

42

50

_Choice6P

Time Frame = 50

60 — Choice1P — 50

-Choice3P — Choice3P — Choice3P — Choice5P — Choice

50

50

33 50

_Choice6P


23


20 50


_Choice6P

50

14 50







Fictitious example for the Continuous Glucose Monitor section:

An investigator is asking Joe (parent) questions about his daughter. Joe's daughter is 15 years old which puts her "**Time Frame**" equal to **50**. The investigator asks Joe the following question using the hierarchical diagram flow to plot the number of years for each question.

Question 1: Imagine your child had the following choice, which would he/she prefer; 50 years living with the continuous glucose monitor or 50 years in perfect health? _Choice1P Answer: 50 years in perfect health

Question 2: Which would he/she prefer; 50 years living with the continuous glucose monitor or 25 years in perfect health? _Choice2P Answer: 50 years living with the continuous glucose monitor

Question 3: Which would he/she prefer; 50 years living with the continuous glucose monitor or 38 years in perfect health? _Choice3P Answer: 38 years in perfect health

Question 4: Which would he/she prefer; 50 years living with the continuous glucose monitor or 31 years in perfect health? _Choice4P Answer: 31 years in perfect health

Question 5: Which would he/she prefer; 50 years living with the continuous glucose monitor or 28 years in perfect health? _Choice5P Answer: 50 years living with the continuous glucose monitor

Question 6: Which would he/she prefer; 50 years living with the continuous glucose monitor or 30 years in perfect health? _Choice6P Answer: 30 years in perfect health

The red boxes represent Joe's choices for the Blindness section. Please note that if Joe had chosen "No Preference" at any point this section would be over. The same approach must be applied to all questions in this survey.

