

Lexicon-Based Methods for Sentiment Analysis

Maite Taboada*

Simon Fraser University

Julian Brooke**

University of Toronto

Milan Tofiloski†

Simon Fraser University

Kimberly Voll‡

University of British Columbia

Manfred Stede§

University of Potsdam

We present a lexicon-based approach to extracting sentiment from text. The Semantic Orientation CALculator (SO-CAL) uses dictionaries of words annotated with their semantic orientation (polarity and strength), and incorporates intensification and negation. SO-CAL is applied to the polarity classification task, the process of assigning a positive or negative label to a text that captures the text's opinion towards its main subject matter. We show that SO-CAL's performance is consistent across domains and on completely unseen data. Additionally, we describe the process of dictionary creation, and our use of Mechanical Turk to check dictionaries for consistency and reliability.

1. Introduction

Semantic orientation (SO) is a measure of subjectivity and opinion in text. It usually captures an evaluative factor (positive or negative) and potency or strength (degree to which the word, phrase, sentence, or document in question is positive or negative)

* Corresponding author. Department of Linguistics, Simon Fraser University, 8888 University Dr., Burnaby, B.C. V5A 1S6 Canada. E-mail: mtaboada@sfu.ca.

** Department of Computer Science, University of Toronto, 10 King's College Road, Room 3302, Toronto, Ontario M5S 3G4 Canada. E-mail: jbrooke@cs.toronto.edu.

† School of Computing Science, Simon Fraser University, 8888 University Dr., Burnaby, B.C. V5A 1S6 Canada. E-mail: mta45@sfu.ca.

‡ Department of Computer Science, University of British Columbia, 201-2366 Main Mall, Vancouver, B.C. V6T 1Z4 Canada. E-mail: kvoll@cs.ubc.ca.

§ Department of Linguistics, University of Potsdam, Karl-Liebknecht-Str. 24-25. D-14476 Golm, Germany. E-mail: stede@uni-potsdam.de.

Submission received: 14 December 2009; revised submission received: 22 August 2010; accepted for publication: 28 September 2010.

towards a subject topic, person, or idea (Osgood, Suci, and Tannenbaum 1957). When used in the analysis of public opinion, such as the automated interpretation of on-line product reviews, semantic orientation can be extremely helpful in marketing, measures of popularity and success, and compiling reviews.

The analysis and automatic extraction of semantic orientation can be found under different umbrella terms: sentiment analysis (Pang and Lee 2008), subjectivity (Lyons 1981; Langacker 1985), opinion mining (Pang and Lee 2008), analysis of stance (Biber and Finegan 1988; Conrad and Biber 2000), appraisal (Martin and White 2005), point of view (Wiebe 1994; Scheibman 2002), evidentiality (Chafe and Nichols 1986), and a few others, without expanding into neighboring disciplines and the study of emotion (Ketel 1975; Ortony, Clore, and Collins 1988) and affect (Batson, Shaw, and Oleson 1992). In this article, **sentiment analysis** refers to the general method to extract subjectivity and polarity from text (potentially also speech), and **semantic orientation** refers to the polarity and strength of words, phrases, or texts. Our concern is primarily with the semantic orientation of texts, but we extract the sentiment of words and phrases towards that goal.

There exist two main approaches to the problem of extracting sentiment automatically.¹ The lexicon-based approach involves calculating orientation for a document from the semantic orientation of words or phrases in the document (Turney 2002). The text classification approach involves building classifiers from labeled instances of texts or sentences (Pang, Lee, and Vaithyanathan 2002), essentially a supervised classification task. The latter approach could also be described as a statistical or machine-learning approach. We follow the first method, in which we use dictionaries of words annotated with the word's semantic orientation, or polarity.

Dictionaries for lexicon-based approaches can be created manually, as we describe in this article (see also Stone et al. 1966; Tong 2001), or automatically, using seed words to expand the list of words (Hatzivassiloglou and McKeown 1997; Turney 2002; Turney and Littman 2003). Much of the lexicon-based research has focused on using adjectives as indicators of the semantic orientation of text (Hatzivassiloglou and McKeown 1997; Wiebe 2000; Hu and Liu 2004; Taboada, Anthony, and Voll 2006).² First, a list of adjectives and corresponding SO values is compiled into a dictionary. Then, for any given text, all adjectives are extracted and annotated with their SO value, using the dictionary scores. The SO scores are in turn aggregated into a single score for the text.

The majority of the statistical text classification research builds Support Vector Machine classifiers, trained on a particular data set using features such as unigrams or bigrams, and with or without part-of-speech labels, although the most successful features seem to be basic unigrams (Pang, Lee, and Vaithyanathan 2002; Salvetti, Reichenbach, and Lewis 2006). Classifiers built using supervised methods reach quite a high accuracy in detecting the polarity of a text (Chaovalit and Zhou 2005; Kennedy and Inkpen 2006; Boiy et al. 2007; Bartlett and Albright 2008). However, although such classifiers perform very well in the domain that they are trained on, their performance drops precipitously (almost to chance) when the same classifier is used in

1 Pang and Lee (2008) provide an excellent recent survey of the opinion mining or sentiment analysis problem and the approaches used to tackle it.

2 With some exceptions: Turney (2002) uses two-word phrases; Whitelaw, Garg, and Argamon (2005) adjective phrases; and Benamara et al. (2007) adjectives with adverbial modifiers. See also Section 2.1. We should also point out that Turney does not create a static dictionary, but rather scores two-word phrases on the fly.

a different domain (Aue and Gamon [2005]; see also the discussion about domain specificity in Pang and Lee [2008, section 4.4]).³ Consider, for example, an experiment using the Polarity Dataset, a corpus containing 2,000 movie reviews, in which Brooke (2009) extracted the 100 most positive and negative unigram features from an SVM classifier that reached 85.1% accuracy. Many of these features were quite predictable: *worst*, *waste*, *unfortunately*, and *mess* are among the most negative, whereas *memorable*, *wonderful*, *laughs*, and *enjoyed* are all highly positive. Other features are domain-specific and somewhat inexplicable: If the writer, director, plot, or script are mentioned, the review is likely to be unfavorable towards the movie, whereas the mention of performances, the ending, or even flaws, indicates a good movie. Closed-class function words appear frequently; for instance, *as*, *yet*, *with*, and *both* are all extremely positive, whereas *since*, *have*, *though*, and *those* have negative weight. Names also figure prominently, a problem noted by other researchers (Finn and Kushmerick 2003; Kennedy and Inkpen 2006). Perhaps most telling is the inclusion of unigrams like *2*, *video*, *tv*, and *series* in the list of negative words. The polarity of these words actually makes some sense in context: Sequels and movies adapted from video games or TV series do tend to be less well-received than the average movie. However, these real-world facts are not the sort of knowledge a sentiment classifier ought to be learning; within the domain of movie reviews such facts are prejudicial, and in other domains (e.g., video games or TV shows) they are either irrelevant or a source of noise.

Another area where the lexicon-based model might be preferable to a classifier model is in simulating the effect of linguistic context. On reading any document, it becomes apparent that aspects of the local context of a word need to be taken into account in SO assessment, such as negation (e.g., *not good*) and intensification (e.g., *very good*), aspects that Polanyi and Zaenen (2006) named contextual valence shifters. Research by Kennedy and Inkpen (2006) concentrated on implementing those insights. They dealt with negation and intensification by creating separate features, namely, the appearance of *good* might be either *good* (no modification) *not_good* (negated *good*), *int_good* (intensified *good*), or *dim_good* (diminished *good*). The classifier, however, cannot determine that these four types of *good* are in any way related, and so in order to train accurately there must be enough examples of all four in the training corpus. Moreover, we show in Section 2.4 that expanding the scope to two-word phrases does not deal with negation adequately, as it is often a long-distance phenomenon. Recent work has begun to address this issue. For instance, Choi and Cardie (2008) present a classifier that treats negation from a compositional point of view by first calculating polarity of terms independently, and then applying inference rules to arrive at a combined polarity score. As we shall see in Section 2, our lexicon-based model handles negation and intensification in a way that generalizes to all words that have a semantic orientation value.

A middle ground exists, however, with semi-supervised approaches to the problem. Read and Carroll (2009), for instance, use semi-supervised methods to build domain-independent polarity classifiers. Read and Carroll built different classifiers and show that they are more robust across domains. Their classifiers are, in effect, dictionary-based, differing only in the methodology used to build the dictionary. Li et al. (2010) use co-training to incorporate labeled and unlabeled examples, also making use of

³ Blitzer, Dredze, and Pereira (2007) do show some success in transferring knowledge across domains, so that the classifier does not have to be re-built entirely from scratch.

a distinction between sentences with a first person subject and with other subjects. Other hybrid methods include those of Andreevskaia and Bergler (2008), Dang, Zhang, and Chen (2010), Dasgupta and Ng (2009), Goldberg and Zhu (2006), or Prabowo and Thelwall (2009). Wan (2009) uses co-training in a method that uses English labeled data and an English classifier to learn a classifier for Chinese.

In our approach, we seek methods that operate at a deep level of analysis, incorporating semantic orientation of individual words and contextual valence shifters, yet do not aim at a full linguistic analysis (one that involves analysis of word senses or argument structure), although further work in that direction is possible.

In this article, starting in Section 2, we describe the Semantic Orientation CALCulator (SO-CAL) that we have developed over the last few years. We first extract sentiment-bearing words (including adjectives, verbs, nouns, and adverbs), and use them to calculate semantic orientation, taking into account valence shifters (intensifiers, downtoners, negation, and irrealis markers). We show that this lexicon-based method performs well, and that it is robust across domains and texts. One of the criticisms raised against lexicon-based methods is that the dictionaries are unreliable, as they are either built automatically or hand-ranked by humans (Andreevskaia and Bergler 2008). In Section 3, we present the results of several experiments that show that our dictionaries are robust and reliable, both against other existing dictionaries, and as compared to values assigned by humans (through the use of the Mechanical Turk interface). Section 4 provides comparisons to other work, and Section 5 conclusions.

2. SO-CAL, the Semantic Orientation CALCulator

Following Osgood, Suci, and Tannenbaum (1957), the calculation of sentiment in SO-CAL begins with two assumptions: that individual words have what is referred to as **prior polarity**, that is, a semantic orientation that is independent of context; and that said semantic orientation can be expressed as a numerical value. Several lexicon-based approaches have adopted these assumptions (Bruce and Wiebe 2000; Hu and Liu 2004; Kim and Hovy 2004). In this section, we describe the different dictionaries used in SO-CAL, and the incorporation of valence shifters. We conclude the section with tests that show SO-CAL's performance on different data sets.

2.1 Adjectives

Much of the early research in sentiment focused on adjectives or adjective phrases as the primary source of subjective content in a document (Hatzivassiloglou and McKeown 1997; Hu and Liu 2004; Taboada, Anthony, and Voll 2006), albeit with some exceptions, especially more recently, which have also included the use of adverbs (Benamara et al. 2007); adjectives and verbs (Kim and Hovy 2004); adjective phrases (Whitelaw, Garg, and Argamon 2005); two-word phrases (Turney 2002; Turney and Littman 2003); adjectives, verbs, and adverbs (Subrahmanian and Reforgiato 2008); the exclusive use of verbs (Sokolova and Lapalme 2008); the use of *non-affective* adjectives and adverbs (Sokolova and Lapalme 2009a, 2009b); or rationales, words and phrases selected by human annotators (Zaidan and Eisner 2008). In general, the SO of an entire document is the combined effect of the adjectives or relevant words found within, based upon a dictionary of word rankings (scores). The dictionary can be created in different ways: manually, using existing dictionaries such as the General Inquirer (Stone et al. 1966), or semi-automatically, making use of resources like WordNet (Hu and Liu 2004; Kim

and Hovy 2004; Esuli and Sebastiani 2006). The dictionary may also be produced automatically via association, where the score for each new adjective is calculated using the frequency of the proximity of that adjective with respect to one or more seed words. **Seed words** are a small set of words with strong negative or positive associations, such as *excellent* or *abysmal*. In principle, a positive adjective should occur more frequently alongside the positive seed words, and thus will obtain a positive score, whereas negative adjectives will occur most often in the vicinity of negative seed words, thus obtaining a negative score. The association is usually calculated following Turney's method for computing mutual information (Turney 2002; Turney and Littman 2003), but see also Rao and Ravichandran (2009) and Velikovich et al. (2010) for other methods using seed words.

Previous versions of SO-CAL (Taboada and Grieve 2004; Taboada, Anthony, and Voll 2006) relied on an adjective dictionary to predict the overall SO of a document, using a simple aggregate-and-average method: The individual scores for each adjective in a document are added together and then divided by the total number of adjectives in that document.⁴ As we describe subsequently, the current version of SO-CAL takes other parts of speech into account, and makes use of more sophisticated methods to determine the true contribution of each word.

It is important to note that how a dictionary is created affects the overall accuracy of subsequent results. In Taboada, Anthony, and Voll (2006) we report on experiments using different search engines and operators in trying to create dictionaries semi-automatically. We found that, although usable, dictionaries created using the Google search engine were unstable. When rerun, the results for each word were subject to change, sometimes by extreme amounts, something that Kilgarrieff (2007) also notes, arguing against the use of Google for linguistic research of this type. An alternative would be to use a sufficiently large static corpus, as Turney (2006) does to measure relational similarity across word pairs.

Automatically or semi-automatically created dictionaries have some advantages. We found many novel words in our initial Google-generated dictionary. For instance, *unlistenable* was tagged accurately as highly negative, an advantage that Velikovich et al. (2010) point out. However, in light of the lack of stability for automatically generated dictionaries, we decided to create manual ones. These were produced by hand-tagging all adjectives found in our development corpus, a 400-text corpus of reviews (see the following) on a scale ranging from -5 for extremely negative to $+5$ for extremely positive, where 0 indicates a neutral word (excluded from our dictionaries). "Positive" and "negative" were decided on the basis of the word's prior polarity, that is, its meaning in most contexts. We do not deal with word sense disambiguation but suspect that using even a simple method to disambiguate would be beneficial. Some word sense ambiguities are addressed by taking part of speech into account. For instance, as we mention in Section 3.4, *plot* is only negative when it is a verb, but should not be so in a noun dictionary; *novel* is a positive adjective, but a neutral noun.

To build the system and run our experiments, we use the corpus described in Taboada and Grieve (2004) and Taboada, Anthony, and Voll (2006), which consists of a 400-text collection of Epinions reviews extracted from eight different categories: books, cars, computers, cookware, hotels, movies, music, and phones, a corpus we named "Epinions 1." Within each collection, the reviews were split into 25 positive and 25

4 To determine part of speech, we use the Brill tagger (Brill 1992).

negative reviews, for a total of 50 in each category, and a grand total of 400 reviews in the corpus (279,761 words). We determined whether a review was positive or negative through the “recommended” or “not recommended” feature provided by the review’s author.

2.2 Nouns, Verbs, and Adverbs

In the following example, adapted from Polanyi and Zaenen (2006), we see that lexical items other than adjectives can carry important semantic polarity information.

- (1) a. The young man strolled+ purposefully+ through his neighborhood+.
- b. The teenaged male strutted– cockily– through his turf–.

Although the sentences have comparable literal meanings, the plus-marked nouns, verbs, and adverbs in Example (1a) indicate the positive orientation of the speaker towards the situation, whereas the minus-marked words in Example (1b) have the opposite effect. It is the combination of these words in each of the sentences that conveys the semantic orientation for the entire sentence.⁵

In order to make use of this additional information, we created separate noun, verb, and adverb dictionaries, hand-ranked using the same +5 to –5 scale as our adjective dictionary. The enhanced dictionaries contain 2,252 adjective entries, 1,142 nouns, 903 verbs, and 745 adverbs.⁶ The SO-carrying words in these dictionaries were taken from a variety of sources, the three largest being Epinions 1, the 400-text corpus described in the previous section; a 100-text subset of the 2,000 movie reviews in the Polarity Dataset (Pang, Lee, and Vaithyanathan 2002; Pang and Lee 2004, 2005);⁷ and positive and negative words from the General Inquirer dictionary (Stone et al. 1966; Stone 1997).⁸ The sources provide a fairly good range in terms of register: The Epinions and movie reviews represent informal language, with words such as *ass-kicking* and *nifty*; at the other end of the spectrum, the General Inquirer was clearly built from much more formal texts, and contributed words such as *adroit* and *jubilant*, which may be more useful in the processing of literary reviews (Taboada, Gillies, and McFetridge 2006; Taboada et al. 2008) or other more formal texts.

Each of the open-class words was assigned a hand-ranked SO value between 5 and –5 (neutral or zero-value words were excluded) by a native English speaker. The numerical values were chosen to reflect both the prior polarity and the strength of the word, averaged across likely interpretations. The dictionaries were later reviewed by a committee of three other researchers in order to minimize the subjectivity of ranking SO by hand. Examples are shown in Table 1.

One difficulty with nouns and verbs is that they often have both neutral and non-neutral connotations. In the case of *inspire* (or *determination*), there is a very positive meaning (Example (2)) as well as a rather neutral meaning (Example (3)).

- (2) The teacher inspired her students to pursue their dreams.
- (3) This movie was inspired by true events.

⁵ Something that Turney (2002) already partially addressed, by extracting two-word phrases.

⁶ Each dictionary also has associated with it a stop-word list. For instance, the adjective dictionary has a stop-word list that includes *more*, *much*, and *many*, which are tagged as adjectives by the Brill tagger.

⁷ Available from www.cs.cornell.edu/People/pabo/movie-review-data/.

⁸ Available from www.wjh.harvard.edu/~inquirer/.

Table 1
Examples of words in the noun and verb dictionaries.

Word	SO Value
monstrosity	−5
hate (noun and verb)	−4
disgust	−3
sham	−3
fabricate	−2
delay (noun and verb)	−1
determination	1
inspire	2
inspiration	2
endear	3
relish (verb)	4
masterpiece	5

Except when one sense was very uncommon, the value chosen reflected an averaging across possible interpretations. In some cases, the verb and related noun have a different SO value. For instance, *exaggerate* is −1, whereas *exaggeration* is −2, and the same values are applied to *complicate* and *complication*, respectively. We find that grammatical metaphor (Halliday 1985), that is, the use of a noun to refer to an action, adds a more negative connotation to negative words.

All nouns and verbs encountered in the text are lemmatized,⁹ and the form (singular or plural, past tense or present tense) is not taken into account in the calculation of SO value. As with the adjectives, there are more negative nouns and verbs than positive ones.¹⁰

The adverb dictionary was built automatically using our adjective dictionary, by matching adverbs ending in *-ly* to their potentially corresponding adjective, except for a small selection of words that were added or modified by hand. When SO-CAL encountered a word tagged as an adverb that was not already in its dictionary, it would stem the word and try to match it to an adjective in the main dictionary. This worked quite well for most adverbs, resulting in semantic orientation values that seem appropriate (see examples in Table 2).

In other cases—for example, *essentially*—there is a mismatch between the meaning (or usage pattern) of the adverb when compared to the adjective it is based on, and the value was manually corrected.

Although the vast majority of the entries are single words, SO-CAL allows for multi-word entries written in a regular expression-like language; in particular, the verb dictionary contains 152 multi-word expressions (mostly phrasal verbs, e.g., *fall apart*), and the intensifier dictionary, described subsequently, contains 35 multi-word entries (e.g., *a little bit*). Multi-word expressions take precedence over single-word expressions; for instance, *funny* by itself is positive (+2), but if the phrase *act funny* appears, it is given a negative value (−1).

9 Lemmatization is a simple process of stripping any endings from words not in the dictionary, according to their part of speech. After stripping, we perform a new dictionary look-up.
10 The ratio for adjectives is 47:53 positive to negative, and for nouns it is 41:59.

Table 2
Examples from the adverb dictionary.

Word	SO Value
excruciatingly	−5
inexcusably	−3
foolishly	−2
satisfactorily	1
purposefully	2
hilariously	4

It is difficult to measure the coverage of our dictionaries, because there is no direct way to estimate the number of SO-carrying words and expressions in English (although it should probably be larger than 5,000, the rough total of our current dictionaries). Wilson, Wiebe, and Hoffmann (2005) provide a list of subjectivity cues with over 8,000 entries; there are many more neutral, repeated, and inflectionally related entries than in our dictionaries, however, as well as many more nouns, and far fewer adjectives. Automatically generated dictionaries are generally much larger: SentiWordNet (Baccianella, Esuli, and Sebastiani 2010) includes 38,182 non-neutral words (when the polarity of senses is averaged—see discussion in Section 3.4), and the Maryland dictionary (Mohammad, Dorr, and Dunne 2009) has 76,775 words and phrases tagged for polarity. We will see, in Section 3.4, that larger dictionaries are not necessarily better, in some cases because the information contained is not as detailed (the Maryland dictionary is not classified by part of speech), or because, in general, including more words may also lead to including more noise.

Independently of the difference between manually and automatically generated dictionaries, we have evidence that coverage is a double-edged sword: With an earlier version of SO-CAL we extracted 50 texts from the Polarity Dataset (texts from which we had not previously drawn words) and extracted all words judged to have sentiment that were not already in our dictionaries. We found 116 adjectives, 62 nouns, 43 verbs, and 7 adverbs, a small fraction (less than 3%) of the words in our present lexicon. When these words were added, we found that performance in that data set actually dropped (by 4%). We believe this effect is related to the large amounts of description in genres such as movie reviews (see Taboada, Brooke, and Stede [2009] for a way to address the problem of descriptive noise); basically, rarer vocabulary is likely to contain a strong descriptive (semantic) component, and thus be used in a way that is tangential to overall text sentiment. In any case, the best argument for good (and appropriate) coverage is acceptable performance for new texts in new domains, and indeed we will see in Sections 2.8 and 2.9 that there is little difference in performance between texts and domains which were used to build our dictionaries, and others which were not.

2.3 Intensification

Quirk et al. (1985) classify intensifiers into two major categories, depending on their polarity: Amplifiers (e.g., *very*) increase the semantic intensity of a neighboring lexical item, whereas downtoners (e.g., *slightly*) decrease it. Some researchers in sentiment analysis (Kennedy and Inkpen 2006; Polanyi and Zaenen 2006) have implemented

Table 3
Percentages for some intensifiers.

Intensifier	Modifier (%)
slightly	−50
somewhat	−30
pretty	−10
really	+15
very	+25
extraordinarily	+50
(the) most	+100

intensifiers using simple addition and subtraction—that is, if a positive adjective has an SO value of 2, an amplified adjective would have an SO value of 3, and a downtoned adjective an SO value of 1. One problem with this kind of approach is that it does not account for the wide range of intensifiers within the same subcategory. *Extraordinarily*, for instance, is a much stronger amplifier than *rather*. Another concern is that the amplification of already “loud” items should involve a greater overall increase in intensity when compared to more subdued counterparts (compare *truly fantastic* with *truly okay*); in short, intensification should also depend on the item being intensified.¹¹ In SO-CAL, intensification is modeled using modifiers, with each intensifying word having a percentage associated with it; amplifiers are positive, whereas downtoners are negative, as shown in Table 3.

For example, if *sleazy* has an SO value of −3, *somewhat sleazy* would have an SO value of: $-3 \times (100\% - 30\%) = -2.1$. If *excellent* has a SO value of 5, *most excellent* would have an SO value of: $5 \times (100\% + 100\%) = 10$. Intensifiers are applied recursively starting from the closest to the SO-valued word: If *good* has an SO value of 3, then *really very good* has an SO value of $(3 \times [100\% + 25\%]) \times (100\% + 15\%) = 4.3$.

Because our intensifiers are implemented using a percentage scale, they are able to fully capture the variety of intensifying words as well as the SO value of the item being modified. This scale can be applied to other parts of speech, given that adjectives, adverbs, and verbs use the same set of intensifiers, as seen in Example (4), where *really* modifies an adjective (*fantastic*), an adverb (*well*), and a verb (*enjoyed*).

- (4)
- a. The performances were all really fantastic.

b. Zion and Planet Asai from the Cali Agents flow really well over this.

c. I really enjoyed most of this film.

Nouns, however, are modified exclusively by adjectives. We are able to take into account some kinds of modification using our main adjective dictionary; there is a small class of adjectives which would not necessarily amplify or downtone correctly if considered in isolation, however, as seen in the following (invented) examples. Here, adjectives such as *total* do not have a semantic orientation of their own, but, just like adverbial intensifiers, contribute to the interpretation of the word that follows them; *total failure* is presumably worse than just *failure*. Thus, we have a separate dictionary for adjectival intensifiers. When an intensifying adjective appears next to

11 Martin and White (2005, page 139) also suggest that the effect is different according to the polarity of the item being intensified. We have not explored that possibility.

an SO-valued noun, it is treated as an intensifier rather than as a separate SO-bearing unit.

- (5) a. The plot had huge problems.
- b. They have made clear progress.
- c. This is a total failure.
- d. It's an insignificant criticism.

Besides adverbs and adjectives, other intensifiers are quantifiers (*a great deal of*). We also included three other kinds of intensification that are common within our genre: the use of all capital letters, the use of exclamation marks, and the use of discourse connective *but* to indicate more salient information (e.g., *...but the movie was GREAT!*).¹² In all, our intensifier dictionary contains 177 entries, some of them multi-word expressions.

2.4 Negation

The obvious approach to negation is simply to reverse the polarity of the lexical item next to a negator, changing *good* (+3) into *not good* (−3). This we may refer to as **switch negation** (Saurí 2008). There are a number of subtleties related to negation that need to be taken into account, however. One is the fact that there are negators, including *not*, *none*, *nobody*, *never*, and *nothing*, and other words, such as *without* or *lack* (verb and noun), which have an equivalent effect, some of which might occur at a significant distance from the lexical item which they affect; a backwards search is required to find these negators, one that is tailored to the particular part of speech involved. We assume that for adjectives and adverbs the negation is fairly local, though it is sometimes necessary to look past determiners, copulas, and certain verbs, as we see in Example (6).

- (6) a. Nobody gives a good performance in this movie. (*nobody* negates *good*)
- b. Out of every one of the fourteen tracks, none of them approach being weak and are all stellar. (*none* negates *weak*)
- c. Just a V-5 engine, nothing spectacular. (*nothing* negates *spectacular*)

Negation search in SO-CAL includes two options: Look backwards until a clause boundary marker is reached;¹³ or look backwards as long as the words/tags found are in a backward search skip list, with a different list for each part of speech. The first approach is fairly liberal, and allows us to capture the true effects of negation raising (Horn 1989), where the negator for a verb moves up and attaches to the verb in the matrix clause. In the following examples the *don't* that negates the verb *think* is actually negating the embedded clause.

- (7) I don't wish to reveal much else about the plot because I don't think it is worth mentioning.

¹² The discourse connective *but* plays a role in linking clauses and sentences in a rhetorical relation (Mann and Thompson 1988). There are more sophisticated ways of making use of those relations, but we have not implemented them yet.

¹³ Clause boundary markers include punctuation and sentential connectives, including some ambiguous ones such as *and* and *but*.

- (8) Based on other reviews, I don't think this will be a problem for a typical household environment.

The second approach is more conservative. In Example (7), the search would only go as far as *it*, because adjectives (*worth*), copulas, determiners, and certain basic verbs are on the list of words to be skipped (allowing negation of adjectives within VPs and NPs), but pronouns are not. Similarly, verbs allow negation on the other side of *to*, and nouns look past adjectives as well as determiners and copulas. This conservative approach seems to work better, and is what we use in all the experiments in this article.¹⁴

Another issue is whether a polarity flip (switch negation) is the best way to quantify negation. Though it seems to work well in certain cases (Choi and Cardie 2008), it fails miserably in others (Liu and Seneff 2009). Consider *excellent*, a +5 adjective: If we negate it, we get *not excellent*, which intuitively is a far cry from *atrocious*, a -5 adjective. In fact, *not excellent* seems more positive than *not good*, which would negate to a -3. In order to capture these pragmatic intuitions, we implemented another method of negation, a polarity shift (**shift negation**). Instead of changing the sign, the SO value is shifted toward the opposite polarity by a fixed amount (in our current implementation, 4). Thus a +2 adjective is negated to a -2, but the negation of a -3 adjective (for instance, *sleazy*) is only slightly positive, an effect we could call "damning with faint praise." Here are a few examples from our corpus.

- (9) a. She's not terrific ($5 - 4 = 1$) but not terrible ($-5 + 4 = -1$) either.
 b. Cruise is not great ($4 - 4 = 0$), but I have to admit he's not bad ($-3 + 4 = 1$) either.
 c. This CD is not horrid ($-5 + 4 = -1$).

In each case, the negation of a strongly positive or negative value reflects a mixed opinion which is correctly captured in the shifted value. Further (invented) examples are presented in Example (10).

- (10) a. Well, at least he's not sleazy. ($-3 \rightarrow 1$)
 b. Well, it's not dreadful. ($-4 \rightarrow 0$)
 c. It's just not acceptable. ($1 \rightarrow -3$)
 d. It's not a spectacular film, but ... ($5 \rightarrow 1$)

As shown in the last example, it is very difficult to negate a strongly positive word without implying that a less positive one is to some extent true, and thus our negator becomes a downtoner.

A related problem for the polarity flip model, as noted by Kennedy and Inkpen (2006), is that negative polarity items interact with intensifiers in undesirable ways. *Not very good*, for instance, comes out more negative than *not good*. Another way to handle this problem while preserving the notion of a polarity flip is to allow the negative item to flip the polarity of both the adjective and the intensifier; in this way, an amplifier becomes a downtoner:

$$\text{Not good} = 3 \times -1 = -3$$

$$\text{Not very good} = 3 \times (100\% + 25\% \times -1) \times -1 = -2.25$$

¹⁴ Full parsing is also an option, but the speed of the parser could pose problems if the goal is to process text on-line. Parsing would still produce ambiguities, and may not be able to correctly interpret scope. Another option is to use parser results to learn the scope (Council, McDonald, and Velikovich 2010).

Compare with the polarity shift version, which is only marginally negative:

$$\text{Not good} = 3 - 4 = -1$$

$$\text{Not very good} = 3 \times (100\% + 25\%) - 4 = -0.25$$

The problems with polarity shift could probably be resolved by fine-tuning SO values and modifiers; the polarity flip model seems fundamentally flawed, however. Polarity shifts seem to better reflect the pragmatic reality of negation, and is supported by Horn (1989), who suggests that affirmative and negative sentences are not symmetrical.

One other interesting aspect of the pragmatics of negation is that negative statements tend to be perceived as more marked than their affirmative counterparts, both pragmatically and psychologically (Osgood and Richards 1973; Horn 1989, chapter 3). This markedness is true in terms of linguistic form, with negative forms being marked across languages (Greenberg 1966), and it is also manifested as (token) frequency distribution, with negatives being less frequent (Boucher and Osgood 1969).¹⁵ Negation tends to be expressed in euphemistic ways, which makes negative sentiment more difficult to identify in general.

In our treatment of negation, we consider mostly negators, but not negative polarity items (NPIs), such as *any*, *anything*, *ever*, or *at all*. In some cases, searching for an NPI would be more effective than searching for a negator. NPIs occur in negative sentences, but also in nonveridical contexts (Zwarts 1995; Giannakidou 1998), which also affect semantic orientation. For instance, *any* occurs in contexts other than negative sentences, as shown in Example (11), from Giannakidou (2001, page 99), where in all cases the presence of *any* is due to a nonveridical situation. Using NPIs would allow us to reduce semantic orientation values in such contexts. We address some of these issues through irrealis blocking, as we explain in the next section.

- (11) a. Did you find any interesting books?
 b. Pick any apple!
 c. He might come any moment now.
 d. I insist you allow anyone in.

Similarly, negation calculation does not include what Choi and Cardie (2008) term “content word negators,” words such as *eliminate*. Most of those are included in the respective dictionaries (i.e., the verb dictionary for *eliminate*) with negative polarity. When they occur in a sentence, aggregation with other sentiment words in the sentence would probably yield a result similar to the compositional approach of Choi and Cardie or Moilanen and Pulman (2007).

2.5 Irrealis Blocking

There are a number of markers that indicate that the words appearing in a sentence might not be reliable for the purposes of sentiment analysis. We refer to these using the linguistic term *irrealis*, usually applied in non-factual contexts. English does not make extensive use of the subjunctive for this purpose, as opposed to other languages, such as Spanish, which tend to use the subjunctive mood to indicate that what is being

¹⁵ Some researchers argue that there is a negative bias in the human representation of experience (negative events are more salient), and the positive bias found by Boucher and Osgood is the result of euphemisms and political correctness in language (Jing-Schmidt 2007).

expressed is not factual. However, English has a few other mechanisms to convey irrealis. Word order, modal verbs, and private-state verbs related to expectation fulfill that function. The imperative mood also conveys that the action expressed has not occurred.

Irrealis markers can change the meaning of sentiment-bearing words in very subtle ways. In some cases, such as Example (12), the right approach is to reverse the SO of *good*, which is in the scope of the modal verb *would*. This interpretation is supported by the contrast in the *but* clause. In Example (13), on the other hand, the modal should not reverse the positive evaluation conveyed by *best*.

(12) I thought this movie would be as good as the Grinch, but unfortunately, it wasn't.

(13) But for adults, this movie could be one of the best of the holiday season.

The approach currently implemented consists of ignoring the semantic orientation of any word in the scope of an irrealis marker (i.e., within the same clause). In Example (14), the positive value of *great* is simply ignored.

(14) This should have been a great movie. (3 \rightarrow 0)

Our list of irrealis markers includes modals, conditional markers (*if*), negative polarity items like *any* and *anything*, certain (mostly intensional) verbs (*expect*, *doubt*), questions, and words enclosed in quotes (which may be factual, but not necessarily reflective of the author's opinion).

There is good reason to include NPIs as irrealis blockers rather than as full-fledged negators: NPIs often appear in embedded alternatives which are not generally marked with question marks and where negation would not be appropriate. In the following example, *any* is part of the complement of *wonder*, which has an implicit alternative (*whether there are going to be any problems with that ... or not*).

(15) I wonder whether there are going to be any problems with that.

There is one case, at least, where it is clear that the SO value of a term should not be nullified by an irrealis blocker, as in Example (16), where the question mark currently blocks the negative orientation of *amateurish crap*. The question is rhetorical in this case, but we have no way of distinguishing it from a real question. Although not very common, this kind of off-hand opinion, buried in a question, imperative, or modal clause, is often quite strong and very reliable. SO-CAL looks for markers of definiteness within close proximity of SO-carrying words (within the NP, such as the determiner *this*), and ignores irrealis blocking if an irrealis marker is found.

(16) ... he can get away with marketing this amateurish crap and still stay on the bestseller list?

2.6 Text-Level Features

Lexicon-based sentiment classifiers generally show a positive bias (Kennedy and Inkpen 2006), likely the result of a universal human tendency to favor positive language (Boucher and Osgood 1969).¹⁶ In order to overcome this problem, Voll and Taboada (2007) implemented normalization, shifting the numerical cut-off point between positive and negative reviews. In the current version of SO-CAL, we have used a somewhat

¹⁶ On average, there are almost twice as many positive as negative words in our texts.

different approach, instead supposing that negative expressions, being relatively rare, are given more cognitive weight when they do appear. Thus we increase the final SO of any negative expression (after other modifiers have applied) by a fixed amount (currently 50%). This seems to have essentially the same effect in our experiments, and is more theoretically satisfying.

Pang, Lee, and Vaithyanathan (2002) found that their machine-learning classifier performed better when a binary feature was used indicating the presence of a unigram in the text, instead of a numerical feature indicating the number of appearances. Counting each word only once does not seem to work equally well for word-counting models. We have, however, improved overall performance by decreasing the weight of words that appear more often in the text: The n th appearance of a word in the text will have only $1/n$ of its full SO value.¹⁷ Consider the following invented example.

- (17) Overall, the film was excellent. The acting was excellent, the plot was excellent, and the direction was just plain excellent.

Pragmatically, the repetition of *excellent* suggests that the writer lacks additional substantive commentary, and is simply using a generic positive word. We could also impose an upper limit on the distance of repetitions, and decrease the weight only when they appear close to each other. Repetitive weighting does not apply to words that have been intensified, the rationale being that the purpose of the intensifier is to draw special attention to them.

Another reason to tone down words that appear often in a text is that a word that appears regularly is more likely to have a neutral sense. This is particularly true of nouns. In one example from our corpus, the words *death*, *turmoil*, and *war* each appear twice. A single use of any of these words might indicate a comment (e.g., *I was bored to death*), but repeated use suggests a descriptive narrative.

2.7 Other Features of SO-CAL

Two other features merit discussion: weighting and multiple cut-offs. First of all, SO-CAL incorporates an option to assign different weights to sentences or portions of a text. Taboada and Grieve (2004) improved performance of an earlier version of the SO calculator by assigning the most weight at the two-thirds mark of a text, and significantly less at the beginning. The current version has a user-configurable form of this weighting system, allowing any span of the text (with the end points represented by fractions of the entire text) to be given a certain weight. An even more flexible and powerful system is provided by the XML weighting option. When this option is enabled, XML tag pairs in the text (e.g., `<topic>`, `</topic>`) can be used as a signal to the calculator that any words appearing between these tags should be multiplied by a certain given weight. This gives SO-CAL an interface to outside modules. For example, one module could pre-process the text and tag spans that are believed to be topic sentences, another module could provide discourse information such as rhetorical relations (Mann and Thompson 1988), and a third module could label the sentences that seem to be subjective. Armed with this information, SO-CAL can disregard or de-emphasize parts of the text that are less relevant to sentiment analysis. This weighting feature is used in Taboada, Brooke, and

¹⁷ One of the reviewers points out that this is similar to the use of term frequency (tf-idf) in information retrieval (Salton and McGill 1983). See also Paltoglou and Thelwall (2010) for a use of information retrieval techniques in sentiment analysis.

Stede (2009) to lower the weight of descriptive paragraphs, as opposed to paragraphs that contain mostly commentary.

Secondly, SO-CAL allows for multiple cut-offs. Most work in sentiment analysis has focused on binary positive/negative classification. Notable exceptions include Koppel and Schler (2005) and Pang and Lee (2005), who each adapted relevant SVM machine-learning algorithms to sentiment classification with a three- and four-class system, respectively. Because SO-CAL outputs a numerical value that reflects both the polarity and strength of words appearing in the text, it is fairly straightforward to extend the function to any level of granularity required; in particular, the SO-CAL grouping script takes a list of n cut-off values, and classifies texts into $n + 1$ classes based on text values. The evaluative output gives information about exact matches and also near-misses (when a text is incorrectly classified into a neighboring class). This allows SO-CAL to identify, for instance, the star rating that would be assigned to a consumer review, as shown in Brooke (2009).

2.8 Evaluation of Features

To test the performance of all of SO-CAL's features, we used the following data sets:

Epinions 1:

Our original collection of 400 review texts (Taboada and Grieve 2004), used in various phases of development. The collection consists of 50 reviews each of: books, cars, computers, cookware, hotels, movies, music, and phones.

Epinions 2:

A new collection of 400 texts from the epinions.com site, with the same composition as Epinions 1.

Movie:

1,900 texts from the Polarity Dataset (Pang and Lee 2004).¹⁸

Camera:

A 2,400-text corpus of camera, printer, and stroller reviews, taken from a larger set of Epinions reviews; also used in Bloom, Garg, and Argamon (2007).

All corpora contain equal numbers of positive and negative texts, and the last three were completely new test corpora.¹⁹ We include our development Epinions 1 corpus in part to show how similar the performance on “familiar” text is to that for unseen texts. In corpus-based or statistical methods, it is essential that training and testing be carried out on separate corpora, because a classifier will often learn to classify its training set too well, using features that are irrelevant to the actual task; for this reason, testing data is usually set aside, or cross-validation used. This is, however, not such an important concern for a lexicon-based model, provided that the dictionary values are assigned to words based on their real-world prior polarity, and not the polarity of the text in which they appear (which is how an SVM classifier would learn its weights). There is, of course, the danger that the words chosen for the dictionaries are reflective of the domain in question. Our dictionaries do contain words that are more frequent or mostly present in review domains, and Epinions 1 influenced our choice of words to include

¹⁸ One hundred reviews of the Polarity Dataset were used for development, and thus those are excluded from our testing. The performance difference between using the full 2,000 texts or 1,900 is negligible.

¹⁹ The development corpus (Epinions 1) and two annotated versions of it, for rhetorical relations and Appraisal, are available from the project's Web site: www.sfu.ca/~mtaboada/research/nserc-project.html.

in the dictionaries. The performance is constant across review domains, however, and remains very good in completely new domains, which shows that there was no over-fitting of the original set.

Table 4 shows a comparison using the current version of SO-CAL with various dictionary alternatives. These results were obtained by comparing the output of SO-CAL to the “recommended” or “not recommended” field of the reviews. An output above zero is considered positive (recommended), and negative if below zero.

The Simple dictionary is a version of our main dictionary that has been simplified to 2/−2 values, switch negation, and 1/−1 intensification, following Polanyi and Zaenen (2006). Only-Adj excludes dictionaries other than our main adjective dictionary, and the One-Word dictionary uses all the dictionaries, but disregards multi-word expressions. Asterisks indicate a statistically-significant difference using chi-square tests, with respect to the full version of SO-CAL, with all features enabled and at default settings.

These results indicate a clear benefit to creating hand-ranked, fine-grained, multiple-part-of-speech dictionaries for lexicon-based sentiment analysis; the full dictionary outperforms all but the One-Word dictionary to a significant degree ($p < 0.05$) in the corpora as a whole. It is important to note that some of the parameters and features that we have described so far (the fixed number for negative shifting, percentages for intensifiers, negative weighting, etc.) were fine-tuned in the process of creating the software, mostly by developing and testing on Epinions 1. Once we were theoretically and experimentally satisfied that the features were reasonable, we tested the final set of parameters on the other corpora.

Table 5 shows the performance of SO-CAL with a number of different options, on all corpora (recall that all but Epinions 1 are completely unseen data). “Neg w” and “rep w” refer to the use of negative weighting (the SO of negative terms is increased by 50%) and repetition weighting (the n th appearance of a word in the text has $1/n$ of its full SO value). Space considerations preclude a full discussion of the contribution of each part of speech and sub-feature, but see Brooke (2009) for a full range of tests using these data. Here the asterisks indicate a statistically-significant difference compared to the preceding set of options.

As we can see in the table, the separate features contribute to performance. Negation and intensification together increase performance significantly. One of the most important gains comes from negative weighting, with repetition weighting also contributing in some, but not all, of the corpora. Although the difference is small, we see here that shifted polarity negation does, on average, perform better than switched polarity negation. We have not presented all the combinations of features, but we know from other experiments, that, for instance, basic negation is more important than basic

Table 4
Comparison of performance using different dictionaries.

Dictionary	Percent correct by corpus				
	Epinions 1	Epinions 2	Movie	Camera	Overall
Simple	76.75	76.50	69.79*	78.71	75.11*
Only-Adj	72.25*	74.50	76.63	71.98*	73.93*
One-Word	80.75	80.00	75.68	79.54	78.23
Full	80.25	80.00	76.37	80.16	78.74

*Statistically significant using the chi-square test, $p < 0.05$.

Table 5
Performance of SO-CAL using various options.

SO-CAL options	Percent correct by corpus				
	Epinions 1	Epinions 2	Movie	Camera	Overall
All words (nouns, verbs, adjectives, adverbs)	65.50	65.25	68.05	64.70	66.04
All words + negation (shift)	67.75	67.25	70.10	67.25*	68.35*
All words + neg (shift) + intensification	69.25	71.50	73.47*	70.00*	71.35*
All words + neg (shift) + int + irrealis blocking	71.00	71.25	74.95	71.37	72.66*
All words + neg (shift) + int + irrealis + neg w	81.50*	78.25*	75.08	78.24*	77.32*
All words + neg (shift) + int + modals + neg w + rep w	80.25	80.00	76.37	80.16*	78.74*
All words + neg (switch) + int + modals + neg w + rep w	80.00	80.00	75.57	80.04	78.37

*Statistically significant compared to the preceding set of options (Table 4) $p < 0.05$.

intensification, as also shown by Kennedy and Inkpen (2006). In summary, it is the combination of carefully crafted dictionaries and features inspired by linguistic insights that we believe makes SO-CAL a robust method for sentiment analysis.

Table 6 shows the accuracy of the SO-CAL system across different review types in Epinions 1 and Epinions 2 (the latter unseen data), including the F-measure for classification of positive and negative texts. The table shows that SO-CAL’s performance on positive reviews is generally better than on negative reviews (run with all options and shifted negation). This is despite the fact that all of our dictionaries contain far more negative words than positive ones. As noted already by Boucher and Osgood (1969), there is a strong preference for avoiding negation and negative terms even when expressing negative opinions, making the detection of text sentiment difficult for systems which depend solely on these indicators (also see results in Dave, Lawrence, and Pennock 2003, Turney 2002). The exception are books and movies, where performance is more even across positive and negative, or often better in negative reviews. We hypothesize this is because consumer product reviews contain more factual information that the reader is required to interpret as positive or negative (for instance, the range for a cordless phone or the leg room in the back seat of a car). Some of that factual information may be implicitly negative, and therefore missed by SO-CAL.

The breakdown for the Polarity Dataset (Movies in Table 5) is 89.37% precision for negative reviews and 63.2% for positive ones, with an overall accuracy of 76.37%. A number of other papers have used the Polarity Dataset created by Bo Pang, most of them following statistical methods. Pang and Lee’s own results show an overall accuracy of 87.15% for polarity classification of whole reviews (Pang and Lee 2004). Fletcher and Patrick (2005) used bags-of-words that included Appraisal features, and obtained 83.7% accuracy in that same data set, whereas Whitelaw, Garg, and Argamon (2005), using bags-of-words combined with Appraisal groups achieved 90.2%. In all cases, the accuracy reflects a single domain and data set. Andreevskaja and Bergler (2008) show, however, that cross-domain performance drops significantly. They used a hybrid

Table 6
Performance across review types and on positive and negative reviews.

Subcorpus	Epinions 1			Epinions 2		
	Pos-F	Neg-F	Accuracy	Pos-F	Neg-F	Accuracy
Books	0.69	0.74	0.72	0.69	0.77	0.74
Cars	0.90	0.89	0.90	0.80	0.75	0.78
Computers	0.94	0.94	0.94	0.90	0.89	0.90
Cookware	0.74	0.58	0.68	0.79	0.76	0.78
Hotels	0.76	0.67	0.72	0.80	0.70	0.76
Movies	0.84	0.84	0.84	0.76	0.79	0.78
Music	0.82	0.82	0.82	0.83	0.81	0.82
Phones	0.81	0.78	0.80	0.85	0.83	0.84
Total	0.81	0.79	0.80	0.81	0.79	0.80

method, combining statistical and lexicon-based approaches, on reviews (the Polarity Dataset and product reviews), news, and blogs, with an average accuracy across all domains of 71.1% (on sentences, not full texts).

We will, in Section 3.4, provide a more detailed comparison of SO-CAL’s dictionaries to other dictionaries. Although the results presented in this section are below those of some statistical methods, we argue that our system performs more evenly across domains, and can be enhanced with contextual sources of information. We show performance in non-review domains in the next section.

We defined, in the introduction, sentiment as polarity plus strength, although the results presented here evaluate only the polarity accuracy. Space precludes a full discussion of SO-CAL’s measure of strength, but Brooke (2009) shows that SO-CAL’s output correlates well with star ratings in reviews.

2.9 Evaluation of SO-CAL in Other Domains

Reference to domain portability, in this article and in other work, is usually limited to portability across different types of reviews (Aue and Gamon 2005; Blitzer, Dredze, and Pereira 2007; Andreevskaia and Bergler 2008). This section shows that SO-CAL’s performance is maintained across domains other than reviews, and across different types of text structures. Even though SO-CAL was primarily designed to determine the sentiment of texts roughly a paragraph or longer, the evaluations reported in this section demonstrate comparable performance when applied to shorter texts such as headlines and sentences extracted from news and blogs.

We tested SO-CAL with four different data sets: the Multi-Perspective Question Answering (MPQA) corpus, version 2.0 (Wiebe, Wilson, and Cardie 2005); a collection of MySpace.com comments from Mike Thelwall (Prabowo and Thelwall 2009); a set of news and blog posts from Alina Andreevskaia (Andreevskaia and Bergler 2008); and a set of headlines from Rada Mihalcea and Carlo Strappavara (Strappavara and Mihalcea 2007).²⁰

The first set of data is the MPQA corpus (version 2.0), a collection of news articles and other documents (texts from the American National Corpus and other sources) annotated for opinions and other private states (beliefs, emotions, speculation, etc.). We

20 We thank them all for sharing their data with us.

extracted all the sentences that contained subjective positive and negative expressions, in all levels of intensity (low, medium, high, and extreme). The extracted set contains 663 positive and 1,211 negative sentences.

The data from Mike Thelwall consists of comments posted on MySpace.com. The annotation is done on a 1 to 5 scale, where 1 indicates “no emotion.” As a consequence, we focused on the comments with scores of 4 and 5. Because each comment had both a positive and negative label, we labeled “positive” those with a higher positive score and vice versa for negative labels, and excluded comments with the same score for both (i.e., neutral). This yielded a total of 83 comments (59 positive, 24 negative).

The data from Alina Andreevskaia consist of individual sentences from both news and blogs, annotated according to whether they are negative, positive, or neutral. We used only the negative and positive sentences (788 from news, and 802 from blogs, equally divided between positive and negative).

The Affective Text data from Rada Mihalcea and Carlo Strappavara was used in the 2007 SemEval task. It contains 1,000 news headlines annotated with a range between −100 (very negative) and 100 (very positive). We excluded six headlines that had been labeled as 0 (therefore neutral), yielding 468 positive and 526 negative headlines. In addition to the full evaluation, Strappavara and Mihalcea (2007) also propose a coarse evaluation, where headlines with scores −100 to −50 are classified as negative, and those 50 to 100 as positive. Excluding the headlines in the middle gives us 155 positive headlines and 255 negative ones.

Table 7 shows the results of the evaluation. Included in the table is a baseline for each data set, assigning polarity to the most frequent class for the data. These data sets include much smaller spans of text than are found in consumer reviews, with some sentences or headlines not containing any words from the SO-CAL dictionaries. This ranged from about 21% of the total in the MySpace comments to 54% in the headlines.²¹ Two approaches were used in this cross-domain evaluation when SO-CAL encountered texts for which it found no words in its dictionaries (SO-empty texts). First, the back-off method involves using the most frequent polarity for the corpus (or positive, when they are equal), and assigning that polarity to all SO-empty texts. This method provides results that can be directly compared to other results on these data sets, although, like the baseline, it assumes some knowledge about the polarity balance of the corpus. The figures in the first section of Table 7 suggest robust performance as compared to a most-frequent-class baseline, including modest improvement over the relevant cross-domain results of Andreevskaia and Bergler (2008).²² Moilanen, Pulman, and Zhang (2010) also use the headlines data, and obtain a polarity classification accuracy of 77.94% below our results excluding empty.²³

21 By default, SO-CAL assigns a zero to such texts, which is usually interpreted to mean that the text is neither positive nor negative. However, in a task where we know a priori that all texts are either positive or negative, this can be a poor strategy, because we will get all of these empty texts wrong: When there are a significant number of empty texts, performance can be worse than guessing. Note that the problem of how to interpret empty texts is not a major issue for the full text reviews where we typically apply SO-CAL, because there are very few of them; for instance, out of the 2,400 texts in the Camera corpus, only 4 were assigned a zero by SO-CAL. Guessing the polarity or removing those four texts entirely has no effect on the accuracy reported in Table 5.

22 Their ensemble classifier had 73.3% accuracy in news, but only 70.9% in blogs, and their performance in the Polarity Dataset was 62.1%, or over 14% lower than ours.

23 Our results are not comparable to those of Thelwall et al. (2010) on the MySpace comments, as they classify the comments on a 1–5 scale (obtaining average accuracy of 60.6% and 72.8% in positive and negative comments, respectively), whereas we have a much simpler two-point scale (positive or negative).

Table 7
Performance of SO-CAL in other domains.

SO-CAL options	Percent correct by corpus					
	MPQA	MySpace	News	Blogs	Headlines	Headlines (coarse)
SO-CAL (back-off)	73.64	81.93	71.57	75.31	62.17	74.63
Baseline (most frequent class)	64.64	71.08	50.00	50.00	52.92	62.20
SO-CAL (excluding empty)	79.38	78.69	77.76	82.33	79.83	88.98
Baseline (most frequent class, excluding empty)	66.94	69.93	51.10	50.00	59.87	67.37
% SO-empty	28.61	21.12	25.25	21.70	54.00	43.98

The second method used in evaluating SO-CAL on SO-empty texts is to only classify texts for which it has direct evidence to make a judgment. Thus, we exclude such SO-empty texts from the evaluation. The second part of Table 7 shows the results of this evaluation. The results are strikingly similar to the performance we saw on full review texts, with most attaining a minimum of 75–80% accuracy. Although missing vocabulary (domain-specific or otherwise) undoubtedly plays a role, the results provide strong evidence that relative text size is the primary cause of SO-empty texts in these data sets. When the SO-empty texts are removed, the results are entirely comparable to those that we saw in the previous section. Although sentence-level polarity detection is a more difficult task, and not one that SO-CAL was specifically designed for, the system has performed well on this task, here, and in related work (Murray et al. 2008; Brooke and Hurst 2009).

3. Validating the Dictionaries

To a certain degree, acceptable performance across a variety of data sets, and, in particular, improved performance when the full granularity of the dictionaries is used (see Table 5), provides evidence for the validity of SO-CAL’s dictionary rankings. Recall also that the individual word ratings provided by a single researcher were reviewed by a larger committee, mitigating some of the subjectivity involved. Nevertheless, some independent measure of how well the dictionary rankings correspond to the intuitions of English speakers would be valuable, particularly if we wish to compare our dictionaries with automatically generated ones.

The most straightforward way to investigate this problem would be to ask one or more annotators to re-rank our dictionaries, and compute the inter-annotator agreement. However, besides the difficulty and time-consuming nature of the task, any simple metric derived from such a process would provide information that was useful only in the context of the absolute values of our –5 to +5 scale. For instance, if our re-ranker is often more conservative than our original rankings (ranking most SO 5 words as 4, SO 4 words as 3, etc.), the absolute agreement might approach zero, but we would like to be able to claim that the rankings actually show a great deal of consistency given

their relative distribution. To accomplish this, we focus on relative comparisons rather than absolute ranking.

In retrospect, the use of a 10-point scale is somewhat arbitrary, and so another goal of our explorations is to test whether we can validate our choice of granularity of scale. Generally, our concerns are general patterns, not individual words, and to what extent those patterns coincide with the discrete, linear model that we have assumed; however, we also hope to obtain information that might show some inconsistencies for particular, commonly used words.

In this section, we perform two types of validation. First, we compare the dictionary scores to scores provided by human annotators, recruited through Amazon's Mechanical Turk service. Second, we compare our dictionaries and their performance to a few other available dictionaries. In both cases, the results show that our dictionaries are robust.

3.1 Data Collection

To collect data on the validity of our dictionary, we made use of Amazon's Mechanical Turk service,²⁴ which provides access to a pool of workers who have signed up to perform small-scale tasks that require human intelligence. Mechanical Turk is quickly becoming a popular resource among computational linguists, and has been used in sentiment, emotion, and subjectivity tasks (Akkaya et al. 2010; Mellebeek et al. 2010; Mohammad and Turney 2010; Yano, Resnik, and Smith 2010), although there are mixed reports on its reliability (Snow et al. 2008; Callison-Burch 2009; Zaenen to appear).

In short, the Mechanical Turk service acts as a marketplace that connects Requesters, people who have tasks that require human intelligence, and Workers, or "Turkers," people who will perform such tasks for a small payment. Typical tasks include tagging images, transcribing spoken data, or finding information on the Web. Payments for each individual task may be as low as \$0.01. Quality is controlled through several measures, which include the request of Turkers with specific qualifications, or with high approval ratings for previously completed tasks. Requesters may also reject a Turker's work if it has been incorrectly completed, in which case they are not paid, also bringing their approval rating down.

Our early testing suggested that if we restricted our task to those Turkers who had an extremely high approval rating (99%), the results were mostly acceptable, with a certain amount of noise inherent in the use of anonymous Turkers. Under the circumstances, keeping the task simple was important. Note that, although we have six sets of results for each data set, this is not analogous to having six annotators, since each set included work by multiple Turkers. We can, however, be sure that no Turker provided an answer to the same question twice, and for the purposes of this study a more diverse set of responses may actually be viewed as a positive.

Carrying out an evaluation on all five dictionaries (nouns, verbs, adjectives, adverbs, and intensifiers) would have been somewhat redundant, because most verbs have a (synonymous) noun counterpart, and most adverbs are derived from an adjective. Here, we focus mostly on the adjective dictionary, which is the primary dictionary in terms of overall size as well as frequency of occurrence. We began with our full adjective dictionary (minus multi-word expressions), but filtered using word counts from our two large corpora (the 2,000 text Polarity Dataset and 3,000 text Camera

²⁴ www.mturk.com/.

corpus), including a word in the analysis only if it appeared at least five times in both corpora. That gave us a collection of 483 commonly occurring adjectives; these, as well as our intensifier dictionary, were the focus of our evaluation. We also investigated a set of nouns chosen using the same rubric. In most cases, the results were comparable to those for adjectives; however, with a smaller test set (only 184 words), the data were generally messier, and so we omit the details here.

The basic premise behind our evaluation technique can be described as follows: The distributional spread of answers in a simple, three-way decision task should directly reflect the relative distance of words on an SO (semantic orientation) scale. In particular, we can validate our dictionaries without forcing Turkers to use our 11-point scale (including zero), making their task significantly less onerous as well as less subject to individual bias. We chose to derive the data in two ways: one task where the goal is to decide whether a word is positive, negative, or neutral; and another where two polar words are presented for comparison (Is one stronger, or are they the same strength?). In the former task, we would expect to see more “errors,” that is, cases where a polar term in our dictionary is labeled neutral, in words that are in fact more neutral (SO value 1 versus SO value 5). Similarly, in the second task we would expect to see more “equal” judgments of words which are only 1 SO unit apart than those which are 3 SO units apart. More formally, we predict that a good ranking of words subjected to this testing should have the following characteristics:

- The percentage of “equal/neutral” judgments should be maximized at exactly the point we would expect, given the SO value assigned to the word(s) in question. The number of polar responses should be relatively balanced.
- As we move away from this point (SO = 0) in either direction, we would expect a linear increase in the appropriate polar response, and a corresponding drop in the other responses.
- The percentage of polar responses may hit a maximum, after which we would expect a consistent distribution (within a small margin of error; this maximum might not be 100%, due to noise in the data).

For the first task, that is, the neutral/negative/positive single word decision task, we included neutral words from our Epinions corpus which had originally been excluded from our dictionaries. Purely random sampling would have resulted in very little data from the high SO end of the spectrum, so we randomly selected first by SO (neutral SO = 0) and then by word, re-sampling from the first step if we had randomly selected a word that had been used before. In the end, we tested 400 adjectives chosen using this method. For each word, we solicited six judgments through Mechanical Turk.

Preparing data for the word comparison task was slightly more involved, because we did not want to remove words from consideration just because they had been used once. Note that we first segregated the words by polarity: We compared positive words with positive words and negative words with negative words. This first test yielded a nice wide range of comparisons by randomly selecting first by SO and then by word, as well as by lowering the probability of picking high (absolute) SO words, and discounting words which had been used recently (in early attempts we saw high absolute SO words like *great* and *terrible* appearing over and over again, sometimes in consecutive queries). Though the odds of this occurring were low, we explicitly disallowed duplicate

pairs. Once we settled on a method, we created 500 pairs of positive adjectives and 500 pairs of negative adjectives. Again, for each pair we solicited six judgments.

In addition to our “standard” pair comparison data sets, we also created, using the same method, four data sets which compared negated words to words of opposite polarity (i.e., *not bad* and *good*). The primary goal here was not to evaluate the ranking of the words, but rather to see how well our two models of negation (switch and shift) correspond to human intuition across a wide variety of cases. To do so, we assume that our dictionary is generally correct, and then use the SO values after negation as input.

Finally, we wanted to evaluate the intensifier dictionary, again using pair-wise comparisons of strength. To this end, we selected 500 pairs of adverbial modifiers (e.g., *very*). Similar to the main dictionary pairs, we randomly selected first by modifier value, and then by word, discounting a pair if one of the words had appeared in the 10 most recently selected pairs. These words were presented with a uniform adjective pairing (*likeable*), to assist the Turkers in interpreting them.

3.2 Evaluation

Figure 1 shows the distribution of responses by SO value in the single-word identification task. The graph is very close to what we predicted. Neutral judgments peak at 0 SO, but are also present for those SO values in the neighborhood of 0, decreasing as we increase our SO distance from the original. The effect is not quite linear, which might reflect either on our scale (it is not as linear as we presume) or, more likely, the fact that the distance between 0 and 1/−1 is simply a much more relevant distance for the purposes of the task; unlike words that differ in strength, the difference between 0 and 1 is theoretically a difference in kind, between a word that has a positive or negative connotation, and one that is purely descriptive. Another limitation of this method, with respect to confirming our dictionary rankings, is the fact that it does not illuminate the edges of the spectrum, as the distributions hit their maximums before the 5/−5 extreme.

Because we asked six Turkers to provide responses for each word, we can also calculate average percentage of pairwise agreement (the number of pairs of Turkers who agreed, divided by the total number of possible pairings), which for this task was 67.7%, well above chance but also far from perfect agreement. Note that we are not trying to establish reliability in the traditional sense. Our method depends on a certain




Figure 1
Distribution of responses by SO value, single-word task.

amount of disagreement; if it were simply the case that some -1 words were judged by all rankers as neutral (or positive), the best explanation for that fact would be errors in individual SO values. If Turkers, however, generally agree about SO $5/-5$ words, but generally disagree about SO $1/-1$ words, this “unreliability” actually reflects the SO scale. This is indeed the pattern we see in the data: Average pairwise agreement is 60.1% for $1/-1$ words, but 98.2% for $5/-5$ (see Andreevskaja and Bergler [2006] for similar results in a study of inter-annotator agreement in adjective dictionaries).²⁵

Interestingly, although we expected relatively equal numbers of positive and negative judgments at SO = 0, that was not the result. Instead, words with SO = 0 were sometimes interpreted as positive, but almost never interpreted as negative. This is mostly likely attributable to the default status of positive, and the marked character of negative expression (Boucher and Osgood 1969; Horn 1989; Jing-Schmidt 2007); neutral description might be taken as being vaguely positive, but it would not be mistaken for negative expression.²⁶

For the word-pair task, we categorize the distribution data by the difference in SO between the two words, putting negative and positive words in separate tables. For instance, a -4 difference with negative adjectives means the result of comparing a -1 word to a -5 word, and a $+2$ difference corresponds to comparing a -5 with a negative -3 , a -4 with a -2 , or a -3 with a -1 . (We always compare words with the same sign, i.e., negative to negative.) In early testing, we found that Turkers almost completely ignored the *same* category, and so we took steps (changing the instructions and the order of presentation) to try to counteract this effect. Still, the *same* designation was underused. There are a number of possible explanations for this, all of which probably have some merit. One is that our scale is far too coarse-grained, that we are collapsing distinguishable words into a single classification. The trade-off here is with ease of ranking; if we provided, for instance, 20 SO values instead of 10, it would be more difficult to provide confident rankings, and would probably yield little in the way of tangible benefits.²⁷ Another potential confounding factor is that words within the same SO category often vary considerably on some other dimension, and it is not natural to think of them as being equivalent. For instance, we judged *savory*, *lush*, and *jolly* to be equally positive, but they are applied to very different kinds of things, and so are not easily compared. And, of course, even assuming our 10-point scale, there are words in our dictionary that do not belong together in the same category; our focus here is on the big picture, but we can use this data to identify words which are problematic and improve the dictionary in the next iteration.

The results in Figures 2 and 3 for the adjective word pair task are otherwise very encouraging. Unlike the single word task, we see a clear linear pattern that covers the entire SO spectrum (though, again, there is noise). At SO value difference = 0, *same* reaches a maximum, and positive and negative judgments are almost evenly distributed. The average pairwise agreement on this task was somewhat lower, 60.0%

25 Note also that another drawback with pairwise agreement is that agreement does not change linearly with respect to the number of dissenters. For example, in the six-rater task, a single disagreement drops agreement from 100% to 66.7%; a second disagreement drops the score to 40% if different than the first agreement, or 46.7% if the same.

26 This is the opposite result from the impressions reported by Cabral and Hortaçsu (2010), where, in an evaluation of comments for eBay sellers, neutral comments were perceived as close to negative.

27 Other evidence that suggests making our scale more fine-grained is unlikely to help: When two words were difficult to distinguish, we often saw three different answers across the six Turkers. For example, for -3 SO words *fat* and *ignorant*, three Turkers judged them the same, two judged *ignorant* as stronger, and one judged *fat* as stronger.




Figure 2
Distribution of responses by SO difference for positive adjectives, word-pair task.

and 63.7% for Figure 2 and Figure 3, respectively. This is not surprising, because the vast majority of the data come from the difficult-to-judge range between +2 and -2. Outside of this range, agreement was much higher: Both experiments showed roughly 50% agreement when the SO value of the two words was the same, and an increase of approximately 10% for each point difference in SO value.

Figure 4 shows the results for adverbial intensifiers. Pairwise agreement here was higher, at 68.4%. The basic trends are visible; there is, however a lot of noise throughout. This is the drawback of having a relatively fine-grained scale, and in retrospect we perhaps should have followed the model for adjectives and split our words further into downplayers and amplifiers. The other reason for fluctuations, particularly at the extremes, was our inclusion of comparative and pragmatic intensifiers like *more*, *less*, *the most*, *barely*, *hardly*, *almost*, and *not only*, which, unlike regular scalar intensifiers (*very*, *immensely*), are very difficult to interpret outside of a discourse context, and are not easily compared.

For the negation evaluation task, we can state directly the result of comparing a positive word with a negated negative word: Outside of colloquial expressions such as *not bad*, it is nearly impossible to express any positive force by negating a negative; the percentage of negated negatives that were ranked higher than positives was about 5%




Figure 3
Distribution of responses by SO difference for negative adjectives, word-pair task.




Figure 4
Distribution of responses by modifier value. Difference for adverbial intensifiers.

Table 8
Distribution percentages for the negative/negated positive SO comparison task.

Word SO	-1			-2			-3			-4			-5		
	pos	neg	neu	pos	neg	neu	pos	neg	neu	pos	neg	neu	pos	neg	neu
1	50	19	32	16	54	30	8	78	14	4	82	14	0	95	5
2	47	32	21	11	66	23	7	67	27	8	72	20	4	86	11
3	39	26	35	17	67	17	10	84	5	3	95	3	0	9	10
4	36	36	29	31	45	23	20	68	12	12	82	5	0	93	7
5	25	45	30	25	58	17	17	61	22	0	95	5	6	72	22

(a result that was duplicated for noun negation), concentrated mostly on SO 1 positive words (which, as we have seen, are sometimes viewed as neutral). This result is not predicted by either of our models of negation (switch and shift), but it may be somewhat irrelevant because negated negatives, being essentially a double negative, are fairly rare. The main use of negation, we have found, is to negate a positive word.

Table 8 shows the distribution percentages for the negative/negated positive SO comparison task. Here, *pos* refers to the percentage of people who rated the negated positive word as being stronger, *neg* refers to the percentage of people who rated the negative word as being stronger, and *neu* refers to a judgment of *same*. Pairwise agreement across raters on this task was only 51.2%, suggesting that the comparisons involving negatives are the most difficult of our tasks.²⁸

As the SO value of the negative word increases, we of course expect that it is judged stronger, a pattern visible from left to right in Table 8. The more interesting direction is from top to bottom: If the switch model is correct, we expect increasing judgments in favor of the (negated) positive word, but if the shift model is correct, we would see the opposite. The results in Table 8 are not conclusive. There are aspects of the

²⁸ We in fact saw even lower agreement than this after our initial data collection. We investigated the low agreement, and attributed it to a single Turker (identified by his/her ID) who exhibited below-chance agreement with other Turkers. A visual inspection of the data also indicated that this Turker, who provided more responses than any other, either did not understand the task, or was deliberately sabotaging our results. We removed this Turker's data, and solicited a new set of responses.

table consistent with our shift model, for instance a general decrease in *pos* judgments between *pos* SO 3 and 5 for lower *neg* SO. However, there are a number of discrepancies. For instance, the shift model would predict that a negated +1 word is stronger than a -2 word (+1 becomes -3 under negation), which is often not the case. Note also that the shift trend seems somewhat reversed for higher negative SOs. In general, the shift model accounts for 45.2% of Mechanical Turk (MT) judgments (see our definition of MT correspondence, in the following section), whereas the switch model accounts for 33.4%. Negation is clearly a more complicated phenomenon than either of these simple models can entirely represent, although shifting does a somewhat better job of capturing the general trends.

3.3 Dictionary Comparisons

We now turn to using the data that we have collected to evaluate other dictionaries and scales. We use the same Mechanical Turk judgments as in the previous section, with six Turkers per word or pair. For simplicity, we look only at the single-word task and pairwise comparison of negative adjectives. We chose negative words because they are better distinguished by our automatic classifiers. Note that our definition of negative adjective is tied to our original SO ratings, and has been integrated into the selection of pairs for Mechanical Turk. At this stage, we hope to have shown that the adjective dictionary does a sufficiently accurate job of distinguishing positive, negative, and neutral words, and provides a good range of words within those categories, with which other dictionaries can be tested. Here, we will use the term **Mechanical Turk (MT) correspondence** as follows:

$$MT\ correspondence = \frac{\text{Mech. Turk judgments predicted by dictionary}}{\text{Total Mech. Turk judgments}}$$

For example, if one rater thought A was more positive than B, and the other thought they were of the same strength, then an SO dictionary which predicts either of these results would have 50% MT correspondence (on this word), whereas a dictionary where the SO value of B is greater than A would have 0% MT correspondence. As an absolute measure, correspondence is somewhat misleading: Because there are disagreements among Turkers, it is impossible for a dictionary to reach 100% MT correspondence. For instance, the highest possible MT correspondence in the single-word task is 79%, and the highest possible MT correspondence for the negative adjective task is 76.8%. MT correspondence is useful as a relative measure, however, to compare how well the dictionaries predict MT judgments.

Our first comparison is with the dictionary of adjectives that was derived using the SO-PMI method (Turney 2002), using Google hit counts (Taboada, Anthony, and Voll 2006). The SO values for the words tested here vary from 8.2 to -5.74. We have already noted in Section 2 that using this dictionary instead of our manually-ranked one has a strongly negative effect on performance. Because the Google dictionary is continuous, we place the individual SO values into evenly spaced buckets so that we can graph their distribution. For easy comparison with our dictionary, we present the results when buckets equivalent to our 11-point SO scale are used. The results for the single-word task are given in Figure 5.²⁹

²⁹ When bucketing for the single word task, we used a neutral (zero) bucket that was twice the size of the other buckets, reflecting the fact that zero is a more significant point on the scale in this context.




Figure 5
Distribution of responses by adjective SO value for Google PMI dictionary, single-word task.




Figure 6
Distribution of responses by adjective SO value for Google PMI dictionary, negative word-pair task.

As compared to the manually ranked SO dictionary, the Google PMI dictionary does not maximize as quickly, suggesting significant error at even fairly high SO values. Interestingly, the graph shows a striking similarity with the manually ranked dictionary in terms of the asymmetry between positive and negative words; negative words are almost never ranked as positive, although the reverse is not true. The neutral curve peaks well into the positive SO range, indicating that neutral and positive words are not well distinguished by the dictionary.³⁰ Overall, the SO-PMI dictionary correctly predicts 48.5% of the Mechanical Turk rankings in this task, which places it well below the manually ranked adjective dictionary (73.7%).

Figure 6 shows the results for the negative adjective comparison task using the Google PMI dictionary. Here, the Google PMI dictionary performs fairly well, comparable to the manual rankings, though the overall MT correspondence is somewhat lower, 47% to 64%. This is partially due to bunching in the middle of the scale. Recall that the highest possible MT correspondence for this task is 76.8%. MT correspondence of

³⁰ Distinguishing neutral and polar terms, sentences, or texts is, in general, a hard problem (Wilson, Wiebe, and Hwa 2004; Pang and Lee 2005).

nearly 55% is possible if the number of buckets is increased significantly, an effect which is due at least partially to the fact that the *same* designation is so underused that it is generally preferable to always guess that one of the adjectives is stronger than the other. Along with the results in the previous figure, this suggests that this method actually performs fairly well at distinguishing the strength of negative adjectives; the problem with automated methods in general seems to be that they have difficulty properly distinguishing neutral and positive terms.

Our next comparison is with the Subjectivity dictionary of Wilson, Wiebe, and Hoffmann (2005). Words are rated for polarity (positive or negative) and strength (weak or strong), meaning that their scale is much more coarse-grained than ours. The dictionary is derived from both manual and automatic sources. It is fairly comprehensive (over 8,000 entries), so we assume that any word not mentioned in the dictionary is neutral. Figure 7 shows the result for the single word task.

The curves are comparable to those in Figure 1; the neutral peak is significantly lower, however, and the positive and negative curves do not reach their maximum. This is exactly what we would expect if words of varying strength are being collapsed into a single category. The overall MT Correspondence, however, is comparable (71.8%).

The negative adjective pair comparison task (shown in Figure 8) provides further evidence for this (Strong/Weak means a weak negative word compared with a strong negative word).

The MT correspondence is only 48.7% in this task. There is a clear preference for the predicted judgment in weak/strong comparisons, although the distinction is far from unequivocal, and the overall change in neutrality across the options is minimal. This may be partially attributed to the fact that the strong/weak designation for this dictionary is defined in terms of whether the word strongly or weakly indicates subjectivity, not whether the term itself is strong or weak (a subtle distinction). However, the results suggest that the scale is too coarse to capture the full range of semantic orientation.

Another publicly available corpus is SentiWordNet (Esuli and Sebastiani 2006; Baccianella, Esuli, and Sebastiani 2010), an extension of WordNet (Fellbaum 1998) where each synset is annotated with labels indicating how objective, positive, and negative the terms in the synset are. We use the average across senses for each word given in version 3.0 (see discussion in the next section). Figure 9 gives the result for the




Figure 7
Distribution of responses by adjective SO value for Subjectivity dictionary, single-word task.




Figure 8
Distribution of responses by adjective SO value for Subjectivity dictionary, negative word-pair task.




Figure 9
Distribution of responses by adjective SO value for SentiWordNet, single-word task.

single-word task. Like the Subjectivity dictionary, this dictionary is an improvement over the fully automatic Google dictionary,³¹ with overall MT correspondence of 57.8%, although still well below the manual dictionaries.

Figure 10 shows the curve for the negative adjective comparison. The general trends are visible, but there is significant error at the edges of the spectrum, and a much less pronounced neutral curve. The MT correspondence with 5 SO buckets is 48.3%, although this can be boosted to around 52% by drastically increasing the number of buckets, which overall suggests it is roughly equivalent or slightly worse than the Google dictionary with respect to correctly identifying relative strength.

In summary, we have shown that our dictionaries are robust in comparison to scores provided by human raters, and that they show higher agreement with human raters than other publicly available dictionaries. More words may be added, and the scores may be changed, but the dictionary comparisons show that creating dictionaries

31 Although the values in SentiWordNet itself are calculated automatically, they are based on the knowledge from WordNet. This is why we believe it is not a fully automatic dictionary. In addition, version 3.0 includes the possibility of user feedback.




Figure 10
Distribution of responses by adjective SO value for SentiWordNet, negative word-pair task.

by hand is not necessarily a subjective task. Reflecting on our experience, we can say that the manually created dictionaries are superior for two main reasons. First of all, we tended to exclude words with ambiguous meaning, or that convey sentiment only in some occasions, but not in most. Secondly, judicious restraint is necessary when expanding the dictionaries. We found that adding more words to the dictionaries did not always help performance, because new words added noise. The type of noise that we refer to is that deriving from problems with word sense disambiguation, part-of-speech tagging, or simply strength of the word itself. Words with stronger positive or negative connotations tend to be more informative. We made a decision to exclude, of course, all neutral words (those that would have a value of 0), but also words with only a mild sentiment orientation, although there are some 1 and -1 words in the dictionaries.

3.4 SO-CAL with Other Dictionaries

The previous section provided comparisons of our dictionary to existing dictionaries. In this section, we use those lexicons and others to carry out a full comparison using SO-CAL. For each of the dictionaries discussed below, we used it instead of our set of manually ranked dictionaries as a source of SO values, and tested accuracy across different corpora. Accuracy in this case is calculated for the polarity identification task, that is, deciding whether a text is negative or positive, using the author’s own ranking (“recommended” or “not recommended,” or number of stars).

In our comparisons, we tested two options: *Full* uses all the default SO-CAL features described in Section 2, including intensification and negation.³² *Basic*, on the other hand, is just a sum of the SO value of words in relevant texts, with none of the SO-CAL features enabled.

The first dictionary that we incorporated into SO-CAL was the Google-generated PMI-based dictionary described in Taboada, Anthony, and Voll (2006), and mentioned earlier in this article.

³² Except for tests with the Maryland dictionary, where we disabled negative weighting because with weighting the performance was close to chance (all negative correct, all positive wrong). We believe that this is because the dictionary contains a disproportionately large number of negative words (likely the result of expanding existing dictionaries, which also tend to include more negative than positive words).

The “Maryland” dictionary (Mohammad, Dorr, and Dunne 2009) is a very large collection of words and phrases (around 70,000) extracted from the Macquarie Thesaurus. The dictionary is not classified according to part of speech, and only contains information on whether the word is positive or negative. To integrate it into our system, we assigned all positive words an SO value of 3, and all negative words a value of -3 .³³

We used the same type of quantification for the General Inquirer (GI; Stone et al. 1966), which also has only positive and negative tags; a word was included in the dictionary if any of the senses listed in the GI were polar.

The Subjectivity dictionary is the collection of subjective expressions compiled by Wilson, Wiebe, and Hoffmann (2005), also used in our Mechanical Turk experiments in the previous section. The Subjectivity dictionary only contains a distinction between weak and strong opinion words. For our tests, weak words were assigned 2 or -2 values, depending on whether they were positive or negative, and strong words were assigned 4 or -4 .

The SentiWordNet dictionary (Esuli and Sebastiani 2006; Baccianella, Esuli, and Sebastiani 2010), also used in the previous section, was built using WordNet (Fellbaum 1998), and retains its synset structure. There are two main versions of SentiWordNet available, 1.0 and 3.0, and two straightforward methods to calculate an SO value:³⁴ Use the first sense SO, or average the SO across senses. For the first sense method, we calculate the SO value of a word w (of a given POS) based on its first sense f as follows:

$$\text{SO}(w) = 5 \times (\text{Pos}(f) - \text{Neg}(f))$$

For the averaging across senses method, SO is calculated as

$$\text{SO}(w) = \frac{5}{|\text{senses}|} \sum_{x \in \text{senses}} (\text{Pos}(x) - \text{Neg}(x))$$

that is, the difference between the positive and negative scores provided by SentiWordNet (each in the 0–1 range), averaged across all word senses for the desired part of speech, and multiplied by 5 to provide SO values in the -5 to 5 range. Table 9 contains a comparison of performance (using simple word averaging, no SO-CAL features) in our various corpora for each version of SentiWordNet using each method. What is surprising is that the best dictionary using just basic word counts (1.0, first sense) is actually the worst dictionary when using SO-CAL, and the best dictionary using all SO-CAL features (3.0, average across senses) is the worst dictionary when features are disabled. We believe this effect is due almost entirely to the degree of positive bias in the various dictionaries. The 3.0 average dictionary is the most positively biased, which results in degraded basic performance (in the Camera corpus, only 20.5% of negative reviews are correctly identified). When negative weighting is applied, however, it reaches an almost perfect balance between positive and negative accuracy (70.7% to 71.3% in the Camera corpus), which optimizes overall performance. We cannot therefore conclude definitively that any of the SentiWordNet dictionaries is superior for our task; in fact,

33 We chose 3 as a value because it is the middle value between 2 and 4 that we assigned to strong and weak words in the Subjectivity Dictionary, as explained subsequently.

34 A third alternative would be to calculate a weighted average using sense frequency information; SentiWordNet does not include such information, however. Integrating this information from other sources, though certainly possible, would take us well beyond “off-the-shelf” usage, and, we believe, would provide only marginal benefit.

Table 9
Comparison of performance of different dictionaries derived from SentiWordNet.

SWN Dictionary			Percent correct by corpus				
Ver.	Method	Test	Epinions 1	Epinions 2	Movie	Camera	Overall
1.0	Average	Basic	59.25	62.50	62.89	59.92	61.18
	Average	Full	66.50	66.50	61.89	67.00	65.02
	First	Basic	60.25	62.75	62.00	60.79	61.35
	First	Full	65.00	64.50	62.89	66.67	64.96
3.0	Average	Basic	56.75	60.25	60.10	58.37	59.03
	Average	Full	67.50	71.50	66.21	71.00	68.98
	First	Basic	61.50	60.75	59.58	61.42	60.69
	First	Full	64.50	69.25	65.73	67.37	66.58

it is likely that they are roughly equivalent. We use the top-performing 3.0 average dictionary here and elsewhere.

Table 10 shows the performance of the various dictionaries when run within SO-CAL. For all dictionaries and corpora, the performance of the original SO-CAL dictionary is significantly better ($p < 0.05$). We have already discussed the Google dictionary, which contains only adjectives, and whose results are not reliable (see also Taboada, Anthony, and Voll 2006). The Maryland dictionary suffers from too much coverage: Most words in a text are identified by this dictionary as containing some form of subjectivity or opinion, but a cursory examination of the texts reveals that this is not the case. In some cases, the problem is part-of-speech assignment (the Maryland dictionary is not classified according to part of speech). For example, the noun *plot* was classified as negative when referring to a movie’s plot. We imagine this is negative in the dictionary because of the negative meaning of the verb *plot*. Similarly, *novel* as a noun is classified as positive, although we believe this ought to be the case in the adjective use only. More problematic is the presence of words such as *book*, *cotton*, *here*, *legal*, *reading*, *saying*, or *year*.

Table 10
Comparison of performance using different dictionaries with SO-CAL.

Dictionary	Percent correct by corpus				
	Epinions 1	Epinions 2	Movie	Camera	Overall
Google-Full	62.00	58.50	66.31	61.25	62.98
Google-Basic	53.25	53.50	67.42	51.40	59.25
Maryland-Full-NoW	58.00	63.75	67.42	59.46	62.65
Maryland-Basic	56.50	56.00	62.26	53.79	58.16
GI-Full	68.00	70.50	64.21	72.33	68.02
GI-Basic	62.50	59.00	65.68	63.87	64.23
SentiWordNet-Full	66.50	66.50	61.89	67.00	65.02
SentiWordNet-Basic	59.25	62.50	62.89	59.92	61.47
Subjectivity-Full	72.75	71.75	65.42	77.21	72.04
Subjectivity-Basic	64.75	63.50	68.63	64.83	66.51
SO-CAL-Full	80.25	80.00	76.37	80.16	78.74
SO-CAL-Basic	65.50	65.25	68.05	64.70	66.04

SentiWordNet performs better than either the Google or Maryland dictionaries, but it is still somewhat low; again, we believe it suffers from the same problem of too much coverage: Potentially, every word in WordNet will receive a score, and many of those are not sentiment-bearing words. The General Inquirer lexicon (Stone et al. 1966), the only other fully manually dictionary considered here, does comparably quite well despite being relatively small. Finally, the Subjectivity dictionary, with the added strong/weak distinctions, is the closest in performance to our dictionary, though significantly worse when all features are enabled. The comparison is not completely fair to the Subjectivity dictionary, as it was built to recognize subjectivity, not polarity.

We must note that the comparison is different for the Maryland dictionary, where we turned off negative weighting. This resulted in anomalously high performance on the Movies corpus, despite poor performance elsewhere. In general, there is significantly less positive bias in the movie review domain, most likely due to the use of negative terms in plot and character description (Taboada, Brooke, and Stede 2009), thus the negative weighting that is appropriate for other domains is often excessive for movie reviews.

Comparing the performance of various dictionaries with or without SO-CAL features, two facts are apparent: First, SO-CAL features are generally beneficial no matter what dictionary is used (in fact, all Overall improvements from Basic to Full in Table 10 are statistically significant); the only exceptions are due to negative weighting in the movie domain, which for most of the dictionaries causes a drop in performance.³⁵ Second, the benefit provided by SO-CAL seems to be somewhat dependent on the reliability of the dictionary; in general, automatically derived SO dictionaries derive less benefit from the use of linguistic features, and the effects are, on the whole, much less consistent; this is in fact the same conclusion we reached in other work where we compared automatically translated dictionaries to manually built ones for Spanish (Brooke, Tofiloski, and Taboada 2009). Interestingly, the Subjectivity dictionary performs slightly above the SO-CAL dictionary in some data sets when no features are enabled (which we might attribute to a mixture of basic reliability with respect to polarity and an appropriate level of coverage), but its lack of granularity seems to blunt the benefit of SO-CAL features, which were designed to take advantage of a finer-grained SO scale, an effect which is even more pronounced in binary dictionaries like the GI. We can summarize this result as follows: When using lexical methods, the effectiveness of any linguistic enhancements will to some extent depend on the characteristics of the underlying lexicon and, as such, the two cannot be considered in isolation.

4. Other Related Work

The SO-CAL improvements described in this article have been directly inspired by the work of Polanyi and Zaenen (2006), who proposed that “valence shifters” change the base value of a word. We have implemented their idea in the form of intensifiers and downtoners, adding a treatment of negation that does not involve switching polarity, but instead shifting the value of a word when in the scope of a negator.

The bulk of the work in sentiment analysis has focused on classification at either the sentence level, for example, the subjectivity/polarity detection of Wiebe and Riloff (2005), or alternatively at the level of the entire text. With regard to the latter, two major

³⁵ When negative weighting is excluded (for example, the results for the Maryland dictionary in Table 10), SO-CAL features have a positive effect on performance in the movie domain.

approaches have emerged: the use of machine-learning classifiers trained on n -grams or similar features (Pang, Lee, and Vaithyanathan 2002), and the use of sentiment dictionaries (Esuli and Sebastiani 2006; Taboada, Anthony, and Voll 2006). Support Vector Machine (SVM) classifiers have been shown to outperform lexicon-based models within a single domain (Kennedy and Inkpen 2006); they have trouble with cross-domain tasks (Aue and Gamon 2005), however, and some researchers have argued for hybrid classifiers (Andreevskaia and Bergler 2008). Although some of the machine-learning-based work makes use of linguistic features for training (Riloff and Wiebe 2003; Mullen and Collier 2004; Wiebe et al. 2004; Kennedy and Inkpen 2006; Ng, Dasgupta, and Niaz Arifin 2006; Sokolova and Lapalme 2008), it nonetheless still suffers from lack of cross-domain portability. The results presented here suggest that a lexicon-based system could outperform pure or hybrid machine-learning methods in cross-domain situations, though further research would be necessary to establish this point conclusively.

Ours is not the only method that uses linguistic information or dictionaries. Many other systems make use of either the Subjectivity dictionary of Wiebe and colleagues, or of SentiWordNet (Devitt and Ahmad 2007; Thet et al. 2009), and some work relies on Appraisal Theory (Whitelaw, Garg, and Argamon 2005; Bloom, Garg, and Argamon 2007), a theory developed by Martin and White (2005). We also discuss, in Section 2.4, work on incorporating linguistic insights for the treatment of negation (Moilanen and Pulman 2007; Choi and Cardie 2008).

5. Conclusions and Future Research

We have presented a word-based method for extracting sentiment from texts. Building on previous research that made use of adjectives, we extend the Semantic Orientation CALculator (SO-CAL) to other parts of speech. We also introduce intensifiers, and refine our approach to negation. The current results represent a statistically-significant improvement over previous instantiations of the SO-CAL system.

Additionally, we show that a manually built dictionary provides a solid foundation for a lexicon-based approach, one that is necessary to get full benefit from a system like SO-CAL. We compare our dictionaries to other, manual or automatic, dictionaries, and show that they are generally superior in terms of performance. This we attribute to our criteria for selecting and ranking words, which include excluding ambiguous words and including fewer rather than more words. Furthermore, we show that the dictionary rankings are in agreement with human judgments collected through the use of the Mechanical Turk interface. More importantly, we show that SO-CAL has robust performance across different types of reviews, a form of domain-independence that is difficult to achieve with text classification methods.

The existing SO-CAL can be enhanced with many other sources of information. In Taboada, Brooke, and Stede (2009) we built classifiers to distinguish among paragraphs that contained mostly description, mostly comment, a combination of the two, or meta-information (such as titles, authors, review ratings, or movie ratings). Weighting paragraphs according to this classification, with lower weights assigned to description, results in a statistically-significant improvement in the polarity classification task.

The classification of paragraphs into comment and description is but one of the many ways in which contextual information can be incorporated into a robust approach to sentiment extraction. In previous work (Voll and Taboada 2007), we showed a prototype for extracting topic sentences, and performing sentiment analysis on those only. We also showed how a sentence-level discourse parser, developed by Soricut and Marcu (2003), could be used to differentiate between main and secondary parts of the text. At

the sentence level, exploring the types of syntactic patterns that indicate subjectivity and sentiment is also a possibility (Greene and Resnik 2009). Syntactic patterns can also be used to distinguish different types of opinion and appraisal (Bednarek 2009).

Our current work focuses on developing discourse parsing methods, both general and specific to the review genre. At the same time, we will investigate different aggregation strategies for the different types of relations in the text (see also Asher, Benamara, and Mathieu [2008, 2009] for preliminary work in this area), and build on existing discourse parsing systems and proposals (Schilder 2002; Soricut and Marcu 2003; Subba and Di Eugenio 2009).

The main conclusion of our work is that lexicon-based methods for sentiment analysis are robust, result in good cross-domain performance, and can be easily enhanced with multiple sources of knowledge (Taboada, Brooke, and Stede 2009). SO-CAL has performed well on blog postings (Murray et al. 2008) and video game reviews (Brooke and Hurst 2009), without any need for further development or training.

In related work, we have also shown that creating a new version of SO-CAL for a new language, Spanish, is as fast as building text classifiers for the new language, and results in better performance (Brooke 2009; Brooke, Tofiloski, and Taboada 2009). SO-CAL has also been successfully deployed for the detection of sentence-level polarity (Brooke and Hurst 2009).

Acknowledgments

This work was supported by grants to Maite Taboada from the Natural Sciences and Engineering Research Council of Canada (Discovery Grant 261104-2008 and a University Faculty Award), and from the Social Sciences and Humanities Research Council of Canada (410-2006-1009). We thank members of the Sentiment Research Group at SFU for their feedback, and in particular Vita Markman and Ping Yang for their help in ranking our dictionaries. Thanks to Janyce Wiebe and to Rada Mihalcea and Carlo Strappavara for making their data public. Mike Thelwall and Alina Andreevskaia generously shared their data with us. The three anonymous reviewers and Robert Dale provided detailed comments and suggestions. Finally, our appreciation to colloquia audiences in Hamburg and Saarbrücken.

References

- Akkaya, Cem, Alexander Conrad, Janyce Wiebe, and Rada Mihalcea. 2010. Amazon Mechanical Turk for subjectivity word sense disambiguation. In *Proceedings of the NAACL HLT 2010 Workshop on Creating Speech and Language Data with Amazon's Mechanical Turk*, pages 195–203, Los Angeles, CA.
- Andreevskaia, Alina and Sabine Bergler. 2006. Mining WordNet for fuzzy sentiment: Sentiment tag extraction from WordNet glosses. In *Proceedings of the 11th Conference of the European Chapter of the Association for Computational Linguistics, EACL-2006*, pages 209–216, Trento.
- Andreevskaia, Alina and Sabine Bergler. 2008. When specialists and generalists work together: Domain dependence in sentiment tagging. In *Proceedings of 46th Annual Meeting of the Association for Computational Linguistics*, pages 290–298, Columbus, OH.
- Asher, Nicholas, Farah Benamara, and Yvette Yannick Mathieu. 2008. Distilling opinion in discourse: A preliminary study. In *Proceedings of COLING*, pages 7–10, Manchester.
- Asher, Nicholas, Farah Benamara, and Yvette Yannick Mathieu. 2009. Appraisal of opinion expressions in discourse. *Linguisticae Investigationes*, 32(2):279–292.
- Aue, Anthony and Michael Gamon. 2005. Customizing sentiment classifiers to new domains: A case study. In *Proceedings of the International Conference on Recent Advances in Natural Language Processing*, Borovets, Bulgaria.
- Baccianella, Stefano, Andrea Esuli, and Fabrizio Sebastiani. 2010. SentiWordNet 3.0: An enhanced lexical resource for sentiment analysis and opinion mining. In *Proceedings of the Seventh Conference on International Language Resources and Evaluation (LREC'10)*, pages 2200–2204, Valletta.

- Bartlett, Jake and Russ Albright. 2008. Coming to a theater near you! Sentiment classification techniques using SAS Text Miner. In *SAS Global Forum 2008*, San Antonio, TX.
- Batson, C. Daniel, Laura L. Shaw, and Kathryn C. Oleson. 1992. Differentiating affect, mood, and emotion: Toward functionally based conceptual distinctions. In Margaret S. Clark, editor, *Emotion. Review of Personality and Social Psychology*. Sage, Newbury Park, CA, pages 294–326.
- Bednarek, Monika. 2009. Language patterns and attitude. *Functions of Language*, 16(2):165–192.
- Benamara, Farah, Carmine Cesarano, Antonio Picariello, Diego Reforgiato, and VS Subrahmanian. 2007. Sentiment analysis: Adjectives and adverbs are better than adjectives alone. In *Proceedings of International Conference on Weblogs and Social Media*, ICWSM, Boulder, CO.
- Biber, Douglas and Edward Finegan. 1988. Adverbial stance types in English. *Discourse Processes*, 11(1):1–34.
- Blitzer, John, Mark Dredze, and Fernando Pereira. 2007. Biographies, Bollywood, boom-boxes and blenders: Domain adaptation for sentiment classification. In *Proceedings of the 45th Annual Meeting of the Association of Computational Linguistics*, pages 440–447, Prague.
- Bloom, Kenneth, Navendu Garg, and Shlomo Argamon. 2007. Extracting appraisal expressions. In *Proceedings of HLT/NAACL*, pages 308–315, Rochester, NY.
- Boiy, Erik, Pieter Hens, Koen Deschacht, and Marie-Francine Moens. 2007. Automatic sentiment analysis of on-line text. In *Proceedings of the 11th International Conference on Electronic Publishing*, pages 349–360, Vienna.
- Boucher, Jerry D. and Charles E. Osgood. 1969. The Pollyanna hypothesis. *Journal of Verbal Learning and Verbal Behaviour*, 8:1–8.
- Brill, Eric. 1992. A simple rule-based part of speech tagger. In *Proceedings of the 3rd Conference on Applied Natural Language Processing*, pages 152–155, Trento.
- Brooke, Julian. 2009. *A Semantic Approach to Automatic Text Sentiment Analysis*. M.A. thesis, Simon Fraser University, Burnaby, B.C., Canada.
- Brooke, Julian and Matthew Hurst. 2009. Patterns in the stream: Exploring the interaction of polarity, topic, and discourse in a large opinion corpus. In *Proceedings of 1st International CIKM Workshop on Topic-Sentiment Analysis for Mass Opinion Measurement*, pages 1–8, Hong Kong.
- Brooke, Julian, Milan Tofiloski, and Maite Taboada. 2009. Cross-linguistic sentiment analysis: From English to Spanish. In *Proceedings of the 7th International Conference on Recent Advances in Natural Language Processing*, pages 50–54, Borovets.
- Bruce, Rebecca F. and Janyce M. Wiebe. 2000. Recognizing subjectivity: A case study of manual tagging. *Natural Language Engineering*, 5(2):187–205.
- Cabral, Luís and Ali Hortaçsu. 2010. The dynamics of seller reputation: Evidence from eBay. *The Journal of Industrial Economics*, 58(1):54–78.
- Callison-Burch, Chris. 2009. Fast, cheap and creative: Evaluating translation quality using Amazon’s Mechanical Turk. In *Proceedings of the 2009 Conference on Empirical Methods in Natural Language Processing*, pages 286–295, Singapore.
- Chafe, Wallace and Johanna Nichols. 1986. *Evidentiality: The Linguistic Coding of Epistemology*. Ablex, Norwood, NJ.
- Chaovalit, Pinvadee and Lina Zhou. 2005. Movie review mining: A comparison between supervised and unsupervised classification approaches. In *Proceedings of the 38th Hawaii International Conference on System Sciences*, Hawaii.
- Choi, Yejin and Claire Cardie. 2008. Learning with compositional semantics as structural inference for subsentential sentiment analysis. In *Proceedings of the Conference on Empirical Methods in Natural Language Processing*, pages 793–801, Honolulu, HI.
- Conrad, Susan and Douglas Biber. 2000. Adverbial marking of stance in speech and writing. In Geoff Thompson, editor, *Evaluation in Text: Authorial Distance and the Construction of Discourse*. Oxford University Press, Oxford, pages 56–73.
- Councill, Isaac G., Ryan McDonald, and Leonid Velikovich. 2010. What’s great and what’s not: Learning to classify the scope of negation for improved sentiment analysis. In *Proceedings of the Workshop on Negation and Speculation in Natural Language Processing*, pages 51–59, Uppsala.
- Dang, Yan, Yulei Zhang, and Hsinchun Chen. 2010. A lexicon enhanced method for sentiment classification: An experiment on online product reviews. *IEEE Intelligent Systems*, 25(4):46–53.
- Dasgupta, Sajib and Vincent Ng. 2009. Mine the easy, classify the hard: A semi-supervised approach to automatic sentiment classification. In *Proceedings of the 47th Annual Meeting of the Association for*

- Computational Linguistics*, pages 701–709, Singapore.
- Dave, Kushal, Steve Lawrence, and David M. Pennock. 2003. Mining the peanut gallery: Opinion extraction and semantic classification of product reviews. In *Proceedings of the Twelfth International World Wide Web Conference (WWW 2003)*, pages 519–528, Budapest.
- Devitt, Ann and Khurshid Ahmad. 2007. Sentiment polarity identification in financial news: A cohesion-based approach. In *Proceedings of the 45th Annual Meeting of the Association for Computational Linguistics*, pages 984–991, Prague.
- Esuli, Andrea and Fabrizio Sebastiani. 2006. SentiWordNet: A publicly available lexical resource for opinion mining. In *Proceedings of 5th International Conference on Language Resources and Evaluation (LREC)*, pages 417–422, Genoa.
- Fellbaum, Christiane, editor. 1998. *WordNet: An Electronic Lexical Database*. MIT Press, Cambridge, MA.
- Finn, Aidan and Nicholas Kushmerick. 2003. Learning to classify documents according to genre. In *Proceedings of IJCAI Workshop on Computational Approaches to Text Style and Synthesis*, Acapulco.
- Fletcher, Jeremy and Jon Patrick. 2005. Evaluating the utility of appraisal hierarchies as a method for sentiment classification. In *Proceedings of the Australasian Language Technology Workshop*, pages 134–142, Sydney.
- Giannakidou, Anastasia. 1998. *Polarity Sensitivity as (Non)Veridical Dependency*. John Benjamins, Amsterdam and Philadelphia.
- Giannakidou, Anastasia. 2001. Varieties of polarity items and the (non)veridicality hypothesis. In Ton van der Wouden, editor, *Perspectives on Negation and Polarity Items*. John Benjamins, Amsterdam and Philadelphia, pages 99–127.
- Goldberg, Andrew B. and Xiaojin Zhu. 2006. Seeing stars when there aren't many stars: Graph-based semi-supervised learning for sentiment categorization. In *Proceedings of HLT-NAACL 2006 Workshop on Textgraphs: Graph-based Algorithms for Natural Language Processing*, pages 45–52, New York.
- Greenberg, Joseph H. 1966. *Language Universals, with Special Reference to Feature Hierarchies*. Mouton, The Hague.
- Greene, Stephan and Philip Resnik. 2009. More than words: Syntactic packaging and implicit sentiment. In *Proceedings of Human Language Technologies: The 2009 Annual Conference of the North American Chapter of the ACL*, pages 503–511, Boulder, CO.
- Halliday, Michael A. K. 1985. *An Introduction to Functional Grammar*. Arnold, London, 1st edition.
- Hatzivassiloglou, Vasileios and Kathleen McKeown. 1997. Predicting the semantic orientation of adjectives. In *Proceedings of 35th Meeting of the Association for Computational Linguistics*, pages 174–181, Madrid.
- Horn, Laurence R. 1989. *A Natural History of Negation*. University of Chicago Press, Chicago, IL.
- Hu, Minqing and Bing Liu. 2004. Mining and summarizing customer reviews. In *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD-2004)*, pages 168–177, Seattle, WA.
- Jing-Schmidt, Zhuo. 2007. Negativity bias in language: A cognitive-affective model of emotive intensifiers. *Cognitive Linguistics*, 18(3):417–443.
- Kennedy, Alistair and Diana Inkpen. 2006. Sentiment classification of movie and product reviews using contextual valence shifters. *Computational Intelligence*, 22(2):110–125.
- Ketal, R. 1975. Affect, mood, emotion, and feeling: Semantic considerations. *American Journal of Psychiatry*, 132:1215–1217.
- Kilgariff, Adam. 2007. Googleology is bad science. *Computational Linguistics*, 33(1):147–151.
- Kim, Soo-Min and Eduard Hovy. 2004. Determining the sentiment of opinions. In *Proceedings of COLING 2004*, pages 1367–1373, Geneva.
- Koppel, Moshe and Jonathan Schler. 2005. Using neutral examples for learning polarity. In *Proceedings of IJCAI 2005*, pages 1616–1617, Edinburgh.
- Langacker, Ronald W. 1985. Observations and speculations on subjectivity. In John Haiman, editor, *Iconicity in Syntax*. John Benjamins, Amsterdam and Philadelphia, pages 109–150.
- Li, Shoushan, Chu-Ren Huang, Guodong Zhou, and Sophia Yat Mei Lee. 2010. Employing personal/impersonal views in supervised and semi-supervised sentiment classification. In *Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics*, pages 414–423, Uppsala.
- Liu, Jingjing and Stephanie Seneff. 2009. Review sentiment scoring via a

- parse-and-paraphrase paradigm. In *Proceedings of the 2009 Conference on Empirical Methods in Natural Language Processing*, pages 161–169, Singapore.
- Lyons, John. 1981. *Language, Meaning and Context*. Fontana, London.
- Mann, William C. and Sandra A. Thompson. 1988. Rhetorical structure theory: Toward a functional theory of text organization. *Text*, 8(3):243–281.
- Martin, James R. and Peter R. R. White. 2005. *The Language of Evaluation*. Palgrave, New York.
- Mellebeek, Bart, Francesc Benavent, Jens Grivolla, Joan Codina, Marta R. Costa-jussà, and Rafael Banchs. 2010. Opinion mining of Spanish customer comments with non-expert annotations on Mechanical Turk. In *Proceedings of the NAACL HLT 2010 Workshop on Creating Speech and Language Data with Amazon's Mechanical Turk*, pages 114–121, Los Angeles, CA.
- Mohammad, Saif, Bonnie Dorr, and Cody Dunne. 2009. Generating high-coverage semantic orientation lexicons from overtly marked words and a thesaurus. In *Proceedings of the Conference on Empirical Methods in Natural Language Processing (EMNLP-2009)*, pages 599–608, Singapore.
- Mohammad, Saif and Peter Turney. 2010. Emotions evoked by common words and phrases: Using Mechanical Turk to create an emotion lexicon. In *Proceedings of the NAACL HLT 2010 Workshop on Computational Approaches to Analysis and Generation of Emotion in Text*, pages 26–34, Los Angeles, CA.
- Moilanen, Karo and Stephen Pulman. 2007. Sentiment composition. In *Proceedings of Recent Advances in Natural Language Processing*, pages 27–29, Borovets.
- Moilanen, Karo, Stephen Pulman, and Yue Zhang. 2010. Packed feelings and ordered sentiments: Sentiment parsing with quasi-compositional polarity sequencing and compression. In *Proceedings of the 1st Workshop on Computational Approaches to Subjectivity and Sentiment Analysis (WASSA 2010)*, pages 36–43, Lisbon.
- Mullen, Tony and Nigel Collier. 2004. Sentiment analysis using support vector machines with diverse information sources. In *Proceedings of the Conference on Empirical Methods in Natural Language Processing*, pages 412–418, Barcelona.
- Murray, Gabriel, Shafiq Joty, Giuseppe Carenini, and Raymond Ng. 2008. The University of British Columbia at TAC 2008. In *Proceedings of TAC 2008*, Gaithersburg, MD.
- Ng, Vincent, Sajib Dasgupta, and S. M. Niaz Arifin. 2006. Examining the role of linguistic knowledge sources in the identification and classification of reviews. In *Proceedings of the COLING/ACL 2006 Main Conference Poster Sessions*, pages 611–618, Sydney.
- Ortony, Andrew, Gerald L. Clore, and Allan Collins. 1988. *The Cognitive Structure of Emotions*. Cambridge University Press, Cambridge.
- Osgood, Charles E. and Meredith Martin Richards. 1973. From Yang and Yin to *and* or *but*. *Language*, 49(2):380–412.
- Osgood, Charles E., George Suci, and Percy Tannenbaum. 1957. *The Measurement of Meaning*. University of Illinois Press, Urbana, IL.
- Paltoglou, Georgios and Mike Thelwall. 2010. A study of information retrieval weighting schemes for sentiment analysis. In *Proceedings of the 48th Annual Meeting of the Association for Computational Linguistics*, pages 1386–1395, Uppsala.
- Pang, Bo and Lillian Lee. 2004. A sentimental education: Sentiment analysis using subjectivity summarization based on minimum cuts. In *Proceedings of the 42nd Meeting of the Association for Computational Linguistics*, pages 271–278, Barcelona.
- Pang, Bo and Lillian Lee. 2005. Seeing stars: Exploiting class relationships for sentiment categorization with respect to rating scales. In *Proceedings of ACL 2005*, pages 115–124, Ann Arbor, MI.
- Pang, Bo and Lillian Lee. 2008. Opinion mining and sentiment analysis. *Foundations and Trends in Information Retrieval*, 2(1-2):1–135.
- Pang, Bo, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment classification using machine learning techniques. In *Proceedings of the Conference on Empirical Methods in NLP*, pages 79–86, Philadelphia, PA.
- Polanyi, Livia and Annie Zaenen. 2006. Contextual valence shifters. In Janyce Wiebe, editor, *Computing Attitude and Affect in Text: Theory and Applications*. Springer, Dordrecht, pages 1–10.
- Prabowo, Rudy and Mike Thelwall. 2009. Sentiment analysis: A combined approach. *Journal of Informetrics*, 3(1):143–157.
- Quirk, Randolph, Sidney Greenbaum, Geoffrey Leech, and Jan Svartvik. 1985.

- A Comprehensive Grammar of the English Language*. Longman, London.
- Rao, Delip and Deepak Ravichandran. 2009. Semi-supervised polarity lexicon induction. In *Proceedings of the 12th Conference of the European Chapter of the ACL*, pages 675–682, Athens.
- Read, Jonathon and John Carroll. 2009. Weakly supervised techniques for domain-independent sentiment classification. In *Proceedings of the First International CIKM Workshop on Topic-Sentiment Analysis for Mass Opinion Measurement*, pages 45–52, Hong Kong.
- Riloff, Ellen and Janyce Wiebe. 2003. Learning extraction patterns for subjective expressions. In *Proceedings of the Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 25–32, Sapporo.
- Salton, Gerard and Michael J. McGill. 1983. *Introduction to Modern Information Retrieval*. McGraw-Hill, New York.
- Salveti, Franco, Christoph Reichenbach, and Stephen Lewis. 2006. Opinion polarity identification of movie reviews. In Janyce Wiebe, editor, *Computing Attitude and Affect in Text: Theory and Applications*. Springer, Dordrecht, pages 303–316.
- Sauri, Roser. 2008. *A Factuality Profiler for Eventualities in Text*. Ph.D. dissertation, Brandeis University, Waltham, MA.
- Scheibman, Joanne. 2002. *Point of View and Grammar: Structural Patterns of Subjectivity in American English*. John Benjamins, Amsterdam and Philadelphia.
- Schilder, Frank. 2002. Robust discourse parsing via discourse markers, topicality, and position. *Natural Language Engineering*, 8(2/3):235–255.
- Snow, Rion, Brendan O'Connor, Daniel Jurafsky, and Andrew Y. Ng. 2008. Cheap and fast—But is it good? Evaluating non-expert annotations for natural language tasks. In *Proceedings of the Conference on Empirical Methods in NLP (EMNLP)*, pages 254–263, Waikiki, HI.
- Sokolova, Marina and Guy Lapalme. 2008. Verbs speak loud: Verb categories in learning polarity and strength of opinions. In Sabine Bergler, editor, *Canadian AI 2008*. Springer, Berlin, pages 320–331.
- Sokolova, Marina and Guy Lapalme. 2009a. Classification of opinions with non-affective adverbs and adjectives. In *Proceedings of the 7th International Conference on Recent Advances in Natural Language Processing*, pages 416–420, Borovets.
- Sokolova, Marina and Guy Lapalme. 2009b. Opinion learning without emotional words. In *Proceedings of the 22nd Canadian Conference on Artificial Intelligence*, pages 253–256, Kelowna.
- Sorcut, Radu and Daniel Marcu. 2003. Sentence level discourse parsing using syntactic and lexical information. In *Proceedings of the Human Language Technology and North American Association for Computational Linguistics Conference (HLT-NAACL'03)*, pages 149–156, Edmonton.
- Stone, Philip J. 1997. Thematic text analysis: New agendas for analyzing text content. In Carl Roberts, editor, *Text Analysis for the Social Sciences*. Lawrence Erlbaum, Mahwah, NJ, pages 35–54.
- Stone, Philip J., Dexter C. Dunphy, Marshall S. Smith, and Daniel M. Ogilvie. 1966. *The General Inquirer: A Computer Approach to Content Analysis*. MIT Press, Cambridge, MA.
- Strappavara, Carlo and Rada Mihalcea. 2007. SemEval-2007 Task 14: Affective Text. In *Proceedings of the 4th International Workshop on the Semantic Evaluations (SemEval 2007)*, Prague.
- Subba, Rajen and Barbara Di Eugenio. 2009. An effective discourse parser that uses rich linguistic information. In *Proceedings of HLT-ACL 2009*, pages 566–574, Boulder, CO.
- Subrahmanian, V. S. and Diego Reforgiato. 2008. Ava: Adjective-verb-adverb combinations for sentiment analysis. *Intelligent Systems*, 23(4):43–50.
- Taboada, Maite, Caroline Anthony, and Kimberly Voll. 2006. Creating semantic orientation dictionaries. In *Proceedings of 5th International Conference on Language Resources and Evaluation (LREC)*, pages 427–432, Genoa.
- Taboada, Maite, Julian Brooke, and Manfred Stede. 2009. Genre-based paragraph classification for sentiment analysis. In *Proceedings of the 10th Annual SIGDIAL Meeting on Discourse and Dialogue*, pages 62–70, London.
- Taboada, Maite, Mary Ann Gillies, and Paul McFetridge. 2006. Sentiment classification techniques for tracking literary reputation. In *Proceedings of the LREC Workshop, "Towards Computational Models of Literary Analysis,"* pages 36–43, Genoa.
- Taboada, Maite, Mary Ann Gillies, Paul McFetridge, and Robert Outtrim. 2008. Tracking literary reputation with text analysis tools. In *Meeting of the Society for Digital Humanities*, Vancouver.

- Taboada, Maite and Jack Grieve. 2004. Analyzing appraisal automatically. In *Proceedings of the AAAI Spring Symposium on Exploring Attitude and Affect in Text (AAAI Technical Report SS-04-07)*, pages 158–161, Stanford, CA.
- Thelwall, Mike, Kevan Buckley, Georgios Paltoglou, Di Cai, and Arvid Kappas. 2010. Sentiment strength detection in short informal text. *Journal of the American Society for Information Science and Technology*, 61(12):2544–2558.
- Thet, Tun Thura, Jin-Cheon Na, Christopher S. G. Khoo, and Subbaraj Shakthikumar. 2009. Sentiment analysis of movie reviews on discussion boards using a linguistic approach. In *Proceedings of the First International CIKM Workshop on Topic-Sentiment Analysis for Mass Opinion Measurement*, pages 81–84, Hong Kong.
- Tong, Richard M. 2001. An operational system for detecting and tracking opinions in on-line discussions. In *Working Notes of the ACM SIGIR 2001 Workshop on Operational Text Classification*, pages 1–6, New York, NY.
- Turney, Peter. 2002. Thumbs up or thumbs down? Semantic orientation applied to unsupervised classification of reviews. In *Proceedings of 40th Meeting of the Association for Computational Linguistics*, pages 417–424, Philadelphia, PA.
- Turney, Peter. 2006. Similarity of semantic relations. *Computational Linguistics*, 32(3):379–416.
- Turney, Peter and Michael Littman. 2003. Measuring praise and criticism: Inference of semantic orientation from association. *ACM Transactions on Information Systems*, 21(4):315–346.
- Velikovich, Leonid, Sasha Blair-Goldensohn, Kerry Hannan, and Ryan McDonald. 2010. The viability of Web-derived polarity lexicons. In *Proceedings of the 11th Conference of the North American Association for Computational Linguistics*, pages 777–785, Los Angeles, CA.
- Voll, Kimberly and Maite Taboada. 2007. Not all words are created equal: Extracting semantic orientation as a function of adjective relevance. In *Proceedings of the 20th Australian Joint Conference on Artificial Intelligence*, pages 337–346, Gold Coast.
- Wan, Xiaojun. 2009. Co-training for cross-lingual sentiment classification. In *Proceedings of the 47th Annual Meeting of the ACL*, pages 235–243, Singapore.
- Whitelaw, Casey, Navendu Garg, and Shlomo Argamon. 2005. Using appraisal groups for sentiment analysis. In *Proceedings of ACM SIGIR Conference on Information and Knowledge Management (CIKM 2005)*, pages 625–631, Bremen.
- Wiebe, Janyce. 1994. Tracking point of view in narrative. *Computational Linguistics*, 20(2):233–287.
- Wiebe, Janyce. 2000. Learning subjective adjectives from corpora. In *Proceedings of 17th National Conference on Artificial Intelligence (AAAI)*, pages 735–740, Austin, TX.
- Wiebe, Janyce and Ellen Riloff. 2005. Creating subjective and objective sentence classifiers from unannotated texts. In *Proceedings of the Sixth International Conference on Intelligent Text Processing and Computational Linguistics (CICLing-2005)*, Mexico City.
- Wiebe, Janyce, Theresa Wilson, Rebecca Bruce, Matthew Bell, and Melanie Martin. 2004. Learning subjective language. *Computational Linguistics*, 30(3):277–308.
- Wiebe, Janyce, Theresa Wilson, and Claire Cardie. 2005. Annotating expressions of opinions and emotions in language. *Language Resources and Evaluation*, 39(2-3):165–210.
- Wilson, Theresa, Janyce Wiebe, and Paul Hoffmann. 2005. Recognizing contextual polarity in phrase-level sentiment analysis. In *Proceedings of the 2005 Human Language Technology Conference and the Conference on Empirical Methods in Natural Language Processing (HLT/EMNLP-05)*, pages 347–354, Vancouver.
- Wilson, Theresa, Janyce Wiebe, and Rebecca Hwa. 2004. Just how mad are you? Finding strong and weak opinion clauses. In *AAAI 2004*, pages 761–767, San Jose, CA.
- Yano, Tae, Philip Resnik, and Noah A. Smith. 2010. Shedding (a thousand points of) light on biased language. In *Proceedings of the NAACL HLT 2010 Workshop on Creating Speech and Language Data with Amazon's Mechanical Turk*, pages 152–158, Los Angeles, CA.
- Zaenen, Annie. to appear. Do give a penny for their thoughts. *Natural Language Engineering*.
- Zaidan, Omar F. and Jason Eisner. 2008. Modeling annotators: A generative approach to learning from annotator rationales. In *Proceedings of the 2008 Conference on Empirical Methods in Natural Language Processing*, pages 31–40, Honolulu, HI.
- Zwarts, Frans. 1995. Nonveridical contexts. *Linguistic Analysis*, 25(3/4):286–312.

This article has been cited by:

1. Markos Aivazoglou, Antonios O. Roussos, Dionisis Margaris, Costas Vassilakis, Sotiris Ioannidis, Jason Polakis, Dimitris Spiliotopoulos. 2020. A fine-grained social network recommender system. *Social Network Analysis and Mining* 10:1. . [[Crossref](#)]
2. Mohammadreza Keyvanpour, Zahra Karimi Zandian, Maryam Heidarypanah. 2020. OMLML: a helpful opinion mining method based on lexicon and machine learning in social networks. *Social Network Analysis and Mining* 10:1. . [[Crossref](#)]
3. 2020. Automatic argumentation mining and the role of stance and sentiment. *Journal of Argumentation in Context* 9:1. . [[Crossref](#)]
4. Huy-Thanh Nguyen, Le-Minh Nguyen. 2020. ILWAANet: An Interactive Lexicon-Aware Word-Aspect Attention Network for aspect-level sentiment classification on social networking. *Expert Systems with Applications* 146, 113065. [[Crossref](#)]
5. Muhammad Asif, Atiab Ishtiaq, Haseeb Ahmad, Hanan Aljuaid, Jalal Shah. 2020. Sentiment analysis of extremism in social media from textual information. *Telematics and Informatics* 48, 101345. [[Crossref](#)]
6. Kayvan Bijari, Hadi Zare, Emad Kebriaei, Hadi Veisi. 2020. Leveraging deep graph-based text representation for sentiment polarity applications. *Expert Systems with Applications* 144, 113090. [[Crossref](#)]
7. Dong Zhang, Chong Wu, Jiaming Liu. 2020. Ranking products with online reviews: A novel method based on hesitant fuzzy set and sentiment word framework. *Journal of the Operational Research Society* 71:3, 528-542. [[Crossref](#)]
8. Kia Dashtipour, Mandar Gogate, Jingpeng Li, Fengling Jiang, Bin Kong, Amir Hussain. 2020. A hybrid Persian sentiment analysis framework: Integrating dependency grammar based rules and deep neural networks. *Neurocomputing* 380, 1-10. [[Crossref](#)]
9. Mohamed M. Mostafa, Nicolás Roser Nebot. 2020. The Arab Image in Spanish Social Media: A Twitter Sentiment Analytics Approach. *Journal of Intercultural Communication Research* 19, 1-23. [[Crossref](#)]
10. Matheus Araújo, Adriano Pereira, Fabrício Benevenuto. 2020. A comparative study of machine translation for multilingual sentence-level sentiment analysis. *Information Sciences* 512, 1078-1102. [[Crossref](#)]
11. Rahul Kapoor, Thomas Klueter. 2020. Progress and setbacks: The two faces of technology emergence. *Research Policy* 49:1, 103874. [[Crossref](#)]
12. Dong Zhang, Yongli Li, Chong Wu. 2020. An extended TODIM method to rank products with online reviews under intuitionistic fuzzy environment. *Journal of the Operational Research Society* 71:2, 322-334. [[Crossref](#)]
13. Liuyan Chen, Lukasz Golab. 2020. Micro-journal mining to understand mood triggers. *Computing* 323. . [[Crossref](#)]
14. Kavita Moholkar, Krupa Rathod, Krishna Rathod, Mritunjay Tomar, Shashwat Rai. Sentiment Classification Using Recurrent Neural Network 487-493. [[Crossref](#)]
15. Luca Longo. Empowering Qualitative Research Methods in Education with Artificial Intelligence 1-21. [[Crossref](#)]
16. S. Kavipriya, A. Grace Selvarani. A Depth Study on Suicidal Thoughts in the Online Social Networks 1024-1030. [[Crossref](#)]
17. Harnoor Anand, Sandeep Mathur. Social Media Analytics Using Data Mining Algorithms 12-23. [[Crossref](#)]

18. Ramasubbareddy Somula, K. Dinesh Kumar, S. Aravindharamanan, K. Govinda. Twitter Sentiment Analysis Based on US Presidential Election 2016 363-373. [[Crossref](#)]
19. Özge Nilay Yalçın. 2020. Empathy framework for embodied conversational agents. *Cognitive Systems Research* **59**, 123-132. [[Crossref](#)]
20. MeiXing Dong, Rada Mihalcea, Dragomir Radev. 2020. Extending sparse text with induced domain-specific lexicons and embeddings: A case study on predicting donations. *Computer Speech & Language* **59**, 157-168. [[Crossref](#)]
21. Fagui Liu, Jingzhong Zheng, Lailei Zheng, Cheng Chen. 2020. Combining attention-based bidirectional gated recurrent neural network and two-dimensional convolutional neural network for document-level sentiment classification. *Neurocomputing* **371**, 39-50. [[Crossref](#)]
22. Zehra Nur Canbolat, Fatih Pinarbasi. Using Sentiment Analysis for Evaluating e-WOM 101-123. [[Crossref](#)]
23. Naohiro Matsumura, Asako Miura, Masashi Komori, Kai Hiraishi. Media Mediate Sentiments 513-527. [[Crossref](#)]
24. Nusrat J. Shoumy, Li-Minn Ang, Kah Phooi Seng, D.M.Motiur Rahaman, Tanveer Zia. 2020. Multimodal big data affective analytics: A comprehensive survey using text, audio, visual and physiological signals. *Journal of Network and Computer Applications* **149**, 102447. [[Crossref](#)]
25. Sufyan Areed, Omar Alqaryouti, Bilal Siyam, Khaled Shaalan. Aspect-Based Sentiment Analysis for Arabic Government Reviews 143-162. [[Crossref](#)]
26. Imane Guellil, Faical Azouaou, Fodil Benali, Ala Eddine Hachani, Marcelo Mendoza. The Role of Transliteration in the Process of Arabizi Translation/Sentiment Analysis 101-128. [[Crossref](#)]
27. Fernando O. Gallego, Rafael Corchuelo. 2020. Torii: An aspect-based sentiment analysis system that can mine conditions. *Software: Practice and Experience* **50**:1, 47-64. [[Crossref](#)]
28. Jamilah Rabeh Alharbi, Wadee S. Alhalabi. 2020. Hybrid Approach for Sentiment Analysis of Twitter Posts Using a Dictionary-based Approach and Fuzzy Logic Methods. *International Journal on Semantic Web and Information Systems* **16**:1, 116-145. [[Crossref](#)]
29. Ema Kušen, Mark Strembeck. 2020. You talkin' to me? Exploring Human/Bot Communication Patterns during Riot Events. *Information Processing & Management* **57**:1, 102126. [[Crossref](#)]
30. Zhongmei Han, Jiyi Wu, Changqin Huang, Qionghao Huang, Meihua Zhao. 2020. A review on sentiment discovery and analysis of educational big-data. *WIREs Data Mining and Knowledge Discovery* **10**:1. . [[Crossref](#)]
31. Chiara Zucco, Barbara Calabrese, Giuseppe Agapito, Pietro H. Guzzi, Mario Cannataro. 2020. Sentiment analysis for mining texts and social networks data: Methods and tools. *WIREs Data Mining and Knowledge Discovery* **10**:1. . [[Crossref](#)]
32. 2020. Are online news comments like face-to-face conversation?. *Register Studies* **2**:1, 1. [[Crossref](#)]
33. V. Subramaniaswamy, R. Logesh, M. Abejith, Sunil Umasankar, A. Umamakeswari. Sentiment Analysis of Tweets for Estimating Criticality and Security of Events 293-319. [[Crossref](#)]
34. Arnob Islam Khan, Vasilii Kaliteevskii, Iuliia Shnai, Leonid Chechurin. Analysis of Students' Performance in an Online Discussion Forum: A Social Network Approach 670-680. [[Crossref](#)]
35. Olivier Habimana, Yuhua Li, Ruixuan Li, Xiwu Gu, Ge Yu. 2020. Sentiment analysis using deep learning approaches: an overview. *Science China Information Sciences* **63**:1. . [[Crossref](#)]
36. Chris M. Herbst, Kevin C. Desouza, Saud Al-Ashri, Srinivasa Srivatsav Kandala, Mayank Khullar, Vikash Bajaj. 2020. What do parents value in a child care provider? Evidence from Yelp consumer reviews. *Early Childhood Research Quarterly* **51**, 288-306. [[Crossref](#)]

37. Fabian Wunderlich, Daniel Memmert. 2020. Innovative Approaches in Sports Science—Lexicon-Based Sentiment Analysis as a Tool to Analyze Sports-Related Twitter Communication. *Applied Sciences* **10**:2, 431. [[Crossref](#)]
38. Jyoti Patel, Rahul Dubey, Rajeev kumar gupta. PMI-IR Based Sentiment Analysis Over Social Media Platform for Analysing Client Review 204-212. [[Crossref](#)]
39. Ruihua Cheng, Jie Zhang, Pengcheng Hu. 2020. Document-level Emotion Detection Using Graph-based Margin Regularization. *Neurocomputing* . [[Crossref](#)]
40. Anisha P. Rodrigues, Niranjana N. Chiplunkar, Roshan Fernandes. Social Big Data Mining 528-549. [[Crossref](#)]
41. Elena Razova, Evgeny Kotelnikov. The Layout of Sentiment Lexica in Word Vector Space 321-338. [[Crossref](#)]
42. Nadia Chouchani, Mourad Abed. 2020. Enhance sentiment analysis on social networks with social influence analytics. *Journal of Ambient Intelligence and Humanized Computing* **11**:1, 139-149. [[Crossref](#)]
43. Li Yang, Ying Li, Jin Wang, R. Simon Sherratt. 2020. Sentiment Analysis for E-Commerce Product Reviews in Chinese Based on Sentiment Lexicon and Deep Learning. *IEEE Access* **8**, 23522-23530. [[Crossref](#)]
44. Indy Wijngaards, Martijn Burger, Job van Exel. 2019. The promise of open survey questions—The validation of text-based job satisfaction measures. *PLOS ONE* **14**:12, e0226408. [[Crossref](#)]
45. Futao Zhao, Zhong Yao, Jing Luan, Hao Liu. 2019. Inducing stock market lexicons from disparate Chinese texts. *Industrial Management & Data Systems* **ahead-of-print**:ahead-of-print. . [[Crossref](#)]
46. Itisha Gupta, Nisheeth Joshi. 2019. Enhanced Twitter Sentiment Analysis Using Hybrid Approach and by Accounting Local Contextual Semantic. *Journal of Intelligent Systems* **29**:1, 1611-1625. [[Crossref](#)]
47. H. M. Keerthi Kumar, B. S. Harish. 2019. A New Feature Selection Method for Sentiment Analysis in Short Text. *Journal of Intelligent Systems* **29**:1, 1122-1134. [[Crossref](#)]
48. Ayman S. Ghabayen, Basem H. Ahmed. 2019. Polarity Analysis of Customer Reviews Based on Part-of-Speech Subcategory. *Journal of Intelligent Systems* **29**:1, 1535-1544. [[Crossref](#)]
49. Anna Calissano, Simone Vantini, Marika Arena. 2019. Monitoring rare categories in sentiment and opinion analysis: a Milan mega event on Twitter platform. *Statistical Methods & Applications* **22**. . [[Crossref](#)]
50. Guellil Imane, Darwish Kareem, Azouaou Faical. 2019. A set of parameters for automatically annotating a Sentiment Arabic Corpus. *International Journal of Web Information Systems* **15**:5, 594-615. [[Crossref](#)]
51. Hu Han, Xuxu Bai, Ping Li. 2019. Augmented sentiment representation by learning context information. *Neural Computing and Applications* **31**:12, 8475-8482. [[Crossref](#)]
52. Antonio Moreno-Ortiz, Soluna Salles-Bernal, Aroa Orrequia-Barea. 2019. Design and validation of annotation schemas for aspect-based sentiment analysis in the tourism sector. *Information Technology & Tourism* **21**:4, 535-557. [[Crossref](#)]
53. Ema Kušen, Mark Strembeck. 2019. An analysis of emotion-exchange motifs in multiplex networks during emergency events. *Applied Network Science* **4**:1. . [[Crossref](#)]
54. Axel Groß-Klußmann, Stephan König, Markus Ebner. 2019. Buzzwords build momentum: Global financial Twitter sentiment and the aggregate stock market. *Expert Systems with Applications* **136**, 171-186. [[Crossref](#)]

55. J. Fernando Sánchez-Rada, Carlos A. Iglesias. 2019. Social context in sentiment analysis: Formal definition, overview of current trends and framework for comparison. *Information Fusion* **52**, 344-356. [[Crossref](#)]
56. Huy Tien Nguyen, Minh Le Nguyen. 2019. An ensemble method with sentiment features and clustering support. *Neurocomputing* **370**, 155-165. [[Crossref](#)]
57. Tu Nguyen Thi Ngoc, Ha Nguyen Thi Thu, Viet Anh Nguyen. 2019. Mining aspects of customer's review on the social network. *Journal of Big Data* **6**:1. . [[Crossref](#)]
58. Sachin Kumar, Mikhail Zymbler. 2019. A machine learning approach to analyze customer satisfaction from airline tweets. *Journal of Big Data* **6**:1. . [[Crossref](#)]
59. Bagus Setya Rintyarna, Riyanarto Sarno, Chastine Fatichah. 2019. Evaluating the performance of sentence level features and domain sensitive features of product reviews on supervised sentiment analysis tasks. *Journal of Big Data* **6**:1. . [[Crossref](#)]
60. Frank Namugera, Ronald Wesonga, Peter Jehopio. 2019. Text mining and determinants of sentiments: Twitter social media usage by traditional media houses in Uganda. *Computational Social Networks* **6**:1. . [[Crossref](#)]
61. Imane Guellil, Faical Azouaou, Marcelo Mendoza. 2019. Arabic sentiment analysis: studies, resources, and tools. *Social Network Analysis and Mining* **9**:1. . [[Crossref](#)]
62. Rashmi K. Thakur, Manojkumar V. Deshpande. 2019. Kernel Optimized-Support Vector Machine and MapReduce Framework for Sentiment Classification of Train Reviews. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems* **27**:06, 1025-1050. [[Crossref](#)]
63. Jiyao Wei, Jian Liao, Zhenfei Yang, Suge Wang, Qiang Zhao. 2019. BiLSTM with Multi-Polarity Orthogonal Attention for Implicit Sentiment Analysis. *Neurocomputing* . [[Crossref](#)]
64. Jawad Khan, Young-Koo Lee. 2019. LeSSA: A Unified Framework based on Lexicons and Semi-Supervised Learning Approaches for Textual Sentiment Classification. *Applied Sciences* **9**:24, 5562. [[Crossref](#)]
65. Nhat X. T. Le, Ryan Rivas, James M. Flegal, Vagelis Hristidis. 2019. Decrease Product Rating Uncertainty Through Focused Reviews Solicitation. *International Journal of Semantic Computing* **13**:04, 471-495. [[Crossref](#)]
66. Francisco Villarroel Ordenes, Shunyuan Zhang. 2019. From words to pixels: text and image mining methods for service research. *Journal of Service Management* **30**:5, 593-620. [[Crossref](#)]
67. Roger Santos Ferreira, Denilson Alves Pereira. 2019. BigFeel—A Distributed Processing Environment for the Integration of Sentiment Analysis Methods. *The Computer Journal* **62**:11, 1671-1683. [[Crossref](#)]
68. Shailendra Kumar Singh, Manoj Kumar Sachan. 2019. SentiVerb system: classification of social media text using sentiment analysis. *Multimedia Tools and Applications* **78**:22, 32109-32136. [[Crossref](#)]
69. Kariman Elshakankery, Mona F. Ahmed. 2019. HILATSA: A hybrid Incremental learning approach for Arabic tweets sentiment analysis. *Egyptian Informatics Journal* **20**:3, 163-171. [[Crossref](#)]
70. Rong-Ping Shen, Heng-Ru Zhang, Hong Yu, Fan Min. 2019. Sentiment based matrix factorization with reliability for recommendation. *Expert Systems with Applications* **135**, 249-258. [[Crossref](#)]
71. Alaa Mohasseb, Mohamed Bader-El-Den, Mihaela Cocca. 2019. A customised grammar framework for query classification. *Expert Systems with Applications* **135**, 164-180. [[Crossref](#)]

72. Koteswara Ivaturi, Akshay Bhagwatwar. 2019. Mapping Sentiments to Themes of Customer reactions on Social Media during a Security Hack: A Justice Theory Perspective. *Information & Management* 103:218. [[Crossref](#)]
73. Anastasia Giachanou, Julio Gonzalo, Fabio Crestani. 2019. Propagating sentiment signals for estimating reputation polarity. *Information Processing & Management* 56:6, 102079. [[Crossref](#)]
74. Yaakov HaCohen-Kerner, Rakefet Dilmun, Maor Hone, Matanya Aharon Ben-Basan. 2019. Automatic classification of complaint letters according to service provider categories. *Information Processing & Management* 56:6, 102102. [[Crossref](#)]
75. Madhu Bala Myneni, Rohit Dandamudi. 2019. Harvesting railway passenger opinions on multi themes by using social graph clustering. *Journal of Rail Transport Planning & Management* 100:151. [[Crossref](#)]
76. M S Mohd Ilias, M A Najwa Hayaati, A H Azni Haslizan. 2019. Exploring an In-house Online Reputation Monitoring Implementation. *Journal of Physics: Conference Series* 1358, 012056. [[Crossref](#)]
77. Liang Zhou, Xiaoyong Bian. 2019. Improved text sentiment classification method based on BiGRU-Attention. *Journal of Physics: Conference Series* 1345, 032097. [[Crossref](#)]
78. Omar Alqaryouti, Nur Siyam, Azza Abdel Monem, Khaled Shaalan. 2019. Aspect-based sentiment analysis using smart government review data. *Applied Computing and Informatics* . [[Crossref](#)]
79. Yaser Jararweh, Mohammed A. Shehab, Qussai Yaseen, Mahmoud Al-Ayyoub. 2019. Improving classification and clustering techniques using GPUs. *Concurrency and Computation: Practice and Experience* 19. . [[Crossref](#)]
80. Christine Cook, Rianne Conijn, Juliette Schaafsma, Marjolijn Antheunis. 2019. For Whom the Gamer Trolls: A Study of Trolling Interactions in the Online Gaming Context. *Journal of Computer-Mediated Communication* 67. . [[Crossref](#)]
81. Xuefeng Fu, Xiangfeng Luo, Yike Guo. 2019. Entity emotion mining in social media environment. *Concurrency and Computation: Practice and Experience* 31:20. . [[Crossref](#)]
82. Fatemeh Zarisfi Kermani, Faramarz Sadeghi, Esfandiar Eslami. 2019. Solving the twitter sentiment analysis problem based on a machine learning-based approach. *Evolutionary Intelligence* 4. . [[Crossref](#)]
83. . References 169-188. [[Crossref](#)]
84. Mohammad Ehsan Basiri, Arman Kabiri, Moloud Abdar, Wali Khan Mashwani, Neil Y. Yen, Jason C. Hung. 2019. The effect of aggregation methods on sentiment classification in Persian reviews. *Enterprise Information Systems* 3, 1-28. [[Crossref](#)]
85. Carlos Gómez-Rodríguez, Iago Alonso-Alonso, David Vilares. 2019. How important is syntactic parsing accuracy? An empirical evaluation on rule-based sentiment analysis. *Artificial Intelligence Review* 52:3, 2081-2097. [[Crossref](#)]
86. Fatemeh Hemmatian, Mohammad Karim Sohrabi. 2019. A survey on classification techniques for opinion mining and sentiment analysis. *Artificial Intelligence Review* 52:3, 1495-1545. [[Crossref](#)]
87. Wei-Lun Chang. 2019. The Impact of Emotion: A Blended Model to Estimate Influence on Social Media. *Information Systems Frontiers* 21:5, 1137-1151. [[Crossref](#)]
88. Jorge E. Fresneda, David Gefen. 2019. A semantic measure of online review helpfulness and the importance of message entropy. *Decision Support Systems* 125, 113117. [[Crossref](#)]
89. David Ardia, Keven Bluteau, Kris Boudt. 2019. Questioning the news about economic growth: Sparse forecasting using thousands of news-based sentiment values. *International Journal of Forecasting* 35:4, 1370-1386. [[Crossref](#)]

90. Chaotao Chen, Run Zhuo, Jiangtao Ren. 2019. Gated recurrent neural network with sentimental relations for sentiment classification. *Information Sciences* **502**, 268-278. [[Crossref](#)]
91. Qian Ye, Xiaohong Chen, Hua Zhang, Kaan Ozbay, Fan Zuo. Public Concerns and Response Pattern toward Shared Mobility Security using Social Media Data 619-624. [[Crossref](#)]
92. Byeongki Jeong, Janghyeok Yoon, Jae-Min Lee. 2019. Social media mining for product planning: A product opportunity mining approach based on topic modeling and sentiment analysis. *International Journal of Information Management* **48**, 280-290. [[Crossref](#)]
93. Lowri Williams, Michael Arribas-Ayllon, Andreas Artemiou, Irena Spasić. 2019. Comparing the Utility of Different Classification Schemes for Emotive Language Analysis. *Journal of Classification* **36**:3, 619-648. [[Crossref](#)]
94. Asad Abdi, Siti Mariyam Shamsuddin, Shafaatunnur Hasan, Jalil Piran. 2019. Automatic sentiment-oriented summarization of multi-documents using soft computing. *Soft Computing* **23**:20, 10551-10568. [[Crossref](#)]
95. Jouko Vankka, Heikki Myllykoski, Tuomas Peltonen, Ken Riippa. Sentiment Analysis of Finnish Customer Reviews 344-350. [[Crossref](#)]
96. Xinyi Guo, Jinfeng Li. A Novel Twitter Sentiment Analysis Model with Baseline Correlation for Financial Market Prediction with Improved Efficiency 472-477. [[Crossref](#)]
97. Jia Zheng. A Novel Computer-Aided Emotion Recognition of Text Method Based on WordEmbedding and Bi-LSTM 176-180. [[Crossref](#)]
98. Mohammad Ghiasi, Shaghayegh Gharehgozli. Social Sentiment Analysis Using Fuzzy Logic: Addressing context effect on sentiment analysis by fuzzy lexicon dynamism 1-6. [[Crossref](#)]
99. Dinar Ajeng Kristiyanti, Normah, Akhmad Hairul Umam. Prediction of Indonesia Presidential Election Results for the 2019-2024 Period Using Twitter Sentiment Analysis 36-42. [[Crossref](#)]
100. Viola Joschko, Luis Glaser. 2019. A New Approach to Map and Quantify Representative Claims and Measure Their Validation: A Case Study Analysis. *Politics and Governance* **7**:3, 137. [[Crossref](#)]
101. Ahmed Al-Rawi. 2019. Facebook and virtual nationhood: social media and the Arab Canadians community. *AI & SOCIETY* **34**:3, 559-571. [[Crossref](#)]
102. Mohammad Karim Sohrabi, Fatemeh Hemmatian. 2019. An efficient preprocessing method for supervised sentiment analysis by converting sentences to numerical vectors: a twitter case study. *Multimedia Tools and Applications* **78**:17, 24863-24882. [[Crossref](#)]
103. Vo Ngoc Phu, Vo Thi Ngoc Tran, Vo Thi Ngoc Chau, Dat Nguyen Duy, Khanh Ly Doan Duy. 2019. Semantic lexicons of English nouns for classification. *Evolving Systems* **10**:3, 501-565. [[Crossref](#)]
104. Liang Zhu, Yan Lin, Mingming Cheng. 2019. Sentiment and guest satisfaction with peer-to-peer accommodation: When are online ratings more trustworthy?. *International Journal of Hospitality Management* 102369. [[Crossref](#)]
105. Ruslan V. Sharapov, Alexey D. Varlamov, Ekaterina V. Sharapova. Method for Sentiment Text Analysis based on Statistical and Semantic Properties of Words 1-6. [[Crossref](#)]
106. Yun-Fei Jia, Shan Li, Renbiao Wu. 2019. Incorporating Background Checks with Sentiment Analysis to Identify Violence Risky Chinese Microblogs. *Future Internet* **11**:9, 200. [[Crossref](#)]
107. Juan Pablo Vázquez Loaiza, Antonio Pérez-Torres, Karol Marylin Díaz Contreras. 2019. Semantic Icons: A Sentiment Analysis as a Contribution to Sustainable Tourism. *Sustainability* **11**:17, 4655. [[Crossref](#)]
108. . References 107-122. [[Crossref](#)]

109. Girish Chandra Joshi, Mayuri Paul, Bhriгу Kumar Kalita, Vikram Ranga, Jiwan Singh Rawat, Pinkesh Singh Rawat. 2019. Mapping the social landscape through social media. *Journal of Information Science* 1, 016555151986548. [[Crossref](#)]
110. Christopher Hannum, Kerem Yavuz Arslanli, Ali Furkan Kalay. 2019. Spatial analysis of Twitter sentiment and district-level housing prices. *Journal of European Real Estate Research* 12:2, 173-189. [[Crossref](#)]
111. Neelam Mukhtar, Mohammad Abid Khan. 2019. Effective lexicon-based approach for Urdu sentiment analysis. *Artificial Intelligence Review* 8. . [[Crossref](#)]
112. XiaoBo Tang, Shixuan Li, Na Gu, MingLiang Tan. 2019. Exploring repost features of police-generated microblogs through topic and sentiment analysis. *The Electronic Library* 37:4, 607-623. [[Crossref](#)]
113. Yazhou Zhang, Dawei Song, Peng Zhang, Xiang Li, Panpan Wang. 2019. A quantum-inspired sentiment representation model for twitter sentiment analysis. *Applied Intelligence* 49:8, 3093-3108. [[Crossref](#)]
114. Atanu Dey, Mamata Jenamani, Jitesh J. Thakkar. 2019. Cross-D-vectorizers: a set of feature-spaces for cross-domain sentiment analysis from consumer review. *Multimedia Tools and Applications* 78:16, 23141-23159. [[Crossref](#)]
115. Moisés H. R. Pereira, Flávio L. C. Pádua, Daniel H. Dalip, Fabrício Benevenuto, Adriano C. M. Pereira, Anisio M. Lacerda. 2019. Multimodal approach for tension levels estimation in news videos. *Multimedia Tools and Applications* 78:16, 23783-23808. [[Crossref](#)]
116. Swagato Chatterjee. 2019. Drivers of helpfulness of online hotel reviews: A sentiment and emotion mining approach. *International Journal of Hospitality Management* 102356. [[Crossref](#)]
117. Jie Xu, Feiran Huang, Xiaoming Zhang, Senzhang Wang, Chaozhuo Li, Zhoujun Li, Yueying He. 2019. Visual-textual sentiment classification with bi-directional multi-level attention networks. *Knowledge-Based Systems* 178, 61-73. [[Crossref](#)]
118. Kevin Moffitt, Daniel E. O'Leary. 2019. Gathering and evaluating innovation ideas using crowdsourcing: Impact of the idea title and the description on the number of votes in each phase of a two-phase crowdsourcing project. *Expert Systems* 36:4. . [[Crossref](#)]
119. Biqing Zeng, Heng Yang, Ruyang Xu, Wu Zhou, Xuli Han. 2019. LCF: A Local Context Focus Mechanism for Aspect-Based Sentiment Classification. *Applied Sciences* 9:16, 3389. [[Crossref](#)]
120. Monika Kabir, Mir Md. Jahangir Kabir, Shuxiang Xu, Bodrunnessa Badhon. 2019. An empirical research on sentiment analysis using machine learning approaches. *International Journal of Computers and Applications* 89, 1-9. [[Crossref](#)]
121. Arthur M. Jacobs. 2019. Sentiment Analysis for Words and Fiction Characters From the Perspective of Computational (Neuro-)Poetics. *Frontiers in Robotics and AI* 6. . [[Crossref](#)]
122. Yameng Wang, Jingwen Wang, Jiali Liu, Fenying Zang, Tingshao Zhu. 2019. Identifying linguistic differences between empty-nest and non-empty-nest youth on Weibo. *Human Behavior and Emerging Technologies* 1:3, 190-199. [[Crossref](#)]
123. Asad Abdi, Siti Mariyam Shamsuddin, Shafaatunnur Hasan, Jalil Piran. 2019. Deep learning-based sentiment classification of evaluative text based on Multi-feature fusion. *Information Processing & Management* 56:4, 1245-1259. [[Crossref](#)]
124. Emma E. McGinty, Elizabeth M. Stone, Alene Kennedy-Hendricks, Colleen L. Barry. 2019. Stigmatizing language in news media coverage of the opioid epidemic: Implications for public health. *Preventive Medicine* 124, 110-114. [[Crossref](#)]

125. Yanxiong Sun, Yeli Li, Qingtao Zeng, Yuning Bian. 2019. Emotional analysis System of book review based on Neural network. *IOP Conference Series: Materials Science and Engineering* **563**, 042012. [[Crossref](#)]
126. Salih Emre Akin, Tugba Yildiz. Sentiment Analysis through Transfer Learning for Turkish Language 1-6. [[Crossref](#)]
127. Khai Tran, Thi Phan. 2019. Deep Learning Application to Ensemble Learning—The Simple, but Effective, Approach to Sentiment Classifying. *Applied Sciences* **9**:13, 2760. [[Crossref](#)]
128. Sudarshan S. Sonawane, Satish R. Kolhe. 2019. Feature Optimization in Sentiment Analysis by Term Co-occurrence Fitness Evolution (TCFE). *International Journal of Information Technology and Web Engineering* **14**:3, 16-36. [[Crossref](#)]
129. Johannes von Bloh, Tom Broekel, Burcu Özgun, Rolf Sternberg. 2019. New(s) data for entrepreneurship research? An innovative approach to use Big Data on media coverage. *Small Business Economics* **25**. . [[Crossref](#)]
130. Arslan Ali Raza, Asad Habib, Jawad Ashraf, Muhammad Javed. 2019. Semantic Orientation Based Decision Making Framework for Big Data Analysis of Sporadic News Events. *Journal of Grid Computing* **17**:2, 367-383. [[Crossref](#)]
131. Xingming Chen, Yanghui Rao, Haoran Xie, Fu Lee Wang, Yingchao Zhao, Jian Yin. 2019. Sentiment Classification Using Negative and Intensive Sentiment Supplement Information. *Data Science and Engineering* **4**:2, 109-118. [[Crossref](#)]
132. Claudia Diamantini, Alex Mircoli, Domenico Potena, Emanuele Storti. 2019. Social information discovery enhanced by sentiment analysis techniques. *Future Generation Computer Systems* **95**, 816-828. [[Crossref](#)]
133. Maria Pia Gomez-Laich, Ryan T. Miller, Silvia Pessoa. 2019. Scaffolding analytical argumentative writing in a design class: A corpus analysis of student writing. *Linguistics and Education* **51**, 20-30. [[Crossref](#)]
134. Ariesta Lestari, Devi Karolita. 2019. Summarizing Netizens' Sentiments Towards the 1 st Indonesian Presidential Debate using Lexicon Sentiment Analysis. *IOP Conference Series: Materials Science and Engineering* **546**, 052041. [[Crossref](#)]
135. Lamine Faty, Marie Ndiaye, Ibrahima Diop, Khadim Drame. The complexity of comments from Senegalese online presses face with opinion mining methods 1-6. [[Crossref](#)]
136. Yongcai Tao, Xinqian Zhang, Lei Shi, Lin Wei, Zhaoyang Hai, Junaid Abdul Wahid. Joint Embedding of Emoticons and Labels Based on CNN for Microblog Sentiment Analysis 168-175. [[Crossref](#)]
137. María Navas-Loro, Víctor Rodríguez-Doncel. 2019. Spanish corpora for sentiment analysis: a survey. *Language Resources and Evaluation* **25**. . [[Crossref](#)]
138. Tiziana Lanciano, Antonietta Curci, Pierpaolo Basile. 2019. Do psychopathic traits impair autobiographical memory for emotional life experiences?. *Memory* **27**:5, 660-672. [[Crossref](#)]
139. Brandon Boatwright, Joseph P Mazer, Sarah Beach. 2019. The 2016 U.S. Presidential Election and Transition Events: A Social Media Volume and Sentiment Analysis. *Southern Communication Journal* **84**:3, 196-209. [[Crossref](#)]
140. Chong Wu, Dong Zhang. 2019. Ranking products with IF-based sentiment word framework and TODIM method. *Kybernetes* **48**:5, 990-1010. [[Crossref](#)]
141. Ray Qing Cao, Dara G. Schniederjans, Vicky Ching Gu, Marc J. Schniederjans. 2019. Exploring the relationship between corporate responsibility and firm performance from a social media perspective. *Social Responsibility Journal* **15**:3, 296-317. [[Crossref](#)]

142. Sumbal Riaz, Mehvish Fatima, M. Kamran, M. Wasif Nisar. 2019. Opinion mining on large scale data using sentiment analysis and k-means clustering. *Cluster Computing* **22**:S3, 7149-7164. [[Crossref](#)]
143. Muhammad Zubair Asghar, Aurangzeb Khan, Syeda Rabail Zahra, Shakeel Ahmad, Fazal Masud Kundi. 2019. Aspect-based opinion mining framework using heuristic patterns. *Cluster Computing* **22**:S3, 7181-7199. [[Crossref](#)]
144. Sara R. Jaeger, Christina M. Roigard, David Jin, Leticia Vidal, Gastón Ares. 2019. Valence, arousal and sentiment meanings of 33 facial emoji: Insights for the use of emoji in consumer research. *Food Research International* **119**, 895-907. [[Crossref](#)]
145. Frank Z. Xing, Filippo Pallucchini, Erik Cambria. 2019. Cognitive-inspired domain adaptation of sentiment lexicons. *Information Processing & Management* **56**:3, 554-564. [[Crossref](#)]
146. Minchae Song, Hyunjung Park, Kyung-shik Shin. 2019. Attention-based long short-term memory network using sentiment lexicon embedding for aspect-level sentiment analysis in Korean. *Information Processing & Management* **56**:3, 637-653. [[Crossref](#)]
147. M ArunaSafali, R Satya Prasad, KBS Sastry. 2019. A. Amalgamative sentiment analysis framework on social networking site. *Journal of Physics: Conference Series* **1228**, 012010. [[Crossref](#)]
148. Yanqiu Liu, Zekun Duan. 2019. Chinese Movie Comment Sentiment Analysis Based on HowNet and User Likes. *Journal of Physics: Conference Series* **1229**, 012018. [[Crossref](#)]
149. Mohamed M. Mostafa. 2019. Clustering halal food consumers: A Twitter sentiment analysis. *International Journal of Market Research* **61**:3, 320-337. [[Crossref](#)]
150. Muhammad Razi, J. Michael Tarn, Alhassan G. Mumuni. 2019. Effectiveness of incentivized social media campaigns for a Fortune 500 company's brand. *American Journal of Business* **34**:1, 37-56. [[Crossref](#)]
151. Minchae Song, Kyung-shik Shin. 2019. Forecasting economic indicators using a consumer sentiment index: Survey-based versus text-based data. *Journal of Forecasting* **33**. [[Crossref](#)]
152. María Hernández-Rubio, Iván Cantador, Alejandro Bellogín. 2019. A comparative analysis of recommender systems based on item aspect opinions extracted from user reviews. *User Modeling and User-Adapted Interaction* **29**:2, 381-441. [[Crossref](#)]
153. Dr. Swagato Chatterjee. 2019. Explaining customer ratings and recommendations by combining qualitative and quantitative user generated contents. *Decision Support Systems* **119**, 14-22. [[Crossref](#)]
154. Annet John, Anice John, Reshma Sheik. Context Deployed Sentiment Analysis Using Hybrid Lexicon 1-5. [[Crossref](#)]
155. Rasim M. Alguliyev, Ramiz M. Aliguliyev, Fargana J. Abdullayeva. 2019. Deep Learning Method for Prediction of DDoS Attacks on Social Media. *Advances in Data Science and Adaptive Analysis* **11**:01n02, 1950002. [[Crossref](#)]
156. Elena Razova, Evgeny Kotelnikov. 2019. Concentration Areas of Sentiment Lexica in the Word Embedding Space. *International Journal of Cognitive Informatics and Natural Intelligence* **13**:2, 48-62. [[Crossref](#)]
157. Mohammed Kaity, Vimala Balakrishnan. 2019. An automatic non-English sentiment lexicon builder using unannotated corpus. *The Journal of Supercomputing* **75**:4, 2243-2268. [[Crossref](#)]
158. Parisa Jamadi Khiabani, Mohammad Ehsan Basiri, Hamid Rastegari. 2019. An improved evidence-based aggregation method for sentiment analysis. *Journal of Information Science* **1**, 016555151983718. [[Crossref](#)]

159. Aishwarya R, Ashwatha C, Deepthi A, Beschi Raja J. 2019. A Novel Adaptable Approach for Sentiment Analysis. *International Journal of Scientific Research in Computer Science, Engineering and Information Technology* 254-263. [[Crossref](#)]
160. Fahd Alqasemi, Amira Abdelwahab, Hatem Abdelkader. 2019. Constructing automatic domain-specific sentiment lexicon using KNN search via terms discrimination vectors. *International Journal of Computers and Applications* 41:2, 129-139. [[Crossref](#)]
161. Amir Karami, Vishal Shah, Reza Vaezi, Amit Bansal. 2019. Twitter speaks: A case of national disaster situational awareness. *Journal of Information Science* 20, 016555151982862. [[Crossref](#)]
162. Philipe F. Melo, Daniel H. Dalip, Manoel M. Junior, Marcos A. Gonçalves, Fabrício Benevenuto. 2019. 10SENT: A stable sentiment analysis method based on the combination of off-the-shelf approaches. *Journal of the Association for Information Science and Technology* 70:3, 242-255. [[Crossref](#)]
163. Zuhe Li, Yangyu Fan, Bin Jiang, Tao Lei, Weihua Liu. 2019. A survey on sentiment analysis and opinion mining for social multimedia. *Multimedia Tools and Applications* 78:6, 6939-6967. [[Crossref](#)]
164. Tom Wilson, Robin Lovelace, Andrew J. Evans. 2019. A Path Toward the Use of Trail Users' Tweets to Assess Effectiveness of the Environmental Stewardship Scheme: An Exploratory Analysis of the Pennine Way National Trail. *Applied Spatial Analysis and Policy* 12:1, 71-99. [[Crossref](#)]
165. Seyed Mahdi Rezaeinia, Rouhollah Rahmani, Ali Ghodsi, Hadi Veisi. 2019. Sentiment analysis based on improved pre-trained word embeddings. *Expert Systems with Applications* 117, 139-147. [[Crossref](#)]
166. Milagros Fernández-Gavilanes, Jonathan Juncal-Martínez, Silvia García-Méndez, Enrique Costa-Montenegro, Francisco Javier González-Castaño. 2019. Differentiating users by language and location estimation in sentiment analysis of informal text during major public events. *Expert Systems with Applications* 117, 15-28. [[Crossref](#)]
167. Muhammad Abdul-Mageed. 2019. Modeling Arabic subjectivity and sentiment in lexical space. *Information Processing & Management* 56:2, 291-307. [[Crossref](#)]
168. Feiran Huang, Xiaoming Zhang, Zhonghua Zhao, Jie Xu, Zhoujun Li. 2019. Image-text sentiment analysis via deep multimodal attentive fusion. *Knowledge-Based Systems* 167, 26-37. [[Crossref](#)]
169. XiaoYan Chen, ShuFang He. 2019. Network review emotion mining based on Domain Ontology. *Journal of Physics: Conference Series* 1176, 022011. [[Crossref](#)]
170. R. Narmadha, P. Perumal. An Extensive Study On Automated Aspect And Aspect Category Summarization Technique To Influence On Sentimental Analysis Of Co-Occurrence Data 267-271. [[Crossref](#)]
171. Fahim Djatmiko, Ridi Ferdiana, Muhammad Faris. A Review of Sentiment Analysis for Non-English Language 448-451. [[Crossref](#)]
172. Demba Kande, Fode Camara, Samba Ndiaye, Fode M. L. Guirassy. FWLSA-score: French and Wolof Lexicon-based for Sentiment Analysis 215-220. [[Crossref](#)]
173. Naveed Hussain, Hamid Turab Mirza, Ghulam Rasool, Ibrar Hussain, Mohammad Kaleem. 2019. Spam Review Detection Techniques: A Systematic Literature Review. *Applied Sciences* 9:5, 987. [[Crossref](#)]
174. Jurgita Kapočūtė-Dzikienė, Robertas Damaševičius, Marcin Woźniak. 2019. Sentiment Analysis of Lithuanian Texts Using Traditional and Deep Learning Approaches. *Computers* 8:1, 4. [[Crossref](#)]

175. Banu Yergesh, Gulmira Bekmanova, Altynbek Sharipbay. 2019. Sentiment analysis of Kazakh text and their polarity. *Web Intelligence* 17:1, 9-15. [[Crossref](#)]
176. Brian Keith Norambuena, Exequiel Fuentes Lettura, Claudio Meneses Villegas. 2019. Sentiment analysis and opinion mining applied to scientific paper reviews. *Intelligent Data Analysis* 23:1, 191-214. [[Crossref](#)]
177. Noa P. Cruz Díaz, Manuel J. Maña López. Negation and Speculation Detection 13, . [[Crossref](#)]
178. Ana Alina Tudoran. 2019. Why do internet consumers block ads? New evidence from consumer opinion mining and sentiment analysis. *Internet Research* 29:1, 144-166. [[Crossref](#)]
179. Xiaojia Pu, Gangshan Wu, Chunfeng Yuan. 2019. Exploring overall opinions for document level sentiment classification with structural SVM. *Multimedia Systems* 25:1, 21-33. [[Crossref](#)]
180. Xiaojia Pu, Gangshan Wu, Chunfeng Yuan. 2019. User-aware topic modeling of online reviews. *Multimedia Systems* 25:1, 59-69. [[Crossref](#)]
181. Pietro Ducange, Michela Fazzolari, Marinella Petrocchi, Massimo Vecchio. 2019. An effective Decision Support System for social media listening based on cross-source sentiment analysis models. *Engineering Applications of Artificial Intelligence* 78, 71-85. [[Crossref](#)]
182. Araceli Zavala, Jose Emmanuel Ramirez-Marquez. 2019. Visual analytics for identifying product disruptions and effects via social media. *International Journal of Production Economics* 208, 544-559. [[Crossref](#)]
183. Imane Guellil, Houda Saâdane, Faical Azouaou, Billel Gueni, Damien Nouvel. 2019. Arabic natural language processing: An overview. *Journal of King Saud University - Computer and Information Sciences* . [[Crossref](#)]
184. Jian Liao, Suge Wang, Deyu Li. 2019. Identification of fact-implied implicit sentiment based on multi-level semantic fused representation. *Knowledge-Based Systems* 165, 197-207. [[Crossref](#)]
185. Oscar Araque, Ganggao Zhu, Carlos A. Iglesias. 2019. A semantic similarity-based perspective of affect lexicons for sentiment analysis. *Knowledge-Based Systems* 165, 346-359. [[Crossref](#)]
186. Mireille Fares, Angela Moufarrej, Eliane Jreij, Joe Tekli, William Grosky. 2019. Unsupervised word-level affect analysis and propagation in a lexical knowledge graph. *Knowledge-Based Systems* 165, 432-459. [[Crossref](#)]
187. Kamal Rahmani, Juergen Gnoth, Damien Mather. 2019. A Psycholinguistic View of Tourists' Emotional Experiences. *Journal of Travel Research* 58:2, 192-206. [[Crossref](#)]
188. Abdalsamad Keramatfar, Hossein Amirkhani. 2019. Bibliometrics of sentiment analysis literature. *Journal of Information Science* 45:1, 3-15. [[Crossref](#)]
189. Sofia Karampela, George Papapanos, Thanasis Kizos. 2019. Perceptions of Agritourism and Cooperation: Comparisons between an Island and a Mountain Region in Greece. *Sustainability* 11:3, 680. [[Crossref](#)]
190. Jorge Carrillo-de-Albornoz, Ahmet Aker, Emina Kurtic, Laura Plaza. 2019. Beyond opinion classification: Extracting facts, opinions and experiences from health forums. *PLOS ONE* 14:1, e0209961. [[Crossref](#)]
191. Xiaoxu He, Shengxiang Gao, Zhengtao Yu, Shulong Liu, Xudong Hong. Sentiment Classification Method for Chinese and Vietnamese Bilingual News Sentence Based on Convolution Neural Network 1230-1239. [[Crossref](#)]
192. Madeha Arif, Usman Qamar. A Framework for Feature Extraction and Ranking for Opinion Making from Online Reviews 359-371. [[Crossref](#)]
193. Khawar Mehmood, Daryl Essam, Kamran Shafi. Sentiment Analysis System for Roman Urdu 29-42. [[Crossref](#)]

194. Uday Kamath, John Liu, James Whitaker. Text and Speech Basics 87-138. [[Crossref](#)]
195. Xiaoyu Tang, Wei Ou, Van-Nam Huynh. Averaged Logits: An Weakly-Supervised Approach to Use Ratings to Train Sentence-Level Sentiment Classifiers 308-319. [[Crossref](#)]
196. Athanasia Kolovou. Machine Learning Methods for Opinion Mining In text: The Past and the Future 429-457. [[Crossref](#)]
197. Girma Neshir Alemneh, Andreas Rauber, Solomon Atnafu. Dictionary Based Amharic Sentiment Lexicon Generation 311-326. [[Crossref](#)]
198. Frank Xing, Erik Cambria, Roy Welsch. Storage and Update of Knowledge 97-111. [[Crossref](#)]
199. Olga Chukhno, Nadezhda Chukhno, Anna Gaidamaka, Konstantin Samouylov, Enrique Herrera-Viedma. Numerical Study of the Consensus Degree Between Social Network Users in the Group Decision Making Process 586-598. [[Crossref](#)]
200. Nhat X. T. Le, Neal Young, Vagelis Hristidis. Unsupervised Ontology- and Sentiment-Aware Review Summarization 747-762. [[Crossref](#)]
201. Anastasia Kotelnikova, Evgeny Kotelnikov. SentiRusColl: Russian Collocation Lexicon for Sentiment Analysis 18-32. [[Crossref](#)]
202. S. Sachin Kumar, M. Anand Kumar, K. P. Soman. Identifying Sentiment of Malayalam Tweets Using Deep Learning 391-408. [[Crossref](#)]
203. Nusrat Jahan Shoumy, Li-minn Ang, D. M. Motiur Rahaman. Multimodal Big Data Affective Analytics 45-71. [[Crossref](#)]
204. Mohamed Zaki, Andy Neely. Customer Experience Analytics: Dynamic Customer-Centric Model 207-233. [[Crossref](#)]
205. Eman Hamdi, Sherine Rady, Mostafa Aref. A Convolutional Neural Network Model for Emotion Detection from Tweets 337-346. [[Crossref](#)]
206. Kevin Labille, Susan Gauch, Sultan Alfarhood. Text Mining for Word Sentiment Detection 149-170. [[Crossref](#)]
207. Dennis Ahrholdt, Goetz Greve, Gregor Hopf. Social Media 55-144. [[Crossref](#)]
208. Daoning Jiang, Qian Tao, Zhenyu Wang, Lixia Dong. An Intelligent Logistic Regression Approach for Verb Expression's Sentiment Analysis 173-181. [[Crossref](#)]
209. Abhishek Singh Rathore, Siddharth Arjaria, Shraddha Khandelwal, Surbhi Thorat, Vratika Kulkarni. Movie Rating System Using Sentiment Analysis 85-98. [[Crossref](#)]
210. Fawad Ali, Farhan Hassan Khan, Saba Bashir, Uzair Ahmad. Counter Terrorism on Online Social Networks Using Web Mining Techniques 240-250. [[Crossref](#)]
211. Mike Thelwall. Sentiment Analysis for Tourism 87-104. [[Crossref](#)]
212. Nadeeka Malkanthi, Thashika D. Rupasinghe. Text Mining-Based Human Computer Interaction Approach for On-line Purchasing 200-218. [[Crossref](#)]
213. R. Arulmurugan, K. R. Sabarmathi, H. Anandakumar. 2019. Classification of sentence level sentiment analysis using cloud machine learning techniques. *Cluster Computing* **22**:S1, 1199-1209. [[Crossref](#)]
214. Carlos Perinán-Pascual, Francisco Arcas-Túnez. 2019. Detecting environmentally-related problems on Twitter. *Biosystems Engineering* **177**, 31-48. [[Crossref](#)]
215. David Griol, José Manuel Molina, Zoraida Callejas. 2019. Combining speech-based and linguistic classifiers to recognize emotion in user spoken utterances. *Neurocomputing* **326-327**, 132-140. [[Crossref](#)]

216. Hércules A. do Prado, Elaine Coutinho Marcial, Aluizio Haendchen Filho, Edilson Ferneda, Roseane Salvio. 2019. Towards an Extensible Architecture for Ideation. *Procedia Computer Science* **159**, 727-735. [[Crossref](#)]
217. Guixian Xu, Ziheng Yu, Haishen Yao, Fan Li, Yueting Meng, Xu Wu. 2019. Chinese Text Sentiment Analysis Based on Extended Sentiment Dictionary. *IEEE Access* **7**, 43749-43762. [[Crossref](#)]
218. Guixian Xu, Yueting Meng, Xiaoyu Qiu, Ziheng Yu, Xu Wu. 2019. Sentiment Analysis of Comment Texts Based on BiLSTM. *IEEE Access* **7**, 51522-51532. [[Crossref](#)]
219. Jasmine Kah Phooi Seng, Kenneth Li-Minn Ang. 2019. Multimodal Emotion and Sentiment Modeling From Unstructured Big Data: Challenges, Architecture, & Techniques. *IEEE Access* **7**, 90982-90998. [[Crossref](#)]
220. Guixian Xu, Ziheng Yu, Zhan Chen, Xiaoyu Qiu, Haishen Yao. 2019. Sensitive Information Topics-Based Sentiment Analysis Method for Big Data. *IEEE Access* **7**, 96177-96190. [[Crossref](#)]
221. Chunli Xiang, Yafeng Ren, Donghong Ji. 2019. Identifying Implicit Polarity of Events by Using an Attention-Based Neural Network Model. *IEEE Access* **7**, 133170-133177. [[Crossref](#)]
222. Zhengjie Gao, Ao Feng, Xinyu Song, Xi Wu. 2019. Target-Dependent Sentiment Classification With BERT. *IEEE Access* **7**, 154290-154299. [[Crossref](#)]
223. Salud Maria Jimenez Zafra, M. Teresa Martin Valdivia, Eugenio Martinez Camara, L Alfonso Urena Lopez. 2019. Studying the Scope of Negation for Spanish Sentiment Analysis on Twitter. *IEEE Transactions on Affective Computing* **10**:1, 129-141. [[Crossref](#)]
224. PinHua Wu, JiaLing Koh, Arbee L. P. Chen. Event detection for exploring emotional upheavals of depressive people 2086-2095. [[Crossref](#)]
225. Arthur E. de O. Carosia, Guilherme P. Coelho, Ana E. A. da Silva. The influence of tweets and news on the brazilian stock market through sentiment analysis 385-392. [[Crossref](#)]
226. Ya Gao, Shu Wang. Application & Comparison of Several Sentiment Analysis Platforms with Open Source Review Dataset 1-8. [[Crossref](#)]
227. Lian Yingjie, Zhang Yunqiu, Liu Mengyao, Zhao Chongyang, Jiang Xiaoming, Ren Shiyuan. The Emotional Situation of Netizens in Public Health Emergencies Based on Microblog and Its Comparative Analysis 125-129. [[Crossref](#)]
228. Merel Keijsers, Christoph Bartneck, Hussain Syed Kazmi. Cloud-Based Sentiment Analysis for Interactive Agents 43-50. [[Crossref](#)]
229. Muhammad Abulaish, Mohammad Rahimi, Habeebullah Ebrahemi, Amit Sah. SentiLangN: A Language-Neutral Graph-Based Approach for Sentiment Analysis in Microblogging Data 461-465. [[Crossref](#)]
230. Cristina-Iulia Bucur, Tobias Kuhn, Davide Ceolin. Peer Reviewing Revisited 179-187. [[Crossref](#)]
231. Ishita Chakraborty, Minkyung Kim, K. Sudhir. 2019. Attribute Sentiment Scoring with Online Text Reviews: Accounting for Language Structure and Attribute Self-Selection. *SSRN Electronic Journal* . [[Crossref](#)]
232. Sattam Almatarneh, Pablo Gamallo. 2019. Comparing Supervised Machine Learning Strategies and Linguistic Features to Search for Very Negative Opinions. *Information* **10**:1, 16. [[Crossref](#)]
233. Jiri Panek. Emotional and Subjective Volunteered Geographical Information 1347-1362. [[Crossref](#)]
234. Meenakshi Tripathi, Saatvik Shah, Prashant Bahal, Harsh Sharma, Ritika Gupta. Smart MM 225-251. [[Crossref](#)]

235. Rasim M. Alguliyev, Ramiz M. Aliguliyev, Fargana J Abdullayeva. 2019. The Improved LSTM and CNN Models for DDoS Attacks Prediction in Social Media. *International Journal of Cyber Warfare and Terrorism* 9:1, 1-18. [[Crossref](#)]
236. Aiqi Jiang, Arkaitz Zubiaga. 2019. Leveraging aspect phrase embeddings for cross-domain review rating prediction. *PeerJ Computer Science* 5, e225. [[Crossref](#)]
237. Cliff Goddard, Maite Taboada, Radoslava Trnavac. 2019. The semantics of evaluational adjectives. *Functions of Language* 26:3, 308-342. [[Crossref](#)]
238. Yunkai Yang, Tieyun Qian, Zhuang Chen. Aspect-Level Sentiment Classification with Dependency Rules and Dual Attention 643-655. [[Crossref](#)]
239. Rashmi K Thakur, Manojkumar V Deshpande. 2019. Kernel Optimized-Support Vector Machine and Mapreduce framework for sentiment classification of train reviews. *Sādhanā* 44:1. . [[Crossref](#)]
240. Yiting Shen, Steven R. Wilson, Rada Mihalcea. Measuring Personal Values in Cross-Cultural User-Generated Content 143-156. [[Crossref](#)]
241. Andres Algaba, David Ardia, Keven Bluteau, Samuel Borms, Kris Boudt. 2019. Econometrics Meets Sentiment: An Overview of Methodology and Applications. *SSRN Electronic Journal* . [[Crossref](#)]
242. Nirmala M, M. Rajasekhara Babu. 2018. Analytic-based product opinion detection algorithm for twitter microblogging network. *International Journal of Communication Systems* 9, e3881. [[Crossref](#)]
243. Scott F. Kiesling, Umashanthi Pavalanathan, Jim Fitzpatrick, Xiaochuang Han, Jacob Eisenstein. 2018. Interactional Stancetaking in Online Forums. *Computational Linguistics* 44:4, 683-718. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
244. Stefanos Angelidis, Mirella Lapata. 2018. Multiple Instance Learning Networks for Fine-Grained Sentiment Analysis. *Transactions of the Association for Computational Linguistics* 6, 17-31. [[Abstract](#)] [[PDF](#)] [[PDF Plus](#)]
245. Adam Tsakalidis, Symeon Papadopoulos, Rania Voskaki, Kyriaki Ioannidou, Christina Boididou, Alexandra I. Cristea, Maria Liakata, Yiannis Kompatsiaris. 2018. Building and evaluating resources for sentiment analysis in the Greek language. *Language Resources and Evaluation* 52:4, 1021-1044. [[Crossref](#)]
246. Dario Stojanovski, Gjorgji Strezoski, Gjorgji Madjarov, Ivica Dimitrovski, Ivan Chorbev. 2018. Deep neural network architecture for sentiment analysis and emotion identification of Twitter messages. *Multimedia Tools and Applications* 77:24, 32213-32242. [[Crossref](#)]
247. Roberto Centeno, Victor Fresno, Jacobo Chaquet. 2018. From textual reviews to Individual Reputation Rankings: Leaving ratings aside solving MPC task. *Expert Systems with Applications* 114, 1-14. [[Crossref](#)]
248. Mudasir Ahmad Wani, Nancy Agarwal, Suraiya Jabin, Syed Zeeshan Hussain. 2018. User emotion analysis in conflicting versus non-conflicting regions using online social networks. *Telematics and Informatics* 35:8, 2326-2336. [[Crossref](#)]
249. Liujie Zhang, Yanquan Zhou, Ruiqi Chen, Xiuyu Duan. Sentiment-Polarized Word Embedding for Multi-label Sentiment Classification 2312-2316. [[Crossref](#)]
250. Priyavrat, Nonita Sharma. Sentiment Analysis using tidytext package in R 577-580. [[Crossref](#)]
251. Mike Thelwall. 2018. Can social news websites pay for content and curation? The SteemIt cryptocurrency model. *Journal of Information Science* 44:6, 736-751. [[Crossref](#)]
252. BangRae Lee, Jun-Hwan Park, Leenam Kwon, Young-Ho Moon, YoungHo Shin, GyuSeok Kim, Han-joon Kim. 2018. About relationship between business text patterns and financial

performance in corporate data. *Journal of Open Innovation: Technology, Market, and Complexity* 4:1. . [[Crossref](#)]

253. Nina Rizun, Yurii Taranenko, Wojciech Waloszek. 2018. Improving the Accuracy in Sentiment Classification in the Light of Modelling the Latent Semantic Relations. *Information* 9:12, 307. [[Crossref](#)]
254. Jorge Carrillo-de-Albornoz, Javier Rodríguez Vidal, Laura Plaza. 2018. Feature engineering for sentiment analysis in e-health forums. *PLOS ONE* 13:11, e0207996. [[Crossref](#)]
255. Eduan Kotzé, Burgert Senekal. 2018. Employing sentiment analysis for gauging perceptions of minorities in multicultural societies: An analysis of Twitter feeds on the Afrikaner community of Orania in South Africa. *The Journal for Transdisciplinary Research in Southern Africa* 14:1. . [[Crossref](#)]
256. Erik Bleich, A. Maurits van der Veen. 2018. Media portrayals of Muslims: a comparative sentiment analysis of American newspapers, 1996–2015. *Politics, Groups, and Identities* 15, 1-20. [[Crossref](#)]
257. Mary Bresnahan, Yingying Chen, Kevin Fedewa. 2018. Extinguishing Lady Liberty's Torch? Online Public Responses to the U.S. Executive Order to Ban Immigrants from 7 Countries. *Journal of Intercultural Communication Research* 47:6, 564-580. [[Crossref](#)]
258. Hui Yuan, Wei Xu, Qian Li, Raymond Lau. 2018. Topic sentiment mining for sales performance prediction in e-commerce. *Annals of Operations Research* 270:1-2, 553-576. [[Crossref](#)]
259. Yijing Li, Haixiang Guo, Qingpeng Zhang, Mingyun Gu, Jianying Yang. 2018. Imbalanced text sentiment classification using universal and domain-specific knowledge. *Knowledge-Based Systems* 160, 1-15. [[Crossref](#)]
260. Qingfeng Pan, Xianghan Zheng, Guolong Chen. A Mix-model based Deep Learning for Text Sentiment Analysis 1-6. [[Crossref](#)]
261. Tushar Bhattacharjee, Tushar Attar, Dr. Rajesh Kumar. Automated Real Time Sentiment Classification of Twitter Data 1-6. [[Crossref](#)]
262. Andrei P. Kirilenko, Svetlana O. Stepchenkova, Hany Kim, Xiang (Robert) Li. 2018. Automated Sentiment Analysis in Tourism: Comparison of Approaches. *Journal of Travel Research* 57:8, 1012-1025. [[Crossref](#)]
263. ###, ###, ###. 2018. Constructing Korean Multi-Word Expression Dictionary DecoMWE for Feature-Based Sentiment Analysis. *Language & Information Society* 35:null, 407-458. [[Crossref](#)]
264. Asad Abdi, Siti Mariyam Shamsuddin, Shafaatunnur Hasan, Jalil Piran. 2018. Machine learning-based multi-documents sentiment-oriented summarization using linguistic treatment. *Expert Systems with Applications* 109, 66-85. [[Crossref](#)]
265. Kyoungok Kim. 2018. An improved semi-supervised dimensionality reduction using feature weighting: Application to sentiment analysis. *Expert Systems with Applications* 109, 49-65. [[Crossref](#)]
266. Mohamed M. Mostafa. 2018. Mining and mapping halal food consumers: A geo-located Twitter opinion polarity analysis. *Journal of Food Products Marketing* 24:7, 858-879. [[Crossref](#)]
267. Dilin Liu, Lei Lei. 2018. The appeal to political sentiment: An analysis of Donald Trump's and Hillary Clinton's speech themes and discourse strategies in the 2016 US presidential election. *Discourse, Context & Media* 25, 143-152. [[Crossref](#)]
268. Dmitry Leykin, Mooli Lahad, Limor Aharonson-Daniel. 2018. Gauging urban resilience from social media. *International Journal of Disaster Risk Reduction* 31, 393-402. [[Crossref](#)]

269. Amalia Amalia, Arner Sharif, Fikri Haisar, Dani Gunawan, Benny B Nasution. Meme Opinion Categorization by Using Optical Character Recognition (OCR) and Naïve Bayes Algorithm 1-5. [[Crossref](#)]
270. Maruf Hassan, Md. Sakib Bin Alam, Tanveer Ahsan. Emotion Detection from Text Using Skip-thought Vectors 501-506. [[Crossref](#)]
271. Sattam Almatarneh, Pablo Gamallo. A Comparative Study of Polarity Lexicons to Identify Extreme Opinions 296-301. [[Crossref](#)]
272. Ema Kusen, Mark Strembeck. Investigation of Emotion Exchange Motifs in Bot/Human Interactions During Riot Events 19-26. [[Crossref](#)]
273. Aggeliki Vlachostergiou, George Caridakis, Phivos Mylonas, Andreas Stafylopatis. 2018. Learning Representations of Natural Language Texts with Generative Adversarial Networks at Document, Sentence, and Aspect Level. *Algorithms* 11:10, 164. [[Crossref](#)]
274. Tan Li Im, Phang Wai San, Patricia Anthony, Chin Kim On. 2018. Improving Polarity Classification for Financial News Using Semantic Similarity Techniques. *International Journal of Intelligent Information Technologies* 14:4, 39-54. [[Crossref](#)]
275. Wandeep Kaur, Vimala Balakrishnan. 2018. Improving sentiment scoring mechanism: a case study on airline services. *Industrial Management & Data Systems* 118:8, 1578-1596. [[Crossref](#)]
276. Lei Zou, Nina S. N. Lam, Heng Cai, Yi Qiang. 2018. Mining Twitter Data for Improved Understanding of Disaster Resilience. *Annals of the American Association of Geographers* 108:5, 1422-1441. [[Crossref](#)]
277. Heba M. Ismail, Boumediene Belkhouche, Nazar Zaki. 2018. Semantic Twitter sentiment analysis based on a fuzzy thesaurus. *Soft Computing* 22:18, 6011-6024. [[Crossref](#)]
278. Yohei Hiyama, Hidekazu Yanagimoto. 2018. Word polarity attention in sentiment analysis. *Artificial Life and Robotics* 23:3, 311-315. [[Crossref](#)]
279. Jože Bučar, Martin Žnidaršič, Janez Povh. 2018. Annotated news corpora and a lexicon for sentiment analysis in Slovene. *Language Resources and Evaluation* 52:3, 895-919. [[Crossref](#)]
280. David B. Fogel. 2018. Factors associated with clinical trials that fail and opportunities for improving the likelihood of success: A review. *Contemporary Clinical Trials Communications* 11, 156-164. [[Crossref](#)]
281. Seyed Pouyan Eslami, Maryam Ghasemaghaci, Khaled Hassanein. 2018. Which online reviews do consumers find most helpful? A multi-method investigation. *Decision Support Systems* 113, 32-42. [[Crossref](#)]
282. SoYeop Yoo, JeIn Song, OkRan Jeong. 2018. Social media contents based sentiment analysis and prediction system. *Expert Systems with Applications* 105, 102-111. [[Crossref](#)]
283. M. Ghiassi, S. Lee. 2018. A domain transferable lexicon set for Twitter sentiment analysis using a supervised machine learning approach. *Expert Systems with Applications* 106, 197-216. [[Crossref](#)]
284. Liedong Yin, Xia Ye, Junping Yao. 2018. A Sentiment Analysis Method Based on BLSTM and CNN Fusion. *Journal of Physics: Conference Series* 1087:6, 062058. [[Crossref](#)]
285. Androniki Sapountzi, Kostas E. Psannis. 2018. Social networking data analysis tools & challenges. *Future Generation Computer Systems* 86, 893-913. [[Crossref](#)]
286. Douglas Biber, Jesse Egbert, Meixiu Zhang. Lexis and grammar as complementary discourse systems for expressing stance and evaluation 201-226. [[Crossref](#)]
287. Christine Liebrecht, Lettica Hustinx, Margot van Mulken, Peter Jan Schellens. Two dimensions of language intensity in evaluative discourse 273-296. [[Crossref](#)]

288. Hongyu Han, Yongshi Zhang, Jianpei Zhang, Jing Yang, Xiaomei Zou. 2018. Improving the performance of lexicon-based review sentiment analysis method by reducing additional introduced sentiment bias. *PLOS ONE* 13:8, e0202523. [[Crossref](#)]
289. Hongyu Han, Jianpei Zhang, Jing Yang, Yiran Shen, Yongshi Zhang. 2018. Generate domain-specific sentiment lexicon for review sentiment analysis. *Multimedia Tools and Applications* 77:16, 21265-21280. [[Crossref](#)]
290. Anupam Mondal, Erik Cambria, Dipankar Das, Amir Hussain, Sivaji Bandyopadhyay. 2018. Relation Extraction of Medical Concepts Using Categorization and Sentiment Analysis. *Cognitive Computation* 10:4, 670-685. [[Crossref](#)]
291. Milagros Fernández-Gavilanes, Jonathan Juncal-Martínez, Silvia García-Méndez, Enrique Costa-Montenegro, Francisco Javier González-Castaño. 2018. Creating emoji lexica from unsupervised sentiment analysis of their descriptions. *Expert Systems with Applications* 103, 74-91. [[Crossref](#)]
292. Atanu Dey, Mamata Jenamani, Jitesh J. Thakkar. 2018. Senti-N-Gram : An n -gram lexicon for sentiment analysis. *Expert Systems with Applications* 103, 92-105. [[Crossref](#)]
293. Christopher SG Khoo, Sathik Basha Johnkhan. 2018. Lexicon-based sentiment analysis: Comparative evaluation of six sentiment lexicons. *Journal of Information Science* 44:4, 491-511. [[Crossref](#)]
294. Yuliya Rubtsova. 2018. Reducing the Deterioration of Sentiment Analysis Results Due to the Time Impact. *Information* 9:8, 184. [[Crossref](#)]
295. Navva Chandrika Pilla, Eali. Stephen Neal Joshua. 2018. Sentiment Analysis Review on Twitter Data in Hadoop Environment. *JOURNAL OF ADVANCED INFORMATION TECHNOLOGY AND CONVERGENCE* 8:1, 73-84. [[Crossref](#)]
296. Thien Khai Tran, Tuoi Thi Phan. 2018. A hybrid approach for building a Vietnamese sentiment dictionary. *Journal of Intelligent & Fuzzy Systems* 35:1, 967-978. [[Crossref](#)]
297. Ali Hamdi, Khaled Shaban, Anazida Zainal. 2018. CLASENTI. *ACM Transactions on Asian and Low-Resource Language Information Processing* 17:4, 1-28. [[Crossref](#)]
298. Juncai Guo, Xue Chen. 2018. Bias-Sentiment-Topic model for microblog sentiment analysis. *Concurrency and Computation: Practice and Experience* 30:13, e4417. [[Crossref](#)]
299. Mohd H. Bin Osman, Sakdirat Kaewunruen. 2018. Role of Pre-processing in Textual Data Fusion: Learn From the Croydon Tram Tragedy. *Frontiers in Built Environment* 4. . [[Crossref](#)]
300. Ying Kei Tse, Hanlin Loh, Juling Ding, Minhao Zhang. 2018. An investigation of social media data during a product recall scandal. *Enterprise Information Systems* 12:6, 733-751. [[Crossref](#)]
301. Firoj Alam, Morena Danieli, Giuseppe Riccardi. 2018. Annotating and modeling empathy in spoken conversations. *Computer Speech & Language* 50, 40-61. [[Crossref](#)]
302. Simona Balbi, Michelangelo Misuraca, Germana Scepi. 2018. Combining different evaluation systems on social media for measuring user satisfaction. *Information Processing & Management* 54:4, 674-685. [[Crossref](#)]
303. Qili Wang, Wei Xu, Han Zheng. 2018. Combining the wisdom of crowds and technical analysis for financial market prediction using deep random subspace ensembles. *Neurocomputing* 299, 51-61. [[Crossref](#)]
304. Elena V. Razova, Evgeny V. Kotelnikov. The Arrangement of Sentiment Lexica in the Space of Distributed Word Representations 240-245. [[Crossref](#)]
305. Ahmed Al-Rawi. 2018. Regional Television and Collective Ethnic Identity: Investigating the SNS Outlets of Arab TV Shows. *Social Media + Society* 4:3, 205630511879587. [[Crossref](#)]

306. Cornelius Puschmann, Alison Powell. 2018. Turning Words Into Consumer Preferences: How Sentiment Analysis Is Framed in Research and the News Media. *Social Media + Society* 4:3, 205630511879772. [[Crossref](#)]
307. Thien Khai Tran, Tuoi Thi Phan. 2018. Towards a Sentiment Analysis Model Based on Semantic Relation Analysis. *International Journal of Synthetic Emotions* 9:2, 54-75. [[Crossref](#)]
308. Vo Ngoc Phu, Vo Thi Ngoc Tran. The Today Tendency of Sentiment Classification . [[Crossref](#)]
309. Seunghyun “Brian” Park, Hyung Jin Kim, Chihyung “Michael” Ok. 2018. Linking emotion and place on Twitter at Disneyland. *Journal of Travel & Tourism Marketing* 35:5, 664-677. [[Crossref](#)]
310. Vo Ngoc Phu, Vo Thi Ngoc Chau, Vo Thi Ngoc Tran, Nguyen Duy Dat. 2018. A Vietnamese adjective emotion dictionary based on exploitation of Vietnamese language characteristics. *Artificial Intelligence Review* 50:1, 93-159. [[Crossref](#)]
311. Vicente García-Díaz, Jordán Pascual Espada, Rubén González Crespo, B. Cristina Pelayo G-Bustelo, Juan Manuel Cueva Lovelle. 2018. An approach to improve the accuracy of probabilistic classifiers for decision support systems in sentiment analysis. *Applied Soft Computing* 67, 822-833. [[Crossref](#)]
312. Stephen Nabareseh, Eric Afful-Dadzie, Petr Klimek. 2018. Leveraging Fine-Grained Sentiment Analysis for Competitvity. *Journal of Information & Knowledge Management* 17:02, 1850018. [[Crossref](#)]
313. Tareq Al-Moslmi, Mohammed Albared, Adel Al-Shabi, Nazlia Omar, Salwani Abdullah. 2018. Arabic senti-lexicon: Constructing publicly available language resources for Arabic sentiment analysis. *Journal of Information Science* 44:3, 345-362. [[Crossref](#)]
314. Ehsan Asgarian, Mohsen Kahani, Shahla Sharifi. 2018. HesNegar: Persian Sentiment WordNet. *Signal and Data Processing* 15:1, 71-86. [[Crossref](#)]
315. Mohammad Ehsan Basiri, Arman Kabiri. 2018. Words Are Important. *ACM Transactions on Asian and Low-Resource Language Information Processing* 17:4, 1-18. [[Crossref](#)]
316. Sattam Almatarneh, Pablo Gamallo. 2018. A lexicon based method to search for extreme opinions. *PLOS ONE* 13:5, e0197816. [[Crossref](#)]
317. Dongcheng Zhang, Maoshan Qiang, Hanchen Jiang, Qi Wen, Nan An, Bingqing Xia. 2018. Social sensing system for water conservation project: a case study of the South-to-North Water Transfer Project in China. *Water Policy* 5, wp2018141. [[Crossref](#)]
318. Mike Thelwall. 2018. Social media analytics for YouTube comments: potential and limitations. *International Journal of Social Research Methodology* 21:3, 303-316. [[Crossref](#)]
319. Murtadha Talib AL-Sharuee, Fei Liu, Mahardhika Pratama. 2018. Sentiment analysis: An automatic contextual analysis and ensemble clustering approach and comparison. *Data & Knowledge Engineering* 115, 194-213. [[Crossref](#)]
320. Huy Tien Nguyen, Minh Le Nguyen. 2018. Multilingual opinion mining on YouTube – A convolutional N-gram BiLSTM word embedding. *Information Processing & Management* 54:3, 451-462. [[Crossref](#)]
321. Ahmed Al-Saffar, Suryanti Awang, Hai Tao, Nazlia Omar, Wafaa Al-Saiagh, Mohammed Albared. 2018. Malay sentiment analysis based on combined classification approaches and Senti-lexicon algorithm. *PLOS ONE* 13:4, e0194852. [[Crossref](#)]
322. Xianghui Fang, Guoyin Wang, Qun Liu. Text sentiment analysis based on multi-granularity joint solution 315-321. [[Crossref](#)]
323. Mohammad Ehsan Basiri, Arman Kabiri. Uninorm operators for sentence-level score aggregation in sentiment analysis 97-102. [[Crossref](#)]

324. Lirong Qiu, Jie Li. 2018. Sentiment analysis of short texts in microblog based on dependency parsing. *Cluster Computing* 21:1, 985-995. [[Crossref](#)]
325. Jitendra Kumar Rout, Kim-Kwang Raymond Choo, Amiya Kumar Dash, Sambit Bakshi, Sanjay Kumar Jena, Karen L. Williams. 2018. A model for sentiment and emotion analysis of unstructured social media text. *Electronic Commerce Research* 18:1, 181-199. [[Crossref](#)]
326. Xiang Ma, Xiaojiang Lei, Guoshuai Zhao, Xueming Qian. 2018. Rating prediction by exploring user's preference and sentiment. *Multimedia Tools and Applications* 77:6, 6425-6444. [[Crossref](#)]
327. Asad Abdi, Siti Mariyam Shamsuddin, Ramiz M. Aliguliyev. 2018. QMOS: Query-based multi-documents opinion-oriented summarization. *Information Processing & Management* 54:2, 318-338. [[Crossref](#)]
328. Jian-Syuan Wong, Xiaolong "Luke" Zhang. 2018. MessageLens: A Visual Analytics System to Support Multifaceted Exploration of MOOC Forum Discussions. *Visual Informatics* 2:1, 37-49. [[Crossref](#)]
329. Liang-Chih Yu, Jin Wang, K. Robert Lai, Xuejie Zhang. 2018. Refining Word Embeddings Using Intensity Scores for Sentiment Analysis. *IEEE/ACM Transactions on Audio, Speech, and Language Processing* 26:3, 671-681. [[Crossref](#)]
330. Ali Hasan, Sana Moin, Ahmad Karim, Shahaboddin Shamsirband. 2018. Machine Learning-Based Sentiment Analysis for Twitter Accounts. *Mathematical and Computational Applications* 23:1, 11. [[Crossref](#)]
331. Hyejong Min, Junghwan Yun, Youngjung Geum. 2018. Analyzing Dynamic Change in Customer Requirements: An Approach Using Review-Based Kano Analysis. *Sustainability* 10:3, 746. [[Crossref](#)]
332. Mike Thelwall. 2018. Gender bias in sentiment analysis. *Online Information Review* 42:1, 45-57. [[Crossref](#)]
333. Ehsan Asgarian, Mohsen Kahani, Shahla Sharifi. 2018. The Impact of Sentiment Features on the Sentiment Polarity Classification in Persian Reviews. *Cognitive Computation* 10:1, 117-135. [[Crossref](#)]
334. Mika V. Mäntylä, Daniel Graziotin, Miikka Kuutila. 2018. The evolution of sentiment analysis —A review of research topics, venues, and top cited papers. *Computer Science Review* 27, 16-32. [[Crossref](#)]
335. Muhammad Zubair Asghar, Fazal Masud Kundi, Shakeel Ahmad, Aurangzeb Khan, Furqan Khan. 2018. T-SAF: Twitter sentiment analysis framework using a hybrid classification scheme. *Expert Systems* 35:1, e12233. [[Crossref](#)]
336. Srećko Joksimović, Oleksandra Poquet, Vitomir Kovanović, Nia Dowell, Caitlin Mills, Dragan Gašević, Shane Dawson, Arthur C. Graesser, Christopher Brooks. 2018. How Do We Model Learning at Scale? A Systematic Review of Research on MOOCs. *Review of Educational Research* 88:1, 43-86. [[Crossref](#)]
337. Jun Lee, Hirotaka Ogawa, Yongjin Kwon, Kyoung-Sook Kim. 2018. Spatial Footprints of Human Perceptual Experience in Geo-Social Media. *ISPRS International Journal of Geo-Information* 7:2, 71. [[Crossref](#)]
338. Mauro Dragoni, Giulio Petrucci. 2018. A fuzzy-based strategy for multi-domain sentiment analysis. *International Journal of Approximate Reasoning* 93, 59-73. [[Crossref](#)]
339. Mike Thelwall, Amalia Mas-Bleda. 2018. YouTube science channel video presenters and comments: female friendly or vestiges of sexism?. *Aslib Journal of Information Management* 70:1, 28-46. [[Crossref](#)]

340. Swayambhu Chatterjee, Shuyuan Deng, Jun Liu, Ronghua Shan, Wu Jiao. 2018. Classifying facts and opinions in Twitter messages: a deep learning-based approach. *Journal of Business Analytics* 1:1, 29-39. [[Crossref](#)]
341. Pierpaolo Basile, Valerio Basile, Malvina Nissim, Nicole Novielli, Viviana Patti. Sentiment Analysis of Microblogging Data 2409-2425. [[Crossref](#)]
342. Marco Federici, Mauro Dragoni. The KABSA System at ESWC-2018 Challenge on Semantic Sentiment Analysis 151-166. [[Crossref](#)]
343. Giulio Petrucci, Mauro Dragoni. The IRMUDOSA System at ESWC-2018 Challenge on Semantic Sentiment Analysis 167-185. [[Crossref](#)]
344. Andi Rexha, Mark Kröll, Mauro Dragoni, Roman Kern. The CLAUSY System at ESWC-2018 Challenge on Semantic Sentiment Analysis 186-196. [[Crossref](#)]
345. Mauro Dragoni. The FeatureSent System at ESWC-2018 Challenge on Semantic Sentiment Analysis 216-231. [[Crossref](#)]
346. Anastasia Giachanou, Paolo Rosso, Ida Mele, Fabio Crestani. Early Commenting Features for Emotional Reactions Prediction 168-182. [[Crossref](#)]
347. Imane Guellil, Ahsan Adeel, Faical Azouaou, Amir Hussain. SentiALG: Automated Corpus Annotation for Algerian Sentiment Analysis 557-567. [[Crossref](#)]
348. Behzad Naderalvojud, Behrang Qasemizadeh, Laura Kallmeyer, Ebru Akcapinar Sezer. A Cross-Lingual Approach for Building Multilingual Sentiment Lexicons 259-266. [[Crossref](#)]
349. Lijun Chen, Ming Xu, Xue Yang, Ning Zheng, Yiming Wu, Jian Xu, Tong Qiao, Hongbin Liu. A Privacy Settings Prediction Model for Textual Posts on Social Networks 578-588. [[Crossref](#)]
350. Haidong Hao, Li Ruan, Limin Xiao, Shubin Su, Feng Yuan, Haitao Wang, Jianbin Liu. A Two-Level Classifier Model for Sentiment Analysis 704-717. [[Crossref](#)]
351. Evgeny Kotelnikov, Tatiana Peskischeva, Anastasia Kotelnikova, Elena Razova. A Comparative Study of Publicly Available Russian Sentiment Lexicons 139-151. [[Crossref](#)]
352. Xiang Li, Ming Zhang. Emotion Analysis for the Upcoming Response in Open-Domain Human-Computer Conversation 352-367. [[Crossref](#)]
353. Ayman Hajja, Griffin P. Hiers, Pierre Arbajian, Zbigniew W. Raś, Alicja A. Wiczorkowska. Multipurpose Web-Platform for Labeling Audio Segments Efficiently and Effectively 179-188. [[Crossref](#)]
354. Oumayma El Ansari, Jihad Zahir, Hajar Mousannif. Context-Based Sentiment Analysis: A Survey 91-97. [[Crossref](#)]
355. Yang Xu, Zhaohui Peng, Yupeng Hu, Xiaoguang Hong. SARFM: A Sentiment-Aware Review Feature Mapping Approach for Cross-Domain Recommendation 3-18. [[Crossref](#)]
356. Marco Cristani, Matteo Cristani, Anna Pesarin, Claudio Tomazzoli, Margherita Zorzi. Making Sentiment Analysis Algorithms Scalable 136-147. [[Crossref](#)]
357. Sattam Almatarnah, Pablo Gamallo. Linguistic Features to Identify Extreme Opinions: An Empirical Study 215-223. [[Crossref](#)]
358. Son Trinh, Luu Nguyen, Minh Vo. Combining Lexicon-Based and Learning-Based Methods for Sentiment Analysis for Product Reviews in Vietnamese Language 57-75. [[Crossref](#)]
359. Pajaree Yaisawas, Sukanlaya Lertsri, Bundit Thanasopon, Ponrudee Netisopakul. Business Popularity Analysis from Twitter 337-348. [[Crossref](#)]
360. Jiacheng Liu, Feilong Tang, Long Chen, Liang Qiao, Yanqin Yang, Wenchao Xu. Converging Human Knowledge for Opinion Mining 219-230. [[Crossref](#)]

361. Sattam Almatarneh, Pablo Gamallo. Automatic Construction of Domain-Specific Sentiment Lexicons for Polarity Classification 175-182. [[Crossref](#)]
362. Ahmed Al-Rawi, Shahira Fahmy. Social Media Use in the Diaspora: The Case of Syrians in Italy 71-96. [[Crossref](#)]
363. Sanjeera Siddiqui, Azza Abdel Monem, Khaled Shaalan. Evaluation and Enrichment of Arabic Sentiment Analysis 17-34. [[Crossref](#)]
364. Ashraf Elnagar, Yasmin S. Khalifa, Anas Einea. Hotel Arabic-Reviews Dataset Construction for Sentiment Analysis Applications 35-52. [[Crossref](#)]
365. Florian J. Zach, Scott A. Wallace, Iis P. Tussyadiah, S. Priya Narayana. Developing and Testing a Domain-Specific Lexical Dictionary for Travel Talk on Twitter (#ttot) 528-539. [[Crossref](#)]
366. Charu C. Aggarwal. Opinion Mining and Sentiment Analysis 413-434. [[Crossref](#)]
367. Feifei Liu, Fang Wei, Ke Yu, Xiaofei Wu. Sentiment Classification of Reviews on Automobile Websites by Combining Word2Vec and Dependency Parsing 206-221. [[Crossref](#)]
368. Hiram Calvo, Omar Juárez Gambino. Cascading Classifiers for Twitter Sentiment Analysis with Emotion Lexicons 270-280. [[Crossref](#)]
369. Braja Gopal Patra, Soumadeep Mazumdar, Dipankar Das, Paolo Rosso, Sivaji Bandyopadhyay. A Multilevel Approach to Sentiment Analysis of Figurative Language in Twitter 281-291. [[Crossref](#)]
370. Filippou Karolos Ventirozos, Iraklis Varlamis, George Tsatsaronis. Detecting Aggressive Behavior in Discussion Threads Using Text Mining 420-431. [[Crossref](#)]
371. Valentina Sintsova, Margarita Bolívar Jiménez, Pearl Pu. Modeling the Impact of Modifiers on Emotional Statements 71-89. [[Crossref](#)]
372. Antonios Sarigiannidis, Paris-Alexandros Karypidis, Panagiotis Sarigiannidis, Ioannis-Chrysostomos Pragidis. A Novel Lexicon-Based Approach in Determining Sentiment in Financial Data Using Learning Automata 37-48. [[Crossref](#)]
373. Keyang Zheng, Ang Li, Rosta Farzan. Exploration of Online Health Support Groups Through the Lens of Sentiment Analysis 145-151. [[Crossref](#)]
374. Nuno Guimarães, Luís Torgo, Álvaro Figueira. Twitter as a Source for Time- and Domain-Dependent Sentiment Lexicons 1-19. [[Crossref](#)]
375. Gizem Gezici, Berrin Yanikoğlu. Sentiment Analysis in Turkish 255-271. [[Crossref](#)]
376. Mehdi Bettiche, Moncef Zakaria Mouffok, Chahnez Zakaria. Opinion Mining in Social Networks for Algerian Dialect 629-641. [[Crossref](#)]
377. Wenping Zhang, Mengna Xu, Qiqi Jiang. Opinion Mining and Sentiment Analysis in Social Media: Challenges and Applications 536-548. [[Crossref](#)]
378. Tamara Álvarez-López, Milagros Fernández-Gavilanes, Enrique Costa-Montenegro, Patrice Bellot. A Proposal for Book Oriented Aspect Based Sentiment Analysis: Comparison over Domains 3-14. [[Crossref](#)]
379. Binxuan Huang, Yanglan Ou, Kathleen M. Carley. Aspect Level Sentiment Classification with Attention-over-Attention Neural Networks 197-206. [[Crossref](#)]
380. Pengcheng Zhu, Yujiu Yang, Yi Liu. Sentiment Analysis Based on Hybrid Bi-attention Mechanism in Mobile Application 157-171. [[Crossref](#)]
381. Yang Xu, Zhaohui Peng, Yupeng Hu, Xiaoguang Hong, Wenjing Fu. Cross-Domain Recommendation for Mapping Sentiment Review Pattern 324-336. [[Crossref](#)]
382. Mateus Tarcinalli Machado, Thiago A. S. Pardo, Evandro Eduardo Seron Ruiz. Creating a Portuguese Context Sensitive Lexicon for Sentiment Analysis 335-344. [[Crossref](#)]

383. Jurgita Kapočiūtė-Dzikiene, Robertas Damaševičius, Marcin Woźniak. Sentiment Analysis of Lithuanian Texts Using Deep Learning Methods 521-532. [\[Crossref\]](#)
384. Duyu Tang, Meishan Zhang. Deep Learning in Sentiment Analysis 219-253. [\[Crossref\]](#)
385. S. Fouzia Sayeedunnisa, Nagaratna P. Hegde, Khaleel Ur Rahman Khan. Wilcoxon Signed Rank Based Feature Selection for Sentiment Classification 293-310. [\[Crossref\]](#)
386. Khalifa Chekima, Rayner Alfred, Kim On Chin. Rule-Based Model for Malay Text Sentiment Analysis 172-185. [\[Crossref\]](#)
387. Nitika Nigam, Divakar Yadav. Lexicon-Based Approach to Sentiment Analysis of Tweets Using R Language 154-164. [\[Crossref\]](#)
388. Leticia Vidal, Gastón Ares, Sara R. Jaeger. Application of Social Media for Consumer Research 125-155. [\[Crossref\]](#)
389. Sujay R, Jagadeesh Pujari, Vandana Shreenivas Bhat, Anita Dixit. 2018. Timeline Analysis of Twitter User. *Procedia Computer Science* **132**, 157-166. [\[Crossref\]](#)
390. Valmeekam Karthik, Dheeraj Nair, Anuradha J. 2018. Opinion Mining on Emojis using Deep Learning Techniques. *Procedia Computer Science* **132**, 167-173. [\[Crossref\]](#)
391. Matteo Cristani, Ilaria Chitò, Claudio Tomazzoli, Margherita Zorzi. 2018. A simple algorithm for the lexical classification of comparable adjectives. *Procedia Computer Science* **126**, 626-635. [\[Crossref\]](#)
392. Shahid Shayaa, Sulaiman Ainin, Noor Ismawati Jaafar, Shamsul Bahri Zakaria, Seuk Wai Phoong, Wai Chung Yeong, Mohammed Ali Al-Garadi, Ashraf Muhammad, Arsalan Zahid Piprani. 2018. Linking consumer confidence index and social media sentiment analysis. *Cogent Business & Management* **5**:1. . [\[Crossref\]](#)
393. Anh-Dung Vo, Quang-Phuoc Nguyen, Cheol-Young Ock. 2018. Opinion–Aspect Relations in Cognizing Customer Feelings via Reviews. *IEEE Access* **6**, 5415-5426. [\[Crossref\]](#)
394. Xu Yuan, Mingyang Sun, Zhikui Chen, Jing Gao, Peng Li. 2018. Semantic Clustering-Based Deep Hypergraph Model for Online Reviews Semantic Classification in Cyber-Physical-Social Systems. *IEEE Access* **6**, 17942-17951. [\[Crossref\]](#)
395. Shahid Shayaa, Noor Ismawati Jaafar, Shamshul Bahri, Ainin Sulaiman, Phoong Seuk Wai, Yeong Wai Chung, Arsalan Zahid Piprani, Mohammed Ali Al-Garadi. 2018. Sentiment Analysis of Big Data: Methods, Applications, and Open Challenges. *IEEE Access* **6**, 37807-37827. [\[Crossref\]](#)
396. Deokgun Park, Seungyeon Kim, Jurim Lee, Jaegul Choo, Nicholas Diakopoulos, Niklas Elmqvist. 2018. ConceptVector: Text Visual Analytics via Interactive Lexicon Building Using Word Embedding. *IEEE Transactions on Visualization and Computer Graphics* **24**:1, 361-370. [\[Crossref\]](#)
397. Xiao Huang, Qingquan Song, Jundong Li, Xia Hu. Exploring Expert Cognition for Attributed Network Embedding 270-278. [\[Crossref\]](#)
398. Hyunjun Ju, Hwanjo Yu. Sentiment Classification with Convolutional Neural Network using Multiple Word Representations 1-7. [\[Crossref\]](#)
399. Washington Luiz, Felipe Viegas, Rafael Alencar, Fernando Mourão, Thiago Salles, Dárlinton Carvalho, Marcos Andre Gonçalves, Leonardo Rocha. A Feature-Oriented Sentiment Rating for Mobile App Reviews 1909-1918. [\[Crossref\]](#)
400. Galit B. Yom-Tov, Shelly Ashtar, Daniel Altman, Michael Natapov, Neta Barkay, Monika Westphal, Anat Rafaeli. Customer Sentiment in Web-Based Service Interactions 1689-1697. [\[Crossref\]](#)

401. Battu Varshit, Batchu Venkat Vishal, Dakannagari Mohana Murali Krishna Reddy, Radhika Mamidi. Sentiment as a prior for movie rating prediction 148-153. [[Crossref](#)]
402. Yanming Huang, Y. Jiang, Touhidul Hasan, Q. Jiang, Chao Li. A topic BiLSTM model for sentiment classification 143-147. [[Crossref](#)]
403. Jun Qian, Zhendong Niu, Chongyang Shi. Sentiment Analysis Model on Weather Related Tweets with Deep Neural Network 31-35. [[Crossref](#)]
404. Ilias Kotinas, Nikos Fakotakis. Text Analysis for Decision Making under Adversarial Environments 1-6. [[Crossref](#)]
405. Ke Wang, Xiaojun Wan. Sentiment Analysis of Peer Review Texts for Scholarly Papers 175-184. [[Crossref](#)]
406. Xiaojie Sun, Menghao Du, Hua Shi, Wenming Huang. Text Sentiment Polarity Classification Method Based on Word Embedding 99-104. [[Crossref](#)]
407. Gabriel Murray, Catharine Oertel. Predicting Group Performance in Task-Based Interaction 14-20. [[Crossref](#)]
408. Gabriel Murray, Catherine Lai. Multimodal Analysis of Group Attitudes Towards Meeting Management 1-6. [[Crossref](#)]
409. Syopiansyah Jaya Putra, Ismail Khalil, Muhamad Nur Gunawan, Riva'I Amin, Tata Sutabri. A Hybrid Model for Social Media Sentiment Analysis for Indonesian Text 297-301. [[Crossref](#)]
410. Shangqian Zhang, Yunzhong Tang, Xueqiang Lv, Zhian Dong. Movie Short-Text Reviews Sentiment Analysis Based on Multi-Feature Fusion 1-6. [[Crossref](#)]
411. Shihab Elbagir, Jing Yang. Sentiment Analysis of Twitter Data based on Ordinal Classification 1-5. [[Crossref](#)]
412. # #. 2018. Research and Analysis of Textual Multi-Emotion Based on Deep Learning. *Computer Science and Application* 08:05, 669-686. [[Crossref](#)]
413. Maria Maia, José Leal. 2018. EmoSpell, a Morphological and Emotional Word Analyzer. *Information* 9:1, 1. [[Crossref](#)]
414. Samuel Fosso Wamba, Shahriar Akter, Hyunjin Kang, Mithu Bhattacharya, Mohammed Upal. The Primer of Social Media Analytics 809-822. [[Crossref](#)]
415. Amir Karami, London S. Bennett, Xiaoyun He. 2018. Mining Public Opinion about Economic Issues. *International Journal of Strategic Decision Sciences* 9:1, 18-28. [[Crossref](#)]
416. Sulbha Singh, Rajeev Pal. Characterizing and Detecting Social Outrage on Twitter: Patel Reservation in Gujarat 498-515. [[Crossref](#)]
417. Amogh Madan, Ridhima Arora, Nihar Ranjan Roy. Sentiment Analysis of Indians on GST 568-575. [[Crossref](#)]
418. Urszula Świerczyńska-Kaczor, Jacek Wachowicz. 2017. Understanding the Film Audience – Providing Insight into the Viewer's Experience from Text Mining and Manual Text Analysis of Online Film Reviews. *Problemy Zarządzania* 15:4 (71), 177-193. [[Crossref](#)]
419. Roberto Micera, Raffaele Crispino. 2017. Destination web reputation as “smart tool” for image building: the case analysis of Naples city-destination. *International Journal of Tourism Cities* 3:4, 406-423. [[Crossref](#)]
420. Hayden Wimmer, Victoria Y. Yoon. 2017. Counterfeit product detection: Bridging the gap between design science and behavioral science in information systems research. *Decision Support Systems* 104, 1-12. [[Crossref](#)]

421. Joseph J Thompson, Betty HM Leung, Mark R Blair, Maite Taboada. 2017. Sentiment analysis of player chat messaging in the video game StarCraft 2: Extending a lexicon-based model. *Knowledge-Based Systems* **137**, 149-162. [[Crossref](#)]
422. Young Joon Park, Hyung Seok Kim, Donghwa Kim, Hankyu Lee, Seoung Bum Kim, Pilsung Kang. 2017. A deep learning-based sports player evaluation model based on game statistics and news articles. *Knowledge-Based Systems* **138**, 15-26. [[Crossref](#)]
423. Andrei P. Kirilenko, Svetlana O. Stepchenkova. 2017. Sochi 2014 Olympics on Twitter: Perspectives of hosts and guests. *Tourism Management* **63**, 54-65. [[Crossref](#)]
424. Gayane Shalunts, Gerhard Backfried, Helmy Syakh Alam. Sentiment analysis in Indonesian and French by SentiSAIL 069-075. [[Crossref](#)]
425. Loitongbam Gyanendro Singh, Sanasam Ranbir Singh. Word polarity detection using syllable features for manipuri language 206-209. [[Crossref](#)]
426. Hirikesh Dussoye, Zarine Cadarsaib. Sentiment analytics framework integrating Twitter and Odoo ERP 145-151. [[Crossref](#)]
427. Md Saifullah Razali, Alfian Abdul Halin, Noris Mohd Norowi, Shyamala C. Doraisamy. The importance of multimodality in sarcasm detection for sentiment analysis 56-60. [[Crossref](#)]
428. Andrew J Reagan, Christopher M Danforth, Brian Tivnan, Jake Ryland Williams, Peter Sheridan Dodds. 2017. Sentiment analysis methods for understanding large-scale texts: a case for using continuum-scored words and word shift graphs. *EPJ Data Science* **6**:1. . [[Crossref](#)]
429. Ali Kalantari, Amirrudin Kamsin, Halim Shukri Kamaruddin, Nader Ale Ebrahim, Abdullah Gani, Ali Ebrahimi, Shahaboddin Shamshirband. 2017. A bibliometric approach to tracking big data research trends. *Journal of Big Data* **4**:1. . [[Crossref](#)]
430. Fan Zhang, Hua Xu, Xiaoli Bai. 2017. On the need of hierarchical emotion classification: Detecting the implicit feature using constrained topic model. *Intelligent Data Analysis* **21**:6, 1393-1406. [[Crossref](#)]
431. Devendra K. Tayal, Sumit K. Yadav. 2017. Sentiment analysis on social campaign “Swachh Bharat Abhiyan” using unigram method. *AI & SOCIETY* **32**:4, 633-645. [[Crossref](#)]
432. Martin Haselmayer, Marcelo Jenny. 2017. Sentiment analysis of political communication: combining a dictionary approach with crowdcoding. *Quality & Quantity* **51**:6, 2623-2646. [[Crossref](#)]
433. Steve Y. Yang, Sheung Yin Kevin Mo, Anqi Liu, Andrei A. Kirilenko. 2017. Genetic programming optimization for a sentiment feedback strength based trading strategy. *Neurocomputing* **264**, 29-41. [[Crossref](#)]
434. Khodijah Hulliyah, Normi Sham Awang Abu Bakar, Amelia Ritahani Ismail. Emotion recognition and brain mapping for sentiment analysis: A review 1-5. [[Crossref](#)]
435. Muhammad Izzuddin Eshak, Rohiza Ahmad, Aliza Sarlan. A preliminary study on hybrid sentiment model for customer purchase intention analysis in socialcommerce 61-66. [[Crossref](#)]
436. Ruihua Cheng, Ji Meng Loh. Learning-Based Method with Valence Shifters for Sentiment Analysis 357-364. [[Crossref](#)]
437. Faisal Prabowo, Ayu Purwarianti. Instagram online shop's comment classification using statistical approach 282-287. [[Crossref](#)]
438. Sourav Das, Anup Kumar Kolya. Sense GST: Text mining & sentiment analysis of GST tweets by Naive Bayes algorithm 239-244. [[Crossref](#)]
439. Tri Duc Nguyen, Linh Diep-Phuong Nguyen, Tru Cao. Sentiment analysis on medical text using combination of machine learning and SO-CAL scoring 49-54. [[Crossref](#)]

440. Anupam Mondal, Erik Cambria, Dipankar Das, Sivaji Bandyopadhyay. Employing sentiment-based affinity and gravity scores to identify relations of medical concepts 1-7. [[Crossref](#)]
441. Martin Mikula, Xiaoying Gao, Kristina Machova. Adapting sentiment analysis system from English to Slovak 1-8. [[Crossref](#)]
442. ###, ###. 2017. Sentiment Analysis of Airbnb Reviews based on DECO Dictionary & LGGs. *Journal of Korealex* **null**:30, 100-154. [[Crossref](#)]
443. Mihaela Colhon, Ștefan Vlăduțescu, Xenia Negrea. 2017. How Objective a Neutral Word Is? A Neutrosophic Approach for the Objectivity Degrees of Neutral Words. *Symmetry* **9**:11, 280. [[Crossref](#)]
444. Kasper Welbers, Wouter Van Atteveldt, Kenneth Benoit. 2017. Text Analysis in R. *Communication Methods and Measures* **11**:4, 245-265. [[Crossref](#)]
445. Toufique Ahmed, Amiangshu Bosu, Anindya Iqbal, Shahram Rahimi. SentiCR: A customized sentiment analysis tool for code review interactions 106-111. [[Crossref](#)]
446. Bundit Thanasopon, Nattawut Sumret, Jirawin Buranapanitkij, Ponrudee Netisopakul. Extraction and evaluation of popular online trends: A case of Pantip.com 1-5. [[Crossref](#)]
447. Pietro Ducange, Michela Fazzolari. Social sensing and sentiment analysis: Using social media as useful information source 301-306. [[Crossref](#)]
448. Banu Yergesh, Gulmira Bekmanova, Altynbek Sharipbay. Sentiment analysis on the hotel reviews in the Kazakh language 790-794. [[Crossref](#)]
449. V. Subramaniaswamy, R. Logesh, M. Abejith, Sunil Umasankar, A. Umamakeswari. 2017. Sentiment Analysis of Tweets for Estimating Criticality and Security of Events. *Journal of Organizational and End User Computing* **29**:4, 51-71. [[Crossref](#)]
450. Hamidreza Keshavarz, Mohammad Saniee Abadeh. 2017. Accurate frequency-based lexicon generation for opinion mining. *Journal of Intelligent & Fuzzy Systems* **33**:4, 2223-2234. [[Crossref](#)]
451. Chedia Dhaoui, Cynthia M. Webster, Lay Peng Tan. 2017. Social media sentiment analysis: lexicon versus machine learning. *Journal of Consumer Marketing* **34**:6, 480-488. [[Crossref](#)]
452. Vo Ngoc Phu, Vo Thi Ngoc Chau, Vo Thi Ngoc Tran. 2017. Shifting semantic values of English phrases for classification. *International Journal of Speech Technology* **20**:3, 509-533. [[Crossref](#)]
453. Yen-Liang Chen, Chia-Ling Chang, Chin-Sheng Yeh. 2017. Emotion classification of YouTube videos. *Decision Support Systems* **101**, 40-50. [[Crossref](#)]
454. Mohammad Soleymani, David Garcia, Brendan Jou, Björn Schuller, Shih-Fu Chang, Maja Pantic. 2017. A survey of multimodal sentiment analysis. *Image and Vision Computing* **65**, 3-14. [[Crossref](#)]
455. Apostolos Filippas, Theodoros Lappas. 2017. Strength in Numbers: Using Big Data to Simplify Sentiment Classification. *Big Data* **5**:3, 256-271. [[Crossref](#)]
456. Guang-You Zhou, Jimmy Xiangji Huang. 2017. Modeling and Mining Domain Shared Knowledge for Sentiment Analysis. *ACM Transactions on Information Systems* **36**:2, 1-36. [[Crossref](#)]
457. Elena Musi, Andrea Rocci. 2017. Evidently epistential adverbs are argumentative indicators: A corpus-based study. *Argument & Computation* **8**:2, 175-192. [[Crossref](#)]
458. K. Prasanna Lakshmi, V. Shraddha, V. Abhinava, K. Kavya, R. Gayathri. 2017. Sentiment Analysis and Prediction using Text Mining. *Indian Journal of Science and Technology* **10**:28, 1-11. [[Crossref](#)]

459. María Aloy Mayo, Maite Taboada. 2017. Evaluation in political discourse addressed to women: Appraisal analysis of Cosmopolitan's online coverage of the 2014 US midterm elections. *Discourse, Context & Media* **18**, 40-48. [[Crossref](#)]
460. Ema Kusen, Giuseppe Cascavilla, Kathrin Figl, Mauro Conti, Mark Strembeck. Identifying Emotions in Social Media: Comparison of Word-Emotion Lexicons 132-137. [[Crossref](#)]
461. Lucas Carstens, Francesca Toni. 2017. Using Argumentation to Improve Classification in Natural Language Problems. *ACM Transactions on Internet Technology* **17**:3, 1-23. [[Crossref](#)]
462. Mohamed M. Mostafa, Nicolás Roser Nebot. 2017. Sentiment analysis of Arabic language influence on Spanish vocabulary: An El País newspaper and Twitter case study. *Journal of Information Technology Case and Application Research* **19**:3, 145-157. [[Crossref](#)]
463. Noor Farizah Ibrahim, Xiaojun Wang, Humphrey Bourne. 2017. Exploring the effect of user engagement in online brand communities: Evidence from Twitter. *Computers in Human Behavior* **72**, 321-338. [[Crossref](#)]
464. Oscar Araque, Ignacio Corcuera-Platas, J. Fernando Sánchez-Rada, Carlos A. Iglesias. 2017. Enhancing deep learning sentiment analysis with ensemble techniques in social applications. *Expert Systems with Applications* **77**, 236-246. [[Crossref](#)]
465. Shiliang Sun, Chen Luo, Junyu Chen. 2017. A review of natural language processing techniques for opinion mining systems. *Information Fusion* **36**, 10-25. [[Crossref](#)]
466. Zhenxin Qin, Ilias Petrounias. A Semantic-Based Framework for Fine Grained Sentiment Analysis 295-301. [[Crossref](#)]
467. Zarmeen Nasim, Quratulain Rajput, Sajjad Haider. Sentiment analysis of student feedback using machine learning and lexicon based approaches 1-6. [[Crossref](#)]
468. Rebeen Ali Hamad, Saeed M. Alqahtani, Mercedes Torres Torres. Emotion and polarity prediction from Twitter 297-306. [[Crossref](#)]
469. Cristian Mejia, Yuya Kajikawa. Assessing the Sentiment of Social Expectations of Robotic Technologies 1-7. [[Crossref](#)]
470. Fuji Ren, Lei Wang. 2017. Sentiment analysis of text based on three-way decisions. *Journal of Intelligent & Fuzzy Systems* **33**:1, 245-254. [[Crossref](#)]
471. Po-Hao Chou, Richard Tzong-Han Tsai, Jane Yung-jen Hsu. 2017. Context-aware sentiment propagation using LDA topic modeling on Chinese ConceptNet. *Soft Computing* **21**:11, 2911-2921. [[Crossref](#)]
472. Farhan Hassan Khan, Usman Qamar, Saba Bashir. 2017. A semi-supervised approach to sentiment analysis using revised sentiment strength based on SentiWordNet. *Knowledge and Information Systems* **51**:3, 851-872. [[Crossref](#)]
473. Farhan Hassan Khan, Usman Qamar, Saba Bashir. 2017. Lexicon based semantic detection of sentiments using expected likelihood estimate smoothed odds ratio. *Artificial Intelligence Review* **48**:1, 113-138. [[Crossref](#)]
474. Alireza Yousefpour, Roliana Ibrahim, Haza Nuzly Abdel Hamed. 2017. Ordinal-based and frequency-based integration of feature selection methods for sentiment analysis. *Expert Systems with Applications* **75**, 80-93. [[Crossref](#)]
475. Mauro Coletto, Andrea Esuli, Claudio Lucchese, Cristina Ioana Muntean, Franco Maria Nardini, Raffaele Perego, Chiara Renso. 2017. Perception of social phenomena through the multidimensional analysis of online social networks. *Online Social Networks and Media* **1**, 14-32. [[Crossref](#)]
476. Sheng Zhang, Hui Wang, Xin Zhang, Jiajun Cheng, Pei Li, Zhaoyun Ding. Embedding-Based Feature Extraction Methods for Chinese Sentiment Classification 569-577. [[Crossref](#)]

477. Himani Garg, Charu Bansal, Rishabh Kaushal, Indra Thanaya. Identifying Actionable Information from Social Media for Better Government-Public Relationship 206-211. [[Crossref](#)]
478. Jenq-Haur Wang, Ting-Wei Liu. Improving sentiment rating of movie review comments for recommendation 433-434. [[Crossref](#)]
479. Yu Mon Aye, Sint Sint Aung. Sentiment analysis for reviews of restaurants in Myanmar text 321-326. [[Crossref](#)]
480. Zhen Hai, Gao Cong, Kuiyu Chang, Peng Cheng, Chunyan Miao. 2017. Analyzing Sentiments in One Go: A Supervised Joint Topic Modeling Approach. *IEEE Transactions on Knowledge and Data Engineering* 29:6, 1172-1185. [[Crossref](#)]
481. Weijun Wang, Ying Li, Yinghui Huang, Hui Liu, Tingting Zhang. 2017. A Method for Identifying the Mood States of Social Network Users Based on Cyber Psychometrics. *Future Internet* 9:2, 22. [[Crossref](#)]
482. Dongwook Kim, Sungbum Kim. 2017. Sustainable Supply Chain Based on News Articles and Sustainability Reports: Text Mining with Leximancer and DICTION. *Sustainability* 9:6, 1008. [[Crossref](#)]
483. Scott A. Crossley, Kristopher Kyle, Danielle S. McNamara. 2017. Sentiment Analysis and Social Cognition Engine (SEANCE): An automatic tool for sentiment, social cognition, and social-order analysis. *Behavior Research Methods* 49:3, 803-821. [[Crossref](#)]
484. Khin Zezawar Aung, Nyein Nyein Myo. Sentiment analysis of students' comment using lexicon based approach 149-154. [[Crossref](#)]
485. Xiaojia Pu, Gangshan Wu, Chunfeng Yuan. Sentiment analysis with the exploration of overall opinion sentences 2392-2399. [[Crossref](#)]
486. Mauro Dragoni. 2017. A Three-Phase Approach for Exploiting Opinion Mining in Computational Advertising. *IEEE Intelligent Systems* 32:3, 21-27. [[Crossref](#)]
487. Farah Benamara, Maite Taboada, Yannick Mathieu. 2017. Evaluative Language Beyond Bags of Words: Linguistic Insights and Computational Applications. *Computational Linguistics* 43:1, 201-264. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
488. Yue Ma, Guoqing Chen, Qiang Wei. 2017. Finding users preferences from large-scale online reviews for personalized recommendation. *Electronic Commerce Research* 17:1, 3-29. [[Crossref](#)]
489. Julia Neidhardt, Nataliia Rümmele, Hannes Werthner. 2017. Predicting happiness: user interactions and sentiment analysis in an online travel forum. *Information Technology & Tourism* 17:1, 101-119. [[Crossref](#)]
490. Maite Taboada, Radoslava Trnavac, Cliff Goddard. 2017. On Being Negative. *Corpus Pragmatics* 1:1, 57-76. [[Crossref](#)]
491. Maria Giatsoğlu, Manolis G. Vozalis, Konstantinos Diamantaras, Athena Vakali, George Sarigiannidis, Konstantinos Ch. Chatzisavvas. 2017. Sentiment analysis leveraging emotions and word embeddings. *Expert Systems with Applications* 69, 214-224. [[Crossref](#)]
492. Imen Elleuch, Bilel Gargouri, Abdelmajid Ben Hamadou. 2017. Semantic classification-based approach for the self-enrichment of LMF normalized dictionaries. *Lingua* 188, 32-52. [[Crossref](#)]
493. Yi Ding, Bing Li, Yuqi Zhao, Can Cheng. Scoring tourist attractions based on sentiment lexicon 1990-1993. [[Crossref](#)]
494. Bradley Meyer, Marwan Bikdash, Xiangfeng Dai. Fine-grained financial news sentiment analysis 1-8. [[Crossref](#)]
495. Reddy Naidu, Santosh Kumar Bharti, Korra Sathya Babu, Ramesh Kumar Mohapatra. Sentiment analysis using Telugu SentiWordNet 666-670. [[Crossref](#)]

496. Vasileios Athanasiou, Manolis Maragoudakis. 2017. A Novel, Gradient Boosting Framework for Sentiment Analysis in Languages where NLP Resources Are Not Plentiful: A Case Study for Modern Greek. *Algorithms* **10**:1, 34. [[Crossref](#)]
497. Muhammad Zubair Asghar, Aurangzeb Khan, Shakeel Ahmad, Maria Qasim, Imran Ali Khan. 2017. Lexicon-enhanced sentiment analysis framework using rule-based classification scheme. *PLOS ONE* **12**:2, e0171649. [[Crossref](#)]
498. Shuyuan Deng, Atish P. Sinha, Huimin Zhao. 2017. Adapting sentiment lexicons to domain-specific social media texts. *Decision Support Systems* **94**, 65-76. [[Crossref](#)]
499. David Vilares, Carlos Gómez-Rodríguez, Miguel A. Alonso. 2017. Universal, unsupervised (rule-based), uncovered sentiment analysis. *Knowledge-Based Systems* **118**, 45-55. [[Crossref](#)]
500. Elisabeth Beaunoyer, Marianne Arsenault, Anna M. Lomanowska, Matthieu J. Guitton. 2017. Understanding online health information: Evaluation, tools, and strategies. *Patient Education and Counseling* **100**:2, 183-189. [[Crossref](#)]
501. Maria Rosario D. Rodavia, Melvin Ballera, Gina Clemente, Shaneth Ambat. AutoRec: A Recommender System Based on Social Media Stream 1-6. [[Crossref](#)]
502. V. Jude Nirmal, D.I. George Amalarethinam. Real-Time Sentiment Prediction on Streaming Social Network Data Using In-Memory Processing 69-72. [[Crossref](#)]
503. Halley E. Froehlich, Rebecca R. Gentry, Michael B. Rust, Dietmar Grimm, Benjamin S. Halpern. 2017. Public Perceptions of Aquaculture: Evaluating Spatiotemporal Patterns of Sentiment around the World. *PLOS ONE* **12**:1, e0169281. [[Crossref](#)]
504. Pierpaolo Basile, Valerio Basile, Malvina Nissim, Nicole Novielli, Viviana Patti. Sentiment Analysis of Microblogging Data 1-17. [[Crossref](#)]
505. Lei Zhang, Bing Liu. Sentiment Analysis and Opinion Mining 1152-1161. [[Crossref](#)]
506. Sanjeera Siddiqui, Azza Abdel Monem, Khaled Shaalan. Towards Improving Sentiment Analysis in Arabic 114-123. [[Crossref](#)]
507. Yuting Su, Huijing Wang. LingoSent — A Platform for Linguistic Aware Sentiment Analysis for Social Media Messages 452-464. [[Crossref](#)]
508. María Pilar Salas-Zárate, Mario Andrés Paredes-Valverde, Miguel Ángel Rodríguez-García, Rafael Valencia-García, Giner Alor-Hernández. Sentiment Analysis Based on Psychological and Linguistic Features for Spanish Language 73-92. [[Crossref](#)]
509. Saif M. Mohammad. Challenges in Sentiment Analysis 61-83. [[Crossref](#)]
510. Hongning Wang, ChengXiang Zhai. Generative Models for Sentiment Analysis and Opinion Mining 107-134. [[Crossref](#)]
511. Anastasia Giachanou, Julio Gonzalo, Ida Mele, Fabio Crestani. Sentiment Propagation for Predicting Reputation Polarity 226-238. [[Crossref](#)]
512. Eshrag Refaee. Sentiment Analysis for Micro-blogging Platforms in Arabic 275-294. [[Crossref](#)]
513. Sukriti Bhattacharya, Prasun Banerjee. Towards the Exploitation of Statistical Language Models for Sentiment Analysis of Twitter Posts 253-263. [[Crossref](#)]
514. Banu Yergesh, Gulmira Bekmanova, Altynbek Sharipbay, Manas Yergesh. Ontology-Based Sentiment Analysis of Kazakh Sentences 669-677. [[Crossref](#)]
515. Giulio Biondi, Valentina Franzoni, Valentina Poggioni. A Deep Learning Semantic Approach to Emotion Recognition Using the IBM Watson Bluemix Alchemy Language 718-729. [[Crossref](#)]
516. Arthur Huang, David Ebert, Parker Rider. You Are What You Tweet: A New Hybrid Model for Sentiment Analysis 403-416. [[Crossref](#)]

517. Xiang Li, Rui Yan, Ming Zhang. Joint Emoji Classification and Embedding Learning 48-63. [[Crossref](#)]
518. Franco Chiavetta, Giosuè Lo Bosco, Giovanni Pilato. A Layered Architecture for Sentiment Classification of Products Reviews in Italian Language 120-141. [[Crossref](#)]
519. Joschka Kersting, Michaela Geierhos. Using Sentiment Analysis on Local Up-to-the-Minute News: An Integrated Approach 528-538. [[Crossref](#)]
520. Ranjan Satapathy, Erik Cambria, Amir Hussain. Introduction 1-19. [[Crossref](#)]
521. Yuling Liu, Qi Li, Guojiang Xin. Sentiment Analysis with Improved Adaboost and Transfer Learning Based on Gaussian Process 672-683. [[Crossref](#)]
522. Marco Federici, Mauro Dragoni. Aspect-Based Opinion Mining Using Knowledge Bases 133-147. [[Crossref](#)]
523. Giulio Petrucci, Mauro Dragoni. The IRMUDOSA System at ESWC-2017 Challenge on Semantic Sentiment Analysis 148-165. [[Crossref](#)]
524. Andi Rexha, Mark Kröll, Mauro Dragoni, Roman Kern. Opinion Mining with a Clause-Based Approach 166-175. [[Crossref](#)]
525. Khuong Vo, Dang Pham, Mao Nguyen, Trung Mai, Tho Quan. Combination of Domain Knowledge and Deep Learning for Sentiment Analysis 162-173. [[Crossref](#)]
526. Yuliya Rubtsova. Reducing the Degradation of Sentiment Analysis for Text Collections Spread over a Period of Time 3-13. [[Crossref](#)]
527. Sattam Almatarneh, Pablo Gamallo. Searching for the Most Negative Opinions 14-22. [[Crossref](#)]
528. Shikhar Sharma, Piyush Kumar, Krishan Kumar. LEXER: LEXicon Based Emotion AnalyzeR 373-379. [[Crossref](#)]
529. Atanu Dey, Mamata Jenamani, Jitesh J. Thakkar. Lexical TF-IDF: An n-gram Feature Space for Cross-Domain Classification of Sentiment Reviews 380-386. [[Crossref](#)]
530. Mingming Li, Jiao Dai, Wei Liu, Jizhong Han. Dynamic Forest Model for Sentiment Classification 206-215. [[Crossref](#)]
531. Maria Pontiki, Panagioti Koltsida, Dimitris Gkoumas, Dimitris Pappas, Haris Papageorgiou, Eleni Toli, Yannis Ioannidis. Smart Cities in Stars: Food Perceptions and Beyond 174-183. [[Crossref](#)]
532. Anuta Mukherjee, Saswati Mukherjee. Collision Theory Based Sentiment Detection of Twitter Using Discourse Relations 235-242. [[Crossref](#)]
533. Theresa Wilson, Janyce Wiebe, Claire Cardie. MPQA Opinion Corpus 813-832. [[Crossref](#)]
534. Nurul Amelina Nasharuddin, Muhamad Taufik Abdullah, Azreen Azman, Rabiah Abdul Kadir. English and Malay Cross-lingual Sentiment Lexicon Acquisition and Analysis 467-475. [[Crossref](#)]
535. Shariq Bashir. 2017. Ranking entities on the basis of users' opinions. *Multimedia Tools and Applications* 76:1, 59-81. [[Crossref](#)]
536. Shaundra B. Daily, Melva T. James, David Cherry, John J. Porter, Shelby S. Darnell, Joseph Isaac, Tania Roy. Affective Computing: Historical Foundations, Current Applications, and Future Trends 213-231. [[Crossref](#)]
537. M. Nissim, V. Patti. Semantic Aspects in Sentiment Analysis 31-48. [[Crossref](#)]
538. Mike Thelwall. 2017. TensiStrength: Stress and relaxation magnitude detection for social media texts. *Information Processing & Management* 53:1, 106-121. [[Crossref](#)]

539. R. Piryani, D. Madhavi, V.K. Singh. 2017. Analytical mapping of opinion mining and sentiment analysis research during 2000–2015. *Information Processing & Management* 53:1, 122-150. [[Crossref](#)]
540. Wei Li, Kun Guo, Yong Shi, Luyao Zhu, Yuanchun Zheng. 2017. Improved New Word Detection Method Used in Tourism Field. *Procedia Computer Science* 108, 1251-1260. [[Crossref](#)]
541. Haroon Malik, Elhadi M. Shakshuki, Soujanya Katuku. 2017. Exploring the Relationship Between Version Updates and Downloads of Asthma Mobile Apps. *Procedia Computer Science* 109, 624-631. [[Crossref](#)]
542. Ahmed Al-Rawi. Theoretical Framework and Methodology 7-42. [[Crossref](#)]
543. Dandan Jiang, Xiangfeng Luo, Junyu Xuan, Zheng Xu. 2017. Sentiment Computing for the News Event Based on the Social Media Big Data. *IEEE Access* 5, 2373-2382. [[Crossref](#)]
544. Rezvaneh Rezapour, Lufan Wang, Omid Abdar, Jana Diesner. Identifying the Overlap between Election Result and Candidates' Ranking Based on Hashtag-Enhanced, Lexicon-Based Sentiment Analysis 93-96. [[Crossref](#)]
545. Endang Wahyu Pamungkas, Divi Galih Prasetyo Putri. Word Sense Disambiguation for Lexicon-Based Sentiment Analysis 442-446. [[Crossref](#)]
546. Debjyoti Paul, Feifei Li, Murali Krishna Teja, Xin Yu, Richie Frost. Compass 1585-1594. [[Crossref](#)]
547. Xujuan Zhou, Xiaohui Tao, Md Mostafijur Rahman, Ji Zhang. Coupling topic modelling in opinion mining for social media analysis 533-540. [[Crossref](#)]
548. Douglas Cirqueira, Márcia Pinheiro, Thaís Braga, Antonio Jacob, Olaf Reinhold, Rainer Alt, Ádamo Santana. Improving relationship management in universities with sentiment analysis and topic modeling of social media channels 998-1005. [[Crossref](#)]
549. Markos Aivazoglou, Orestis Roussos, Sotiris Ioannidis, Dimitris Spiliotopoulos, Jason Polakis. Reveal 417-420. [[Crossref](#)]
550. Hongliang Yu, Liangke Gui, Michael Madaio, Amy Ogan, Justine Cassell, Louis-Philippe Morency. Temporally Selective Attention Model for Social and Affective State Recognition in Multimedia Content 1743-1751. [[Crossref](#)]
551. Taoufiq Zarra, Raddouane Chiheb, Rajae Moumen, Rdouan Faizi, Abdellatif El Afia. Topic and sentiment model applied to the colloquial Arabic 174-181. [[Crossref](#)]
552. Peifeng Yin, Zhe Liu, Anbang Xu, Taiga Nakamura. Tone Analyzer for Online Customer Service 1887-1895. [[Crossref](#)]
553. Gabriel Murray. Markov reward models for analyzing group interaction 336-340. [[Crossref](#)]
554. Minghai Chen, Sen Wang, Paul Pu Liang, Tadas Baltrušaitis, Amir Zadeh, Louis-Philippe Morency. Multimodal sentiment analysis with word-level fusion and reinforcement learning 163-171. [[Crossref](#)]
555. Valentin Barriere. Hybrid models for opinion analysis in speech interactions 647-651. [[Crossref](#)]
556. Rana Alnashwan, Humphrey Sorensen, Adrian O'Riordan, Cathal Hoare. Multiclass Sentiment Classification of Online Health Forums using Both Domain-independent and Domain-specific Features 75-83. [[Crossref](#)]
557. Yerach Doytsher, Ben Galon, Yaron Kanza. Emotion Maps based on Geotagged Posts in the Social Media 39-46. [[Crossref](#)]
558. Marília Soares Mendes, Elizabeth Sucupira Furtado. UUX-Posts 1-8. [[Crossref](#)]
559. Zhu Pengcheng, Yang Yujiu. Parallel Multi-feature Attention on Neural Sentiment Classification 181-188. [[Crossref](#)]

560. Amit Sangroya, Pratik Saini, C. Anantaram. Chatbot as an Intermediary between a Customer and the Customer Care Ecosystem 128-133. [[Crossref](#)]
561. Randell Gimenez, Melvin Gaviola, Mary Jane Sabellano, Ken Gorro. Emotion Classification of Duterte Administration Tweets Using Hybrid Approach 22-27. [[Crossref](#)]
562. Joshua L. Lee, Patricia B. Awayan, Eduardo Mendoza. A Comparative Study 28-32. [[Crossref](#)]
563. U. A. Piumi Ishanka, Takashi Yukawa. 2017. The Prefiltering Techniques in Emotion Based Place Recommendation Derived by User Reviews. *Applied Computational Intelligence and Soft Computing* **2017**, 1-10. [[Crossref](#)]
564. Ahmed Al-Rawi. 2017. Assessing public sentiments and news preferences on Al Jazeera and Al Arabiya. *International Communication Gazette* **79**:1, 26-44. [[Crossref](#)]
565. Apostolos Filippas. 2017. Strength in Numbers: Using Big Data to Simplify Sentiment Classification. *SSRN Electronic Journal* . [[Crossref](#)]
566. Nicolas Prrllochs, Stefan Feuerriegel. 2017. Understanding Negations in Information Processing: Learning from Replicating Human Behavior. *SSRN Electronic Journal* . [[Crossref](#)]
567. Benjamin Beckers. 2017. Reading between the Lines: Using Media to Improve German Inflation Forecasts. *SSRN Electronic Journal* . [[Crossref](#)]
568. David Ardia, Keven Bluteau, Kris Boudt. 2017. Aggregating the Panel of Daily Textual Sentiment for Sparse Forecasting of Economic Growth. *SSRN Electronic Journal* . [[Crossref](#)]
569. Mike Horia Teodorescu. 2017. Machine Learning Methods for Strategy Research. *SSRN Electronic Journal* . [[Crossref](#)]
570. David Ardia, Keven Bluteau, Samuel Borms, Kris Boudt. 2017. The R Package sentometrics to Compute, Aggregate and Predict with Textual Sentiment. *SSRN Electronic Journal* . [[Crossref](#)]
571. Douglas Cirqueira, Antonio Jacob, Fábio Lobato, Adamo Lima de Santana, Márcia Pinheiro. Performance Evaluation of Sentiment Analysis Methods for Brazilian Portuguese 245-251. [[Crossref](#)]
572. Diana Maynard, Kalina Bontcheva, Isabelle Augenstein. 2016. Natural Language Processing for the Semantic Web. *Synthesis Lectures on the Semantic Web: Theory and Technology* **6**:2, 1-194. [[Crossref](#)]
573. Bomi Song, Changyong Lee, Byungun Yoon, Yongtae Park. 2016. Diagnosing service quality using customer reviews: an index approach based on sentiment and gap analyses. *Service Business* **10**:4, 775-798. [[Crossref](#)]
574. David Watts, K. M. George, T. K. Ashwin Kumar, Zenia Arora. Tweet sentiment as proxy for political campaign momentum 2475-2484. [[Crossref](#)]
575. Xiangfeng Dai, Bob Prout. Unlock big data emotions: Weighted word embeddings for sentiment classification 3833-3838. [[Crossref](#)]
576. Oscar Araque, Ganggao Zhu, Manuel Garcia-Amado, Carlos A. Iglesias. Mining the Opinionated Web: Classification and Detection of Aspect Contexts for Aspect Based Sentiment Analysis 900-907. [[Crossref](#)]
577. Zhaoxia Wang, Victor Joo Chuan Tong, Pingcheng Ruan, Fang Li. Lexicon Knowledge Extraction with Sentiment Polarity Computation 978-983. [[Crossref](#)]
578. Nimit Bindal, Niladri Chatterjee. A Two-Step Method for Sentiment Analysis of Tweets 218-224. [[Crossref](#)]
579. Richard O. Sinnott, Shucheng Cui. Benchmarking Sentiment Analysis Approaches on the Cloud 695-704. [[Crossref](#)]

580. Lina Maria Rojas-Barahona. 2016. Deep learning for sentiment analysis. *Language and Linguistics Compass* 10:12, 701-719. [[Crossref](#)]
581. Filipe N Ribeiro, Matheus Araújo, Pollyanna Gonçalves, Marcos André Gonçalves, Fabrício Benevenuto. 2016. SentiBench - a benchmark comparison of state-of-the-practice sentiment analysis methods. *EPJ Data Science* 5:1. . [[Crossref](#)]
582. Erin Hea-Jin Kim, Yoo Kyung Jeong, Yuyoung Kim, Keun Young Kang, Min Song. 2016. Topic-based content and sentiment analysis of Ebola virus on Twitter and in the news. *Journal of Information Science* 42:6, 763-781. [[Crossref](#)]
583. Carlos Argueta, Fernando H. Calderon, Yi-Shin Chen. 2016. Multilingual emotion classifier using unsupervised pattern extraction from microblog data. *Intelligent Data Analysis* 20:6, 1477-1502. [[Crossref](#)]
584. Xin Kang, Fuji Ren, Yunong Wu. 2016. Semisupervised learning of author-specific emotions in micro-blogs. *IEEJ Transactions on Electrical and Electronic Engineering* 11:6, 768-775. [[Crossref](#)]
585. Yafeng Ren, Ruimin Wang, Donghong Ji. 2016. A topic-enhanced word embedding for Twitter sentiment classification. *Information Sciences* 369, 188-198. [[Crossref](#)]
586. Farhan Hassan Khan, Usman Qamar, Saba Bashir. 2016. eSAP: A decision support framework for enhanced sentiment analysis and polarity classification. *Information Sciences* 367-368, 862-873. [[Crossref](#)]
587. Fatih Saglam, Hayri Sever, Burkey Genc. Developing Turkish sentiment lexicon for sentiment analysis using online news media 1-5. [[Crossref](#)]
588. Tao-Hsing Chang, Yi-Ting Siao. Constructing a Chinese valence-arousal dictionary with multiple heterogeneous lexicons 308-311. [[Crossref](#)]
589. Kai Gao, Duo-xing Liu, Er-liang Zhou. Personalized modeling and sentiment analyzing on Chinese micro-blog posts 424-428. [[Crossref](#)]
590. Daniela Ulloa, Pedro Saleiro, Rosaldo J. F. Rossetti, Elis Regina Silva. Mining social media for open innovation in transportation systems 169-174. [[Crossref](#)]
591. Renato S. C. da Rocha, Leonardo Forero, Harold de Mello, Manoela Kohler, Marley Vellasco. Polarity classification on web-based reviews using Support Vector Machine 1-6. [[Crossref](#)]
592. Jin Wang, Liang-Chih Yu, K. Robert Lai, Xuejie Zhang. 2016. Community-Based Weighted Graph Model for Valence-Arousal Prediction of Affective Words. *IEEE/ACM Transactions on Audio, Speech, and Language Processing* 24:11, 1957-1968. [[Crossref](#)]
593. Alastair Greig. 2016. Sentiment Analysis of the BBC's Digital Content during the 2014 Scottish Independence Referendum Campaign. *Scottish Affairs* 25:4, 419-435. [[Crossref](#)]
594. Milagros Fernández-Gavilanes, Tamara Álvarez-López, Jonathan Juncal-Martínez, Enrique Costa-Montenegro, Francisco Javier González-Castaño. 2016. Unsupervised method for sentiment analysis in online texts. *Expert Systems with Applications* 58, 57-75. [[Crossref](#)]
595. Weifeng Li, Hsinchun Chen, Jay F. Nunamaker. 2016. Identifying and Profiling Key Sellers in Cyber Carding Community: AZSecure Text Mining System. *Journal of Management Information Systems* 33:4, 1059-1086. [[Crossref](#)]
596. Rifat Ahdi Ramadhani, Fatma Indriani, Dodon T. Nugrahadhi. Comparison of Naive Bayes smoothing methods for Twititer sentiment analysis 287-292. [[Crossref](#)]
597. Md. Azza F. Yatim, Yulistiyan Wardhana, Ahmad Kamal, Anandra A. R. Soroinda, Febryan Rachim, M. Ismail Wonggo. A corpus-based lexicon building in Indonesian political context through Indonesian online news media 347-352. [[Crossref](#)]
598. Keeta Kraichit, Jantharat Amarittakul, Ponrudee Netisopakul, Budit Thanasopon. Social commerce credibility analysis 1-5. [[Crossref](#)]

599. Mohd Hanafi Ahmad Hijazi, Lyndia Libin, Rayner Alfred, Frans Coenen. Bias aware lexicon-based Sentiment Analysis of Malay dialect on social media data: A study on the Sabah Language 356-361. [[Crossref](#)]
600. Lorenzo Gatti, Marco Guerini, Marco Turchi. 2016. SentiWords: Deriving a High Precision and High Coverage Lexicon for Sentiment Analysis. *IEEE Transactions on Affective Computing* 7:4, 409-421. [[Crossref](#)]
601. Jia Feng, Peng Tang, Bin Feng, Wenyu Liu. Latent information mining for semi-supervised sentiment classification in catering reviews 1-5. [[Crossref](#)]
602. Mahima Goyal, Vishal Bhatnagar. 2016. Classification of Polarity of Opinions Using Unsupervised Approach in Tourism Domain. *International Journal of Rough Sets and Data Analysis* 3:4, 68-78. [[Crossref](#)]
603. Noa P. Cruz, Maite Taboada, Ruslan Mitkov. 2016. A machine-learning approach to negation and speculation detection for sentiment analysis. *Journal of the Association for Information Science and Technology* 67:9, 2118-2136. [[Crossref](#)]
604. Matthijs Meire, Michel Ballings, Dirk Van den Poel. 2016. The added value of auxiliary data in sentiment analysis of Facebook posts. *Decision Support Systems* 89, 98-112. [[Crossref](#)]
605. Felipe Bravo-Marquez, Eibe Frank, Bernhard Pfahringer. 2016. Building a Twitter opinion lexicon from automatically-annotated tweets. *Knowledge-Based Systems* 108, 65-78. [[Crossref](#)]
606. Aminu Muhammad, Nirmalie Wiratunga, Robert Lothian. 2016. Contextual sentiment analysis for social media genres. *Knowledge-Based Systems* 108, 92-101. [[Crossref](#)]
607. Peng Zhang, Suge Wang, Deyu Li. 2016. Cross-lingual sentiment classification: Similarity discovery plus training data adjustment. *Knowledge-Based Systems* 107, 129-141. [[Crossref](#)]
608. Lukasz Culer, Olgierd Unold. Sentiment Analysis of Social Networks Statements for the Polish Language 134-139. [[Crossref](#)]
609. K.M.P.N. Jayathilaka, A.R. Weerasinghe, W.M.L.K.N. Wijesekara. Making sense of large volumes of unstructured email responses 35-40. [[Crossref](#)]
610. R. Miller, E.Y.A. Charles. A psychological based analysis of marketing email subject lines 58-65. [[Crossref](#)]
611. Xiaojiang Lei, Xueming Qian, Guoshuai Zhao. 2016. Rating Prediction Based on Social Sentiment From Textual Reviews. *IEEE Transactions on Multimedia* 18:9, 1910-1921. [[Crossref](#)]
612. Valentina Sintsova, Pearl Pu. 2016. Dystemo. *ACM Transactions on Intelligent Systems and Technology* 8:1, 1-22. [[Crossref](#)]
613. Qingqing Zhou, Rui Xia, Chengzhi Zhang. 2016. Online Shopping Behavior Study Based on Multi-granularity Opinion Mining: China Versus America. *Cognitive Computation* 8:4, 587-602. [[Crossref](#)]
614. Farhan Hassan Khan, Usman Qamar, Saba Bashir. 2016. Multi-Objective Model Selection (MOMS)-based Semi-Supervised Framework for Sentiment Analysis. *Cognitive Computation* 8:4, 614-628. [[Crossref](#)]
615. Nicolas Pröllochs, Stefan Feuerriegel, Dirk Neumann. 2016. Negation scope detection in sentiment analysis: Decision support for news-driven trading. *Decision Support Systems* 88, 67-75. [[Crossref](#)]
616. Nádia Félix Felipe da Silva, Luiz F.S. Coletta, Eduardo R. Hruschka, Estevam R. Hruschka Jr.. 2016. Using unsupervised information to improve semi-supervised tweet sentiment classification. *Information Sciences* 355-356, 348-365. [[Crossref](#)]

617. Ioannis Korkontzelos, Azadeh Nikfarjam, Matthew Shardlow, Abeed Sarker, Sophia Ananiadou, Graciela H. Gonzalez. 2016. Analysis of the effect of sentiment analysis on extracting adverse drug reactions from tweets and forum posts. *Journal of Biomedical Informatics* **62**, 148-158. [[Crossref](#)]
618. Caroline Langlet, Chloé Clavel. 2016. Grounding the detection of the user's likes and dislikes on the topic structure of human-agent interactions. *Knowledge-Based Systems* **106**, 116-124. [[Crossref](#)]
619. Mauro Coletto, Andrea Esuli, Claudio Lucchese, Cristina Ioana Muntean, Franco Maria Nardini, Raffaele Perego, Chiara Renso. Sentiment-enhanced multidimensional analysis of online social networks: Perception of the mediterranean refugees crisis 1270-1277. [[Crossref](#)]
620. Endang Wahyu Pamungkas, Divi Galih Prasetyo Putri. An experimental study of lexicon-based sentiment analysis on Bahasa Indonesia 28-31. [[Crossref](#)]
621. Jyoti Ramteke, Samarth Shah, Darshan Godhia, Aadil Shaikh. Election result prediction using Twitter sentiment analysis 1-5. [[Crossref](#)]
622. Alejandro Maté, Elisa De Gregorio, José Cámara, Juan Trujillo, Sergio Luján-Mora. 2016. The improvement of analytics in massive open online courses by applying data mining techniques. *Expert Systems* **33**:4, 374-382. [[Crossref](#)]
623. Radoslava Trnavac, Debopam Das, Maite Taboada. 2016. Discourse relations and evaluation. *Corpora* **11**:2, 169-190. [[Crossref](#)]
624. Maite Taboada, Marta Carretero, Jennifer Hinnell. Loving and hating the movies in English, German and Spanish 127-161. [[Crossref](#)]
625. Ying Kei Tse, Minhao Zhang, Bob Doherty, Paul Chappell, Philip Garnett. 2016. Insight from the horsemeat scandal. *Industrial Management & Data Systems* **116**:6, 1178-1200. [[Crossref](#)]
626. Sunita Goel, Ozlem Uzuner. 2016. Do Sentiments Matter in Fraud Detection? Estimating Semantic Orientation of Annual Reports. *Intelligent Systems in Accounting, Finance and Management* **23**:3, 215-239. [[Crossref](#)]
627. Abdullateef M. Rabab'ah, Mahmoud Al-Ayyoub, Yaser Jararweh, Mohammed N. Al-Kabi. Evaluating SentiStrength for Arabic Sentiment Analysis 1-6. [[Crossref](#)]
628. Kosuke Kawabata, Makoto Okada, Naoki Mori, Kiyota Hashimoto. A Proposal of a Method to Automatically Estimate Evaluations of Various Topics of Travelers' Reviews 262-266. [[Crossref](#)]
629. Man Lan, Zhihua Zhang, Yue Lu, Ju Wu. Three Convolutional Neural Network-based models for learning Sentiment Word Vectors towards sentiment analysis 3172-3179. [[Crossref](#)]
630. Zhou Jin, Yujiu Yang, Xianyu Bao, Biqing Huang. Combining user-based and global lexicon features for sentiment analysis in twitter 4525-4532. [[Crossref](#)]
631. Ping Han, Shan Li, Yunfei Jia. A Topic-Independent Hybrid Approach for Sentiment Analysis of Chinese Microblog 463-468. [[Crossref](#)]
632. Mohammad Al Smadi, Islam Obaidat, Mahmoud Al-Ayyoub, Rami Mohawesh, Yaser Jararweh. 2016. Using Enhanced Lexicon-Based Approaches for the Determination of Aspect Categories and Their Polarities in Arabic Reviews. *International Journal of Information Technology and Web Engineering* **11**:3, 15-31. [[Crossref](#)]
633. Anastasia Giachanou, Fabio Crestani. 2016. Like It or Not. *ACM Computing Surveys* **49**:2, 1-41. [[Crossref](#)]
634. Nadia Felix F. Da Silva, Luiz F. S. Coletta, Eduardo R. Hruschka. 2016. A Survey and Comparative Study of Tweet Sentiment Analysis via Semi-Supervised Learning. *ACM Computing Surveys* **49**:1, 1-26. [[Crossref](#)]

635. Miljana Mladenović, Jelena Mitrović, Cvetana Krstev, Duško Vitas. 2016. Hybrid sentiment analysis framework for a morphologically rich language. *Journal of Intelligent Information Systems* 46:3, 599-620. [[Crossref](#)]
636. Mike Conway, Daniel O'Connor. 2016. Social media, big data, and mental health: current advances and ethical implications. *Current Opinion in Psychology* 9, 77-82. [[Crossref](#)]
637. Jin Wang, Liang-Chih Yu, K. Robert Lai, Xuejie Zhang. 2016. Locally weighted linear regression for cross-lingual valence-arousal prediction of affective words. *Neurocomputing* 194, 271-278. [[Crossref](#)]
638. Si Jiang, Jiayin Qi. Cognitive Detection of Multiple Discrete Emotions from Chinese Online Reviews 137-142. [[Crossref](#)]
639. Madhavi Devaraj, Rajesh Piryani, Vivek Kumar Singh. 2016. Lexicon Ensemble and Lexicon Pooling for Sentiment Polarity Detection. *IETE Technical Review* 33:3, 332-340. [[Crossref](#)]
640. Jia Wei Chang, Ming Che Lee, Tzone I Wang. 2016. Integrating a semantic-based retrieval agent into case-based reasoning systems: A case study of an online bookstore. *Computers in Industry* 78, 29-42. [[Crossref](#)]
641. Hyui Geon Yoon, Hyungjun Kim, Chang Ouk Kim, Min Song. 2016. Opinion polarity detection in Twitter data combining shrinkage regression and topic modeling. *Journal of Informetrics* 10:2, 634-644. [[Crossref](#)]
642. Farhan Hassan Khan, Usman Qamar, Saba Bashir. 2016. SWIMS: Semi-supervised subjective feature weighting and intelligent model selection for sentiment analysis. *Knowledge-Based Systems* 100, 97-111. [[Crossref](#)]
643. Hanjun Lee, Yongmoo Suh. 2016. Who creates value in a user innovation community? A case study of MyStarbucksIdea.com. *Online Information Review* 40:2, 170-186. [[Crossref](#)]
644. Stuart E. Middleton, Vadims Krivcovs. 2016. Geoparsing and Geosemantics for Social Media. *ACM Transactions on Information Systems* 34:3, 1-26. [[Crossref](#)]
645. Guangyou Zhou, Zhiyuan Zhu, Tingting He, Xiaohua Tony Hu. 2016. Cross-lingual sentiment classification with stacked autoencoders. *Knowledge and Information Systems* 47:1, 27-44. [[Crossref](#)]
646. Zhijian Cui, Xiaodong Shi, Yidong Chen. 2016. Sentiment analysis via integrating distributed representations of variable-length word sequence. *Neurocomputing* 187, 126-132. [[Crossref](#)]
647. Lei Wang, Fuji Ren, Duoqian Miao. 2016. Multi-label emotion recognition of weblog sentence based on Bayesian networks. *IEEE Transactions on Electrical and Electronic Engineering* 11:2, 178-184. [[Crossref](#)]
648. Kushagra Bhargava, Tanvi Gujral, Mihir Chawla, Tanya Gujral. Comment based Seller Trust model for E-commerce 387-391. [[Crossref](#)]
649. Bingkun Wang, Yongfeng Huang, Zhigang Yuan, Xing Li. 2016. A multi-granularity fuzzy computing model for sentiment classification of Chinese reviews. *Journal of Intelligent & Fuzzy Systems* 30:3, 1445-1460. [[Crossref](#)]
650. Enamul Hoque, Giuseppe Carenini. 2016. Interactive Topic Modeling for Exploring Asynchronous Online Conversations. *ACM Transactions on Interactive Intelligent Systems* 6:1, 1-24. [[Crossref](#)]
651. Hongwei Wang, Lijuan Zheng. 2016. Sentiment classification of Chinese online reviews: a comparison of factors influencing performances. *Enterprise Information Systems* 10:2, 228-244. [[Crossref](#)]

652. Xianfeng Zhang, Yang Yu, Hongxiu Li, Zhangxi Lin. 2016. Sentimental interplay between structured and unstructured user-generated contents. *Online Information Review* 40:1, 119-145. [[Crossref](#)]
653. Farhan Hassan Khan, Usman Qamar, Saba Bashir. 2016. SentiMI: Introducing point-wise mutual information with SentiWordNet to improve sentiment polarity detection. *Applied Soft Computing* 39, 140-153. [[Crossref](#)]
654. Ane Alberdi, Asier Aztiria, Adrian Basarab. 2016. Towards an automatic early stress recognition system for office environments based on multimodal measurements: A review. *Journal of Biomedical Informatics* 59, 49-75. [[Crossref](#)]
655. Maite Taboada. 2016. Sentiment Analysis: An Overview from Linguistics. *Annual Review of Linguistics* 2:1, 325-347. [[Crossref](#)]
656. Katerina Berezina, Anil Bilgihan, Cihan Cobanoglu, Fevzi Okumus. 2016. Understanding Satisfied and Dissatisfied Hotel Customers: Text Mining of Online Hotel Reviews. *Journal of Hospitality Marketing & Management* 25:1, 1-24. [[Crossref](#)]
657. Ahmed Al-Rawi. 2016. Understanding the Social Media Audiences of Radio Stations. *Journal of Radio & Audio Media* 23:1, 50-67. [[Crossref](#)]
658. Lei Zhang, Bing Liu. Sentiment Analysis and Opinion Mining 1-10. [[Crossref](#)]
659. Tomáš Kincl, Michal Novák, Jiří Přibil. Sentiment Classification in Multiple Languages: Fifty Shades of Customer Opinions 267-275. [[Crossref](#)]
660. Basant Agarwal, Namita Mittal. Introduction 1-4. [[Crossref](#)]
661. Basant Agarwal, Namita Mittal. Literature Survey 5-19. [[Crossref](#)]
662. Basant Agarwal, Namita Mittal. Machine Learning Approach for Sentiment Analysis 21-45. [[Crossref](#)]
663. Basant Agarwal, Namita Mittal. Semantic Parsing Using Dependency Rules 47-61. [[Crossref](#)]
664. Basant Agarwal, Namita Mittal. Sentiment Analysis Using ConceptNet Ontology and Context Information 63-75. [[Crossref](#)]
665. Basant Agarwal, Namita Mittal. Semantic Orientation-Based Approach for Sentiment Analysis 77-88. [[Crossref](#)]
666. Basant Agarwal, Namita Mittal. Conclusions and Future Work 89-92. [[Crossref](#)]
667. Julia Neidhardt, Nataliia Rümmele, Hannes Werthner. Can We Predict Your Sentiments by Listening to Your Peers? 593-603. [[Crossref](#)]
668. Yan Zhang, Yong Zhang, Jennifer Xu, Chunxiao Xing, Hsinchun Chen. Sentiment Analysis on Chinese Health Forums: A Preliminary Study of Different Language Models 68-81. [[Crossref](#)]
669. Son Trinh, Luu Nguyen, Minh Vo, Phuc Do. Lexicon-Based Sentiment Analysis of Facebook Comments in Vietnamese Language 263-276. [[Crossref](#)]
670. Hassan Saif, F. Javier Ortega, Miriam Fernández, Iván Cantador. Sentiment Analysis in Social Streams 119-140. [[Crossref](#)]
671. N. Madhusudan, B. Gurumoorthy, Amaresh Chakrabarti. Evaluation of Methods to Identify Assembly Issues in Text 495-504. [[Crossref](#)]
672. Rodolfo Delmonte, Rocco Tripodi. Semantics for Social Media 108-126. [[Crossref](#)]
673. Gabriel Murray. Uncovering Hidden Sentiment in Meetings 64-72. [[Crossref](#)]
674. Raoul Biagioni. Sentiment Analysis 7-16. [[Crossref](#)]
675. Matteo Golfarelli. Design Issues in Social Business Intelligence Projects 62-86. [[Crossref](#)]

676. Ellen Souza, Douglas Vitório, Dayvid Castro, Adriano L. I. Oliveira, Cristine Gusmão. Characterizing Opinion Mining: A Systematic Mapping Study of the Portuguese Language 122-127. [[Crossref](#)]
677. António Paulo Santos, Carlos Ramos, Nuno Marques. Finding Compositional Rules for Determining the Semantic Orientation of Phrases 128-133. [[Crossref](#)]
678. Ana Catarina Forte, Pavel B. Brazdil. Determining the Level of Clients' Dissatisfaction from Their Commentaries 74-85. [[Crossref](#)]
679. Mathieu Lafourcade, Nathalie Le Brun, Alain Joubert. Mixing Crowdsourcing and Graph Propagation to Build a Sentiment Lexicon: Feelings Are Contagious 258-266. [[Crossref](#)]
680. Tuhin Sharma, Durga Toshniwal. A Generalized Framework for Quantifying Trust of Social Media Text Documents 692-713. [[Crossref](#)]
681. Serena Pelosi. Morphological Relations for the Automatic Expansion of Italian Sentiment Lexicons 41-51. [[Crossref](#)]
682. Livia Teernstra, Peter van der Putten, Liesbeth Noordegraaf-Eelens, Fons Verbeek. The Morality Machine: Tracking Moral Values in Tweets 26-37. [[Crossref](#)]
683. B. N. Supriya, Vish Kallimani, S. Prakash, C. B. Akki. Twitter Sentiment Analysis Using Binary Classification Technique 391-396. [[Crossref](#)]
684. Gerhard Backfried, Gayane Shalunts. Sentiment Analysis of Media in German on the Refugee Crisis in Europe 234-241. [[Crossref](#)]
685. Yichao Lu, Ruihai Dong, Barry Smyth. Context-Aware Sentiment Detection from Ratings 87-101. [[Crossref](#)]
686. Da Pan, Meishan Zhang, Guohong Fu. Chinese Sentiment Analysis Exploiting Heterogeneous Segmentations 387-398. [[Crossref](#)]
687. Swati Sanagar, Deepa Gupta. Roadmap for Polarity Lexicon Learning and Resources: A Survey 647-663. [[Crossref](#)]
688. Omar Juárez Gambino, Hiram Calvo. A Comparison Between Two Spanish Sentiment Lexicons in the Twitter Sentiment Analysis Task 127-138. [[Crossref](#)]
689. Kia Dashtipour, Amir Hussain, Qiang Zhou, Alexander Gelbukh, Ahmad Y. A. Hawalah, Erik Cambria. PerSent: A Freely Available Persian Sentiment Lexicon 310-320. [[Crossref](#)]
690. Giacomo Domeniconi, Gianluca Moro, Andrea Pagliarani, Roberto Pasolini. Cross-Domain Sentiment Classification via Polarity-Driven State Transitions in a Markov Model 118-138. [[Crossref](#)]
691. Madhusudanan N, B. Gurumoorthy, Amaresh Chakrabarti. Enhancing Domain Specific Sentiment Lexicon for Issue Identification 13-21. [[Crossref](#)]
692. Łukasz Augustyniak, Piotr Szymański, Tomasz Kajdanowicz, Przemysław Kazienko. Fast and Accurate - Improving Lexicon-Based Sentiment Classification with an Ensemble Methods 108-116. [[Crossref](#)]
693. Saif M. Mohammad. Sentiment Analysis 201-237. [[Crossref](#)]
694. Shariq Bashir, Wasif Afzal, Abdul Rauf Baig. 2016. Opinion-Based Entity Ranking using learning to rank. *Applied Soft Computing* **38**, 151-163. [[Crossref](#)]
695. Lanqin Zheng, Ronghuai Huang. 2016. The effects of sentiments and co-regulation on group performance in computer supported collaborative learning. *The Internet and Higher Education* **28**, 59-67. [[Crossref](#)]
696. Jorge A. Balazs, Juan D. Velásquez. 2016. Opinion Mining and Information Fusion: A survey. *Information Fusion* **27**, 95-110. [[Crossref](#)]

697. Hassan Saif, Yulan He, Miriam Fernandez, Harith Alani. 2016. Contextual semantics for sentiment analysis of Twitter. *Information Processing & Management* 52:1, 5-19. [[Crossref](#)]
698. Rui Xia, Feng Xu, Jianfei Yu, Yong Qi, Erik Cambria. 2016. Polarity shift detection, elimination and ensemble: A three-stage model for document-level sentiment analysis. *Information Processing & Management* 52:1, 36-45. [[Crossref](#)]
699. Justin B. Hollander, Erin Graves, Henry Renski, Cara Foster-Karim, Andrew Wiley, Dibyendu Das. Introduction 1-13. [[Crossref](#)]
700. Justin B. Hollander, Erin Graves, Henry Renski, Cara Foster-Karim, Andrew Wiley, Dibyendu Das. A National Comparison: Twitter versus the American Housing Survey 55-72. [[Crossref](#)]
701. Justin B. Hollander, Erin Graves, Henry Renski, Cara Foster-Karim, Andrew Wiley, Dibyendu Das. Conclusion 73-81. [[Crossref](#)]
702. Sunghyun Kang, Jiwan Seo, Seungjin Choi, Junho Kim, Sangyong Han. The online community based decision making support system for mitigating biased decision making 090036. [[Crossref](#)]
703. Ravi Vatrpu, Raghava Rao Mukkamala, Abid Hussain, Benjamin Flesch. 2016. Social Set Analysis: A Set Theoretical Approach to Big Data Analytics. *IEEE Access* 4, 2542-2571. [[Crossref](#)]
704. Nicolas Prolochs, Stefan Feuerriegel, Dirk Neumann. Detecting Negation Scopes for Financial News Sentiment Using Reinforcement Learning 1164-1173. [[Crossref](#)]
705. Jiandong Zhou, Yanping Zhao, Huaping Zhang, Tianming Wang. Measuring Emotion Bifurcation Points for Individuals in Social Media 1949-1958. [[Crossref](#)]
706. Tirath Prasad Sahu, Sanjeev Ahuja. Sentiment analysis of movie reviews: A study on feature selection & classification algorithms 1-6. [[Crossref](#)]
707. Alaettin Ucan, Behzad Naderalvojud, Ebru Akcapinar Sezer, Hayri Sever. SentiWordNet for New Language: Automatic Translation Approach 308-315. [[Crossref](#)]
708. Matheus Araujo, Julio Reis, Adriano Pereira, Fabricio Benevenuto. An evaluation of machine translation for multilingual sentence-level sentiment analysis 1140-1145. [[Crossref](#)]
709. Enamul Hoque, Giuseppe Carenini. MultiConVis 96-107. [[Crossref](#)]
710. Shima Ismail, Abdelwahab Alsammak, Tarek Elshishtawy. A Generic Approach for Extracting Aspects and Opinions of Arabic Reviews 173-179. [[Crossref](#)]
711. Qinmin Hu, Yijun Pei, Qin Chen, Liang He. SG++ 997-1000. [[Crossref](#)]
712. Unknown. Sentiment Analysis using Word-Graphs 1-9. [[Crossref](#)]
713. Ming Jiang, Jana Diesner. Issue-Focused Documentaries versus Other Films 225-230. [[Crossref](#)]
714. Qing Sun, Jianwei Niu, Zhong Yao, Dongmin Qiu. Research on semantic orientation classification of chinese online product reviews based on multi-aspect sentiment analysis 262-267. [[Crossref](#)]
715. Misa Sato, Kohsuke Yanai, Toshihiko Yanase, Toshinori Miyoshi, Yuta Koreeda, Yoshiki Niwa. 2016. Textual Supportiveness Recognition Based on Combinations of Syntax Features for Automated Argument Generation. *Transactions of the Japanese Society for Artificial Intelligence* 31:6, AI30-L_1-12. [[Crossref](#)]
716. Yonyos KAEWPITAKKUN, Kiyooki SHIRAI. 2016. Incorporation of Target Specific Knowledge for Sentiment Analysis on Microblogging. *IEICE Transactions on Information and Systems* E99.D:4, 959-968. [[Crossref](#)]
717. Xing Wu, Shaojian Zhuo. Chinese Text Sentiment Analysis Utilizing Emotion Degree Lexicon and Fuzzy Semantic Model 1077-1090. [[Crossref](#)]

718. Basant Agarwal, Namita Mittal. Machine Learning Approaches for Sentiment Analysis 1917-1933. [[Crossref](#)]
719. Nawaf A. Abdulla, Nizar A. Ahmed, Mohammed A. Shehab, Mahmoud Al-Ayyoub, Mohammed N. Al-Kabi, Saleh Al-rifai. Towards Improving the Lexicon-Based Approach for Arabic Sentiment Analysis 1970-1986. [[Crossref](#)]
720. Stephan Winkler, Susanne Schaller, Viktoria Dorfer, Michael Affenzeller, Gerald Petz, Michał Karpowicz. 2015. Data-based prediction of sentiments using heterogeneous model ensembles. *Soft Computing* **19**:12, 3401-3412. [[Crossref](#)]
721. Cataldo Musto, Giovanni Semeraro, Pasquale Lops, Marco de Gemmis. 2015. CrowdPulse: A framework for real-time semantic analysis of social streams. *Information Systems* **54**, 127-146. [[Crossref](#)]
722. Swati Sanagar, Deepa Gupta. Adaptation of multi-domain corpus learned seeds and polarity lexicon for sentiment analysis 50-58. [[Crossref](#)]
723. Yunchao He, Chin-Sheng Yang, Liang-Chih Yu, K. Robert Lai, Weiyi Liu. Sentiment classification of short texts based on semantic clustering 54-57. [[Crossref](#)]
724. Venkatanareshbabu Kuppli, Deepak Kumar, Gayatri Pradip Kudchadker, Ankush Arora. Variance based product recommendation using clustering and sentiment analysis 1-5. [[Crossref](#)]
725. David Vilares, Mike Thelwall, Miguel A. Alonso. 2015. The megaphone of the people? Spanish SentiStrength for real-time analysis of political tweets. *Journal of Information Science* **41**:6, 799-813. [[Crossref](#)]
726. Anna Jurek, Maurice D. Mulvenna, Yaxin Bi. 2015. Improved lexicon-based sentiment analysis for social media analytics. *Security Informatics* **4**:1. . [[Crossref](#)]
727. ###. 2015. Regelbasierte Sentimentanalyse von Twitter anhand eines Sentiment-Lexikons. *Dokohak(Zeitschrift der Koreanischen Gesellschaft fuer Deutsche Sprachwissenschaft)* **null**:32, 153-173. [[Crossref](#)]
728. Duyu Tang, Bing Qin, Ting Liu. 2015. Deep learning for sentiment analysis: successful approaches and future challenges. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery* **5**:6, 292-303. [[Crossref](#)]
729. Kumar Ravi, Vadlamani Ravi. 2015. A survey on opinion mining and sentiment analysis: Tasks, approaches and applications. *Knowledge-Based Systems* **89**, 14-46. [[Crossref](#)]
730. Islam Obaidat, Rami Mohawesh, Mahmoud Al-Ayyoub, Mohammad AL-Smadi, Yaser Jararweh. Enhancing the determination of aspect categories and their polarities in Arabic reviews using lexicon-based approaches 1-6. [[Crossref](#)]
731. Shuhua Liu, Thomas Forss. Text Classification Models for Web Content Filtering and Online Safety 961-968. [[Crossref](#)]
732. Lixiao Zhang, Jun Ni, Xinzhi Wang. A Measurement of Text Emotion Complexity in Microblog 273-278. [[Crossref](#)]
733. Chun-Han Chu, Apoorva Honnegowda Roopa, Yung-Chun Chang, Wen-Lian Hsu. Constructing sentiment sensitive vectors for word polarity classification 252-259. [[Crossref](#)]
734. Po-Hao Chou, Richard Tzong-Han Tsai, Jane Yung-jen Hsu. Topic-aware sentiment prediction for Chinese ConceptNet 419-426. [[Crossref](#)]
735. Duyu Tang, Bing Qin, Furu Wei, Li Dong, Ting Liu, Ming Zhou. 2015. A Joint Segmentation and Classification Framework for Sentence Level Sentiment Classification. *IEEE/ACM Transactions on Audio, Speech, and Language Processing* **23**:11, 1750-1761. [[Crossref](#)]
736. Preedawon Kadmateekarun, Sumitra Nuanmeesri. Automatic sentiment analysis from opinion of Thais speech audio 288-291. [[Crossref](#)]

737. Matteo Fuoli, Charlotte Hommerberg. 2015. Optimising transparency, reliability and replicability: annotation principles and inter-coder agreement in the quantification of evaluative expressions. *Corpora* **10**:3, 315-349. [[Crossref](#)]
738. Muhammad Zubair Asghar, Aurangzeb Khan, Shakeel Ahmad, Imran Ali Khan, Fazal Masud Kundi. 2015. A Unified Framework for Creating Domain Dependent Polarity Lexicons from User Generated Reviews. *PLOS ONE* **10**:10, e0140204. [[Crossref](#)]
739. Victoria Bobicev, Marina Sokolova, Michael Oakes. 2015. What Goes Around Comes Around: Learning Sentiments in Online Medical Forums. *Cognitive Computation* **7**:5, 609-621. [[Crossref](#)]
740. Enrico Gallinucci, Matteo Golfarelli, Stefano Rizzi. 2015. Advanced topic modeling for social business intelligence. *Information Systems* **53**, 87-106. [[Crossref](#)]
741. Leonardo Rocha, Fernando Mourão, Thiago Silveira, Rodrigo Chaves, Giovanni Sá, Felipe Teixeira, Ramon Vieira, Renato Ferreira. 2015. SACI: Sentiment analysis by collective inspection on social media content. *Journal of Web Semantics* **34**, 27-39. [[Crossref](#)]
742. Nemanja Spasojevic, Adithya Rao. Identifying actionable messages on social media 2273-2281. [[Crossref](#)]
743. Khaled Ahmed, Neamat El Tazi, Ahmad Hany Hossny. Sentiment Analysis over Social Networks: An Overview 2174-2179. [[Crossref](#)]
744. Michael Brooks, Saleema Amershi, Bongshin Lee, Steven M. Drucker, Ashish Kapoor, Patrice Simard. FeatureInsight: Visual support for error-driven feature ideation in text classification 105-112. [[Crossref](#)]
745. R.M. Duwairi, Nizar A. Ahmed, Saleh Y. Al-Rifai. 2015. Detecting sentiment embedded in Arabic social media – A lexicon-based approach. *Journal of Intelligent & Fuzzy Systems* **29**:1, 107-117. [[Crossref](#)]
746. Shafiq Joty, Giuseppe Carenini, Raymond T. Ng. 2015. CODRA: A Novel Discriminative Framework for Rhetorical Analysis. *Computational Linguistics* **41**:3, 385-435. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
747. David Vilares, Miguel A. Alonso, Carlos Gómez-Rodríguez. 2015. On the usefulness of lexical and syntactic processing in polarity classification of Twitter messages. *Journal of the Association for Information Science and Technology* **66**:9, 1799-1816. [[Crossref](#)]
748. Ziyang Chen, Yu Huang, Jing Tian, Xiaoyan Liu, Kun Fu, Tinglei Huang. 2015. Joint model for subsentence-level sentiment analysis with Markov logic. *Journal of the Association for Information Science and Technology* **66**:9, 1913-1922. [[Crossref](#)]
749. Björn Schuller, Amr El-Desoky Mousa, Vasileios Vryniotis. 2015. Sentiment analysis and opinion mining: on optimal parameters and performances. *Wiley Interdisciplinary Reviews: Data Mining and Knowledge Discovery* **5**:5, 255-263. [[Crossref](#)]
750. Marjan Van de Kauter, Bart Desmet, Véronique Hoste. 2015. The good, the bad and the implicit: a comprehensive approach to annotating explicit and implicit sentiment. *Language Resources and Evaluation* **49**:3, 685-720. [[Crossref](#)]
751. Caroline Langlet, Chloe Clavel. Adapting sentiment analysis to face-to-face human-agent interactions: From the detection to the evaluation issues 14-20. [[Crossref](#)]
752. Erfan Najmi, Khayyam Hashmi, Zaki Malik, Abdelmounaam Rezgui, Habib Ullah Khan. 2015. CAPRA: a comprehensive approach to product ranking using customer reviews. *Computing* **97**:8, 843-867. [[Crossref](#)]
753. Jesus Serrano-Guerrero, Jose A. Olivas, Francisco P. Romero, Enrique Herrera-Viedma. 2015. Sentiment analysis: A review and comparative analysis of web services. *Information Sciences* **311**, 18-38. [[Crossref](#)]

754. Kaili Mao, Jianwei Niu, Xuejiao Wang, Lei Wang, Meikang Qiu. Cross-Domain Sentiment Analysis of Product Reviews by Combining Lexicon-Based and Learn-Based Techniques 351-356. [[Crossref](#)]
755. Shashank Sharma, PYKL Srinivas, Rakesh Chandra Balabantaray. Text normalization of code mix and sentiment analysis 1468-1473. [[Crossref](#)]
756. Xinyu Guan, Qinke Peng, Jing Zhang, Xiaokang Zhang. Renovating word vectors to build Chinese sentiment lexicon 2977-2982. [[Crossref](#)]
757. Pu Zhang, Zhongshi He. 2015. Using data-driven feature enrichment of text representation and ensemble technique for sentence-level polarity classification. *Journal of Information Science* 41:4, 531-549. [[Crossref](#)]
758. Yang Yu, Xiao Wang. 2015. World Cup 2014 in the Twitter World: A big data analysis of sentiments in U.S. sports fans' tweets. *Computers in Human Behavior* 48, 392-400. [[Crossref](#)]
759. Marjan Van de Kauter, Diane Breesch, Véronique Hoste. 2015. Fine-grained analysis of explicit and implicit sentiment in financial news articles. *Expert Systems with Applications* 42:11, 4999-5010. [[Crossref](#)]
760. Saif M. Mohammad, Xiaodan Zhu, Svetlana Kiritchenko, Joel Martin. 2015. Sentiment, emotion, purpose, and style in electoral tweets. *Information Processing & Management* 51:4, 480-499. [[Crossref](#)]
761. M. Dolores Molina-González, Eugenio Martínez-Cámara, M. Teresa Martín-Valdivia, L. Alfonso Ureña-López. 2015. A Spanish semantic orientation approach to domain adaptation for polarity classification. *Information Processing & Management* 51:4, 520-531. [[Crossref](#)]
762. Ivan Habernal, Tomáš Ptáček, Josef Steinberger. 2015. Reprint of "Supervised sentiment analysis in Czech social media". *Information Processing & Management* 51:4, 532-546. [[Crossref](#)]
763. Antonio Moreno-Ortiz, Javier Fernández-Cruz. 2015. Identifying Polarity in Financial Texts for Sentiment Analysis: A Corpus-based Approach. *Procedia - Social and Behavioral Sciences* 198, 330-338. [[Crossref](#)]
764. Jungkook An, Hee-Woong Kim. 2015. Building a Korean Sentiment Lexicon Using Collective Intelligence. *Journal of Intelligence and Information Systems* 21:2, 49-67. [[Crossref](#)]
765. Li Dong, Furu Wei, Shujie Liu, Ming Zhou, Ke Xu. 2015. A Statistical Parsing Framework for Sentiment Classification. *Computational Linguistics* 41:2, 293-336. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
766. Alexander Hogenboom, Flavius Frasincar, Franciska de Jong, Uzay Kaymak. 2015. Polarity classification using structure-based vector representations of text. *Decision Support Systems* 74, 46-56. [[Crossref](#)]
767. Michael A. King, Alan S. Abrahams, Cliff T. Ragsdale. 2015. Ensemble learning methods for pay-per-click campaign management. *Expert Systems with Applications* 42:10, 4818-4829. [[Crossref](#)]
768. Francisco Jurado, Pilar Rodriguez. 2015. Sentiment Analysis in monitoring software development processes: An exploratory case study on GitHub's project issues. *Journal of Systems and Software* 104, 82-89. [[Crossref](#)]
769. Pete Burnap, Omer F. Rana, Nick Avis, Matthew Williams, William Housley, Adam Edwards, Jeffrey Morgan, Luke Sloan. 2015. Detecting tension in online communities with computational Twitter analysis. *Technological Forecasting and Social Change* 95, 96-108. [[Crossref](#)]
770. Deepamala N., Ramakanth Kumar P.. Polarity detection of Kannada documents 764-767. [[Crossref](#)]

771. Shanshan Gao, Jinxing Hao, Yu Fu. The application and comparison of web services for sentiment analysis in tourism 1-6. [[Crossref](#)]
772. Harvinder Jeet Kaur, Rajiv Kumar. Sentiment analysis from social media in crisis situations 251-256. [[Crossref](#)]
773. H. Andrew Schwartz, Lyle H. Ungar. 2015. Data-Driven Content Analysis of Social Media. *The ANNALS of the American Academy of Political and Social Science* 659:1, 78-94. [[Crossref](#)]
774. Anthony M. Hopper, Maria Uriyo. 2015. Using sentiment analysis to review patient satisfaction data located on the internet. *Journal of Health Organization and Management* 29:2, 221-233. [[Crossref](#)]
775. Mauro Dragoni, Andrea G. B. Tettamanzi, Célia da Costa Pereira. 2015. Propagating and Aggregating Fuzzy Polarities for Concept-Level Sentiment Analysis. *Cognitive Computation* 7:2, 186-197. [[Crossref](#)]
776. Ahmad M. Abd Al-Aziz, Mervat Gheith, Ahmed Sharf Eldin. Lexicon Based and Multi-Criteria Decision Making (MCDM) Approach for Detecting Emotions from Arabic Microblog Text 100-105. [[Crossref](#)]
777. Keonsook Park. 2015. The Study of Evaluation Vocabulary on Grade of Online Movie Reviews. *EONEOHAG* null:71, 49-81. [[Crossref](#)]
778. . Big Data and Social Data 16-45. [[Crossref](#)]
779. Deepali Arora, Kin Fun Li, Stephen W. Neville. Consumers' Sentiment Analysis of Popular Phone Brands and Operating System Preference Using Twitter Data: A Feasibility Study 680-686. [[Crossref](#)]
780. Deepali Arora, Piyush Malik. Analytics: Key to Go from Generating Big Data to Deriving Business Value 446-452. [[Crossref](#)]
781. Yang, Kiduk. 2015. Fusion Approach to Targeted Opinion Detection in Blogosphere. *Journal of Korean Library and Information Science Society* 46:1, 321-344. [[Crossref](#)]
782. Yury Kryvasheyev, Haohui Chen, Esteban Moro, Pascal Van Hentenryck, Manuel Cebrian. 2015. Performance of Social Network Sensors during Hurricane Sandy. *PLOS ONE* 10:2, e0117288. [[Crossref](#)]
783. Shuhua Monica Liu, Jiun-Hung Chen. 2015. A multi-label classification based approach for sentiment classification. *Expert Systems with Applications* 42:3, 1083-1093. [[Crossref](#)]
784. Gaurav Dubey, Ajay Rana, Naveen Kumar Shukla. User reviews data analysis using opinion mining on web 603-612. [[Crossref](#)]
785. Rupika Dalal, Ismail Safhath, Rajesh Piryani, Divya Rajeswari Kappara, Vivek Kumar Singh. A Lexicon Pooled Machine Learning Classifier for Opinion Mining from Course Feedbacks 419-428. [[Crossref](#)]
786. Tran-Thai Dang, Nguyen Thi Xuan Huong, Anh-Cuong Le, Van-Nam Huynh. Automatically Learning Patterns in Subjectivity Classification for Vietnamese 629-640. [[Crossref](#)]
787. Mohammad Sadegh Hajmohammadi, Roliana Ibrahim, Ali Selamat. Graph-Based Semi-supervised Learning for Cross-Lingual Sentiment Classification 97-106. [[Crossref](#)]
788. Hady ElSahar, Samhaa R. El-Beltagy. Building Large Arabic Multi-domain Resources for Sentiment Analysis 23-34. [[Crossref](#)]
789. Gabriel Murray. Analyzing Productivity Shifts in Meetings 141-154. [[Crossref](#)]
790. Gizem Gezici, Berrin Yanikoglu, Dilek Tapucu, Yücel Saygın. Sentiment Analysis Using Domain-Adaptation and Sentence-Based Analysis 45-64. [[Crossref](#)]

791. Aminu Muhammad, Nirmalie Wiratunga, Robert Lothian. Context-Aware Sentiment Analysis of Social Media 87-104. [[Crossref](#)]
792. Matthias Eickhoff. Enabling Reproducible Sentiment Analysis: A Hybrid Domain-Portable Framework for Sentiment Classification 215-229. [[Crossref](#)]
793. Ernesto Gutiérrez, Ofelia Cervantes, David Báez-López, J. Alfredo Sánchez. Sentiment Groups as Features of a Classification Model Using a Spanish Sentiment Lexicon: A Hybrid Approach 258-268. [[Crossref](#)]
794. Eugenio Martínez-Cámara, Fermín L. Cruz, M. Dolores Molina-González, M. Teresa Martín-Valdivia, F. Javier Ortega, L. Alfonso Ureña-López. Improving Spanish Polarity Classification Combining Different Linguistic Resources 234-245. [[Crossref](#)]
795. Panagiotis Andriotis, George Oikonomou. Messaging Activity Reconstruction with Sentiment Polarity Identification 475-486. [[Crossref](#)]
796. Gayane Shalunts, Gerhard Backfried. SentiSAIL: Sentiment Analysis in English, German and Russian 87-97. [[Crossref](#)]
797. Gergana Lazarova, Ivan Koychev. Semi-supervised Multi-view Sentiment Analysis 181-190. [[Crossref](#)]
798. Giulio Petrucci, Mauro Dragoni. An Information Retrieval-Based System for Multi-domain Sentiment Analysis 234-243. [[Crossref](#)]
799. Lei Wang, Duoqian Miao, Cairong Zhao. Chinese Emotion Recognition Based on Three-Way Decisions 299-308. [[Crossref](#)]
800. Keith Douglas Stuart, Maciej Majewski. Intelligent Opinion Mining and Sentiment Analysis Using Artificial Neural Networks 103-110. [[Crossref](#)]
801. Christopher S. G. Khoo, Sathik Basha Johnkhan, Jin-Cheon Na. Evaluation of a General-Purpose Sentiment Lexicon on A Product Review Corpus 82-93. [[Crossref](#)]
802. Islam Qudah, Fethi A. Rabhi, Maurice Peat. A Proposed Framework for Evaluating the Effectiveness of Financial News Sentiment Scoring Datasets 29-47. [[Crossref](#)]
803. Kartik Singhal, Basant Agrawal, Namita Mittal. Modeling Indian General Elections: Sentiment Analysis of Political Twitter Data 469-477. [[Crossref](#)]
804. Nikolaos Mavridis. 2015. A review of verbal and non-verbal human-robot interactive communication. *Robotics and Autonomous Systems* **63**, 22-35. [[Crossref](#)]
805. DAVID VILARES, MIGUEL A. ALONSO, CARLOS GÓMEZ-RODRÍGUEZ. 2015. A syntactic approach for opinion mining on Spanish reviews. *Natural Language Engineering* **21**:1, 139-163. [[Crossref](#)]
806. Nicolas Prollochs, Stefan Feuerriegel, Dirk Neumann. Enhancing Sentiment Analysis of Financial News by Detecting Negation Scopes 959-968. [[Crossref](#)]
807. Taraneh Khazaei, Lu Xiao. Computational Analysis of Collective Intelligence in Conversational Text 1596-1605. [[Crossref](#)]
808. Martin Mikula, Kristina Machova. Classification of opinions in conversational content 227-231. [[Crossref](#)]
809. Shilad Sen, Margaret E. Giesel, Rebecca Gold, Benjamin Hillmann, Matt Lesicko, Samuel Naden, Jesse Russell, Zixiao (Ken) Wang, Brent Hecht. Turkers, Scholars, "Arafat" and "Peace" 826-838. [[Crossref](#)]
810. Enamul Hoque, Giuseppe Carenini. ConVisIT 169-180. [[Crossref](#)]
811. Yongfeng Zhang. Incorporating Phrase-level Sentiment Analysis on Textual Reviews for Personalized Recommendation 435-440. [[Crossref](#)]

812. Nugroho Dwi Prasetyo, Claudia Hauff. Twitter-based Election Prediction in the Developing World 149-158. [[Crossref](#)]
813. Immanuel Trummer, Alon Halevy, Hongrae Lee, Sunita Sarawagi, Rahul Gupta. Mining Subjective Properties on the Web 1745-1760. [[Crossref](#)]
814. Cataldo Musto, Giovanni Semeraro, Marco de Gemmis, Pasquale Lops. Developing Smart Cities Services through Semantic Analysis of Social Streams 1401-1406. [[Crossref](#)]
815. Nicole Novielli, Fabio Calefato, Filippo Lanubile. The challenges of sentiment detection in the social programmer ecosystem 33-40. [[Crossref](#)]
816. Youngsub Han, Hyeoncheol Lee, Yanggon Kim. A real-time knowledge extracting system from social big data using distributed architecture 74-79. [[Crossref](#)]
817. Peerumporn Jiranantanagorn, Parveen Bhardwaj, Ruilun Li, Haifeng Shen, Robert Goodwin, Kung-Keat Teoh. Designing a Mobile Digital Backchannel System for Monitoring Sentiments and Emotions in Large Lectures 141-144. [[Crossref](#)]
818. Amir Zadeh. Micro-opinion Sentiment Intensity Analysis and Summarization in Online Videos 587-591. [[Crossref](#)]
819. Pedro Rego Ballona, Patrick Prado, Jussara Marques de Almeida, Humberto Torres Marques-Neto. Analyzing The Influence Of Pope's Tweets On His Followers' Mood 93-100. [[Crossref](#)]
820. Bingkun Wang, Yongfeng Huang, Xian Wu, Xing Li. 2015. A Fuzzy Computing Model for Identifying Polarity of Chinese Sentiment Words. *Computational Intelligence and Neuroscience* **2015**, 1-13. [[Crossref](#)]
821. Basant Agarwal, Namita Mittal, Pooja Bansal, Sonal Garg. 2015. Sentiment Analysis Using Common-Sense and Context Information. *Computational Intelligence and Neuroscience* **2015**, 1-9. [[Crossref](#)]
822. Peerumporn Jiranantanagorn, Haifeng Shen, Robert Goodwin, Kung-Keat Teoh. 2015. ClasSense: A Mobile Digital Backchannel System for Monitoring Class Morale. *International Journal of Learning and Teaching* . [[Crossref](#)]
823. Leonardo Rocha, Fernando Mourro, Thiago Silveira, Rodrigo Chaves, Giovanni Sa, Felipe Teixeira, Ramon Vieira, Renato Ferreira. 2015. SACI: Sentiment Analysis by Collective Inspection on Social Media Content. *SSRN Electronic Journal* . [[Crossref](#)]
824. Victoria Bobicev, Marina Sokolova. No Sentiment is an Island: 25-32. [[Crossref](#)]
825. Lizhen Qu, Yi Zhang, Rui Wang, Lili Jiang, Rainer Gemulla, Gerhard Weikum. 2014. Senti-LSSVM: Sentiment-Oriented Multi-Relation Extraction with Latent Structural SVM. *Transactions of the Association for Computational Linguistics* **2**, 155-168. [[Abstract](#)] [[PDF](#)] [[PDF Plus](#)]
826. Wenge Rong, Yifan Nie, Yuanxin Ouyang, Baolin Peng, Zhang Xiong. 2014. Auto-encoder based bagging architecture for sentiment analysis. *Journal of Visual Languages & Computing* **25**:6, 840-849. [[Crossref](#)]
827. Liang-Chih Yu, K. Robert Lai. Analysis of modifier structure for emotion expressions 1-3. [[Crossref](#)]
828. Sonja Gievska, Kiril Koroveshovski, Tatjana Chavdarova. A Hybrid Approach for Emotion Detection in Support of Affective Interaction 352-359. [[Crossref](#)]
829. Valentina Sintsova, Claudiu Musat, Pearl Pu. Semi-Supervised Method for Multi-category Emotion Recognition in Tweets 393-402. [[Crossref](#)]
830. Pu Zhang, Zhongshi He, Lina Tao. Compositional polarity classification approach for product reviews 58-62. [[Crossref](#)]

831. Li Bing, Keith C.C. Chan. A Fuzzy Logic Approach for Opinion Mining on Large Scale Twitter Data 652-657. [[Crossref](#)]
832. ###. 2014. Automatische Sentimentanalyse der deutschen Texte anhand eines Sentiment-Lexikons. *Dokobak(Zeitschrift der Koreanischen Gesellschaft fuer Deutsche Sprachwissenschaft)* null:30, 173-195. [[Crossref](#)]
833. N. V. Loukachevitch, I. I. Chetviorkin. 2014. Open evaluation of sentiment-analysis systems based on the material of the Russian language. *Scientific and Technical Information Processing* 41:6, 370-376. [[Crossref](#)]
834. Mihaela Dinsoreanu, Rodica Potolea. 2014. Opinion-driven communities' detection. *International Journal of Web Information Systems* 10:4, 324-342. [[Crossref](#)]
835. Mohammad Sadegh Hajmohammadi, Roliana Ibrahim, Ali Selamat. 2014. Cross-lingual sentiment classification using multiple source languages in multi-view semi-supervised learning. *Engineering Applications of Artificial Intelligence* 36, 195-203. [[Crossref](#)]
836. Heeryon Cho, Songkuk Kim, Jongseo Lee, Jong-Seok Lee. 2014. Data-driven integration of multiple sentiment dictionaries for lexicon-based sentiment classification of product reviews. *Knowledge-Based Systems* 71, 61-71. [[Crossref](#)]
837. Khayyam Hashmi, Erfan Najmi, Nariman Ammar, Zaki Malik, Brahim Medjahed. Sentiment Analysis for intelligent ratings management 389-396. [[Crossref](#)]
838. Yonghua Liu, Aiping Li, Liguang Duan, Hongxiang Wang. Characterized by Subjective Clues on Subjective Text Recognition 20-26. [[Crossref](#)]
839. Xiao Sun, Fei Gao, Fuji Ren. Mining the impact of social news on the emotions of users based on deep model 29-32. [[Crossref](#)]
840. Aliza Sarlan, Chayanit Nadam, Shuib Basri. Twitter sentiment analysis 212-216. [[Crossref](#)]
841. Aminu Muhammad, Nirmalie Wiratunga, Robert Lothian. A Hybrid Sentiment Lexicon for Social Media Mining 461-468. [[Crossref](#)]
842. Fermín L. Cruz, José A. Troyano, Beatriz Pontes, F. Javier Ortega. 2014. Building layered, multilingual sentiment lexicons at synset and lemma levels. *Expert Systems with Applications* 41:13, 5984-5994. [[Crossref](#)]
843. Jose M. Chenlo, David E. Losada. 2014. An empirical study of sentence features for subjectivity and polarity classification. *Information Sciences* 280, 275-288. [[Crossref](#)]
844. Chi-En Wu, Richard Tzong-Han Tsai. 2014. Using relation selection to improve value propagation in a ConceptNet-based sentiment dictionary. *Knowledge-Based Systems* 69, 100-107. [[Crossref](#)]
845. Gian Piero Zarri. 2014. Sentiments analysis at conceptual level making use of the Narrative Knowledge Representation Language. *Neural Networks* 58, 82-97. [[Crossref](#)]
846. Iman Dehdarbehbahani, Azadeh Shakery, Hesham Faily. 2014. Semi-supervised word polarity identification in resource-lean languages. *Neural Networks* 58, 50-59. [[Crossref](#)]
847. Lucas Vinicius Avanco, Maria das Gracas Volpe Nunes. Lexicon-Based Sentiment Analysis for Reviews of Products in Brazilian Portuguese 277-281. [[Crossref](#)]
848. Di Li, Jianwei Niu, Meikang Qiu, Meiqin Liu. Sentiment analysis on Weibo data 249-254. [[Crossref](#)]
849. Mohammad Sadegh Hajmohammadi, Roliana Ibrahim, Ali Selamat. 2014. Bi-view semi-supervised active learning for cross-lingual sentiment classification. *Information Processing & Management* 50:5, 718-732. [[Crossref](#)]

850. Ivan Habernal, Tomáš Ptáček, Josef Steinberger. 2014. Supervised sentiment analysis in Czech social media. *Information Processing & Management* 50:5, 693-707. [[Crossref](#)]
851. Raghava Rao Mukkamala, Abid Hussain, Ravi Vatrpu. Fuzzy-Set Based Sentiment Analysis of Big Social Data 71-80. [[Crossref](#)]
852. Konstanty Haniewicz, Monika Kaczmarek, Magdalena Adamczyk, Wojciech Rutkowski. A Case Study of Sentiment Orientation Identification for Polish Texts 46-51. [[Crossref](#)]
853. Anna Jurek, Yaxin Bi, Maurice Mulvenna. Twitter Sentiment Analysis for Security-Related Information Gathering 48-55. [[Crossref](#)]
854. Weifeng Li, Hsinchun Chen. Identifying Top Sellers In Underground Economy Using Deep Learning-Based Sentiment Analysis 64-67. [[Crossref](#)]
855. Haruna Isah, Paul Trundle, Daniel Neagu. Social media analysis for product safety using text mining and sentiment analysis 1-7. [[Crossref](#)]
856. Zhang Hailong, Gan Wenyan, Jiang Bo. Machine Learning and Lexicon Based Methods for Sentiment Classification: A Survey 262-265. [[Crossref](#)]
857. Diana Maynard, Gerhard Gossen, Adam Funk, Marco Fisichella. 2014. Should I Care about Your Opinion? Detection of Opinion Interestingness and Dynamics in Social Media. *Future Internet* 6:3, 457-481. [[Crossref](#)]
858. Gerald Ninaus, Florian Reinfrank, Martin Stettinger, Alexander Felfernig. Content-based recommendation techniques for requirements engineering 27-34. [[Crossref](#)]
859. Nawaf Abdulla, Roa'a Majdalawi, Salwa Mohammed, Mahmoud Al-Ayyoub, Mohammed Al-Kabi. Automatic Lexicon Construction for Arabic Sentiment Analysis 547-552. [[Crossref](#)]
860. Luis Trindade, Hui Wang, William Blackburn, Philip S. Taylor. Enhanced Factored Sequence Kernel for Sentiment Classification 519-525. [[Crossref](#)]
861. Hen Hsen Huang, Chi Hsin Yu, Tai Wei Chang, Cong Kai Lin, Hsin Hsi Chen. Web-Based Analysis of Chinese Discourse Markers for Opinion Mining 87-93. [[Crossref](#)]
862. Eugenio Martínez-Cámara, M. Teresa Martín-Valdivia, M. Dolores Molina-González, José M. Perea-Ortega. 2014. Integrating Spanish lexical resources by meta-classifiers for polarity classification. *Journal of Information Science* 40:4, 538-554. [[Crossref](#)]
863. Francisco Villarroel Ordenes, Babis Theodoulidis, Jamie Burton, Thorsten Gruber, Mohamed Zaki. 2014. Analyzing Customer Experience Feedback Using Text Mining. *Journal of Service Research* 17:3, 278-295. [[Crossref](#)]
864. Nawaf A. Abdulla, Nizar A. Ahmed, Mohammed A. Shehab, Mahmoud Al-Ayyoub, Mohammed N. Al-Kabi, Saleh Al-rifai. 2014. Towards Improving the Lexicon-Based Approach for Arabic Sentiment Analysis. *International Journal of Information Technology and Web Engineering* 9:3, 55-71. [[Crossref](#)]
865. Alexander Hogenboom, Bas Heerschop, Flavius Frasincar, Uzay Kaymak, Franciska de Jong. 2014. Multi-lingual support for lexicon-based sentiment analysis guided by semantics. *Decision Support Systems* 62, 43-53. [[Crossref](#)]
866. Leila Weitzel, Raul F. Aguiar, Walter F. G. Rodriguez, Marcela G. Heringer. How do medical authorities express their sentiment in Twitter messages? 1-6. [[Crossref](#)]
867. Lizhen Liu, Hao Liu, Hanshi Wang, Wei Song, Jingli Lu. The study of sentiment analysis on Chinese comment texts 397-401. [[Crossref](#)]
868. E. Hoque, G. Carenini. 2014. ConVis: A Visual Text Analytic System for Exploring Blog Conversations. *Computer Graphics Forum* 33:3, 221-230. [[Crossref](#)]

869. Mohammad Ehsan Basiri, Nasser Ghasem-Aghaee, Ahmad Reza Naghsh-Nilchi. 2014. Exploiting reviewers' comment histories for sentiment analysis. *Journal of Information Science* 40:3, 313-328. [[Crossref](#)]
870. 2014. Loving and hating the movies in English, German and Spanish. *Languages in Contrast* 14:1, 127-161. [[Crossref](#)]
871. Joa-Sang Lim, Jin-Man Kim. 2014. An Empirical Comparison of Machine Learning Models for Classifying Emotions in Korean Twitter. *Journal of Korea Multimedia Society* 17:2, 232-239. [[Crossref](#)]
872. Alvaro Ortigosa, José M. Martín, Rosa M. Carro. 2014. Sentiment analysis in Facebook and its application to e-learning. *Computers in Human Behavior* 31, 527-541. [[Crossref](#)]
873. Kyoungok Kim, Jaewook Lee. 2014. Sentiment visualization and classification via semi-supervised nonlinear dimensionality reduction. *Pattern Recognition* 47:2, 758-768. [[Crossref](#)]
874. Sagar Bhuta, Uchit Doshi. A review of techniques for sentiment analysis Of Twitter data 583-591. [[Crossref](#)]
875. Phan Trong Ngoc, Myungsik Yoo. The lexicon-based sentiment analysis for fan page ranking in Facebook 444-448. [[Crossref](#)]
876. Kristina Machova, Lukáš Marhefka. Opinion Classification in Conversational Content Using N-grams 177-186. [[Crossref](#)]
877. Roberto Grandi, Federico Neri. Sentiment Analysis and City Branding 339-349. [[Crossref](#)]
878. Kathryn Gates, Dawn Wilkins, Sumali Conlon, Susan Mossing, Maurice Eftink. Maximizing the Value of Student Ratings Through Data Mining 379-410. [[Crossref](#)]
879. Alireza Yousefpour, Roliana Ibrahim, Haza Nuzly Abdull Hamed, Mohammad Sadegh Hajmohammadi. Feature Reduction Using Standard Deviation with Different Subsets Selection in Sentiment Analysis 33-41. [[Crossref](#)]
880. Mohammad Sadegh Hajmohammadi, Roliana Ibrahim, Ali Selamat, Alireza Yousefpour. Combination of Multi-view Multi-source Language Classifiers for Cross-Lingual Sentiment Classification 21-30. [[Crossref](#)]
881. Gabriel Murray. Learning How Productive and Unproductive Meetings Differ 191-202. [[Crossref](#)]
882. Peifeng Yin, Nilam Ram, Wang-Chien Lee, Conrad Tucker, Shashank Khandelwal, Marcel Salathé. Two Sides of a Coin: Separating Personal Communication and Public Dissemination Accounts in Twitter 163-175. [[Crossref](#)]
883. Hassan Saif, Miriam Fernandez, Yulan He, Harith Alani. SentiCircles for Contextual and Conceptual Semantic Sentiment Analysis of Twitter 83-98. [[Crossref](#)]
884. Zhixin Zhou, Xiuzhen Zhang, Mark Sanderson. Sentiment Analysis on Twitter through Topic-Based Lexicon Expansion 98-109. [[Crossref](#)]
885. Tuhin Sharma, Durga Toshniwal. A Generalized Relationship Mining Method for Social Media Text Data 376-392. [[Crossref](#)]
886. Nitish Varshney, S. K. Gupta. Mining Churning Factors in Indian Telecommunication Sector Using Social Media Analytics 405-413. [[Crossref](#)]
887. Zhe Zhou, Weibin Zhao, Lin Shang. Sentiment Analysis with Automatically Constructed Lexicon and Three-Way Decision 777-788. [[Crossref](#)]
888. Maike Erdmann, Kazushi Ikeda, Hiromi Ishizaki, Gen Hattori, Yasuhiro Takishima. Feature Based Sentiment Analysis of Tweets in Multiple Languages 109-124. [[Crossref](#)]

889. Georgios Paltoglou, Anastasia Giachanou. Opinion Retrieval: Searching for Opinions in Social Media 193-214. [[Crossref](#)]
890. Andrew B. Samoylov. Evaluation of the Delta TF-IDF Features for Sentiment Analysis 207-212. [[Crossref](#)]
891. Jonathan Sonntag, Manfred Stede. Sentiment Analysis: What's Your Opinion? 177-199. [[Crossref](#)]
892. Petr Šaloun, Ivan Zelinka, Martin Hruzík. Sentiment Analysis in Complex Adaptive Systems 299-306. [[Crossref](#)]
893. Panagiotis Andriotis, Atsuhiko Takasu, Theo Tryfonas. Smartphone Message Sentiment Analysis 253-265. [[Crossref](#)]
894. Qingqing Zhou, Chengzhi Zhang. Relationship between Reviews Polarities, Helpfulness, Stars and Sales Rankings of Products: A Case Study in Books 175-186. [[Crossref](#)]
895. Georgios Paltoglou. Sentiment Analysis in Social Media 3-17. [[Crossref](#)]
896. Xiaofei Lu. Summary and Outlook 175-184. [[Crossref](#)]
897. José María Moreno-Jiménez, Jesús Cardenosa, Carolina Gallardo, Miguel Ángel de la Villa-Moreno. 2014. A new e-learning tool for cognitive democracies in the Knowledge Society. *Computers in Human Behavior* **30**, 409-418. [[Crossref](#)]
898. Lin Zhang, Kun Hua, Honggang Wang, Guanqun Qian, Li Zhang. 2014. Sentiment Analysis on Reviews of Mobile Users. *Procedia Computer Science* **34**, 458-465. [[Crossref](#)]
899. Stefania Degaetano-Ortlieb, Elke Teich. Register diversification in evaluative language: the case of scientific writing 241-258. [[Crossref](#)]
900. Antonio Moreno Ortiz, Chantal Perez Hernandez. Form and function in evaluative language: The use of corpora to identify context valence shifters in a linguistically-motivated sentiment analysis system 87-110. [[Crossref](#)]
901. Kar Wai Lim, Wray Buntine. Twitter Opinion Topic Model 1319-1328. [[Crossref](#)]
902. Bruna Neuenschwander, Adriano C.M. Pereira, Wagner Meira, Denilson Barbosa. Sentiment Analysis for Streams of Web Data 167-170. [[Crossref](#)]
903. Mohammad Ehsan Basiri, Ahmad Reza Naghsh-Nilchi, Nasser Ghasem-Aghaee. 2014. Sentiment Prediction Based on Dempster-Shafer Theory of Evidence. *Mathematical Problems in Engineering* **2014**, 1-13. [[Crossref](#)]
904. Liliana Ibeth Barbosa-Santillán, Inmaculada Álvarez-de-Mon y-Rego. 2014. Towards a Unified Sentiment Lexicon Based on Graphics Processing Units. *Mathematical Problems in Engineering* **2014**, 1-19. [[Crossref](#)]
905. Mita K. Dalal, Mukesh A. Zaveri. 2014. Opinion Mining from Online User Reviews Using Fuzzy Linguistic Hedges. *Applied Computational Intelligence and Soft Computing* **2014**, 1-9. [[Crossref](#)]
906. Maria Paz Garcia-Villalba, Patrick Saint-Dizier. Argument Extraction in Opinion Analysis 186-211. [[Crossref](#)]
907. Guangyou Zhou, Tingting He, Jun Zhao. Bridging the Language Gap: Learning Distributed Semantics for Cross-Lingual Sentiment Classification 138-149. [[Crossref](#)]
908. Beata Beigman Klebanov, Nitin Madnani, Jill Burstein. 2013. Using Pivot-Based Paraphrasing and Sentiment Profiles to Improve a Subjectivity Lexicon for Essay Data. *Transactions of the Association for Computational Linguistics* **1**, 99-110. [[Abstract](#)] [[PDF](#)] [[PDF Plus](#)]
909. Michael Wiegand, Manfred Klenner, Dietrich Klakow. 2013. Bootstrapping polarity classifiers with rule-based classification. *Language Resources and Evaluation* **47**:4, 1049-1088. [[Crossref](#)]

910. M. Dolores Molina-González, Eugenio Martínez-Cámara, María-Teresa Martín-Valdivia, José M. Perea-Ortega. 2013. Semantic orientation for polarity classification in Spanish reviews. *Expert Systems with Applications* **40**:18, 7250-7257. [[Crossref](#)]
911. Nawaf A. Abdulla, Nizar A. Ahmed, Mohammed A. Shehab, Mahmoud Al-Ayyoub. Arabic sentiment analysis: Lexicon-based and corpus-based 1-6. [[Crossref](#)]
912. Wafa Slaibi Al-Shorafat. Security in software engineering requirement 666-673. [[Crossref](#)]
913. Lei Wang, Fuji Ren, Duoqian Miao. A novel method for recognizing emotions of weblog sentences 358-363. [[Crossref](#)]
914. Cláudia Freitas. 2013. Sobre a construção de um léxico da afetividade para o processamento computacional do português. *Revista Brasileira de Linguística Aplicada* **13**:4, 1031-1059. [[Crossref](#)]
915. P. Saloun, M. Hruzik, I. Zelinka. Sentiment analysis - e-bussines and e-learning common issue 339-343. [[Crossref](#)]
916. Kong-Joo Lee. 2013. Extracting Multiword Sentiment Expressions by Using a Domain-Specific Corpus and a Seed Lexicon. *ETRI Journal* **35**:5, 838-848. [[Crossref](#)]
917. José M. Perea-Ortega, M. Teresa Martín-Valdivia, L. Alfonso Ureña-López, Eugenio Martínez-Cámara. 2013. Improving polarity classification of bilingual parallel corpora combining machine learning and semantic orientation approaches. *Journal of the American Society for Information Science and Technology* **64**:9, 1864-1877. [[Crossref](#)]
918. Mohamed M. Mostafa. 2013. An emotional polarity analysis of consumers' airline service tweets. *Social Network Analysis and Mining* **3**:3, 635-649. [[Crossref](#)]
919. In-Su Kang. 2013. A Comparative Study on Using SentiWordNet for English Twitter Sentiment Analysis. *Journal of Korean Institute of Intelligent Systems* **23**:4, 317-324. [[Crossref](#)]
920. Jorge Carrillo-de-Albornoz, Laura Plaza. 2013. An emotion-based model of negation, intensifiers, and modality for polarity and intensity classification. *Journal of the American Society for Information Science and Technology* **64**:8, 1618-1633. [[Crossref](#)]
921. Mike Thelwall, Kevan Buckley. 2013. Topic-based sentiment analysis for the social web: The role of mood and issue-related words. *Journal of the American Society for Information Science and Technology* **64**:8, 1608-1617. [[Crossref](#)]
922. Efstratios Kontopoulos, Christos Berberidis, Theologos Dergiades, Nick Bassiliades. 2013. Ontology-based sentiment analysis of twitter posts. *Expert Systems with Applications* **40**:10, 4065-4074. [[Crossref](#)]
923. Mohamed M. Mostafa. 2013. More than words: Social networks' text mining for consumer brand sentiments. *Expert Systems with Applications* **40**:10, 4241-4251. [[Crossref](#)]
924. Luis Trindade, Hui Wang, William Blackburn, Niall Rooney. Effective sentiment classification based on words and word senses 277-284. [[Crossref](#)]
925. Keonsook Park. 2013. The Study of Vocabulary in the 18th Televised Presidential Candidate Debates. *Korean Language Research* **null**:32, 63-97. [[Crossref](#)]
926. Song Xin-fang. Survey of model and techniques for online social networks 1495-1498. [[Crossref](#)]
927. Samir Rustamov, Elshan Mustafayev, Mark A. Clements. Sentiment analysis using Neuro-Fuzzy and Hidden Markov models of text 1-6. [[Crossref](#)]
928. S. R. El-Beltagy, A. Ali. Open issues in the sentiment analysis of Arabic social media: A case study 215-220. [[Crossref](#)]

929. Angela Charng-Rung Tsai, Chi-En Wu, Richard Tzong-Han Tsai, Jane Yung-jen Hsu. 2013. Building a Concept-Level Sentiment Dictionary Based on Commonsense Knowledge. *IEEE Intelligent Systems* 28:2, 22-30. [[Crossref](#)]
930. Andrew Yates, Nazli Goharian, Wai Gen Yee. 2013. Semi-supervised probabilistic sentiment analysis: Merging labeled sentences with unlabeled reviews to identify sentiment. *Proceedings of the American Society for Information Science and Technology* 50:1, 1-10. [[Crossref](#)]
931. Jung Sun Oh, Daqing He, Wei Jeng, Eleanor Mattern, Leanne Bowler. 2013. Linguistic characteristics of eating disorder questions on Yahoo! Answers - content, style, and emotion. *Proceedings of the American Society for Information Science and Technology* 50:1, 1-10. [[Crossref](#)]
932. Marilia S. Mendes, Elizabeth Sucupira Furtado, Fábio Theophilo, Miguel Franklin. A Study about the Usability Evaluation of Social Systems from Messages in Natural Language 59-62. [[Crossref](#)]
933. Hea-Jin Kim, Min Song. An Ontology-Based Approach to Sentiment Classification of Mixed Opinions in Online Restaurant Reviews 95-108. [[Crossref](#)]
934. Alexander Hogenboom, Malissa Bal, Flavius Frasincar, Daniella Bal. Towards Cross-Language Sentiment Analysis through Universal Star Ratings 69-79. [[Crossref](#)]
935. Jiang Yang, Min Hou. Rule-Based Computation of Semantic Orientation for Chinese Sentence 209-218. [[Crossref](#)]
936. Mike Thelwall, Kevan Buckley, George Paltoglou, Marcin Skowron, David Garcia, Stephane Gobron, Junghyun Ahn, Arvid Kappas, Dennis Küster, Janusz A. Holyst. Damping Sentiment Analysis in Online Communication: Discussions, Monologs and Dialogs 1-12. [[Crossref](#)]
937. Frederik Cailliau, Ariane Cavet. Mining Automatic Speech Transcripts for the Retrieval of Problematic Calls 83-95. [[Crossref](#)]
938. Juan Sixto, Aitor Almeida, Diego López-de-Ipiña. Analysing Customers Sentiments: An Approach to Opinion Mining and Classification of Online Hotel Reviews 359-362. [[Crossref](#)]
939. Zhifeng Hao, Jie Cheng, Ruichu Cai, Wen Wen, Lijuan Wang. Chinese Sentiment Classification Based on the Sentiment Drop Point 55-60. [[Crossref](#)]
940. Kristína Machová, Lukáš Marhefka. Opinion Mining in Conversational Content within Web Discussions and Commentaries 149-161. [[Crossref](#)]
941. Vicky Politopoulou, Manolis Maragoudakis. On Mining Opinions from Social Media 474-484. [[Crossref](#)]
942. Binyang Li, Kam-fai Wong, Lanjun Zhou, Zhongyu Wei, Jun Xu. Pests Hidden in Your Fans: An Effective Approach for Opinion Leader Discovery 227-237. [[Crossref](#)]
943. Shereen Oraby, Yasser El-Sonbaty, Mohamad Abou El-Nasr. Finding Opinion Strength Using Rule-Based Parsing for Arabic Sentiment Analysis 509-520. [[Crossref](#)]
944. Kristína Machová. Opinion Analysis of Texts Extracted from the Social Web Contributions 42-68. [[Crossref](#)]
945. Suge Wang, Deyu Li, Lidong Zhao, Jiahao Zhang. 2013. Sample cutting method for imbalanced text sentiment classification based on BRC. *Knowledge-Based Systems* 37, 451-461. [[Crossref](#)]
946. Xia Hu, Jiliang Tang, Huiji Gao, Huan Liu. Unsupervised sentiment analysis with emotional signals 607-618. [[Crossref](#)]
947. Maite Taboada, Marta Carretero. 2012. Contrastive analyses of evaluation in text: Key issues in the design of an annotation system for attitude applicable to consumer reviews in English and Spanish. *Linguistics and the Human Sciences* 6:1-3. . [[Crossref](#)]

948. Youngguae Bae, Hongchul Lee. 2012. Sentiment analysis of twitter audiences: Measuring the positive or negative influence of popular twitterers. *Journal of the American Society for Information Science and Technology* 63:12, 2521-2535. [[Crossref](#)]
949. Roberto Navigli, Simone Paolo Ponzetto. 2012. BabelNet: The automatic construction, evaluation and application of a wide-coverage multilingual semantic network. *Artificial Intelligence* 193, 217-250. [[Crossref](#)]
950. Rahim Dehkharghani, Berrin Yanikoglu, Dilek Tapucu, Yucel Saygin. Adaptation and Use of Subjectivity Lexicons for Domain Dependent Sentiment Classification 669-673. [[Crossref](#)]
951. David Garcia, Antonios Garas, Frank Schweitzer. 2012. Positive words carry less information than negative words. *EPJ Data Science* 1:1. . [[Crossref](#)]
952. Huong Nguyen Thi Xuan, Anh Cuong Le, Le Minh Nguyen. Linguistic Features for Subjectivity Classification 17-20. [[Crossref](#)]
953. A. Moreo, M. Romero, J.L. Castro, J.M. Zurita. 2012. Lexicon-based Comments-oriented News Sentiment Analyzer system. *Expert Systems with Applications* 39:10, 9166-9180. [[Crossref](#)]
954. F. Neri, C. Aliprandi, F. Capeci, M. Cuadros, T. By. Sentiment Analysis on Social Media 919-926. [[Crossref](#)]
955. Radoslava Trnavac, Maite Taboada. 2012. The contribution of nonveridical rhetorical relations to evaluation in discourse. *Language Sciences* 34:3, 301-318. [[Crossref](#)]
956. Mike Thelwall, Kevan Buckley, Georgios Paltoglou. 2012. Sentiment strength detection for the social web. *Journal of the American Society for Information Science and Technology* 63:1, 163-173. [[Crossref](#)]
957. Bing Liu, Lei Zhang. A Survey of Opinion Mining and Sentiment Analysis 415-463. [[Crossref](#)]
958. Beata Beigman Klebanov, Jill Burstein, Nitin Madnani, Adam Faulkner, Joel Tetreault. Building Subjectivity Lexicon(s) from Scratch for Essay Data 591-602. [[Crossref](#)]
959. António Paulo Santos, Hugo Gonçalo Oliveira, Carlos Ramos, Nuno C. Marques. A Bootstrapping Algorithm for Learning the Polarity of Words 229-234. [[Crossref](#)]
960. Alexander Hogenboom, Ferry Boon, Flavius Frasincar. A Statistical Approach to Star Rating Classification of Sentiment 251-260. [[Crossref](#)]
961. Sara A. Morsy, Ahmed Rafea. Improving Document-Level Sentiment Classification Using Contextual Valence Shifters 253-258. [[Crossref](#)]
962. Marcirio Silveira Chaves, Larissa A. de Freitas, Marlo Souza, Renata Vieira. PIRPO: An Algorithm to Deal with Polarity in Portuguese Online Reviews from the Accommodation Sector 296-301. [[Crossref](#)]
963. Goran Glavaš, Jan Šnajder, Bojana Dalbelo Bašić. Semi-supervised Acquisition of Croatian Sentiment Lexicon 166-173. [[Crossref](#)]
964. Subhabrata Mukherjee, Pushpak Bhattacharyya. WikiSent: Weakly Supervised Sentiment Analysis through Extractive Summarization with Wikipedia 774-793. [[Crossref](#)]
965. Anh-Dung Vo, Cheol-Young Ock. Sentiment Classification: A Combination of PMI, SentiWordNet and Fuzzy Function 373-382. [[Crossref](#)]
966. Hatem Ghorbel. Experiments in Cross-Lingual Sentiment Analysis in Discussion Forums 138-151. [[Crossref](#)]
967. Dietmar Gräbner, Markus Zanker, Günther Fliedl, Matthias Fuchs. Classification of Customer Reviews based on Sentiment Analysis 460-470. [[Crossref](#)]
968. Kirk Roberts, Sanda M. Harabagiu. 2012. Statistical and Similarity Methods for Classifying Emotion in Suicide Notes. *Biomedical Informatics Insights* 5s1, BII.S8958. [[Crossref](#)]

969. Anna Chmiel, Julian Sienkiewicz, Mike Thelwall, Georgios Paltoglou, Kevan Buckley, Arvid Kappas, Janusz A. Hołyst. 2011. Collective Emotions Online and Their Influence on Community Life. *PLoS ONE* 6:7, e22207. [[Crossref](#)]
970. Giuseppe Carenini, Gabriel Murray, Raymond Ng. 2011. Methods for Mining and Summarizing Text Conversations. *Synthesis Lectures on Data Management* 3:3, 1-130. [[Crossref](#)]
971. Ofelia Cervantes, Francisco Gutiérrez, Ernesto Gutiérrez, Esteban Castillo, J. Alfredo Sánchez, Wanggen Wan. Expression 1-8. [[Crossref](#)]
972. Lincoln C. Wood, Torsten Reiners, Hari S. Srivastava. Sentiment Analysis in Supply Chain Management 2147-2158. [[Crossref](#)]
973. Basant Agarwal, Namita Mittal. Machine Learning Approaches for Sentiment Analysis 193-208. [[Crossref](#)]
974. Rawan T. Khasawneh, Izzat Alsmadi. Opinion Mining 193-206. [[Crossref](#)]
975. Jiri Panek. Emotional and Subjective Volunteered Geographical Information 97-112. [[Crossref](#)]
976. Abirami A.M, Askarunisa A., Shiva Shankari R A, Revathy R.. Ontology Based Feature Extraction From Text Documents 174-195. [[Crossref](#)]
977. Priscilla Souza Silva, Haroldo Barroso, Leila Weitzel, Dilcielly Almeida Ribeiro, José Santos. Impact of Sarcasm in Sentiment Analysis Methodology 71-91. [[Crossref](#)]