

File Information

Notes

| | | |
|-----------------------|---------------------------------------|---|
| Output Created | | 08-APR-2025 13:27:10 |
| Comments | | |
| Input | Data | C:\Users\puiyeebeatrice.lai\OneDrive - University of Calgary\pregnancy in the pandemic\SPSS data files and syntax\Data Request\For Kathryn - Apr 2025\ForKathryn_2025Apr07.sav |
| | Active Dataset | DataSet1 |
| | Filter | <none> |
| | Weight | <none> |
| | Split File | <none> |
| | N of Rows in Working Data File | 10854 |
| Syntax | | DISPLAY DICTIONARY. |
| Resources | Processor Time | 00:00:00.13 |
| | Elapsed Time | 00:00:00.09 |

[DataSet1] C:\Users\puiyeebeatrice.lai\OneDrive - University of Calgary\pregnancy in the pandemic\SPSS data files and syntax\Data Request\For Kathryn - Apr 2025\ForKathryn_2025Apr07.sav

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| ID | 1 | Participant Study ID | Nominal | Input | 24 |
| ID2 | 2 | Numeric Participant Study ID | Nominal | Input | 24 |
| record_id | 3 | Record ID | Nominal | Input | 24 |
| preg_demo_timespreg | 4 | How many TOTAL times have you been pregnant (including this ... | Scale | Input | 21 |
| preg_demo_duedate | 5 | Approximately when is the due date to deliver your baby? (Cleaned) | Scale | Input | 19 |
| Gestation | 6 | gestational age in weeks | Scale | Input | 11 |
| Trimester | 7 | trimester of pregnancy at enrollment | Scale | Input | 11 |
| demo_feed_infant | 8 | How do you plan to feed your infant in the first month of life? | Nominal | Input | 18 |
| demo_breast_howlong | 9 | If you plan on breastfeeding your infant, for how long do you hope to do so? | Nominal | Input | 26 |
| preg_demo_children | 10 | How many live born children do you have? ... | Nominal | Input | 20 |
| demo_age_1 | 11 | Current age of Child 1 | Scale | Input | 12 |
| demo_age_2 | 12 | Current age of Child 2 | Scale | Input | 12 |
| demo_age_3 | 13 | Current age of Child 3 | Scale | Input | 12 |
| demo_age_4 | 14 | Current age of Child 4 | Scale | Input | 12 |
| demo_age_5 | 15 | Current age of Child 5 | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| ID | Left | A1000 | A1000 | |
| ID2 | Right | F11 | F11 | |
| record_id | Left | A100 | A100 | |
| preg_demo_timespreg | Right | F8 | F8 | |
| preg_demo_duedate | Right | ADATE10 | ADATE10 | |
| Gestation | Right | F8.2 | F8.2 | 999.00 |
| Trimester | Right | F8.2 | F8.2 | 999.00 |
| demo_feed_infant | Right | F3 | F3 | |
| demo_breast_howlong | Left | A1000 | A1000 | |
| preg_demo_children | Right | F8 | F8 | |
| demo_age_1 | Right | F9.2 | F9.2 | |
| demo_age_2 | Right | F9.2 | F9.2 | |
| demo_age_3 | Right | F9.2 | F9.2 | |
| demo_age_4 | Right | F9.2 | F9.2 | |
| demo_age_5 | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|---|-------------------|-------|--------------|
| demo_age_6 | 16 | Current age of Child 6 | Scale | Input | 12 |
| demo_age_7 | 17 | Current age of Child 7 | Scale | Input | 12 |
| demo_age_8 | 18 | Current age of Child 8 | Scale | Input | 12 |
| demo_age_9 | 19 | Current age of Child 9 | Scale | Input | 12 |
| demo_age_10 | 20 | Current age of Child 10 | Scale | Input | 13 |
| demo_children_lost | 21 | Would you like to tell us anything about your children, or about any losses you may have experienced. | Nominal | Input | 26 |
| Mage | 22 | Maternal age at intake (Cleaned) | Scale | Input | 10 |
| PA_T1 | 23 | sum of weekly minutes of moderate and strenuous activity (Cleaned) | Scale | Input | 10 |
| CDN_PA_met | 24 | met PA guidelines of 150 mins/week mod-strenuous activity (Cleaned) | Nominal | Input | 12 |
| GodinT1 | 25 | Godin score T1 | Scale | Input | 10 |
| PrePregWeight | 26 | Prepregnancy weight in kilograms (Cleaned) | Scale | Input | 15 |
| WeightT1 | 27 | Current weight at intake in kilograms ... | Scale | Input | 10 |
| Height | 28 | Height in meters (Cleaned) | Scale | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| demo_age_6 | Right | F9.2 | F9.2 | |
| demo_age_7 | Right | F9.2 | F9.2 | |
| demo_age_8 | Right | F9.2 | F9.2 | |
| demo_age_9 | Right | F9.2 | F9.2 | |
| demo_age_10 | Right | F9.2 | F9.2 | |
| demo_children_lost | Left | A30000 | A30000 | |
| Mage | Right | F8.2 | F8.2 | |
| PA_T1 | Right | F8.2 | F8.2 | |
| CDN_PA_met | Right | F8.2 | F8.2 | |
| GodinT1 | Right | F8.2 | F8.2 | |
| PrePregWeight | Right | F8.2 | F8.2 | |
| WeightT1 | Right | F8.2 | F8.2 | |
| Height | Right | F8.2 | F8.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------------|----------|--|-------------------|-------|--------------|
| PreBMI | 29 | Prepregnancy BMI | Scale | Input | 10 |
| preg_demo_alcohol_ever | 30 | Have you ever consumed alcohol? (Cleaned) | Nominal | Input | 24 |
| preg_demo_alch_before_week | 31 | Average number of days per week you drank alcohol: (in the YEAR BEFORE you knew you were pregnant) You can enter decimals here. For example, if you have two drinks/month, please enter 0.5/week (Cleaned) | Scale | Input | 28 |
| preg_demo_alch_12b_day | 32 | On days when you consumed alcohol, how many drinks did you have ... | Scale | Input | 24 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------------|-----------|--------------|--------------|----------------|
| PreBMI | Right | F8.2 | F8.2 | |
| preg_demo_alcohol_ever | Right | F8 | F8 | |
| preg_demo_alch_before_week | Right | F8.4 | F8.4 | |
| preg_demo_alch_12b_day | Right | F9.4 | F9.4 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------------------|-----------|---|-------------------|--------------|--------------|
| preg_demo_alch_change | 33 | Did you change your drinking patterns while pregnant with this child? (Cleaned) | Nominal | Input | 23 |
| preg_demo_alch_while_week | 34 | Average number of days per week you drank alcohol while pregnant: You can enter decimals here. For example, if you have two drinks/month , please enter 0.5/week (Cleaned) | Scale | Input | 27 |
| preg_demo_toba_ever | 35 | Have you ever smoked or used tobacco products? Tobacco products can include; cigarettes, cigars, snuff, chew, vape/e-cigarettes, Hookah NOT INCLUDING CANNABIS (Cleaned) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------|-----------|--------------|--------------|----------------|
| preg_demo_alch_change | Right | F8 | F8 | |
| preg_demo_alch_while_week | Right | F8.4 | F8.4 | |
| preg_demo_toba_ever | Right | F8 | F8 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------------|----------|---|-------------------|-------|--------------|
| preg_demo_tobac_before_week | 36 | Average number of days per week you used tobacco products: (in the YEAR BEFORE you knew you were pregnant) (Cleaned) | Scale | Input | 29 |
| preg_demo_tobac_change | 37 | Did you change your tobacco use while pregnant? (Cleaned) | Nominal | Input | 24 |
| preg_demo_tobac_during_week | 38 | Average number of days per week you used tobacco products while pregnant? ... | Scale | Input | 29 |
| preg_demo_cannabis_ever | 39 | Have you ever used cannabis products? (smoking, edibles, cannabidiol (CBD) products, THC products, etc.) (Cleaned) | Nominal | Input | 25 |
| preg_demo_cannab_12b_week | 40 | Average number of days per week you used cannabis products: (in the YEAR BEFORE you knew you were pregnant) (Cleaned) | Scale | Input | 27 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------------|-----------|--------------|--------------|----------------|
| preg_demo_tobac_before_week | Right | F8.4 | F8.4 | |
| preg_demo_tobac_change | Right | F8 | F8 | |
| preg_demo_tobac_during_week | Right | F8.4 | F8.4 | |
| preg_demo_cannabis_ever | Right | F8 | F8 | |
| preg_demo_cannab_12b_week | Right | F8.4 | F8.4 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------------|----------|---|-------------------|-------|--------------|
| preg_demo_cannab_change | 41 | Did you change your cannabis use while pregnant? | Nominal | Input | 25 |
| preg_demo_cannab_during_week | 42 | Average number of days per week you used cannabis products while pregnant? ... | Scale | Input | 30 |
| preg_demo_drugs_ever | 43 | Have you ever used illicit drugs? (cocaine, methamphetamines, opioids, etc.) (Cleaned) | Nominal | Input | 22 |
| preg_demo_drugs_12b_week | 44 | Average number of days per week you used illicit drugs: (in the YEAR BEFORE you knew you were pregnant) | Scale | Input | 26 |
| preg_demo_drugs_change | 45 | Did you change your illicit drug use while pregnant? | Nominal | Input | 24 |
| preg_demo_drugs_while_week | 46 | Average number of days per week you used illicit drugs while pregnant: | Scale | Input | 28 |
| preg_demo_drugs_typebefore | 47 | What type of illicit drugs would you typically use? (list all) | Nominal | Input | 76 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------------|-----------|--------------|--------------|----------------|
| preg_demo_cannab_change | Right | F3 | F3 | |
| preg_demo_cannab_during_week | Right | F8.4 | F8.4 | |
| preg_demo_drugs_ever | Right | F8 | F8 | |
| preg_demo_drugs_12b_week | Right | F9.4 | F9.4 | |
| preg_demo_drugs_change | Right | F3 | F3 | |
| preg_demo_drugs_while_week | Right | F9.4 | F9.4 | |
| preg_demo_drugs_typebefore | Left | A30000 | A30000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| preg_demo_marital | 48 | What is your marital status? At present are ... | Nominal | Input | 19 |
| Education | 49 | What is the highest level of education that you have completed? (Recoded) (Cleaned) | Nominal | Input | 11 |
| preg_demo_education | 50 | What is the highest level of education that you have completed? (Cleaned) | Nominal | Input | 21 |
| preg_demo_income | 51 | What is the total household income, before taxes and deductions, of all the household members from all sources in 2019? | Nominal | Input | 18 |
| preg_demo_food_scarcity | 52 | Food insecurity - In 2019, did you experience a time that the food you bought didnt last and you didnt have money to buy more? | Nominal | Input | 25 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| preg_demo_martial | Right | F3 | F3 | |
| Education | Right | F8.2 | F8.2 | 999.00 |
| preg_demo_education | Right | F3 | F3 | |
| preg_demo_income | Right | F3 | F3 | |
| preg_demo_food_scarcity | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| preg_demo_foodbank | 53 | In 2019, did anyone in your household ever receive food from a food bank, soup kitchen, or other charitable ... | Nominal | Input | 20 |
| preg_demo_stablehome | 54 | Has it been difficult for you to find stable housing? | Nominal | Input | 22 |
| preg_demo_ethnic_new | 55 | How would you best describe your ethnic origin (race)? - Ethnicity recoded | Nominal | Input | 22 |
| ses | 56 | Socioeconomic status (mean of z scores of education, household income and food ... | Scale | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| preg_demo_foodbank | Right | F3 | F3 | |
| preg_demo_stablehome | Right | F3 | F3 | |
| preg_demo_ethnic_new | Right | F8.2 | F8.2 | 999.00 |
| ses | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|---|-------------------|-------|--------------|
| hx_before_preg___1 | 57 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Anxiety) | Nominal | Input | 20 |
| hx_before_preg___2 | 58 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Asthma) | Nominal | Input | 20 |
| hx_before_preg___3 | 59 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Celiac) | Nominal | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___1 | Right | F3 | F3 | |
| hx_before_preg___2 | Right | F3 | F3 | |
| hx_before_preg___3 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| hx_before_preg___4 | 60 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Depression) | Nominal | Input | 20 |
| hx_before_preg___5 | 61 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Diabetes, Type 1) | Nominal | Input | 20 |
| hx_before_preg___6 | 62 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Diabetes, Type 2) | Nominal | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___4 | Right | F3 | F3 | |
| hx_before_preg___5 | Right | F3 | F3 | |
| hx_before_preg___6 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|---|-------------------|-------|--------------|
| hx_before_preg___7 | 63 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Epilepsy (Seizures)) | Nominal | Input | 20 |
| hx_before_preg___8 | 64 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Heart Disease) | Nominal | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___7 | Right | F3 | F3 | |
| hx_before_preg___8 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| hx_before_preg___9 | 65 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Primary (chronic) hypertension (high blood pressure before pregnancy)) | Nominal | Input | 20 |
| hx_before_preg___10 | 66 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Hypothyroidism (low function thyroid)) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_before_preg__9 | Right | F3 | F3 | |
| hx_before_preg__10 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| hx_before_preg___11 | 67 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Hypothyroidism (overactive thyroid)) | Nominal | Input | 21 |
| hx_before_preg___12 | 68 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Inflammatory bowel disease: ulcerative colitis) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___11 | Right | F3 | F3 | |
| hx_before_preg___12 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| hx_before_preg___13 | 69 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Inflammatory bowel disease: Crohns disease) | Nominal | Input | 21 |
| hx_before_preg___14 | 70 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Irritable bowel syndrome) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___13 | Right | F3 | F3 | |
| hx_before_preg___14 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| hx_before_preg___15 | 71 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Polycystic Ovary Syndrome (PCOS)) | Nominal | Input | 21 |
| hx_before_preg___16 | 72 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Kidney Disease) | Nominal | Input | 21 |
| hx_before_preg___17 | 73 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Autoimmune disease) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___15 | Right | F3 | F3 | |
| hx_before_preg___16 | Right | F3 | F3 | |
| hx_before_preg___17 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| hx_before_preg___18 | 74 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Infertility) | Nominal | Input | 21 |
| hx_before_preg___19 | 75 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Obesity) | Nominal | Input | 21 |
| hx_before_preg___20 | 76 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=HIV/AIDS) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| hx_before_preg___18 | Right | F3 | F3 | |
| hx_before_preg___19 | Right | F3 | F3 | |
| hx_before_preg___20 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| hx_before_preg__21 | 77 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=Other conditions not on this list) | Nominal | Input | 21 |
| hx_before_preg__22 | 78 | Before your current pregnancy, did you have any of the following health conditions? (check all that apply) (choice=None of the above) | Nominal | Input | 21 |
| hx_before_preg_other | 79 | Please specify any health conditions you have that were not listed above: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| hx_before_preg__21 | Right | F3 | F3 | |
| hx_before_preg__22 | Right | F3 | F3 | |
| hx_before_preg_other | Left | A30000 | A30000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|---|-------------------|-------|--------------|
| hx_during_preg__23 | 80 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=Gestational diabetes) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_during_preg__23 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| hx_during_preg__24 | 81 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=Gestational hypertension (high blood pressure that developed about half-way through your pregnancy)) | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_during_preg__24 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| hx_during_preg___25 | 82 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=Pre-eclampsia (toxemia): high blood pressure caused by symptoms like protein in urine and possibly changes in blood and | Nominal | Input | 21 |
| hx_during_preg___1 | 83 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=Anxiety) | Nominal | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| hx_during_preg__25 | Right | F3 | F3 | |
| hx_during_preg__1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| hx_during_preg___4 | 84 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=Depression) | Nominal | Input | 20 |
| hx_during_preg___21 | 85 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=Other conditions not on this list) | Nominal | Input | 21 |
| hx_during_preg___22 | 86 | During your current pregnancy, do you have any of following conditions? (check all that apply, even if already checked above) (choice=None of the above) | Nominal | Input | 21 |
| hx_during_preg_other | 87 | Please specify any health conditions that developed during your pregnancy that were not ... | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| hx_during_preg___4 | Right | F3 | F3 | |
| hx_during_preg___21 | Right | F3 | F3 | |
| hx_during_preg___22 | Right | F3 | F3 | |
| hx_during_preg_other | Left | A30000 | A30000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| hx_meds_current | 88 | Are you currently taking any prescribed medication? | Nominal | Input | 17 |
| hx_meds_current_specify | 89 | Please list the prescribed medications you are currently taking: | Nominal | Input | 26 |
| hx_meds_aspirin | 90 | Are you taking Aspirin daily during your ... | Nominal | Input | 17 |
| hx_meds_stopped | 91 | Were you on any prescribed medications before your pregnancy which you STOPPED due to current pregnancy? | Nominal | Input | 17 |
| hx_meds_stopped_specify | 92 | Please list the prescribed medications you were taking but stopped because of pregnancy: | Nominal | Input | 26 |
| covidqx_infected | 93 | Did you become infected with the COVID-19 virus? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| hx_meds_current | Right | F3 | F3 | |
| hx_meds_current_specify | Left | A30000 | A30000 | |
| hx_meds_aspirin | Right | F3 | F3 | |
| hx_meds_stopped | Right | F3 | F3 | |
| hx_meds_stopped_specify | Left | A30000 | A30000 | |
| covidqx_infected | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------------|----------|--|-------------------|-------|--------------|
| covidqx_hospitalized | 94 | Were you hospitalized because of your COVID-19 infection? | Nominal | Input | 22 |
| covidqx_gestation_age | 95 | How many weeks pregnant were you when you started feeling symptoms/contracted the COVID-19 virus? Enter 0 if you started feeling symptoms/contracted COVID-19 BEFORE you were pregnant | Scale | Input | 23 |
| Zdistress_thermometer_combined | 96 | Z-scores for Distress Thermometer combining English and French | Scale | Input | 32 |
| EPDS_T1 | 97 | Maternal EPDS at first study questionnaire | Scale | Input | 10 |
| DEPclassT1 | 98 | Sudo-diagnostic classification based on EPDS cut off of 13 at first study questionnaire | Nominal | Input | 12 |
| Panx_rawT1 | 99 | PROMIS anxiety 7a - Adult v1.0 raw scores at first study questionnaire | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------------|-----------|--------------|--------------|----------------|
| covidqx_hospitalized | Right | F3 | F3 | |
| covidqx_gestation_age | Right | F8 | F8 | |
| Zdistress_thermometer_combined | Right | F8.5 | F8.5 | |
| EPDS_T1 | Right | F8.2 | F8.2 | 999.00 |
| DEPclassT1 | Right | F8.2 | F8.2 | 999.00 |
| Panx_rawT1 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|--|-------------------|-------|--------------|
| Panx_t_T1 | 100 | PROMIS anxiety 7a - Adult v1.0 T-scores at first study questionnaire | Scale | Input | 11 |
| ANXclassT1 | 101 | Diagnostic classification based on general US population reference sample at first study questionnaire | Nominal | Input | 12 |
| ANXdicot | 102 | PROMIS anxiety classifications dicotomized at first study questionnaire | Nominal | Input | 10 |
| PRAQ_T1 | 103 | Pregnancy Related Anxiety Questionnaire at first study questionnaire | Scale | Input | 10 |
| PRAQclassT1 | 104 | Sudo-diagnostic classification based on PRAQ cut off of 21 at first study questionnaire | Nominal | Input | 13 |
| PRAQ_R2_T1 | 105 | French Pregnancy Related Anxiety Questionnaire at first study questionnaire | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| Panx_t_T1 | Right | F8.2 | F8.2 | 999.00 |
| ANXclassT1 | Right | F8.2 | F8.2 | 999.00 |
| ANXdicot | Right | F8.2 | F8.2 | 999.00 |
| PRAQ_T1 | Right | F8.2 | F8.2 | 999.00 |
| PRAQclassT1 | Right | F8.2 | F8.2 | 999.00 |
| PRAQ_R2_T1 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------------|----------|---|-------------------|-------|--------------|
| sseq_relationship | 106 | Before you begin, please answer the following question: Are you currently in a romantic relationship and have been for the past 3 months or more? | Nominal | Input | 19 |
| sseq_type_relationship | 107 | 1. What is your relationship with this person? | Nominal | Input | 26 |
| sseq_relationship_length | 108 | 2. How long have you known this person? | Scale | Input | 26 |
| sseq_relationship_gender | 109 | 3. What is this persons gender? | Nominal | Input | 26 |
| sseq_relationship_gender_other | 110 | Other - please specify: | Nominal | Input | 32 |
| TaskSupport | 111 | Task support items from the SSEQ on first study questionnaire | Nominal | Input | 13 |
| InformSupport | 112 | Inform support items from the SSEQ on first study questionnaire | Nominal | Input | 15 |
| EmotSupport | 113 | Emotional support items from the SSEQ on first study questionnaire | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------------|-----------|--------------|--------------|----------------|
| sseq_relationship | Right | F3 | F3 | |
| sseq_type_relationship | Left | A1000 | A1000 | |
| sseq_relationship_length | Right | F9.2 | F9.2 | |
| sseq_relationship_gender | Right | F3 | F3 | |
| sseq_relationship_gender_other | Left | A1000 | A1000 | |
| TaskSupport | Right | F8.2 | F8.2 | 999.00 |
| InformSupport | Right | F8.2 | F8.2 | 999.00 |
| EmotSupport | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| NegSupport | 114 | Negative support items, reverse scored so that higher scores are less negative, from the SSEQ on first study questionnaire | Nominal | Input | 12 |
| SSEQtotal_T1 | 115 | Total support on SSEQ on first study questionnaire | Scale | Input | 14 |
| CSI_T1 | 116 | Couple Satisfaction index at first study questionnaire | Nominal | Input | 10 |
| CSiclassT1 | 117 | Sudo-diagnostic classification based on CSI cut off of 13.5 at first study ... | Nominal | Input | 12 |
| SLPdisturb_rawT1 | 118 | PROMIS sleep disturbance 4a raw scores at first study questionnaire | Nominal | Input | 18 |
| SLPdisturb_t_T1 | 119 | PROMIS sleep disturbance 4a T-scores at first study questionnaire | Scale | Input | 17 |
| SLPimpair_rawT1 | 120 | PROMIS sleep impairment Short Form 4a raw scores at first study questionnaire | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| NegSupport | Right | F8.2 | F8.2 | 999.00 |
| SSEQtotal_T1 | Right | F8.2 | F8.2 | 999.00 |
| CSI_T1 | Right | F8.2 | F8.2 | 999.00 |
| CSiclassT1 | Right | F8.2 | F8.2 | 999.00 |
| SLPdisturb_rawT1 | Right | F8.2 | F8.2 | 999.00 |
| SLPdisturb_t_T1 | Right | F8.2 | F8.2 | 999.00 |
| SLPimpair_rawT1 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|---|-------------------|-------|--------------|
| SLPimpair_t_T1 | 121 | PROMIS sleep impairment Short Form 4a T-scores at first study questionnaire | Scale | Input | 16 |
| SleepCut | 122 | Dicotomizes sample at 7 hours/night at first study questionnaire | Nominal | Input | 10 |
| Anger_rawT1 | 123 | PROMIS Anger 5a raw scores at first study questionnaire | Nominal | Input | 13 |
| Anger_t_T1 | 124 | PROMIS Anger 5a T-scores at first study questionnaire | Scale | Input | 12 |
| CDrisc_T1 | 125 | Connor-Davidson Resilience Scale 2 (CD_RISC 2) at first study questionnaire | Nominal | Input | 11 |
| covidqx_open_response | 126 | People are responding to the pandemic in many ways. Can you tell us what things you are doing to cope with the COVID-19 ... | Nominal | Input | 26 |
| preg_demo_date_completed | 127 | Intake Survey Date (Cleaned) | Scale | Input | 26 |
| WHOpandemicDate | 128 | Date of the beginning of the COVID pandemic as defined by WHO (March 11, 2020) | Scale | Input | 17 |
| PandDuration | 129 | Duration in weeks since March 11, 2020 | Scale | Input | 8 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| SLPimpair_t_T1 | Right | F8.2 | F8.2 | 999.00 |
| SleepCut | Right | F8.2 | F8.2 | 999.00 |
| Anger_rawT1 | Right | F8.2 | F8.2 | 999.00 |
| Anger_t_T1 | Right | F8.2 | F8.2 | 999.00 |
| CDrisc_T1 | Right | F8.2 | F8.2 | 999.00 |
| covidqx_open_response | Left | A30000 | A30000 | |
| preg_demo_date_completed | Right | ADATE10 | ADATE10 | |
| WHOpanademicDate | Right | ADATE10 | ADATE10 | |
| PandDuration | Right | F8.2 | F8.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| deliverytype_timestamp | 130 | Survey Timestamp | Nominal | Input | 26 |
| deliver_number | 131 | How many live infants did you deliver from this ... | Nominal | Input | 17 |
| deliver_when | 132 | Delivery Date (Cleaned) | Scale | Input | 16 |
| GAbirth | 133 | Maternal self-reported infant GA @ birth (Cleaned) | Scale | Input | 10 |
| GAbirth_calculated | 134 | calculated gestational age at birth in weeks | Scale | Input | 20 |
| deliver_med_cond | 135 | In the past month, have you developed any new medical conditions? | Nominal | Input | 19 |
| deliver_who_01 | 136 | Who delivered the baby (babies)? - Singleton | Scale | Input | 16 |
| deliver_breast_01 | 137 | Did (do) you breastfeed your baby (babies)?- Singleton | Nominal | Input | 17 |
| deliver_breast_stop_01 | 138 | How old was your baby (babies) in weeks when you stopped breastfeeding ?- Singleton | Scale | Input | 22 |
| deliver_formula_01 | 139 | Did (do) you feed your baby (babies) formula?- Singleton | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|--------------|----------------|----------------|-------------------|
| deliverytype_timestamp | Left | A1000 | A1000 | |
| deliver_number | Right | F8.2 | F8.2 | |
| deliver_when | Right | ADATE10 | ADATE10 | 10/15/1582 |
| GAbirth | Right | F8.2 | F8.2 | 999.00 |
| GAbirth_calculated | Right | F8.2 | F8.2 | 999.00 |
| deliver_med_cond | Right | F8.2 | F8.2 | |
| deliver_who_01 | Right | F9.2 | F9.2 | |
| deliver_breast_01 | Right | F8 | F8 | |
| deliver_breast_stop_01 | Right | F9.2 | F9.2 | |
| deliver_formula_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| birth_weight_01 | 140 | Birthweight in grams (Cleaned)- Singleton | Scale | Input | 14 |
| birth_length_01 | 141 | Birth length in cm (Cleaned)- Singleton | Scale | Input | 14 |
| deliver_who_bb1 | 142 | Who delivered the baby (babies)? - First baby of multiples | Nominal | Input | 17 |
| deliver_breast_bb1 | 143 | Did (do) you breastfeed your baby (babies)? - First baby of multiples | Nominal | Input | 14 |
| deliver_breast_stop_bb1 | 144 | How old was your baby (babies) in weeks when you stopped breastfeeding ? - First baby of multiples | Scale | Input | 22 |
| deliver_formula_bb1 | 145 | Did (do) you feed your baby (babies) formula? - First baby of multiples | Nominal | Input | 18 |
| birth_weight_bb1 | 146 | Birth weight in grams (Cleaned) - First baby of multiples | Scale | Input | 14 |
| birth_length_bb1 | 147 | Birth length in cm (Cleaned) - First baby of multiples | Scale | Input | 14 |
| deliver_who_bb2 | 148 | Who delivered the baby (babies)? - Second baby of multiples | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| birth_weight_01 | Right | F8.2 | F8.2 | -999.00 |
| birth_length_01 | Right | F8.2 | F8.2 | -999.00 |
| deliver_who_bb1 | Right | F8 | F8 | |
| deliver_breast_bb1 | Right | F8 | F8 | |
| deliver_breast_stop_bb1 | Right | F9.2 | F9.2 | |
| deliver_formula_bb1 | Right | F3 | F3 | |
| birth_weight_bb1 | Right | F8.3 | F8.3 | |
| birth_length_bb1 | Right | F8.2 | F8.2 | |
| deliver_who_bb2 | Right | F8 | F8 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|---|-------------------|-------|--------------|
| deliver_breast_bb2 | 149 | Did (do) you breastfeed your baby (babies)? - Second baby of multiples | Nominal | Input | 14 |
| deliver_breast_stop_bb2 | 150 | How old was your baby (babies) in weeks when you stopped breastfeeding ? - Second baby of multiples | Scale | Input | 22 |
| deliver_formula_bb2 | 151 | Did (do) you feed your baby (babies) formula? - Second baby of multiples | Nominal | Input | 18 |
| birth_weight_bb2 | 152 | Birth weight in grams (Cleaned) - Second baby of multiples | Scale | Input | 14 |
| birth_length_bb2 | 153 | Birth length in cm (Cleaned) - Second baby of multiples | Scale | Input | 14 |
| deliver_who_bb3 | 154 | Who delivered the baby (babies)? - Third baby of multiples | Nominal | Input | 17 |
| deliver_breast_bb3 | 155 | Did (do) you breastfeed your baby (babies)? - Third baby of multiples | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| deliver_breast_bb2 | Right | F8 | F8 | |
| deliver_breast_stop_bb2 | Right | F9.2 | F9.2 | |
| deliver_formula_bb2 | Right | F3 | F3 | |
| birth_weight_bb2 | Right | F8.3 | F8.3 | |
| birth_length_bb2 | Right | F8.2 | F8.2 | |
| deliver_who_bb3 | Right | F8 | F8 | |
| deliver_breast_bb3 | Right | F8 | F8 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| deliver_breast_stop_bb3 | 156 | How old was your baby (babies) in weeks when you stopped breastfeeding ? - Third baby of multiples | Scale | Input | 22 |
| deliver_formula_bb3 | 157 | Did (do) you feed your baby (babies) formula? - Third baby of multiples | Nominal | Input | 18 |
| birth_weight_bb3 | 158 | Birth weight in grams (Cleaned) - Third baby of multiples | Scale | Input | 14 |
| birth_length_bb3 | 159 | Birth length in cm (Cleaned) - Third baby of multiples | Scale | Input | 14 |
| m3_today_date | 160 | (HIDDEN) Completion date: *Used to create time stamp for pts who completed survey when we first launched with wrong syntax | Scale | Input | 15 |
| M3_Infant_Age | 161 | Infant Age at M3 in months (Calculated from delivery date and m3_today_date) | Scale | Input | 8 |
| POP_CNTR_RA_type_M3 | 162 | Population centre/rural area type | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| deliver_breast_stop_bb3 | Right | F9.2 | F9.2 | |
| deliver_formula_bb3 | Right | F3 | F3 | |
| birth_weight_bb3 | Right | F8.3 | F8.3 | |
| birth_length_bb3 | Right | F8.2 | F8.2 | |
| m3_today_date | Right | ADATE10 | ADATE10 | |
| M3_Infant_Age | Right | F8.2 | F8.2 | |
| POP_CNTR_RA_type_M3 | Left | A1 | A1 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|---|-------------------|-------|--------------|
| POP_CNTR_RA_SIZE_CLASS_M3 | 163 | Population centre and rural area classification | Nominal | Input | 24 |
| m3_alcohol | 164 | Since your baby (babies) were born, have you consumed alcohol? | Nominal | Input | 12 |
| m3_alch_days | 165 | Average number of days per week you drank alcohol: (Since your baby was born) You can enter decimals here. For example, if you have two drinks/month, please enter 0.5/week | Scale | Input | 14 |
| m3_alch_drinks | 166 | On days when you consumed alcohol, how many drinks did you have on average? (Since your baby was ... | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------|-----------|--------------|--------------|----------------|
| POP_CNTR_RA_SIZE_CLASS_M3 | Left | A1 | A1 | |
| m3_alcohol | Right | F3 | F3 | |
| m3_alch_days | Right | F9.2 | F9.2 | |
| m3_alch_drinks | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------|----------|--|-------------------|-------|--------------|
| m3_toba | 167 | Since your baby (babies) were born, have you used tobacco products? Tobacco products can include; cigarettes, cigars, snuff, chew, vape/e-cigarettes, Hookah | Nominal | Input | 9 |
| m3_toba_days | 168 | Average number of days per week you smoked or used tobacco products: (Since your baby was born) You can enter decimals here. For example, if you have two tobacco products/month, please enter 0.5 /week | Scale | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------|-----------|--------------|--------------|----------------|
| m3_toba | Right | F3 | F3 | |
| m3_toba_days | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------|----------|---|-------------------|-------|--------------|
| m3_toba_day | 169 | On days when you used tobacco products, how many times per day did you use on average? (since your baby was born) | Scale | Input | 13 |
| m3_cann | 170 | Since your baby (babies) were born, have you used cannabis products? (smoking, edibles, cannabidiol (CBD) products, THC products, etc.) | Nominal | Input | 9 |
| m3_cann_days | 171 | Average number of days per week you used cannabis products: You can enter decimals here. For example, if you have two cannabis products/month, please enter 0.5 /week | Scale | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------|-----------|--------------|--------------|----------------|
| m3_toba_day | Right | F9.2 | F9.2 | |
| m3_cann | Right | F3 | F3 | |
| m3_cann_days | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------|----------|--|-------------------|-------|--------------|
| m3_cann_day | 172 | On days when you used cannabis products (since your baby was born), how many times per day did you use on average? | Scale | Input | 13 |
| m3_drug | 173 | Since your baby (babies) were born, have you used illicit drugs (cocaine, methamphetamines, opioids, etc)? | Nominal | Input | 9 |
| m3_drug_days | 174 | Average number of days per week you used illicit drugs: You can enter decimals here. For example, if you used illicit drugs two times/month, please enter 0.5/week | Scale | Input | 14 |
| m3_drug_day | 175 | On days when you used illicit drugs during (since your baby was born), how many times per day did you use on average? | Scale | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------|-----------|--------------|--------------|----------------|
| m3_cann_day | Right | F9.2 | F9.2 | |
| m3_drug | Right | F3 | F3 | |
| m3_drug_days | Right | F9.2 | F9.2 | |
| m3_drug_day | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------------|----------|---|-------------------|-------|--------------|
| m3_covidqx_infected | 176 | Since your baby (babies) was (were) born, have you become infected with the COVID-19 virus? | Nominal | Input | 21 |
| m3_condition_month | 177 | Since your baby (babies) was (were) born, have you developed any new medical conditions (e. g., anxiety, depression, etc.)? | Nominal | Input | 20 |
| m3_condition_list_mth____ 25 | 178 | Please check all new conditions since your baby (babies) was (were) born. (choice=Postpartum eclampsia (toxemia): high blood pressure caused by symptoms like protein in urine and possibly changes in blood and the liver.) | Nominal | Input | 28 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------------|-----------|--------------|--------------|----------------|
| m3_covidqx_infected | Right | F3 | F3 | |
| m3_condition_month | Right | F3 | F3 | |
| m3_condition_list_mth____ 25 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------------|----------|--|-------------------|-------|--------------|
| m3_condition_list_mth___1 | 179 | Please check all new conditions since your baby (babies) was (were) born. (choice=Anxiety) | Nominal | Input | 27 |
| m3_condition_list_mth___4 | 180 | Please check all new conditions since your baby (babies) was (were) born. (choice=Depression) | Nominal | Input | 27 |
| m3_condition_list_mth___21 | 181 | Please check all new conditions since your baby (babies) was (were) born. (choice=Other conditions not on this list) | Nominal | Input | 28 |
| m3_condition_other | 182 | Please list other condition that was not in the list: | Nominal | Input | 26 |
| m3_medication_month | 183 | Since your baby (babies) was (were) born, have you started taking any prescribed medication? | Nominal | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------------|-----------|--------------|--------------|----------------|
| m3_condition_list_mth___1 | Right | F3 | F3 | |
| m3_condition_list_mth___4 | Right | F3 | F3 | |
| m3_condition_list_mth___21 | Right | F3 | F3 | |
| m3_condition_other | Left | A30000 | A30000 | |
| m3_medication_month | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| m3_current_med_mth | 184 | Please list what medication are you currently taking and for what condition: | Nominal | Input | 26 |
| m3_med_stopmonth | 185 | Since your baby (babies) was (were) born, have you stopped taking any prescribed medication? | Nominal | Input | 18 |
| m3_med_stop_list | 186 | Please list the medications you have stopped taking. | Nominal | Input | 26 |
| m3_treatment | 187 | Are you receiving any kind of treatment for stress, depression or anxiety (including counselling, medication, or herbal remedies)? | Nominal | Input | 14 |
| M3_Weight | 188 | Maternal Weight at 3-month postpartum in kilograms (Cleaned) | Scale | Input | 11 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| m3_current_med_mth | Left | A30000 | A30000 | |
| m3_med_stopmonth | Right | F3 | F3 | |
| m3_med_stop_list | Left | A30000 | A30000 | |
| m3_treatment | Right | F3 | F3 | |
| M3_Weight | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| m3_sleep_duration | 189 | During the PAST MONTH, how many hours of actual sleep did you get a night? (This may be different than the number of hours you spend in bed). (Cleaned) | Scale | Input | 19 |
| m3_act_day_mil | 190 | On how many DAYS PER WEEK did you engage in AT LEAST 15 MINUTES of MILD activity (e.g., light walking)? (Cleaned) | Nominal | Input | 16 |
| m3_act_day_mod | 191 | On how many DAYS PER WEEK did you engage in AT LEAST 15 MINUTES of MODERATE activity (e.g., brisk walking)? (Cleaned) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| m3_sleep_duration | Right | F8.2 | F8.2 | 999.00 |
| m3_act_day_mil | Right | F8 | F8 | -999 |
| m3_act_day_mod | Right | F8 | F8 | -999 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| m3_act_day_stren | 192 | On how many DAYS PER WEEK did you engage in AT LEAST 15 MINUTES of STRENUOUS activity (e.g., running)? (Cleaned) | Nominal | Input | 18 |
| m3_actweek_mild | 193 | In a TYPICAL WEEK over the past month, how many MINUTES did you spend doing MILD activity (e.g., light walking)? (Cleaned) | Scale | Input | 17 |
| m3_actweek_mod | 194 | In a TYPICAL WEEK over the past month, how many MINUTES did you spend doing MODERATE activity (e.g., brisk walking)? (Cleaned) | Scale | Input | 16 |
| m3_actweek_stren | 195 | In a TYPICAL WEEK over the past month, how many MINUTES did you spend doing STRENUOUS activity (e.g., running)? (Cleaned) | Scale | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m3_act_day_stren | Right | F8 | F8 | -999 |
| m3_actweek_mild | Right | F8.2 | F8.2 | -999.00 |
| m3_actweek_mod | Right | F8 | F8 | |
| m3_actweek_stren | Right | F8 | F8 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| PA_M3 | 196 | sum of weekly minutes of moderate and strenuous activity at 3-month postpartum | Scale | Input | 10 |
| CDN_PA_met_M3 | 197 | met PA guidelines of 150 mins/week mod-strenuous activity at 3-month postpartum | Nominal | Input | 15 |
| GodinM3 | 198 | Godin score at 3-month postpartum | Scale | Input | 10 |
| m3_employment | 199 | What is your current employment situation? | Nominal | Input | 14 |
| m3_partner | 200 | Do you have a partner? | Nominal | Input | 12 |
| m3_partner_live | 201 | Does your partner live with you? | Nominal | Input | 17 |
| EPDS_M3 | 202 | Maternal EPDS at 3-month postpartum | Scale | Input | 10 |
| DEPclassM3 | 203 | Sudo-diagnostic classification based on EPDS cut off of 13 at 3-month postpartum | Nominal | Input | 12 |
| Panx_rawM3 | 204 | PROMIS anxiety 7a - Adult v1.0 raw scores at 3-month postpartum | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| PA_M3 | Right | F8.2 | F8.2 | -999.00 |
| CDN_PA_met_M3 | Right | F8.2 | F8.2 | -999.00 |
| GodinM3 | Right | F8.2 | F8.2 | -999.00 |
| m3_employment | Right | F3 | F3 | |
| m3_partner | Right | F3 | F3 | |
| m3_partner_live | Right | F3 | F3 | |
| EPDS_M3 | Right | F8.2 | F8.2 | 999.00 |
| DEPclassM3 | Right | F8.2 | F8.2 | 999.00 |
| Panx_rawM3 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|---|-------------------|-------|--------------|
| Panx_t_M3 | 205 | PROMIS anxiety 7a - Adult v1.0 T-scores at 3-month postpartum | Scale | Input | 11 |
| ANXclassM3 | 206 | Diagnostic classification based on general US population reference sample at 3-month postpartum | Nominal | Input | 12 |
| ANXdicotM3 | 207 | PROMIS anxiety classifications dicotomized at 3-month postpartum | Nominal | Input | 12 |
| Anger_rawM3 | 208 | PROMIS Anger 5a raw scores - at 3-month postpartum | Nominal | Input | 13 |
| Anger_t_M3 | 209 | PROMIS Anger 5a T-scores - at 3-month postpartum | Scale | Input | 12 |
| AngerM3 | 210 | Diagnostic classification based on general US population reference sample - at 3-month postpartum | Nominal | Input | 10 |
| CSI_M3 | 211 | Couple Satisfaction index at first study questionnaire at 3-month postpartum | Nominal | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| Panx_t_M3 | Right | F8.2 | F8.2 | 999.00 |
| ANXclassM3 | Right | F8.2 | F8.2 | 999.00 |
| ANXdicotM3 | Right | F8.2 | F8.2 | 999.00 |
| Anger_rawM3 | Right | F8.2 | F8.2 | 999.00 |
| Anger_t_M3 | Right | F8.2 | F8.2 | 999.00 |
| AngerM3 | Right | F8.2 | F8.2 | 999.00 |
| CSI_M3 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------|----------|---|-------------------|-------|--------------|
| CSiclassM3 | 212 | Sudo-diagnostic classification based on CSI cut off of 13.5 at 3-month ... | Nominal | Input | 12 |
| bisq_3_01 | 213 | Where does your child usually fall asleep at bedtime? - Singleton | Nominal | Input | 11 |
| bisq_9_01 | 214 | In what room does your child sleep for most of the night? - Singleton | Nominal | Input | 11 |
| bisq_10_01 | 215 | Where does your child sleep for most of the night? - Singleton | Nominal | Input | 12 |
| bisq_14_01 | 216 | What is the longest stretch of time that your child is asleep during the NIGHT without waking up? - ... | Scale | Input | 12 |
| bisq_15_01 | 217 | What time does your child wake up in the morning? - Singleton | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------|-----------|--------------|--------------|----------------|
| CSiclassM3 | Right | F8.2 | F8.2 | 999.00 |
| bisq_3_01 | Right | F3 | F3 | |
| bisq_9_01 | Right | F3 | F3 | |
| bisq_10_01 | Right | F3 | F3 | |
| bisq_14_01 | Right | F3 | F3 | |
| bisq_15_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| bisq_16_01 | 218 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? - Singleton | Scale | Input | 12 |
| bisq_17_01 | 219 | How well does your child usually sleep at night? - Singleton | Nominal | Input | 12 |
| bisq_18_01 | 220 | On a typical DAY, how many naps does your child take? (between 8am in the morning and 7pm in the evening) - ... | Nominal | Input | 12 |
| bisq_19_01 | 221 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? - Singleton | Scale | Input | 12 |
| InfantSleep_M3_01 | 222 | Infant Sleep at 3-month postpartum - Singleton | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| bisq_16_01 | Right | F3 | F3 | |
| bisq_17_01 | Right | F3 | F3 | |
| bisq_18_01 | Right | F3 | F3 | |
| bisq_19_01 | Right | F3 | F3 | |
| InfantSleep_M3_01 | Right | F18.15 | F18.15 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| ParentPerception_M3_01 | 223 | Parent Perception at 3-month postpartum - Singleton | Scale | Input | 12 |
| ParentBehavior_M3_01 | 224 | Parent Behavior at 3-month postpartum - Singleton | Scale | Input | 16 |
| Total_M3_01 | 225 | Total BISQ score at 3-month postpartum - Singleton | Scale | Input | 16 |
| Tot_cry_01 | 226 | Number of times in the past week that the baby had periods of half an hour or more when they just wouldnt settle down - Singleton | Scale | Input | 12 |
| Trsh_cry_01 | 227 | Did the baby cry above the treshold of 3 hours or more per week- Singleton | Nominal | Input | 13 |
| Diff_cry_01 | 228 | Has your babys crying and fussing during the past week been: - Singleton | Scale | Input | 13 |
| m3_breast_01 | 229 | Did/do you breastfeed your baby? - Singleton | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| ParentPerception_M3_01 | Right | F18.15 | F18.15 | |
| ParentBehavior_M3_01 | Right | F18.15 | F18.15 | |
| Total_M3_01 | Right | F18.15 | F18.15 | |
| Tot_cry_01 | Right | F1 | F1 | |
| Trsh_cry_01 | Right | F1 | F1 | |
| Diff_cry_01 | Right | F1 | F1 | |
| m3_breast_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| m3_breast_age_01 | 230 | How old was your baby in weeks when you started breastfeeding ? (enter 0 if you started at birth) - Singleton | Scale | Input | 18 |
| m3_still_breast_01 | 231 | Are you still breastfeeding your baby? - Singleton | Nominal | Input | 20 |
| m3_breast_stop_01 | 232 | How old was your baby in weeks when you stopped breastfeeding ? - Singleton | Scale | Input | 19 |
| m3_formula_01 | 233 | Did/do you feed your baby formula? - Singleton | Nominal | Input | 15 |
| m3_formula_age_01 | 234 | How old was your baby in weeks when you started feeding them formula? (enter 0 if you started at birth) - Singleton | Scale | Input | 19 |
| m3_still_formula_01 | 235 | Are you still formula feeding your baby? - Singleton | Nominal | Input | 21 |
| m3_formula_stop_01 | 236 | How old was your baby in weeks when you stopped formula feeding? - Singleton | Scale | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| m3_breast_age_01 | Right | F9.2 | F9.2 | |
| m3_still_breast_01 | Right | F3 | F3 | |
| m3_breast_stop_01 | Right | F9.2 | F9.2 | |
| m3_formula_01 | Right | F3 | F3 | |
| m3_formula_age_01 | Right | F9.2 | F9.2 | |
| m3_still_formula_01 | Right | F3 | F3 | |
| m3_formula_stop_01 | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| m3_bf_experience_01 | 237 | How would you rate your breastfeeding experience? - Singleton | Nominal | Input | 18 |
| bisq_3_bb1 | 238 | Where does your child usually fall asleep at bedtime? - First baby of multiples | Nominal | Input | 11 |
| bisq_9_bb1 | 239 | In what room does your child sleep for most of the night?- First baby of multiples | Nominal | Input | 11 |
| bisq_10_bb1 | 240 | Where does your child sleep for most of the night?- First baby of multiples | Nominal | Input | 12 |
| bisq_14_bb1 | 241 | What is the longest stretch of time that your child is asleep during the NIGHT without waking up?- First baby of ... | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| m3_bf_experience_01 | Right | F3 | F3 | |
| bisq_3_bb1 | Right | F3 | F3 | |
| bisq_9_bb1 | Right | F3 | F3 | |
| bisq_10_bb1 | Right | F3 | F3 | |
| bisq_14_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|--|-------------------|-------|--------------|
| bisq_15_bb1 | 242 | What time does your child wake up in the morning?- First baby of multiples | Scale | Input | 12 |
| bisq_16_bb1 | 243 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? - First baby of multiples | Scale | Input | 12 |
| bisq_17_bb1 | 244 | How well does your child usually sleep at night?- First baby of multiples | Nominal | Input | 12 |
| bisq_18_bb1 | 245 | On a typical DAY, how many naps does your child take? (between 8am in the morning and 7pm in the evening)- First baby of multiples | Nominal | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| bisq_15_bb1 | Right | F3 | F3 | |
| bisq_16_bb1 | Right | F3 | F3 | |
| bisq_17_bb1 | Right | F3 | F3 | |
| bisq_18_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| bisq_19_bb1 | 246 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? - First baby of multiples | Scale | Input | 12 |
| InfantSleep_M3_bb1 | 247 | Infant Sleep at 3-month postpartum-First baby of multiples | Scale | Input | 16 |
| ParentPerception_M3_bb1 | 248 | Parent Perception at 3-month postpartum-First baby of multiples | Scale | Input | 12 |
| ParentBehavior_M3_bb1 | 249 | Parent Behavior at 3-month postpartum-First baby of multiples | Scale | Input | 16 |
| Total_M3_bb1 | 250 | Total BISQ score at 3-month postpartum-First baby of multiples | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| bisq_19_bb1 | Right | F3 | F3 | |
| InfantSleep_M3_bb1 | Right | F18.15 | F18.15 | |
| ParentPerception_M3_bb1 | Right | F18.15 | F18.15 | |
| ParentBehavior_M3_bb1 | Right | F18.15 | F18.15 | |
| Total_M3_bb1 | Right | F18.15 | F18.15 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| Tot_cry_bb1 | 251 | Number of times in the past week that the baby had periods of half an hour or more when they just wouldnt settle down- First baby of multiples | Scale | Input | 12 |
| Trsh_cry_bb1 | 252 | Did the baby cry above the treshold of 3 hours or more per week- First baby of multiples | Nominal | Input | 13 |
| Diff_cry_bb1 | 253 | Has your babys crying and fussing during the past week been:- First baby of multiples | Scale | Input | 13 |
| m3_breast_bb1 | 254 | Did/do you breastfeed your baby?- First baby of multiples | Nominal | Input | 14 |
| m3_breast_age_bb1 | 255 | How old was your baby in weeks when you started breastfeeding ? (enter 0 if you started at birth)- First baby of multiples | Scale | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| Tot_cry_bb1 | Right | F1 | F1 | |
| Trsh_cry_bb1 | Right | F1 | F1 | |
| Diff_cry_bb1 | Right | F1 | F1 | |
| m3_breast_bb1 | Right | F3 | F3 | |
| m3_breast_age_bb1 | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| m3_still_breast_bb1 | 256 | Are you still breastfeeding your baby?- First baby of multiples | Nominal | Input | 20 |
| m3_breast_stop_bb1 | 257 | How old was your baby in weeks when you stopped breastfeeding ?- First baby of multiples | Scale | Input | 19 |
| m3_formula_bb1 | 258 | Did/do you feed your baby formula? - First baby of multiples | Nominal | Input | 15 |
| m3_formula_age_bb1 | 259 | How old was your baby in weeks when you started feeding them formula? (enter 0 if you started at birth)- First baby of multiples | Scale | Input | 19 |
| m3_still_formula_bb1 | 260 | Are you still formula feeding your baby?- First baby of multiples | Nominal | Input | 21 |
| m3_formula_stop_bb1 | 261 | How old was your baby in weeks when you stopped formula feeding?- First baby of multiples | Scale | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m3_still_breast_bb1 | Right | F3 | F3 | |
| m3_breast_stop_bb1 | Right | F9.2 | F9.2 | |
| m3_formula_bb1 | Right | F3 | F3 | |
| m3_formula_age_bb1 | Right | F9.2 | F9.2 | |
| m3_still_formula_bb1 | Right | F3 | F3 | |
| m3_formula_stop_bb1 | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| m3_bf_experience_bb1 | 262 | How would you rate your breastfeeding experience?- First baby of multiples | Nominal | Input | 18 |
| bisq_3_bb2 | 263 | Where does your child usually fall asleep at bedtime? - Second baby of multiples | Nominal | Input | 11 |
| bisq_9_bb2 | 264 | In what room does your child sleep for most of the night? - Second baby of multiples | Nominal | Input | 11 |
| bisq_10_bb2 | 265 | Where does your child sleep for most of the night? - Second baby of ... | Nominal | Input | 12 |
| bisq_14_bb2 | 266 | What is the longest stretch of time that your child is asleep during the NIGHT without waking up? - Second baby ... | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m3_bf_experience_bb1 | Right | F3 | F3 | |
| bisq_3_bb2 | Right | F3 | F3 | |
| bisq_9_bb2 | Right | F3 | F3 | |
| bisq_10_bb2 | Right | F3 | F3 | |
| bisq_14_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|---|-------------------|-------|--------------|
| bisq_15_bb2 | 267 | What time does your child wake up in the morning? - Second baby of multiples | Scale | Input | 12 |
| bisq_16_bb2 | 268 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? - Second baby of multiples | Scale | Input | 12 |
| bisq_17_bb2 | 269 | How well does your child usually sleep at night? - Second baby of multiples | Nominal | Input | 12 |
| bisq_18_bb2 | 270 | On a typical DAY, how many naps does your child take? (between 8am in the morning and 7pm in the evening) - Second baby of multiples | Nominal | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| bisq_15_bb2 | Right | F3 | F3 | |
| bisq_16_bb2 | Right | F3 | F3 | |
| bisq_17_bb2 | Right | F3 | F3 | |
| bisq_18_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|---|-------------------|-------|--------------|
| bisq_19_bb2 | 271 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? - Second baby of multiples | Scale | Input | 12 |
| InfantSleep_M3_bb2 | 272 | Infant Sleep at 3-month postpartum - Second baby of multiples | Scale | Input | 16 |
| ParentPerception_M3_bb2 | 273 | Parent Perception at 3-month postpartum - Second baby of multiples | Scale | Input | 12 |
| ParentBehavior_M3_bb2 | 274 | Parent Behavior at 3-month postpartum - Second baby of multiples | Scale | Input | 16 |
| Total_M3_bb2 | 275 | Total BISQ score at 3-month postpartum - Second baby of multiples | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| bisq_19_bb2 | Right | F3 | F3 | |
| InfantSleep_M3_bb2 | Right | F18.15 | F18.15 | |
| ParentPerception_M3_bb2 | Right | F18.15 | F18.15 | |
| ParentBehavior_M3_bb2 | Right | F18.15 | F18.15 | |
| Total_M3_bb2 | Right | F18.15 | F18.15 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| Tot_cryv | 276 | Number of times in the past week that the baby had periods of half an hour or more when they just wouldnt settle down - Second baby of multiples | Scale | Input | 12 |
| Trsh_cry_bb2 | 277 | Did the baby cry above the treshold of 3 hours or more per week - Second baby of multiples | Nominal | Input | 13 |
| Diff_cry_bb2 | 278 | Has your babys crying and fussing during the past week been: - Second baby of multiples | Scale | Input | 13 |
| m3_breast_bb2 | 279 | Did/do you breastfeed your baby? - Second baby of multiples | Nominal | Input | 14 |
| m3_breast_age_bb2 | 280 | How old was your baby in weeks when you started breastfeeding ? (enter 0 if you started at birth) - Second baby of multiples | Scale | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| Tot_cryv | Right | F1 | F1 | |
| Trsh_cry_bb2 | Right | F1 | F1 | |
| Diff_cry_bb2 | Right | F1 | F1 | |
| m3_breast_bb2 | Right | F3 | F3 | |
| m3_breast_age_bb2 | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| m3_still_breast_bb2 | 281 | Are you still breastfeeding your baby? - Second baby of multiples | Nominal | Input | 20 |
| m3_breast_stop_bb2 | 282 | How old was your baby in weeks when you stopped breastfeeding? - Second baby of multiples | Scale | Input | 19 |
| m3_formula_bb2 | 283 | Did/do you feed your baby formula? - Second baby of multiples | Nominal | Input | 15 |
| m3_formula_age_bb2 | 284 | How old was your baby in weeks when you started feeding them formula? (enter 0 if you started at birth) - Second baby of multiples | Scale | Input | 19 |
| m3_still_formula_bb2 | 285 | Are you still formula feeding your baby? - Second baby of multiples | Nominal | Input | 21 |
| m3_formula_stop_bb2 | 286 | How old was your baby in weeks when you stopped formula feeding? - Second baby of multiples | Scale | Input | 20 |
| m3_bf_experience_bb2 | 287 | How would you rate your breastfeeding experience? - Second baby of multiples | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m3_still_breast_bb2 | Right | F3 | F3 | |
| m3_breast_stop_bb2 | Right | F9.2 | F9.2 | |
| m3_formula_bb2 | Right | F3 | F3 | |
| m3_formula_age_bb2 | Right | F9.2 | F9.2 | |
| m3_still_formula_bb2 | Right | F3 | F3 | |
| m3_formula_stop_bb2 | Right | F9.2 | F9.2 | |
| m3_bf_experience_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------------|----------|--|-------------------|-------|--------------|
| m12_today_date | 288 | 12-month Postpartum Survey Date | Scale | Input | 16 |
| M12_Infant_Age | 289 | Infant age at 12-month postpartum | Scale | Input | 8 |
| POP_CNTR_RA_type_M12 | 290 | Population centre/rural area type | Nominal | Input | 18 |
| POP_CNTR_RA_SIZE_CLASS_M12 | 291 | Population centre and rural area classification | Nominal | Input | 24 |
| EPDS_M12 | 292 | Maternal EPDS at 12-month postpartum | Scale | Input | 10 |
| DEPclassM12 | 293 | Sudo-diagnostic classification based on EPDS cut off of 13 at 12-month postpartum | Nominal | Input | 13 |
| Panx_rawM12 | 294 | PROMIS anxiety 7a - Adult v1.0 raw scores at 12-month postpartum | Scale | Input | 13 |
| Panx_t_M12 | 295 | PROMIS anxiety 7a - Adult v1.0 T-scores at 12-month postpartum | Scale | Input | 12 |
| ANXclassM12 | 296 | Diagnostic classification based on general US population reference sample at 12-month postpartum | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------------|-----------|--------------|--------------|----------------|
| m12_today_date | Right | ADATE10 | ADATE10 | |
| M12_Infant_Age | Right | F8.2 | F8.2 | |
| POP_CNTR_RA_type_M12 | Left | A1 | A1 | |
| POP_CNTR_RA_SIZE_CLASS_M12 | Left | A1 | A1 | |
| EPDS_M12 | Right | F8.2 | F8.2 | 999.00 |
| DEPclassM12 | Right | F8.2 | F8.2 | 999.00 |
| Panx_rawM12 | Right | F8.2 | F8.2 | 999.00 |
| Panx_t_M12 | Right | F8.2 | F8.2 | 999.00 |
| ANXclassM12 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------|----------|--|-------------------|-------|--------------|
| ANXdicotM12 | 297 | PROMIS axiety classifications dicotomized at 12-month postpartum | Nominal | Input | 13 |
| Anger_rawM12 | 298 | PROMIS Anger 5a raw scores at 12-month postpartum | Nominal | Input | 14 |
| Anger_t_M12 | 299 | PROMIS Anger 5a T-scores at 12-month postpartum | Scale | Input | 13 |
| AngerM12 | 300 | Diagnostic classification based on general US population reference sample at 12-month psotpartum | Nominal | Input | 10 |
| CHAOS_M12 | 301 | Household chaos at 12-month psotpartum | Scale | Input | 11 |
| CSI_M12 | 302 | Couple Satisfaction index at 12-month postpartum | Nominal | Input | 10 |
| CSiclassM12 | 303 | Sudo-diagnostic classification based on CSI cut off of 13.5 at 12-month ... | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------|-----------|--------------|--------------|----------------|
| ANXdicotM12 | Right | F8.2 | F8.2 | 999.00 |
| Anger_rawM12 | Right | F8.2 | F8.2 | 999.00 |
| Anger_t_M12 | Right | F8.2 | F8.2 | 999.00 |
| AngerM12 | Right | F8.2 | F8.2 | 999.00 |
| CHAOS_M12 | Right | F8.2 | F8.2 | -999.00 |
| CSI_M12 | Right | F8.2 | F8.2 | 999.00 |
| CSiclassM12 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m12_alcohol | 304 | In the PAST THREE MONTHS, have you consumed alcohol? | Nominal | Input | 13 |
| m12_alch_days | 305 | Average number of days per week you drank alcohol: (In the PAST THREE MONTHS) You can enter decimals here. For example, if you have two drinking days per month, please enter 0.5/week. (Cleaned) | Scale | Input | 15 |
| m12_alch_drinks | 306 | On days when you consumed alcohol, how many drinks did you have on average? (In the PAST THREE ... | Scale | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m12_alcohol | Right | F3 | F3 | |
| m12_alch_days | Right | F8.2 | F8.2 | 999.00 |
| m12_alch_drinks | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------|----------|---|-------------------|-------|--------------|
| m12_toba | 307 | In the PAST THREE MONTHS, have you used tobacco products? Tobacco products can include; cigarettes, cigars, snuff, chew, vape/e-cigarettes, Hookah | Nominal | Input | 10 |
| m12_toba_days | 308 | Average number of days per week you smoked or used tobacco products: (In the PAST THREE MONTHS) You can enter decimals here. For example, if you used tobacco products two days in a month, please enter 0.5 /week. (Cleaned) | Scale | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------|-----------|--------------|--------------|----------------|
| m12_toba | Right | F3 | F3 | |
| m12_toba_days | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------|----------|---|-------------------|-------|--------------|
| m12_toba_day | 309 | On days when you used tobacco products, how many times per day did you use on average? (In the PAST THREE MONTHS) | Scale | Input | 14 |
| m12_cann | 310 | In the PAST THREE MONTHS, have you used cannabis products? (smoking, edibles, cannabidiol (CBD) products, THC products, etc.) | Nominal | Input | 10 |
| m12_cann_days | 311 | Average number of days per week you used cannabis products: You can enter decimals here. For example, if you used cannabis products two days in a month, please enter 0.5 /week | Scale | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------|-----------|--------------|--------------|----------------|
| m12_toba_day | Right | F9.2 | F9.2 | |
| m12_cann | Right | F3 | F3 | |
| m12_cann_days | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------|----------|---|-------------------|-------|--------------|
| m12_cann_day | 312 | On days when you used cannabis products (In the PAST THREE MONTHS), how many times per day did you use on average? | Scale | Input | 14 |
| m12_drug | 313 | In the PAST THREE MONTHS, have you used illicit drugs (cocaine, methamphetamines, opioids, etc)? | Nominal | Input | 10 |
| m12_drug_days | 314 | Average number of days per week you used illicit drugs: You can enter decimals here. For example, if you used illicit drugs two times/month, please enter 0.5/week. | Scale | Input | 15 |
| m12_drug_day | 315 | On days when you used illicit drugs during (In the PAST THREE MONTHS), how many times per day did you use on average? | Scale | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------|-----------|--------------|--------------|----------------|
| m12_cann_day | Right | F9.2 | F9.2 | |
| m12_drug | Right | F3 | F3 | |
| m12_drug_days | Right | F9.2 | F9.2 | |
| m12_drug_day | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| m12_employment | 316 | What is your current employment situation? | Nominal | Input | 16 |
| m12_condition_list__25 | 317 | Have you developed any of the following conditions in the past 3 months? (choice=Postpartum eclampsia (toxemia): high blood pressure caused by symptoms like protein in urine and possibly changes in blood and the liver.) | Nominal | Input | 25 |
| m12_condition_list__1 | 318 | Have you developed any of the following conditions in the past 3 months? (choice=Anxiety) | Nominal | Input | 24 |
| m12_condition_list__4 | 319 | Have you developed any of the following conditions in the past 3 months? (choice=Depression) | Nominal | Input | 24 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| m12_employment | Right | F3 | F3 | |
| m12_condition_list__25 | Right | F3 | F3 | |
| m12_condition_list__1 | Right | F3 | F3 | |
| m12_condition_list__4 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|---|-------------------|-------|--------------|
| m12_condition_list__21 | 320 | Have you developed any of the following conditions in the past 3 months? (choice=Other conditions not on this list) | Nominal | Input | 25 |
| m12_condition_list__0 | 321 | Have you developed any of the following conditions in the past 3 months? (choice=I have not developed any new conditions) | Nominal | Input | 24 |
| m12_condition_other | 322 | If other, please specify: | Nominal | Input | 26 |
| m12_mentalhealth_access | 323 | Have you sought out mental health services in the past year? | Nominal | Input | 25 |
| m12_mentalhealth_treat__1 | 324 | Did you receive: (choice=Medication (e.g., an antidepressan... | Nominal | Input | 28 |
| m12_mentalhealth_treat__2 | 325 | Did you receive: (choice=Counselling/therapy) | Nominal | Input | 28 |
| m12_mentalhealth_treat__0 | 326 | Did you receive: (choice=Other) | Nominal | Input | 28 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------|-----------|--------------|--------------|----------------|
| m12_condition_list__21 | Right | F3 | F3 | |
| m12_condition_list__0 | Right | F3 | F3 | |
| m12_condition_other | Left | A3000 | A3000 | |
| m12_mentalhealth_access | Right | F3 | F3 | |
| m12_mentalhealth_treat__1 | Right | F3 | F3 | |
| m12_mentalhealth_treat__2 | Right | F3 | F3 | |
| m12_mentalhealth_treat__0 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|---|-------------------|-------|--------------|
| m12_mentalhealth_treat__3 | 327 | Did you receive: (choice=I was not able to access one or more of the services I sought out) | Nominal | Input | 28 |
| m12_mentalhealth_other | 328 | If other, please specify: | Nominal | Input | 26 |
| m12_mentalhealth_time | 329 | How long did it take you to access the mental health services you sought out? | Nominal | Input | 23 |
| m12_mentalhealth_tellmore | 330 | If you would like, please tell us more about your experiences accessing mental health services: | Nominal | Input | 27 |
| m12_babyliving_v2 | 331 | Do you live with your baby (babies) full- or part-time? (We ask this to determine if certain follow-up questions about your baby are applicable.) | Nominal | Input | 19 |
| m12_bisq_2_01 | 332 | In a typical week, how often does your child have the exact same bedtime ... | Nominal | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------|-----------|--------------|--------------|----------------|
| m12_mentalhealth_treat__3 | Right | F3 | F3 | |
| m12_mentalhealth_other | Left | A1000 | A1000 | |
| m12_mentalhealth_time | Right | F3 | F3 | |
| m12_mentalhealth_tellmore | Left | A3000 | A3000 | |
| m12_babyliving_v2 | Right | F3 | F3 | |
| m12_bisq_2_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| m12_bisq_3_01 | 333 | Where does your child usually fall asleep at bedtime? | Nominal | Input | 15 |
| m12_bisq_oclock_6_01 | 334 | What time do you usually put your child to bed at night (lights out)? | Scale | Input | 22 |
| m12_bisq_9_01 | 335 | In what room does your child sleep for most of the night? | Nominal | Input | 15 |
| m12_bisq_10_01 | 336 | Where does your child sleep for most of the night? | Nominal | Input | 16 |
| m12_bisq_11_01 | 337 | How many times does your child usually wake during the night? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m12_bisq_3_01 | Right | F3 | F3 | |
| m12_bisq_oclock_6_01 | Right | F3 | F3 | |
| m12_bisq_9_01 | Right | F3 | F3 | |
| m12_bisq_10_01 | Right | F3 | F3 | |
| m12_bisq_11_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|--|-------------------|-------|--------------|
| m12_bisq_13_01 | 338 | How much total time during the NIGHT is your child usually AWAKE (between when your child goes to bed and wakes for the day)? Example: If your child wakes up 2 times and is awake for about 15 minutes each time, your childs total time spent awake is 30 m | Nominal | Input | 16 |
| m12_bisq_14_01 | 339 | What is the longest stretch of time that your child is asleep during the NIGHT without ... | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m12_bisq_13_01 | Right | F3 | F3 | |
| m12_bisq_14_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|---|-------------------|-------|--------------|
| m12_bisq_15_01 | 340 | What time does your child wake up in the morning? | Scale | Input | 16 |
| m12_bisq_16_01 | 341 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hou | Scale | Input | 16 |
| m12_bisq_17_01 | 342 | How well does your child usually sleep at night? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m12_bisq_15_01 | Right | F3 | F3 | |
| m12_bisq_16_01 | Right | F3 | F3 | |
| m12_bisq_17_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|---|-------------------|-------|--------------|
| m12_bisq_18_01 | 343 | On a typical DAY, how many naps does your child take? (between when your child wakes for the day and goes to bed at night) | Nominal | Input | 16 |
| m12_bisq_19_01 | 344 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your child's total time spent sleeping during the day is | Nominal | Input | 16 |
| m12_bisq_20_01 | 345 | Do you consider your child's sleep a problem? | Nominal | Input | 16 |
| InfantSleep_M12_01 | 346 | Infant Sleep at 12-month postpartum - Singleton | Scale | Input | 12 |
| ParentPerception_M12_01 | 347 | Parent Perception at 12-month postpartum-Singleton | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| m12_bisq_18_01 | Right | F3 | F3 | |
| m12_bisq_19_01 | Right | F3 | F3 | |
| m12_bisq_20_01 | Right | F3 | F3 | |
| InfantSleep_M12_01 | Right | F5.2 | F5.2 | |
| ParentPerception_M12_01 | Right | F4.2 | F4.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|--|-------------------|-------|--------------|
| ParentBehavior_M12_01 | 348 | Parent Behavior at 12-month postpartum-Singleton | Scale | Input | 12 |
| TotalBISQ_M12_01 | 349 | Total BISQ Score at 12-month postpartum-Singleton | Scale | Input | 12 |
| m12_breastfeed_1_01 | 350 | Are you currently breastfeeding or providing your own breast milk to your baby? | Nominal | Input | 21 |
| m12_breastfeed_3_1_01 | 351 | How old was your baby when you introduced other milks? Months: | Nominal | Input | 23 |
| m12_breastfeed_3_2_01 | 352 | How old was your baby when you introduced other milks? Weeks: | Nominal | Input | 23 |
| m12_breastfeed_4_1_01 | 353 | If your baby is not receiving breastmilk, how old was he/she last fed breastmilk (weaned)? Months: | Nominal | Input | 23 |
| m12_breastfeed_4_2_01 | 354 | If your baby is not receiving breastmilk, how old was he/she last fed breastmilk (weaned)? Weeks: | Nominal | Input | 23 |
| m12_childcare_primary_01 | 355 | My child is primarily cared for by: | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| ParentBehavior_M12_01 | Right | F5.2 | F5.2 | |
| TotalBISQ_M12_01 | Right | F5.2 | F5.2 | |
| m12_breastfeed_1_01 | Right | F3 | F3 | |
| m12_breastfeed_3_1_01 | Right | F3 | F3 | |
| m12_breastfeed_3_2_01 | Right | F3 | F3 | |
| m12_breastfeed_4_1_01 | Right | F3 | F3 | |
| m12_breastfeed_4_2_01 | Right | F3 | F3 | |
| m12_childcare_primary_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq_today_01 | 356 | ASQ Survey Date at 12-month Postpartum | Scale | Input | 12 |
| asq3_12m_com1_01 | 357 | 1. Does your baby make two similar sounds, such a ba-ba, da-da, or ga-ga? (The sounds do not need to mean anything.) | Nominal | Input | 18 |
| asq3_12m_com2_01 | 358 | 2. If you ask your baby to, does he play at least one nursery game even if you dont show him the activity yourself (such as bye-bye, Peek-a-boo, clap your hands, So Big)? | Nominal | Input | 18 |
| asq3_12m_com3_01 | 359 | 3. Does your baby follow one simple command, such as Come here, Give it to me, or Put it back, without your using gestures? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_today_01 | Right | ADATE10 | ADATE10 | |
| asq3_12m_com1_01 | Right | F3 | F3 | |
| asq3_12m_com2_01 | Right | F3 | F3 | |
| asq3_12m_com3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_com4_01 | 360 | 4. Does your baby say three words, such as Mama, Dada, and Baba? (A word is a sound or sounds your baby says consistently to mean someone or something.) | Nominal | Input | 18 |
| asq3_12m_com5_01 | 361 | 5. When you ask, Where is the ball (hat, shoe, etc.)? does your baby look at the object? (Make sure the object is present. Mark yes if she knows one object.) | Nominal | Input | 18 |
| asq3_12m_com6_01 | 362 | 6. When your baby wants something, does he tell you by pointing to it? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_com4_01 | Right | F3 | F3 | |
| asq3_12m_com5_01 | Right | F3 | F3 | |
| asq3_12m_com6_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_12m_gm1_01 | 363 | 1. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position? | Nominal | Input | 17 |
| asq3_12m_gm2_01 | 364 | 2. While holding onto furniture, does your baby lower herself with control (without falling or flopping ... | Nominal | Input | 17 |
| asq3_12m_gm3_01 | 365 | 3. Does your baby walk beside furniture while holding on with only one hand? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_12m_gm1_01 | Right | F3 | F3 | |
| asq3_12m_gm2_01 | Right | F3 | F3 | |
| asq3_12m_gm3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_12m_gm4_01 | 366 | 4. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_gm5_01 | 367 | 5. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_gm6_01 | 368 | 6. Does your baby stand up in the middle of the floor by himself and take several steps forward? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_12m_gm4_01 | Right | F3 | F3 | |
| asq3_12m_gm5_01 | Right | F3 | F3 | |
| asq3_12m_gm6_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq3_12m_fm1_01 | 369 | 1. After one or two tries, does your baby pick up a piece of string with his first finger and thumb? (The string may be attached to a toy.) | Nominal | Input | 17 |
| asq3_12m_fm2_01 | 370 | 2. Does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? She may rest her arm or hand on the table while doing it. | Nominal | Input | 17 |
| asq3_12m_fm3_01 | 371 | 3. Does your baby put a small toy down, without dropping it, and then take his hand off the toy? | Nominal | Input | 17 |
| asq3_12m_fm4_01 | 372 | 4. Without resting her arm or hand on the table, does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_12m_fm1_01 | Right | F3 | F3 | |
| asq3_12m_fm2_01 | Right | F3 | F3 | |
| asq3_12m_fm3_01 | Right | F3 | F3 | |
| asq3_12m_fm4_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_fm5_01 | 373 | 5. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark not yet for this ... | Nominal | Input | 17 |
| asq3_12m_fm6_01 | 374 | 6. Does your baby help turn the pages of a book? (You may lift a page for him ... | Nominal | Input | 17 |
| asq3_12m_prs1_01 | 375 | 1. When holding a small toy in each hand, does your baby clap the toys together (like Pat-a-cake)? | Nominal | Input | 18 |
| asq3_12m_prs2_01 | 376 | 2. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_fm5_01 | Right | F3 | F3 | |
| asq3_12m_fm6_01 | Right | F3 | F3 | |
| asq3_12m_prs1_01 | Right | F3 | F3 | |
| asq3_12m_prs2_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_prs3_01 | 377 | 3. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.) | Nominal | Input | 18 |
| asq3_12m_prs4_01 | 378 | 4. If you put a small toy in a bowl or box, does your baby copy you by putting in a toy, although she may not let go of it? (If she already lets go of the toy into a bowl or box, mark yes for this item.) | Nominal | Input | 18 |
| asq3_12m_prs5_01 | 379 | 5. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show him ... | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_prs3_01 | Right | F3 | F3 | |
| asq3_12m_prs4_01 | Right | F3 | F3 | |
| asq3_12m_prs5_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_prs6_01 | 380 | 6. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If she already scribbles on her own, mark yes for this item) | Nominal | Input | 18 |
| asq3_12m_ps1_01 | 381 | 1. When you hold out your hand and ask for his toy, does your baby offer it to you even if he doesn't let go of it? (If he already lets go of the toy into your hand, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_ps2_01 | 382 | 2. When you dress your baby, does she push her arm through a sleeve once her arm is started in the hole of the sleeve? | Nominal | Input | 17 |
| asq3_12m_ps3_01 | 383 | 3. When you hold out your hand and ask for his toy, does your baby let go of it into your hand? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_prs6_01 | Right | F3 | F3 | |
| asq3_12m_ps1_01 | Right | F3 | F3 | |
| asq3_12m_ps2_01 | Right | F3 | F3 | |
| asq3_12m_ps3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_ps4_01 | 384 | 4. When you dress your baby, does she lift her foot for her shoe, sock or pant leg? | Nominal | Input | 17 |
| asq3_12m_ps5_01 | 385 | 5. Does your baby roll or throw a ball back to you so that you can return it to him? | Nominal | Input | 17 |
| asq3_12m_ps6_01 | 386 | 6. Does your baby play with a doll or stuffed animal by hugging it? | Nominal | Input | 17 |
| asq3_14m_com1_01 | 387 | 1. Does your baby say three words, such as Mama, Dada, and Baba? (A word is a sound or sounds your baby says consistently to mean someone or something.) | Nominal | Input | 18 |
| asq3_14m_com2_01 | 388 | 2. When your baby wants something, does she tell you by pointing to it? | Nominal | Input | 18 |
| asq3_14m_com3_01 | 389 | 3. Does your baby shake his head when he means no or yes? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_ps4_01 | Right | F3 | F3 | |
| asq3_12m_ps5_01 | Right | F3 | F3 | |
| asq3_12m_ps6_01 | Right | F3 | F3 | |
| asq3_14m_com1_01 | Right | F3 | F3 | |
| asq3_14m_com2_01 | Right | F3 | F3 | |
| asq3_14m_com3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_com4_01 | 390 | 4. Does your baby point to, pat, or try to pick up pictures in a book? | Nominal | Input | 18 |
| asq3_14m_com5_01 | 391 | 5. Does your baby say four or more words in addition to Mama and Dada? | Nominal | Input | 18 |
| asq3_14m_com6_01 | 392 | 6. When you ask her to, does your baby go into another room to find a familiar toy or object? (You might ask, where is your ball? or say, bring me your coat, or go get your blanket.) | Nominal | Input | 18 |
| asq3_14m_gm1_01 | 393 | 1. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_com4_01 | Right | F3 | F3 | |
| asq3_14m_com5_01 | Right | F3 | F3 | |
| asq3_14m_com6_01 | Right | F3 | F3 | |
| asq3_14m_gm1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq3_14m_gm2_01 | 394 | 2. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_14m_gm3_01 | 395 | 3. Does your baby stand up in the middle of the floor by himself and take several steps forward? | Nominal | Input | 17 |
| asq3_14m_gm4_01 | 396 | 4. Does your baby climb onto furniture or other large objects, such as large climbing blocks? | Nominal | Input | 17 |
| asq3_14m_gm5_01 | 397 | 5. Does your baby bend over or squat to pick up an object from the floor and then stand up again without any support? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_14m_gm2_01 | Right | F3 | F3 | |
| asq3_14m_gm3_01 | Right | F3 | F3 | |
| asq3_14m_gm4_01 | Right | F3 | F3 | |
| asq3_14m_gm5_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq3_14m_gm6_01 | 398 | 6. Does your baby move around by walking, rather than by crawling on his hands and knees? | Nominal | Input | 17 |
| asq3_14m_fm1_01 | 399 | 1. Without resting her arm or hand on the table, does your baby pick up a crumb or cheerio with the tips of her thumb and finger? | Nominal | Input | 17 |
| asq3_14m_fm2_01 | 400 | 2. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark not yet for this ... | Nominal | Input | 17 |
| asq3_14m_fm3_01 | 401 | 3. Does your baby help turn the pages of a book? (You may lift a page for her ... | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_14m_gm6_01 | Right | F3 | F3 | |
| asq3_14m_fm1_01 | Right | F3 | F3 | |
| asq3_14m_fm2_01 | Right | F3 | F3 | |
| asq3_14m_fm3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_fm4_01 | 402 | 4. Does your baby stack a small block or toy on top of another one? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.) | Nominal | Input | 17 |
| asq3_14m_fm5_01 | 403 | 5. Does your baby make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw? | Nominal | Input | 17 |
| asq3_14m_fm6_01 | 404 | 6. Does your baby stack three small blocks or toys on top of each other by herself? | Nominal | Input | 17 |
| asq3_14m_prs1_01 | 405 | 1. If you put a small toy into a bowl or box, does your baby copy you by putting in a toy, although he may not let go of it? (If he already lets go of the toy into a bowl if box, mark yes for this item.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_fm4_01 | Right | F3 | F3 | |
| asq3_14m_fm5_01 | Right | F3 | F3 | |
| asq3_14m_fm6_01 | Right | F3 | F3 | |
| asq3_14m_prs1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_prs2_01 | 406 | 2. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show her ... | Nominal | Input | 18 |
| asq3_14m_prs3_01 | 407 | 3. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If he already scribbles on his own, mark yes for this item.) | Nominal | Input | 18 |
| asq3_14m_prs4_01 | 408 | 4. Can your baby drop a crumb or cheerio into a small, clear bottle (such as a plastic soda-pop bottle or baby bottle)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_prs2_01 | Right | F3 | F3 | |
| asq3_14m_prs3_01 | Right | F3 | F3 | |
| asq3_14m_prs4_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_prs5_01 | 409 | 5. Does your baby drop several small toys, one after another, into a container like a bowl or box? (You may show her ... | Nominal | Input | 18 |
| asq3_14m_prs6_01 | 410 | 6. After you have shown your baby how, does he try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool? | Nominal | Input | 18 |
| asq3_14m_ps1_01 | 411 | 1. When you dress your baby, does she lift her foot for her shoe, sock, or pant leg? | Nominal | Input | 17 |
| asq3_14m_ps2_01 | 412 | 2. Does your baby roll or throw a ball back to you so that you can return it to him? | Nominal | Input | 17 |
| asq3_14m_ps3_01 | 413 | 3. Does your baby play with a doll or stuffed animal by hugging it? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_prs5_01 | Right | F3 | F3 | |
| asq3_14m_prs6_01 | Right | F3 | F3 | |
| asq3_14m_ps1_01 | Right | F3 | F3 | |
| asq3_14m_ps2_01 | Right | F3 | F3 | |
| asq3_14m_ps3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_14m_ps4_01 | 414 | 4. Does your baby feed herself with a spoon, even though she may spill soon food? | Nominal | Input | 17 |
| asq3_14m_ps5_01 | 415 | 5. Does your baby help undress himself by taking off clothes like socks, hat, shoes, or mittens? | Nominal | Input | 17 |
| asq3_14m_ps6_01 | 416 | 6. Does your baby get your attention or try to show you something by pulling on your hand or ... | Nominal | Input | 17 |
| ASQcomm_01 | 417 | Communication Total score; combining 12 & 14 months- ... | Scale | Input | 10 |
| ASQgm_01 | 418 | Gross Motor Total score; combining 12 & 14 months-Singleton | Nominal | Input | 10 |
| ASQfm_01 | 419 | Fine Motor Total score; combining 12 & 14 months-Singleton | Nominal | Input | 10 |
| ASQprs_01 | 420 | Problem-Solving Total score; combining 12 & 14 months-Singleton | Nominal | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_14m_ps4_01 | Right | F3 | F3 | |
| asq3_14m_ps5_01 | Right | F3 | F3 | |
| asq3_14m_ps6_01 | Right | F3 | F3 | |
| ASQcomm_01 | Right | F8.2 | F8.2 | -999.00 |
| ASQgm_01 | Right | F8.2 | F8.2 | -999.00 |
| ASQfm_01 | Right | F8.2 | F8.2 | -999.00 |
| ASQprs_01 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------|----------|--|-------------------|-------|--------------|
| ASQps_01 | 421 | Personal-Social Total score; combining 12 & 14 months-Singleton | Scale | Input | 10 |
| CutComm_01 | 422 | codes for above or below cutoff on Communication at 12 months postpartum-Singleton | Scale | Input | 10 |
| CutGM_01 | 423 | codes for above or below cutoff on Gross Motor at 12 months postpartum-Singleton | Scale | Input | 10 |
| CutFM_01 | 424 | codes for above or below cutoff on Fine Motor at 12 months postpartum-Singleton | Scale | Input | 10 |
| CutPRS_01 | 425 | codes for above or below cutoff on Problem Solving at 12 months postpartum-Singleton | Scale | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------|-----------|--------------|--------------|----------------|
| ASQps_01 | Right | F8.2 | F8.2 | -999.00 |
| CutComm_01 | Right | F8.2 | F8.2 | -999.00 |
| CutGM_01 | Right | F8.2 | F8.2 | -999.00 |
| CutFM_01 | Right | F8.2 | F8.2 | -999.00 |
| CutPRS_01 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| CutPS_01 | 426 | codes for above or below cutoff on Personal-Social at 12 months postpartum-Singleton | Scale | Input | 10 |
| CutTotal_01 | 427 | codes for below or 2 or 1 SD above cutoff on any of the 5 domains at 12 months postpartum-Singleton | Nominal | Input | 10 |
| asq_se_1_01 | 428 | 1. Does your baby laugh or smile at you and other family members? | Nominal | Input | 13 |
| asq_se_c1__1_01 | 429 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_2_01 | 430 | 2. Does your baby look for you when a stranger comes near? | Nominal | Input | 13 |
| asq_se_c2__1_01 | 431 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_3_01 | 432 | 3. Does your baby like to play near or be with family and friends? | Nominal | Input | 13 |
| asq_se_c3__1_01 | 433 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_4_01 | 434 | 4. Does your baby like to be picked up and held? | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| CutPS_01 | Right | F8.2 | F8.2 | -999.00 |
| CutTotal_01 | Right | F8.2 | F8.2 | -999.00 |
| asq_se_1_01 | Right | F3 | F3 | |
| asq_se_c1__1_01 | Right | F3 | F3 | |
| asq_se_2_01 | Right | F3 | F3 | |
| asq_se_c2__1_01 | Right | F3 | F3 | |
| asq_se_3_01 | Right | F3 | F3 | |
| asq_se_c3__1_01 | Right | F3 | F3 | |
| asq_se_4_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq_se_c4__1_01 | 435 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_5_01 | 436 | 5. When upset, can your baby calm down within a half hour? | Nominal | Input | 13 |
| asq_se_c5__1_01 | 437 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_6_01 | 438 | 6. Does your baby stiffen and arch her back when picked up? | Nominal | Input | 13 |
| asq_se_c6__1_01 | 439 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_7_01 | 440 | 7. Does your baby like to play games such as Peekaboo? | Nominal | Input | 13 |
| asq_se_c7__1_01 | 441 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_8_01 | 442 | 8. Is your babys body relaxed? | Nominal | Input | 13 |
| asq_se_c8__1_01 | 443 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_9_01 | 444 | 9. Does your baby cry, scream, or have tantrums for long periods of time? | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq_se_c4__1_01 | Right | F3 | F3 | |
| asq_se_5_01 | Right | F3 | F3 | |
| asq_se_c5__1_01 | Right | F3 | F3 | |
| asq_se_6_01 | Right | F3 | F3 | |
| asq_se_c6__1_01 | Right | F3 | F3 | |
| asq_se_7_01 | Right | F3 | F3 | |
| asq_se_c7__1_01 | Right | F3 | F3 | |
| asq_se_8_01 | Right | F3 | F3 | |
| asq_se_c8__1_01 | Right | F3 | F3 | |
| asq_se_9_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq_se_c9__1_01 | 445 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_10_01 | 446 | 10. Is your baby able to calm himself down (for example, by sucking his hand or pacifier)? | Nominal | Input | 14 |
| asq_se_c10__1_01 | 447 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_11_01 | 448 | 11. Is your baby interested in things around her, such as people, toys, and foods? | Nominal | Input | 14 |
| asq_se_c11__1_01 | 449 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_12_01 | 450 | 12. Does it take longer than 30 minutes to feed your baby? | Nominal | Input | 14 |
| asq_se_c12__1_01 | 451 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_13_01 | 452 | 13. Do you and your baby enjoy mealtimes together? | Nominal | Input | 14 |
| asq_se_c13__1_01 | 453 | (choice=Click if this is a concern) | Nominal | Input | 19 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_se_c9__1_01 | Right | F3 | F3 | |
| asq_se_10_01 | Right | F3 | F3 | |
| asq_se_c10__1_01 | Right | F3 | F3 | |
| asq_se_11_01 | Right | F3 | F3 | |
| asq_se_c11__1_01 | Right | F3 | F3 | |
| asq_se_12_01 | Right | F3 | F3 | |
| asq_se_c12__1_01 | Right | F3 | F3 | |
| asq_se_13_01 | Right | F3 | F3 | |
| asq_se_c13__1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|---|-------------------|-------|--------------|
| asq_se_14_01 | 454 | 14. Does your baby have any eating problems, such as gagging, vomiting, or _____? (Please describe.) | Nominal | Input | 14 |
| asq_se_14_other_01 | 455 | Please describe: | Nominal | Input | 26 |
| asq_se_c14__1_01 | 456 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_15_01 | 457 | 15. Does your baby have trouble falling asleep at naptime or at night? | Nominal | Input | 14 |
| asq_se_c15__1_01 | 458 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_16_01 | 459 | 16. Does your baby make babbling sounds? For example, does he put sounds together such as ba-ba- ba- ba or na- na- na-na? | Nominal | Input | 14 |
| asq_se_c16__1_01 | 460 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_17_01 | 461 | 17. Does your baby sleep at least 10 hours in a 24- hour period? | Nominal | Input | 14 |
| asq_se_c17__1_01 | 462 | (choice=Click if this is a concern) | Nominal | Input | 19 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| asq_se_14_01 | Right | F3 | F3 | |
| asq_se_14_other_01 | Left | A1000 | A1000 | |
| asq_se_c14__1_01 | Right | F3 | F3 | |
| asq_se_15_01 | Right | F3 | F3 | |
| asq_se_c15__1_01 | Right | F3 | F3 | |
| asq_se_16_01 | Right | F3 | F3 | |
| asq_se_c16__1_01 | Right | F3 | F3 | |
| asq_se_17_01 | Right | F3 | F3 | |
| asq_se_c17__1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq_se_18_01 | 463 | 18. Does your baby get constipated or have diarrhea? | Nominal | Input | 14 |
| asq_se_c18__1_01 | 464 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_19_01 | 465 | 19. Does your baby let you know when she is hungry, hurt, or tired? | Nominal | Input | 14 |
| asq_se_c19__1_01 | 466 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_20_01 | 467 | 20. When you talk to your baby, does he turn his head, look, or ... | Nominal | Input | 14 |
| asq_se_c20__1_01 | 468 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_21_01 | 469 | 21. Does your baby try to hurt other children, adults, or animals (for example, by kicking or biting)? | Nominal | Input | 14 |
| asq_se_c21__1_01 | 470 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_22_01 | 471 | 22. Does your baby try to show you things? For example, does she hold out a toy and look at you? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_se_18_01 | Right | F3 | F3 | |
| asq_se_c18__1_01 | Right | F3 | F3 | |
| asq_se_19_01 | Right | F3 | F3 | |
| asq_se_c19__1_01 | Right | F3 | F3 | |
| asq_se_20_01 | Right | F3 | F3 | |
| asq_se_c20__1_01 | Right | F3 | F3 | |
| asq_se_21_01 | Right | F3 | F3 | |
| asq_se_c21__1_01 | Right | F3 | F3 | |
| asq_se_22_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq_se_c22__1_01 | 472 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_23_01 | 473 | 23. Does your baby respond to his name when you call him? For example, does he turn his head and look at you? | Nominal | Input | 14 |
| asq_se_c23__1_01 | 474 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_24_01 | 475 | 24. When you point at something, does your baby look in the direction you are pointing? | Nominal | Input | 14 |
| asq_se_c24__1_01 | 476 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_25_01 | 477 | 25. Does your baby make sounds or use gestures to let you know she wants something (for example, by reaching)? | Nominal | Input | 14 |
| asq_se_c25__1_01 | 478 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_26_01 | 479 | 26. When you copy sounds your baby makes, does your baby repeat the same sounds back to you? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_se_c22__1_01 | Right | F3 | F3 | |
| asq_se_23_01 | Right | F3 | F3 | |
| asq_se_c23__1_01 | Right | F3 | F3 | |
| asq_se_24_01 | Right | F3 | F3 | |
| asq_se_c24__1_01 | Right | F3 | F3 | |
| asq_se_25_01 | Right | F3 | F3 | |
| asq_se_c25__1_01 | Right | F3 | F3 | |
| asq_se_26_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq_se_c26__1_01 | 480 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_27_01 | 481 | 27. Has anyone shared concerns about your babys behaviors? | Nominal | Input | 14 |
| asq_se_c27__1_01 | 482 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_27b_01 | 483 | If sometimes or often or always, please explain: | Nominal | Input | 26 |
| asq_se_30_01 | 484 | 28. What do you enjoy about your baby? | Nominal | Input | 26 |
| ASQSE_12m_01 | 485 | ASQ:SE total score at 12 months postpartum adjusted for missing items-Singleton | Scale | Input | 13 |
| CutASQSE_12m_01 | 486 | codes for above or below cutoff on ASQ:SE-2 at 12-month postpartum-Singleton | Scale | Input | 14 |
| m12_bisq_2_bb1 | 487 | In a typical week, how often does your child have the exact same bedtime ... | Nominal | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_se_c26__1_01 | Right | F3 | F3 | |
| asq_se_27_01 | Right | F3 | F3 | |
| asq_se_c27__1_01 | Right | F3 | F3 | |
| asq_se_27b_01 | Left | A30000 | A30000 | |
| asq_se_30_01 | Left | A30000 | A30000 | |
| ASQSE_12m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutASQSE_12m_01 | Right | F8.2 | F8.2 | -999.00 |
| m12_bisq_2_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| m12_bisq_3_bb1 | 488 | Where does your child usually fall asleep at bedtime? | Nominal | Input | 15 |
| m12_bisq_oclock_6_bb1 | 489 | What time do you usually put your child to bed at night (lights out)? | Scale | Input | 22 |
| m12_bisq_9_bb1 | 490 | In what room does your child sleep for most of the night? | Nominal | Input | 15 |
| m12_bisq_10_bb1 | 491 | Where does your child sleep for most of the night? | Nominal | Input | 16 |
| m12_bisq_11_bb1 | 492 | How many times does your child usually wake during the night? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| m12_bisq_3_bb1 | Right | F3 | F3 | |
| m12_bisq_oclock_6_bb1 | Right | F3 | F3 | |
| m12_bisq_9_bb1 | Right | F3 | F3 | |
| m12_bisq_10_bb1 | Right | F3 | F3 | |
| m12_bisq_11_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m12_bisq_13_bb1 | 493 | How much total time during the NIGHT is your child usually AWAKE (between when your child goes to bed and wakes for the day)? Example: If your child wakes up 2 times and is awake for about 15 minutes each time, your childs total time spent awake is 30 m | Nominal | Input | 16 |
| m12_bisq_14_bb1 | 494 | What is the longest stretch of time that your child is asleep during the NIGHT without ... | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m12_bisq_13_bb1 | Right | F3 | F3 | |
| m12_bisq_14_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m12_bisq_15_bb1 | 495 | What time does your child wake up in the morning? | Scale | Input | 16 |
| m12_bisq_16_bb1 | 496 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hou | Scale | Input | 16 |
| m12_bisq_17_bb1 | 497 | How well does your child usually sleep at night? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m12_bisq_15_bb1 | Right | F3 | F3 | |
| m12_bisq_16_bb1 | Right | F3 | F3 | |
| m12_bisq_17_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| m12_bisq_18_bb1 | 498 | On a typical DAY, how many naps does your child take? (between when your child wakes for the day and goes to bed at night) | Nominal | Input | 16 |
| m12_bisq_19_bb1 | 499 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your child's total time spent sleeping during the day is | Nominal | Input | 16 |
| m12_bisq_20_bb1 | 500 | Do you consider your child's sleep a problem? | Nominal | Input | 16 |
| InfantSleep_M12_bb1 | 501 | Infant Sleep at 12-month postpartum - First baby of multiples | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| m12_bisq_18_bb1 | Right | F3 | F3 | |
| m12_bisq_19_bb1 | Right | F3 | F3 | |
| m12_bisq_20_bb1 | Right | F3 | F3 | |
| InfantSleep_M12_bb1 | Right | F5.2 | F5.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|--|-------------------|-------|--------------|
| ParentPerception_M12_bb1 | 502 | Parent Perception at 12-month postpartum - First baby of multiples | Scale | Input | 12 |
| ParentBehavior_M12_bb1 | 503 | Parent Behavior at 12-month postpartum - First baby of multiples | Scale | Input | 12 |
| TotalBISQ_M12_bb1 | 504 | Total BISQ Score at 12-month postpartum - First baby of multiples | Scale | Input | 12 |
| m12_breastfeed_1_bb1 | 505 | Are you currently breastfeeding or providing your own breast milk to your baby? | Nominal | Input | 21 |
| m12_breastfeed_3_1_bb1 | 506 | How old was your baby when you introduced other milks? Months: | Nominal | Input | 23 |
| m12_breastfeed_3_2_bb1 | 507 | How old was your baby when you introduced other milks? Weeks: | Nominal | Input | 23 |
| m12_breastfeed_4_1_bb1 | 508 | If your baby is not receiving breastmilk, how old was he/she last fed breastmilk (weaned)? Months: | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| ParentPerception_M12_bb1 | Right | F4.2 | F4.2 | |
| ParentBehavior_M12_bb1 | Right | F5.2 | F5.2 | |
| TotalBISQ_M12_bb1 | Right | F5.2 | F5.2 | |
| m12_breastfeed_1_bb1 | Right | F3 | F3 | |
| m12_breastfeed_3_1_bb1 | Right | F3 | F3 | |
| m12_breastfeed_3_2_bb1 | Right | F3 | F3 | |
| m12_breastfeed_4_1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------------|----------|--|-------------------|-------|--------------|
| m12_breastfeed_4_2_bb1 | 509 | If your baby is not receiving breastmilk, how old was he/she last fed breastmilk (weaned)? Weeks: | Nominal | Input | 23 |
| m12_childcare_primary_b b1 | 510 | My child is primarily cared for by: | Nominal | Input | 23 |
| asq_today_bb1 | 511 | ASQ Survey Date at 12-month Postpartum | Scale | Input | 12 |
| asq3_12m_com1_bb1 | 512 | 1. Does your baby make two similar sounds, such a ba-ba, da-da, or ga-ga? (The sounds do not need to mean anything.) | Nominal | Input | 18 |
| asq3_12m_com2_bb1 | 513 | 2. If you ask your baby to, does he play at least one nursery game even if you dont show him the activity yourself (such as bye-bye, Peek-a-boo, clap your hands, So Big)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|-----------|--------------|--------------|----------------|
| m12_breastfeed_4_2_bb1 | Right | F3 | F3 | |
| m12_childcare_primary_b b1 | Right | F3 | F3 | |
| asq_today_bb1 | Right | ADATE10 | ADATE10 | |
| asq3_12m_com1_bb1 | Right | F3 | F3 | |
| asq3_12m_com2_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_com3_bb1 | 514 | 3. Does your baby follow one simple command, such as Come here, Give it to me, or Put it back, without your using gestures? | Nominal | Input | 18 |
| asq3_12m_com4_bb1 | 515 | 4. Does your baby say three words, such as Mama, Dada, and Baba? (A word is a sound or sounds your baby says consistently to mean someone or something.) | Nominal | Input | 18 |
| asq3_12m_com5_bb1 | 516 | 5. When you ask, Where is the ball (hat, shoe, etc.)? does your baby look at the object? (Make sure the object is present. Mark yes if she knows one object.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_com3_bb1 | Right | F3 | F3 | |
| asq3_12m_com4_bb1 | Right | F3 | F3 | |
| asq3_12m_com5_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_com6_bb1 | 517 | 6. When your baby wants something, does he tell you by pointing to it? | Nominal | Input | 18 |
| asq3_12m_gm1_bb1 | 518 | 1. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position? | Nominal | Input | 17 |
| asq3_12m_gm2_bb1 | 519 | 2. While holding onto furniture, does your baby lower herself with control (without falling or flopping ... | Nominal | Input | 17 |
| asq3_12m_gm3_bb1 | 520 | 3. Does your baby walk beside furniture while holding on with only one hand? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_com6_bb1 | Right | F3 | F3 | |
| asq3_12m_gm1_bb1 | Right | F3 | F3 | |
| asq3_12m_gm2_bb1 | Right | F3 | F3 | |
| asq3_12m_gm3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_gm4_bb1 | 521 | 4. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_gm5_bb1 | 522 | 5. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_gm6_bb1 | 523 | 6. Does your baby stand up in the middle of the floor by himself and take several steps forward? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_gm4_bb1 | Right | F3 | F3 | |
| asq3_12m_gm5_bb1 | Right | F3 | F3 | |
| asq3_12m_gm6_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_fm1_bb1 | 524 | 1. After one or two tries, does your baby pick up a piece of string with his first finger and thumb? (The string may be attached to a toy.) | Nominal | Input | 17 |
| asq3_12m_fm2_bb1 | 525 | 2. Does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? She may rest her arm or hand on the table while doing it. | Nominal | Input | 17 |
| asq3_12m_fm3_bb1 | 526 | 3. Does your baby put a small toy down, without dropping it, and then take his hand off the toy? | Nominal | Input | 17 |
| asq3_12m_fm4_bb1 | 527 | 4. Without resting her arm or hand on the table, does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_fm1_bb1 | Right | F3 | F3 | |
| asq3_12m_fm2_bb1 | Right | F3 | F3 | |
| asq3_12m_fm3_bb1 | Right | F3 | F3 | |
| asq3_12m_fm4_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_fm5_bb1 | 528 | 5. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark not yet for this ... | Nominal | Input | 17 |
| asq3_12m_fm6_bb1 | 529 | 6. Does your baby help turn the pages of a book? (You may lift a page for him ... | Nominal | Input | 17 |
| asq3_12m_prs1_bb1 | 530 | 1. When holding a small toy in each hand, does your baby clap the toys together (like Pat-a-cake)? | Nominal | Input | 18 |
| asq3_12m_prs2_bb1 | 531 | 2. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_fm5_bb1 | Right | F3 | F3 | |
| asq3_12m_fm6_bb1 | Right | F3 | F3 | |
| asq3_12m_prs1_bb1 | Right | F3 | F3 | |
| asq3_12m_prs2_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_prs3_bb1 | 532 | 3. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.) | Nominal | Input | 18 |
| asq3_12m_prs4_bb1 | 533 | 4. If you put a small toy in a bowl or box, does your baby copy you by putting in a toy, although she may not let go of it? (If she already lets go of the toy into a bowl or box, mark yes for this item.) | Nominal | Input | 18 |
| asq3_12m_prs5_bb1 | 534 | 5. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show him ... | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_prs3_bb1 | Right | F3 | F3 | |
| asq3_12m_prs4_bb1 | Right | F3 | F3 | |
| asq3_12m_prs5_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_prs6_bb1 | 535 | 6. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If she already scribbles on her own, mark yes for this item) | Nominal | Input | 18 |
| asq3_12m_ps1_bb1 | 536 | 1. When you hold out your hand and ask for his toy, does your baby offer it to you even if he doesn't let go of it? (If he already lets go of the toy into your hand, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_ps2_bb1 | 537 | 2. When you dress your baby, does she push her arm through a sleeve once her arm is started in the hole of the sleeve? | Nominal | Input | 17 |
| asq3_12m_ps3_bb1 | 538 | 3. When you hold out your hand and ask for his toy, does your baby let go of it into your hand? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_prs6_bb1 | Right | F3 | F3 | |
| asq3_12m_ps1_bb1 | Right | F3 | F3 | |
| asq3_12m_ps2_bb1 | Right | F3 | F3 | |
| asq3_12m_ps3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_ps4_bb1 | 539 | 4. When you dress your baby, does she lift her foot for her shoe, sock or pant leg? | Nominal | Input | 17 |
| asq3_12m_ps5_bb1 | 540 | 5. Does your baby roll or throw a ball back to you so that you can return it to him? | Nominal | Input | 17 |
| asq3_12m_ps6_bb1 | 541 | 6. Does your baby play with a doll or stuffed animal by hugging it? | Nominal | Input | 17 |
| asq3_14m_com1_bb1 | 542 | 1. Does your baby say three words, such as Mama, Dada, and Baba? (A word is a sound or sounds your baby says consistently to mean someone or something.) | Nominal | Input | 18 |
| asq3_14m_com2_bb1 | 543 | 2. When your baby wants something, does she tell you by pointing to it? | Nominal | Input | 18 |
| asq3_14m_com3_bb1 | 544 | 3. Does your baby shake his head when he means no or yes? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_ps4_bb1 | Right | F3 | F3 | |
| asq3_12m_ps5_bb1 | Right | F3 | F3 | |
| asq3_12m_ps6_bb1 | Right | F3 | F3 | |
| asq3_14m_com1_bb1 | Right | F3 | F3 | |
| asq3_14m_com2_bb1 | Right | F3 | F3 | |
| asq3_14m_com3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_com4_bb1 | 545 | 4. Does your baby point to, pat, or try to pick up pictures in a book? | Nominal | Input | 18 |
| asq3_14m_com5_bb1 | 546 | 5. Does your baby say four or more words in addition to Mama and Dada? | Nominal | Input | 18 |
| asq3_14m_com6_bb1 | 547 | 6. When you ask her to, does your baby go into another room to find a familiar toy or object? (You might ask, where is your ball? or say, bring me your coat, or go get your blanket.) | Nominal | Input | 18 |
| asq3_14m_gm1_bb1 | 548 | 1. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_com4_bb1 | Right | F3 | F3 | |
| asq3_14m_com5_bb1 | Right | F3 | F3 | |
| asq3_14m_com6_bb1 | Right | F3 | F3 | |
| asq3_14m_gm1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_gm2_bb1 | 549 | 2. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_14m_gm3_bb1 | 550 | 3. Does your baby stand up in the middle of the floor by himself and take several steps forward? | Nominal | Input | 17 |
| asq3_14m_gm4_bb1 | 551 | 4. Does your baby climb onto furniture or other large objects, such as large climbing blocks? | Nominal | Input | 17 |
| asq3_14m_gm5_bb1 | 552 | 5. Does your baby bend over or squat to pick up an object from the floor and then stand up again without any support? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_gm2_bb1 | Right | F3 | F3 | |
| asq3_14m_gm3_bb1 | Right | F3 | F3 | |
| asq3_14m_gm4_bb1 | Right | F3 | F3 | |
| asq3_14m_gm5_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_gm6_bb1 | 553 | 6. Does your baby move around by walking, rather than by crawling on his hands and knees? | Nominal | Input | 17 |
| asq3_14m_fm1_bb1 | 554 | 1. Without resting her arm or hand on the table, does your baby pick up a crumb or cheerio with the tips of her thumb and finger? | Nominal | Input | 17 |
| asq3_14m_fm2_bb1 | 555 | 2. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark not yet for this ... | Nominal | Input | 17 |
| asq3_14m_fm3_bb1 | 556 | 3. Does your baby help turn the pages of a book? (You may lift a page for her ... | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_gm6_bb1 | Right | F3 | F3 | |
| asq3_14m_fm1_bb1 | Right | F3 | F3 | |
| asq3_14m_fm2_bb1 | Right | F3 | F3 | |
| asq3_14m_fm3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_fm4_bb1 | 557 | 4. Does your baby stack a small block or toy on top of another one? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.) | Nominal | Input | 17 |
| asq3_14m_fm5_bb1 | 558 | 5. Does your baby make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw? | Nominal | Input | 17 |
| asq3_14m_fm6_bb1 | 559 | 6. Does your baby stack three small blocks or toys on top of each other by herself? | Nominal | Input | 17 |
| asq3_14m_prs1_bb1 | 560 | 1. If you put a small toy into a bowl or box, does your baby copy you by putting in a toy, although he may not let go of it? (If he already lets go of the toy into a bowl if box, mark yes for this item.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_fm4_bb1 | Right | F3 | F3 | |
| asq3_14m_fm5_bb1 | Right | F3 | F3 | |
| asq3_14m_fm6_bb1 | Right | F3 | F3 | |
| asq3_14m_prs1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_prs2_bb1 | 561 | 2. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show her ... | Nominal | Input | 18 |
| asq3_14m_prs3_bb1 | 562 | 3. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If he already scribbles on his own, mark yes for this item.) | Nominal | Input | 18 |
| asq3_14m_prs4_bb1 | 563 | 4. Can your baby drop a crumb or cheerio into a small, clear bottle (such as a plastic soda-pop bottle or baby bottle)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_prs2_bb1 | Right | F3 | F3 | |
| asq3_14m_prs3_bb1 | Right | F3 | F3 | |
| asq3_14m_prs4_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_prs5_bb1 | 564 | 5. Does your baby drop several small toys, one after another, into a container like a bowl or box? (You may show her ... | Nominal | Input | 18 |
| asq3_14m_prs6_bb1 | 565 | 6. After you have shown your baby how, does he try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool? | Nominal | Input | 18 |
| asq3_14m_ps1_bb1 | 566 | 1. When you dress your baby, does she lift her foot for her shoe, sock, or pant leg? | Nominal | Input | 17 |
| asq3_14m_ps2_bb1 | 567 | 2. Does your baby roll or throw a ball back to you so that you can return it to him? | Nominal | Input | 17 |
| asq3_14m_ps3_bb1 | 568 | 3. Does your baby play with a doll or stuffed animal by hugging it? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_prs5_bb1 | Right | F3 | F3 | |
| asq3_14m_prs6_bb1 | Right | F3 | F3 | |
| asq3_14m_ps1_bb1 | Right | F3 | F3 | |
| asq3_14m_ps2_bb1 | Right | F3 | F3 | |
| asq3_14m_ps3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_ps4_bb1 | 569 | 4. Does your baby feed herself with a spoon, even though she may spill soon food? | Nominal | Input | 17 |
| asq3_14m_ps5_bb1 | 570 | 5. Does your baby help undress himself by taking off clothes like socks, hat, shoes, or mittens? | Nominal | Input | 17 |
| asq3_14m_ps6_bb1 | 571 | 6. Does your baby get your attention or try to show you something by pulling on your hand or ... | Nominal | Input | 17 |
| ASQcomm_bb1 | 572 | Communication Total score; combining 12 & 14 months - First baby of ... | Scale | Input | 10 |
| ASQgm_bb1 | 573 | Gross Motor Total score; combining 12 & 14 months - First baby of multiples | Nominal | Input | 10 |
| ASQfm_bb1 | 574 | Fine Motor Total score; combining 12 & 14 months - First baby of multiples | Nominal | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_ps4_bb1 | Right | F3 | F3 | |
| asq3_14m_ps5_bb1 | Right | F3 | F3 | |
| asq3_14m_ps6_bb1 | Right | F3 | F3 | |
| ASQcomm_bb1 | Right | F8.2 | F8.2 | -999.00 |
| ASQgm_bb1 | Right | F8.2 | F8.2 | -999.00 |
| ASQfm_bb1 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|--|-------------------|-------|--------------|
| ASQprs_bb1 | 575 | Problem-Solving Total score; combining 12 & 14 months - First baby of multiples | Nominal | Input | 10 |
| ASQps_bb1 | 576 | Personal-Social Total score; combining 12 & 14 months - First baby of multiples | Scale | Input | 10 |
| CutComm_bb1 | 577 | codes for above or below cutoff on Communication at 12 months postpartum - First baby of multiples | Scale | Input | 10 |
| CutGM_bb1 | 578 | codes for above or below cutoff on Gross Motor at 12 months postpartum - First baby of multiples | Scale | Input | 10 |
| CutFM_bb1 | 579 | codes for above or below cutoff on Fine Motor at 12 months postpartum - First baby of multiples | Scale | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| ASQprs_bb1 | Right | F8.2 | F8.2 | -999.00 |
| ASQps_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutComm_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutGM_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutFM_bb1 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| CutPRS_bb1 | 580 | codes for above or below cutoff on Problem Solving at 12 months postpartum - First baby of multiples | Scale | Input | 10 |
| CutPS_bb1 | 581 | codes for above or below cutoff on Personal-Social at 12 months postpartum - First baby of multiples | Scale | Input | 10 |
| CutTotal_bb1 | 582 | codes for below or 2 or 1 SD above cutoff on any of the 5 domains at 12 months postpartum - First baby of multiples | Nominal | Input | 10 |
| asq_se_1_bb1 | 583 | 1. Does your baby laugh or smile at you and other family members? | Nominal | Input | 13 |
| asq_se_c1__1_bb1 | 584 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_2_bb1 | 585 | 2. Does your baby look for you when a stranger comes near? | Nominal | Input | 13 |
| asq_se_c2__1_bb1 | 586 | (choice=Click if this is a concern) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| CutPRS_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutPS_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutTotal_bb1 | Right | F8.2 | F8.2 | -999.00 |
| asq_se_1_bb1 | Right | F3 | F3 | |
| asq_se_c1__1_bb1 | Right | F3 | F3 | |
| asq_se_2_bb1 | Right | F3 | F3 | |
| asq_se_c2__1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq_se_3_bb1 | 587 | 3. Does your baby like to play near or be with family and friends? | Nominal | Input | 13 |
| asq_se_c3__1_bb1 | 588 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_4_bb1 | 589 | 4. Does your baby like to be picked up and held? | Nominal | Input | 13 |
| asq_se_c4__1_bb1 | 590 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_5_bb1 | 591 | 5. When upset, can your baby calm down within a half hour? | Nominal | Input | 13 |
| asq_se_c5__1_bb1 | 592 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_6_bb1 | 593 | 6. Does your baby stiffen and arch her back when picked up? | Nominal | Input | 13 |
| asq_se_c6__1_bb1 | 594 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_7_bb1 | 595 | 7. Does your baby like to play games such as Peekaboo? | Nominal | Input | 13 |
| asq_se_c7__1_bb1 | 596 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_8_bb1 | 597 | 8. Is your babys body relaxed? | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_se_3_bb1 | Right | F3 | F3 | |
| asq_se_c3__1_bb1 | Right | F3 | F3 | |
| asq_se_4_bb1 | Right | F3 | F3 | |
| asq_se_c4__1_bb1 | Right | F3 | F3 | |
| asq_se_5_bb1 | Right | F3 | F3 | |
| asq_se_c5__1_bb1 | Right | F3 | F3 | |
| asq_se_6_bb1 | Right | F3 | F3 | |
| asq_se_c6__1_bb1 | Right | F3 | F3 | |
| asq_se_7_bb1 | Right | F3 | F3 | |
| asq_se_c7__1_bb1 | Right | F3 | F3 | |
| asq_se_8_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq_se_c8__1_bb1 | 598 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_9_bb1 | 599 | 9. Does your baby cry, scream, or have tantrums for long periods of time? | Nominal | Input | 13 |
| asq_se_c9__1_bb1 | 600 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_10_bb1 | 601 | 10. Is your baby able to calm himself down (for example, by sucking his hand or pacifier)? | Nominal | Input | 14 |
| asq_se_c10__1_bb1 | 602 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_11_bb1 | 603 | 11. Is your baby interested in things around her, such as people, toys, and foods? | Nominal | Input | 14 |
| asq_se_c11__1_bb1 | 604 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_12_bb1 | 605 | 12. Does it take longer than 30 minutes to feed your baby? | Nominal | Input | 14 |
| asq_se_c12__1_bb1 | 606 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_13_bb1 | 607 | 13. Do you and your baby enjoy mealtimes together? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c8__1_bb1 | Right | F3 | F3 | |
| asq_se_9_bb1 | Right | F3 | F3 | |
| asq_se_c9__1_bb1 | Right | F3 | F3 | |
| asq_se_10_bb1 | Right | F3 | F3 | |
| asq_se_c10__1_bb1 | Right | F3 | F3 | |
| asq_se_11_bb1 | Right | F3 | F3 | |
| asq_se_c11__1_bb1 | Right | F3 | F3 | |
| asq_se_12_bb1 | Right | F3 | F3 | |
| asq_se_c12__1_bb1 | Right | F3 | F3 | |
| asq_se_13_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| asq_se_c13__1_bb1 | 608 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_14_bb1 | 609 | 14. Does your baby have any eating problems, such as gagging, vomiting, or _____? (Please describe.) | Nominal | Input | 14 |
| asq_se_14_other_bb1 | 610 | Please describe: | Nominal | Input | 26 |
| asq_se_c14__1_bb1 | 611 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_15_bb1 | 612 | 15. Does your baby have trouble falling asleep at naptime or at night? | Nominal | Input | 14 |
| asq_se_c15__1_bb1 | 613 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_16_bb1 | 614 | 16. Does your baby make babbling sounds? For example, does he put sounds together such as ba-ba- ba- ba or na- na- na-na? | Nominal | Input | 14 |
| asq_se_c16__1_bb1 | 615 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_17_bb1 | 616 | 17. Does your baby sleep at least 10 hours in a 24- hour period? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| asq_se_c13__1_bb1 | Right | F3 | F3 | |
| asq_se_14_bb1 | Right | F3 | F3 | |
| asq_se_14_other_bb1 | Left | A1000 | A1000 | |
| asq_se_c14__1_bb1 | Right | F3 | F3 | |
| asq_se_15_bb1 | Right | F3 | F3 | |
| asq_se_c15__1_bb1 | Right | F3 | F3 | |
| asq_se_16_bb1 | Right | F3 | F3 | |
| asq_se_c16__1_bb1 | Right | F3 | F3 | |
| asq_se_17_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq_se_c17__1_bb1 | 617 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_18_bb1 | 618 | 18. Does your baby get constipated or have diarrhea? | Nominal | Input | 14 |
| asq_se_c18__1_bb1 | 619 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_19_bb1 | 620 | 19. Does your baby let you know when she is hungry, hurt, or tired? | Nominal | Input | 14 |
| asq_se_c19__1_bb1 | 621 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_20_bb1 | 622 | 20. When you talk to your baby, does he turn his head, look, or ... | Nominal | Input | 14 |
| asq_se_c20__1_bb1 | 623 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_21_bb1 | 624 | 21. Does your baby try to hurt other children, adults, or animals (for example, by kicking or biting)? | Nominal | Input | 14 |
| asq_se_c21__1_bb1 | 625 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_22_bb1 | 626 | 22. Does your baby try to show you things? For example, does she hold out a toy and look at you? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c17__1_bb1 | Right | F3 | F3 | |
| asq_se_18_bb1 | Right | F3 | F3 | |
| asq_se_c18__1_bb1 | Right | F3 | F3 | |
| asq_se_19_bb1 | Right | F3 | F3 | |
| asq_se_c19__1_bb1 | Right | F3 | F3 | |
| asq_se_20_bb1 | Right | F3 | F3 | |
| asq_se_c20__1_bb1 | Right | F3 | F3 | |
| asq_se_21_bb1 | Right | F3 | F3 | |
| asq_se_c21__1_bb1 | Right | F3 | F3 | |
| asq_se_22_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq_se_c22__1_bb1 | 627 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_23_bb1 | 628 | 23. Does your baby respond to his name when you call him? For example, does he turn his head and look at you? | Nominal | Input | 14 |
| asq_se_c23__1_bb1 | 629 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_24_bb1 | 630 | 24. When you point at something, does your baby look in the direction you are pointing? | Nominal | Input | 14 |
| asq_se_c24__1_bb1 | 631 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_25_bb1 | 632 | 25. Does your baby make sounds or use gestures to let you know she wants something (for example, by reaching)? | Nominal | Input | 14 |
| asq_se_c25__1_bb1 | 633 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_26_bb1 | 634 | 26. When you copy sounds your baby makes, does your baby repeat the same sounds back to you? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c22__1_bb1 | Right | F3 | F3 | |
| asq_se_23_bb1 | Right | F3 | F3 | |
| asq_se_c23__1_bb1 | Right | F3 | F3 | |
| asq_se_24_bb1 | Right | F3 | F3 | |
| asq_se_c24__1_bb1 | Right | F3 | F3 | |
| asq_se_25_bb1 | Right | F3 | F3 | |
| asq_se_c25__1_bb1 | Right | F3 | F3 | |
| asq_se_26_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq_se_c26__1_bb1 | 635 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_27_bb1 | 636 | 27. Has anyone shared concerns about your babys behaviors? | Nominal | Input | 14 |
| asq_se_c27__1_bb1 | 637 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_27b_bb1 | 638 | If sometimes or often or always, please explain: | Nominal | Input | 26 |
| asq_se_30_bb1 | 639 | 28. What do you enjoy about your baby? | Nominal | Input | 26 |
| ASQSE_12m_bb1 | 640 | ASQ:SE total score at 12 months postpartum adjusted for missing items - First baby of multiples | Scale | Input | 13 |
| CutASQSE_12m_bb1 | 641 | codes for above or below cutoff on ASQ:SE-2 at 12-month postpartum - First baby of multiples | Scale | Input | 14 |
| m12_bisq_2_bb2 | 642 | In a typical week, how often does your child have the exact same bedtime ... | Nominal | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c26__1_bb1 | Right | F3 | F3 | |
| asq_se_27_bb1 | Right | F3 | F3 | |
| asq_se_c27__1_bb1 | Right | F3 | F3 | |
| asq_se_27b_bb1 | Left | A30000 | A30000 | |
| asq_se_30_bb1 | Left | A30000 | A30000 | |
| ASQSE_12m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutASQSE_12m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| m12_bisq_2_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| m12_bisq_3_bb2 | 643 | Where does your child usually fall asleep at bedtime? | Nominal | Input | 15 |
| m12_bisq_oclock_6_bb2 | 644 | What time do you usually put your child to bed at night (lights out)? | Scale | Input | 22 |
| m12_bisq_9_bb2 | 645 | In what room does your child sleep for most of the night? | Nominal | Input | 15 |
| m12_bisq_10_bb2 | 646 | Where does your child sleep for most of the night? | Nominal | Input | 16 |
| m12_bisq_11_bb2 | 647 | How many times does your child usually wake during the night? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| m12_bisq_3_bb2 | Right | F3 | F3 | |
| m12_bisq_oclock_6_bb2 | Right | F3 | F3 | |
| m12_bisq_9_bb2 | Right | F3 | F3 | |
| m12_bisq_10_bb2 | Right | F3 | F3 | |
| m12_bisq_11_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m12_bisq_13_bb2 | 648 | How much total time during the NIGHT is your child usually AWAKE (between when your child goes to bed and wakes for the day)? Example: If your child wakes up 2 times and is awake for about 15 minutes each time, your childs total time spent awake is 30 m | Nominal | Input | 16 |
| m12_bisq_14_bb2 | 649 | What is the longest stretch of time that your child is asleep during the NIGHT without ... | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m12_bisq_13_bb2 | Right | F3 | F3 | |
| m12_bisq_14_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m12_bisq_15_bb2 | 650 | What time does your child wake up in the morning? | Scale | Input | 16 |
| m12_bisq_16_bb2 | 651 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hou | Scale | Input | 16 |
| m12_bisq_17_bb2 | 652 | How well does your child usually sleep at night? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m12_bisq_15_bb2 | Right | F3 | F3 | |
| m12_bisq_16_bb2 | Right | F3 | F3 | |
| m12_bisq_17_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| m12_bisq_18_bb2 | 653 | On a typical DAY, how many naps does your child take? (between when your child wakes for the day and goes to bed at night) | Nominal | Input | 16 |
| m12_bisq_19_bb2 | 654 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your child's total time spent sleeping during the day is | Nominal | Input | 16 |
| m12_bisq_20_bb2 | 655 | Do you consider your child's sleep a problem? | Nominal | Input | 16 |
| InfantSleep_M12_bb2 | 656 | Infant Sleep at 12-month postpartum - Second baby of multiples | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| m12_bisq_18_bb2 | Right | F3 | F3 | |
| m12_bisq_19_bb2 | Right | F3 | F3 | |
| m12_bisq_20_bb2 | Right | F3 | F3 | |
| InfantSleep_M12_bb2 | Right | F5.2 | F5.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|--|-------------------|-------|--------------|
| ParentPerception_M12_bb2 | 657 | Parent Perception at 12-month postpartum - Second baby of multiples | Scale | Input | 12 |
| ParentBehavior_M12_bb2 | 658 | Parent Behavior at 12-month postpartum - Second baby of multiples | Scale | Input | 12 |
| TotalBISQ_M12_bb2 | 659 | Total BISQ Score at 12-month postpartum - Second baby of multiples | Scale | Input | 12 |
| m12_breastfeed_1_bb2 | 660 | Are you currently breastfeeding or providing your own breast milk to your baby? | Nominal | Input | 21 |
| m12_breastfeed_3_1_bb2 | 661 | How old was your baby when you introduced other milks? Months: | Nominal | Input | 23 |
| m12_breastfeed_3_2_bb2 | 662 | How old was your baby when you introduced other milks? Weeks: | Nominal | Input | 23 |
| m12_breastfeed_4_1_bb2 | 663 | If your baby is not receiving breastmilk, how old was he/she last fed breastmilk (weaned)? Months: | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| ParentPerception_M12_bb2 | Right | F4.2 | F4.2 | |
| ParentBehavior_M12_bb2 | Right | F5.2 | F5.2 | |
| TotalBISQ_M12_bb2 | Right | F5.2 | F5.2 | |
| m12_breastfeed_1_bb2 | Right | F3 | F3 | |
| m12_breastfeed_3_1_bb2 | Right | F3 | F3 | |
| m12_breastfeed_3_2_bb2 | Right | F3 | F3 | |
| m12_breastfeed_4_1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------------|----------|--|-------------------|-------|--------------|
| m12_breastfeed_4_2_bb2 | 664 | If your baby is not receiving breastmilk, how old was he/she last fed breastmilk (weaned)? Weeks: | Nominal | Input | 23 |
| m12_childcare_primary_b b2 | 665 | My child is primarily cared for by: | Nominal | Input | 23 |
| asq_today_bb2 | 666 | ASQ Survey Date at 12-month Postpartum | Scale | Input | 22 |
| asq3_12m_com1_bb2 | 667 | 1. Does your baby make two similar sounds, such a ba-ba, da-da, or ga-ga? (The sounds do not need to mean anything.) | Nominal | Input | 18 |
| asq3_12m_com2_bb2 | 668 | 2. If you ask your baby to, does he play at least one nursery game even if you dont show him the activity yourself (such as bye-bye, Peek-a-boo, clap your hands, So Big)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|-----------|--------------|--------------|----------------|
| m12_breastfeed_4_2_bb2 | Right | F3 | F3 | |
| m12_childcare_primary_b b2 | Right | F3 | F3 | |
| asq_today_bb2 | Right | ADATE10 | ADATE10 | |
| asq3_12m_com1_bb2 | Right | F3 | F3 | |
| asq3_12m_com2_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_com3_bb2 | 669 | 3. Does your baby follow one simple command, such as Come here, Give it to me, or Put it back, without your using gestures? | Nominal | Input | 18 |
| asq3_12m_com4_bb2 | 670 | 4. Does your baby say three words, such as Mama, Dada, and Baba? (A word is a sound or sounds your baby says consistently to mean someone or something.) | Nominal | Input | 18 |
| asq3_12m_com5_bb2 | 671 | 5. When you ask, Where is the ball (hat, shoe, etc.)? does your baby look at the object? (Make sure the object is present. Mark yes if she knows one object.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_com3_bb2 | Right | F3 | F3 | |
| asq3_12m_com4_bb2 | Right | F3 | F3 | |
| asq3_12m_com5_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_com6_bb2 | 672 | 6. When your baby wants something, does he tell you by pointing to it? | Nominal | Input | 18 |
| asq3_12m_gm1_bb2 | 673 | 1. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position? | Nominal | Input | 17 |
| asq3_12m_gm2_bb2 | 674 | 2. While holding onto furniture, does your baby lower herself with control (without falling or flopping ... | Nominal | Input | 17 |
| asq3_12m_gm3_bb2 | 675 | 3. Does your baby walk beside furniture while holding on with only one hand? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_com6_bb2 | Right | F3 | F3 | |
| asq3_12m_gm1_bb2 | Right | F3 | F3 | |
| asq3_12m_gm2_bb2 | Right | F3 | F3 | |
| asq3_12m_gm3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_gm4_bb2 | 676 | 4. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_gm5_bb2 | 677 | 5. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_gm6_bb2 | 678 | 6. Does your baby stand up in the middle of the floor by himself and take several steps forward? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_gm4_bb2 | Right | F3 | F3 | |
| asq3_12m_gm5_bb2 | Right | F3 | F3 | |
| asq3_12m_gm6_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_fm1_bb2 | 679 | 1. After one or two tries, does your baby pick up a piece of string with his first finger and thumb? (The string may be attached to a toy.) | Nominal | Input | 17 |
| asq3_12m_fm2_bb2 | 680 | 2. Does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? She may rest her arm or hand on the table while doing it. | Nominal | Input | 17 |
| asq3_12m_fm3_bb2 | 681 | 3. Does your baby put a small toy down, without dropping it, and then take his hand off the toy? | Nominal | Input | 17 |
| asq3_12m_fm4_bb2 | 682 | 4. Without resting her arm or hand on the table, does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_12m_fm1_bb2 | Right | F3 | F3 | |
| asq3_12m_fm2_bb2 | Right | F3 | F3 | |
| asq3_12m_fm3_bb2 | Right | F3 | F3 | |
| asq3_12m_fm4_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_fm5_bb2 | 683 | 5. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark not yet for this ... | Nominal | Input | 17 |
| asq3_12m_fm6_bb2 | 684 | 6. Does your baby help turn the pages of a book? (You may lift a page for him ... | Nominal | Input | 17 |
| asq3_12m_prs1_bb2 | 685 | 1. When holding a small toy in each hand, does your baby clap the toys together (like Pat-a-cake)? | Nominal | Input | 18 |
| asq3_12m_prs2_bb2 | 686 | 2. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_fm5_bb2 | Right | F3 | F3 | |
| asq3_12m_fm6_bb2 | Right | F3 | F3 | |
| asq3_12m_prs1_bb2 | Right | F3 | F3 | |
| asq3_12m_prs2_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_12m_prs3_bb2 | 687 | 3. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.) | Nominal | Input | 18 |
| asq3_12m_prs4_bb2 | 688 | 4. If you put a small toy in a bowl or box, does your baby copy you by putting in a toy, although she may not let go of it? (If she already lets go of the toy into a bowl or box, mark yes for this item.) | Nominal | Input | 18 |
| asq3_12m_prs5_bb2 | 689 | 5. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show him ... | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_prs3_bb2 | Right | F3 | F3 | |
| asq3_12m_prs4_bb2 | Right | F3 | F3 | |
| asq3_12m_prs5_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_prs6_bb2 | 690 | 6. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If she already scribbles on her own, mark yes for this item) | Nominal | Input | 18 |
| asq3_12m_ps1_bb2 | 691 | 1. When you hold out your hand and ask for his toy, does your baby offer it to you even if he doesn't let go of it? (If he already lets go of the toy into your hand, mark yes for this item.) | Nominal | Input | 17 |
| asq3_12m_ps2_bb2 | 692 | 2. When you dress your baby, does she push her arm through a sleeve once her arm is started in the hole of the sleeve? | Nominal | Input | 17 |
| asq3_12m_ps3_bb2 | 693 | 3. When you hold out your hand and ask for his toy, does your baby let go of it into your hand? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_prs6_bb2 | Right | F3 | F3 | |
| asq3_12m_ps1_bb2 | Right | F3 | F3 | |
| asq3_12m_ps2_bb2 | Right | F3 | F3 | |
| asq3_12m_ps3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_12m_ps4_bb2 | 694 | 4. When you dress your baby, does she lift her foot for her shoe, sock or pant leg? | Nominal | Input | 17 |
| asq3_12m_ps5_bb2 | 695 | 5. Does your baby roll or throw a ball back to you so that you can return it to him? | Nominal | Input | 17 |
| asq3_12m_ps6_bb2 | 696 | 6. Does your baby play with a doll or stuffed animal by hugging it? | Nominal | Input | 17 |
| asq3_14m_com1_bb2 | 697 | 1. Does your baby say three words, such as Mama, Dada, and Baba? (A word is a sound or sounds your baby says consistently to mean someone or something.) | Nominal | Input | 18 |
| asq3_14m_com2_bb2 | 698 | 2. When your baby wants something, does she tell you by pointing to it? | Nominal | Input | 18 |
| asq3_14m_com3_bb2 | 699 | 3. Does your baby shake his head when he means no or yes? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_12m_ps4_bb2 | Right | F3 | F3 | |
| asq3_12m_ps5_bb2 | Right | F3 | F3 | |
| asq3_12m_ps6_bb2 | Right | F3 | F3 | |
| asq3_14m_com1_bb2 | Right | F3 | F3 | |
| asq3_14m_com2_bb2 | Right | F3 | F3 | |
| asq3_14m_com3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_com4_bb2 | 700 | 4. Does your baby point to, pat, or try to pick up pictures in a book? | Nominal | Input | 18 |
| asq3_14m_com5_bb2 | 701 | 5. Does your baby say four or more words in addition to Mama and Dada? | Nominal | Input | 18 |
| asq3_14m_com6_bb2 | 702 | 6. When you ask her to, does your baby go into another room to find a familiar toy or object? (You might ask, where is your ball? or say, bring me your coat, or go get your blanket.) | Nominal | Input | 18 |
| asq3_14m_gm1_bb2 | 703 | 1. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_com4_bb2 | Right | F3 | F3 | |
| asq3_14m_com5_bb2 | Right | F3 | F3 | |
| asq3_14m_com6_bb2 | Right | F3 | F3 | |
| asq3_14m_gm1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_gm2_bb2 | 704 | 2. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark yes for this item.) | Nominal | Input | 17 |
| asq3_14m_gm3_bb2 | 705 | 3. Does your baby stand up in the middle of the floor by himself and take several steps forward? | Nominal | Input | 17 |
| asq3_14m_gm4_bb2 | 706 | 4. Does your baby climb onto furniture or other large objects, such as large climbing blocks? | Nominal | Input | 17 |
| asq3_14m_gm5_bb2 | 707 | 5. Does your baby bend over or squat to pick up an object from the floor and then stand up again without any support? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_gm2_bb2 | Right | F3 | F3 | |
| asq3_14m_gm3_bb2 | Right | F3 | F3 | |
| asq3_14m_gm4_bb2 | Right | F3 | F3 | |
| asq3_14m_gm5_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_gm6_bb2 | 708 | 6. Does your baby move around by walking, rather than by crawling on his hands and knees? | Nominal | Input | 17 |
| asq3_14m_fm1_bb2 | 709 | 1. Without resting her arm or hand on the table, does your baby pick up a crumb or cheerio with the tips of her thumb and finger? | Nominal | Input | 17 |
| asq3_14m_fm2_bb2 | 710 | 2. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark not yet for this ... | Nominal | Input | 17 |
| asq3_14m_fm3_bb2 | 711 | 3. Does your baby help turn the pages of a book? (You may lift a page for her ... | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_gm6_bb2 | Right | F3 | F3 | |
| asq3_14m_fm1_bb2 | Right | F3 | F3 | |
| asq3_14m_fm2_bb2 | Right | F3 | F3 | |
| asq3_14m_fm3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_fm4_bb2 | 712 | 4. Does your baby stack a small block or toy on top of another one? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.) | Nominal | Input | 17 |
| asq3_14m_fm5_bb2 | 713 | 5. Does your baby make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw? | Nominal | Input | 17 |
| asq3_14m_fm6_bb2 | 714 | 6. Does your baby stack three small blocks or toys on top of each other by herself? | Nominal | Input | 17 |
| asq3_14m_prs1_bb2 | 715 | 1. If you put a small toy into a bowl or box, does your baby copy you by putting in a toy, although he may not let go of it? (If he already lets go of the toy into a bowl if box, mark yes for this item.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_fm4_bb2 | Right | F3 | F3 | |
| asq3_14m_fm5_bb2 | Right | F3 | F3 | |
| asq3_14m_fm6_bb2 | Right | F3 | F3 | |
| asq3_14m_prs1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_prs2_bb2 | 716 | 2. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show her ... | Nominal | Input | 18 |
| asq3_14m_prs3_bb2 | 717 | 3. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If he already scribbles on his own, mark yes for this item.) | Nominal | Input | 18 |
| asq3_14m_prs4_bb2 | 718 | 4. Can your baby drop a crumb or cheerio into a small, clear bottle (such as a plastic soda-pop bottle or baby bottle)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_prs2_bb2 | Right | F3 | F3 | |
| asq3_14m_prs3_bb2 | Right | F3 | F3 | |
| asq3_14m_prs4_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_14m_prs5_bb2 | 719 | 5. Does your baby drop several small toys, one after another, into a container like a bowl or box? (You may show her ... | Nominal | Input | 18 |
| asq3_14m_prs6_bb2 | 720 | 6. After you have shown your baby how, does he try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool? | Nominal | Input | 18 |
| asq3_14m_ps1_bb2 | 721 | 1. When you dress your baby, does she lift her foot for her shoe, sock, or pant leg? | Nominal | Input | 17 |
| asq3_14m_ps2_bb2 | 722 | 2. Does your baby roll or throw a ball back to you so that you can return it to him? | Nominal | Input | 17 |
| asq3_14m_ps3_bb2 | 723 | 3. Does your baby play with a doll or stuffed animal by hugging it? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_14m_prs5_bb2 | Right | F3 | F3 | |
| asq3_14m_prs6_bb2 | Right | F3 | F3 | |
| asq3_14m_ps1_bb2 | Right | F3 | F3 | |
| asq3_14m_ps2_bb2 | Right | F3 | F3 | |
| asq3_14m_ps3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_14m_ps4_bb2 | 724 | 4. Does your baby feed herself with a spoon, even though she may spill soon food? | Nominal | Input | 17 |
| asq3_14m_ps5_bb2 | 725 | 5. Does your baby help undress himself by taking off clothes like socks, hat, shoes, or mittens? | Nominal | Input | 17 |
| asq3_14m_ps6_bb2 | 726 | 6. Does your baby get your attention or try to show you something by pulling on your hand or ... | Nominal | Input | 17 |
| ASQcomm_bb2 | 727 | Communication Total score; combining 12 & 14 months - Second baby of ... | Scale | Input | 10 |
| ASQgm_bb2 | 728 | Gross Motor Total score; combining 12 & 14 months - Second baby of multiples | Nominal | Input | 10 |
| ASQfm_bb2 | 729 | Fine Motor Total score; combining 12 & 14 months - Second baby of multiples | Nominal | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_14m_ps4_bb2 | Right | F3 | F3 | |
| asq3_14m_ps5_bb2 | Right | F3 | F3 | |
| asq3_14m_ps6_bb2 | Right | F3 | F3 | |
| ASQcomm_bb2 | Right | F8.2 | F8.2 | -999.00 |
| ASQgm_bb2 | Right | F8.2 | F8.2 | -999.00 |
| ASQfm_bb2 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|---|-------------------|-------|--------------|
| ASQprs_bb2 | 730 | Problem-Solving Total score; combining 12 & 14 months - Second baby of multiples | Nominal | Input | 10 |
| ASQps_bb2 | 731 | Personal-Social Total score; combining 12 & 14 months - Second baby of multiples | Scale | Input | 10 |
| CutComm_bb2 | 732 | codes for above or below cutoff on Communication at 12 months postpartum - Second baby of multiples | Scale | Input | 10 |
| CutGM_bb2 | 733 | codes for above or below cutoff on Gross Motor at 12 months postpartum - Second baby of multiples | Scale | Input | 10 |
| CutFM_bb2 | 734 | codes for above or below cutoff on Fine Motor at 12 months postpartum - Second baby of multiples | Scale | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| ASQprs_bb2 | Right | F8.2 | F8.2 | -999.00 |
| ASQps_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutComm_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutGM_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutFM_bb2 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| CutPRS_bb2 | 735 | codes for above or below cutoff on Problem Solving at 12 months postpartum - Second baby of multiples | Scale | Input | 10 |
| CutPS_bb2 | 736 | codes for above or below cutoff on Personal-Social at 12 months postpartum - Second baby of multiples | Scale | Input | 10 |
| CutTotal_bb2 | 737 | codes for below or 2 or 1 SD above cutoff on any of the 5 domains at 12 months postpartum - Second baby of multiples | Nominal | Input | 10 |
| asq_se_1_bb2 | 738 | 1. Does your baby laugh or smile at you and other family members? | Nominal | Input | 13 |
| asq_se_c1__1_bb2 | 739 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_2_bb2 | 740 | 2. Does your baby look for you when a stranger comes near? | Nominal | Input | 13 |
| asq_se_c2__1_bb2 | 741 | (choice=Click if this is a concern) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| CutPRS_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutPS_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutTotal_bb2 | Right | F8.2 | F8.2 | -999.00 |
| asq_se_1_bb2 | Right | F3 | F3 | |
| asq_se_c1__1_bb2 | Right | F3 | F3 | |
| asq_se_2_bb2 | Right | F3 | F3 | |
| asq_se_c2__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq_se_3_bb2 | 742 | 3. Does your baby like to play near or be with family and friends? | Nominal | Input | 13 |
| asq_se_c3__1_bb2 | 743 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_4_bb2 | 744 | 4. Does your baby like to be picked up and held? | Nominal | Input | 13 |
| asq_se_c4__1_bb2 | 745 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_5_bb2 | 746 | 5. When upset, can your baby calm down within a half hour? | Nominal | Input | 13 |
| asq_se_c5__1_bb2 | 747 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_6_bb2 | 748 | 6. Does your baby stiffen and arch her back when picked up? | Nominal | Input | 13 |
| asq_se_c6__1_bb2 | 749 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_7_bb2 | 750 | 7. Does your baby like to play games such as Peekaboo? | Nominal | Input | 13 |
| asq_se_c7__1_bb2 | 751 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_8_bb2 | 752 | 8. Is your babys body relaxed? | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq_se_3_bb2 | Right | F3 | F3 | |
| asq_se_c3__1_bb2 | Right | F3 | F3 | |
| asq_se_4_bb2 | Right | F3 | F3 | |
| asq_se_c4__1_bb2 | Right | F3 | F3 | |
| asq_se_5_bb2 | Right | F3 | F3 | |
| asq_se_c5__1_bb2 | Right | F3 | F3 | |
| asq_se_6_bb2 | Right | F3 | F3 | |
| asq_se_c6__1_bb2 | Right | F3 | F3 | |
| asq_se_7_bb2 | Right | F3 | F3 | |
| asq_se_c7__1_bb2 | Right | F3 | F3 | |
| asq_se_8_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq_se_c8__1_bb2 | 753 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_9_bb2 | 754 | 9. Does your baby cry, scream, or have tantrums for long periods of time? | Nominal | Input | 13 |
| asq_se_c9__1_bb2 | 755 | (choice=Click if this is a concern) | Nominal | Input | 18 |
| asq_se_10_bb2 | 756 | 10. Is your baby able to calm himself down (for example, by sucking his hand or pacifier)? | Nominal | Input | 14 |
| asq_se_c10__1_bb2 | 757 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_11_bb2 | 758 | 11. Is your baby interested in things around her, such as people, toys, and foods? | Nominal | Input | 14 |
| asq_se_c11__1_bb2 | 759 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_12_bb2 | 760 | 12. Does it take longer than 30 minutes to feed your baby? | Nominal | Input | 14 |
| asq_se_c12__1_bb2 | 761 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_13_bb2 | 762 | 13. Do you and your baby enjoy mealtimes together? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c8__1_bb2 | Right | F3 | F3 | |
| asq_se_9_bb2 | Right | F3 | F3 | |
| asq_se_c9__1_bb2 | Right | F3 | F3 | |
| asq_se_10_bb2 | Right | F3 | F3 | |
| asq_se_c10__1_bb2 | Right | F3 | F3 | |
| asq_se_11_bb2 | Right | F3 | F3 | |
| asq_se_c11__1_bb2 | Right | F3 | F3 | |
| asq_se_12_bb2 | Right | F3 | F3 | |
| asq_se_c12__1_bb2 | Right | F3 | F3 | |
| asq_se_13_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| asq_se_c13__1_bb2 | 763 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_14_bb2 | 764 | 14. Does your baby have any eating problems, such as gagging, vomiting, or _____? (Please describe.) | Nominal | Input | 14 |
| asq_se_14_other_bb2 | 765 | Please describe: | Nominal | Input | 26 |
| asq_se_c14__1_bb2 | 766 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_15_bb2 | 767 | 15. Does your baby have trouble falling asleep at naptime or at night? | Nominal | Input | 14 |
| asq_se_c15__1_bb2 | 768 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_16_bb2 | 769 | 16. Does your baby make babbling sounds? For example, does he put sounds together such as ba-ba- ba- ba or na- na- na-na? | Nominal | Input | 14 |
| asq_se_c16__1_bb2 | 770 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_17_bb2 | 771 | 17. Does your baby sleep at least 10 hours in a 24- hour period? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| asq_se_c13__1_bb2 | Right | F3 | F3 | |
| asq_se_14_bb2 | Right | F3 | F3 | |
| asq_se_14_other_bb2 | Left | A1000 | A1000 | |
| asq_se_c14__1_bb2 | Right | F3 | F3 | |
| asq_se_15_bb2 | Right | F3 | F3 | |
| asq_se_c15__1_bb2 | Right | F3 | F3 | |
| asq_se_16_bb2 | Right | F3 | F3 | |
| asq_se_c16__1_bb2 | Right | F3 | F3 | |
| asq_se_17_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq_se_c17__1_bb2 | 772 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_18_bb2 | 773 | 18. Does your baby get constipated or have diarrhea? | Nominal | Input | 14 |
| asq_se_c18__1_bb2 | 774 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_19_bb2 | 775 | 19. Does your baby let you know when she is hungry, hurt, or tired? | Nominal | Input | 14 |
| asq_se_c19__1_bb2 | 776 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_20_bb2 | 777 | 20. When you talk to your baby, does he turn his head, look, or ... | Nominal | Input | 14 |
| asq_se_c20__1_bb2 | 778 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_21_bb2 | 779 | 21. Does your baby try to hurt other children, adults, or animals (for example, by kicking or biting)? | Nominal | Input | 14 |
| asq_se_c21__1_bb2 | 780 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_22_bb2 | 781 | 22. Does your baby try to show you things? For example, does she hold out a toy and look at you? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c17__1_bb2 | Right | F3 | F3 | |
| asq_se_18_bb2 | Right | F3 | F3 | |
| asq_se_c18__1_bb2 | Right | F3 | F3 | |
| asq_se_19_bb2 | Right | F3 | F3 | |
| asq_se_c19__1_bb2 | Right | F3 | F3 | |
| asq_se_20_bb2 | Right | F3 | F3 | |
| asq_se_c20__1_bb2 | Right | F3 | F3 | |
| asq_se_21_bb2 | Right | F3 | F3 | |
| asq_se_c21__1_bb2 | Right | F3 | F3 | |
| asq_se_22_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq_se_c22__1_bb2 | 782 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_23_bb2 | 783 | 23. Does your baby respond to his name when you call him? For example, does he turn his head and look at you? | Nominal | Input | 14 |
| asq_se_c23__1_bb2 | 784 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_24_bb2 | 785 | 24. When you point at something, does your baby look in the direction you are pointing? | Nominal | Input | 14 |
| asq_se_c24__1_bb2 | 786 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_25_bb2 | 787 | 25. Does your baby make sounds or use gestures to let you know she wants something (for example, by reaching)? | Nominal | Input | 14 |
| asq_se_c25__1_bb2 | 788 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_26_bb2 | 789 | 26. When you copy sounds your baby makes, does your baby repeat the same sounds back to you? | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c22__1_bb2 | Right | F3 | F3 | |
| asq_se_23_bb2 | Right | F3 | F3 | |
| asq_se_c23__1_bb2 | Right | F3 | F3 | |
| asq_se_24_bb2 | Right | F3 | F3 | |
| asq_se_c24__1_bb2 | Right | F3 | F3 | |
| asq_se_25_bb2 | Right | F3 | F3 | |
| asq_se_c25__1_bb2 | Right | F3 | F3 | |
| asq_se_26_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| asq_se_c26___1_bb2 | 790 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_27_bb2 | 791 | 27. Has anyone shared concerns about your babys behaviors? | Nominal | Input | 14 |
| asq_se_c27___1_bb2 | 792 | (choice=Click if this is a concern) | Nominal | Input | 19 |
| asq_se_27b_bb2 | 793 | If sometimes or often or always, please explain: | Nominal | Input | 26 |
| asq_se_30_bb2 | 794 | 28. What do you enjoy about your baby? | Nominal | Input | 26 |
| ASQSE_12m_bb2 | 795 | ASQ:SE total score at 12 months postpartum adjusted for missing items - Second baby of multiples | Scale | Input | 13 |
| CutASQSE_12m_bb2 | 796 | codes for above or below cutoff on ASQ:SE-2 at 12-month postpartum - Second baby of multiples | Scale | Input | 14 |
| m24_today_date | 797 | 24-month Postpartum Part 1 Survey Date | Scale | Input | 10 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq_se_c26__1_bb2 | Right | F3 | F3 | |
| asq_se_27_bb2 | Right | F3 | F3 | |
| asq_se_c27__1_bb2 | Right | F3 | F3 | |
| asq_se_27b_bb2 | Left | A30000 | A30000 | |
| asq_se_30_bb2 | Left | A30000 | A30000 | |
| ASQSE_12m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutASQSE_12m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| m24_today_date | Right | ADATE10 | ADATE10 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| M24_Infant_Age | 798 | Infant Age at 24-month postpartum in months (calculated by delivery date and M24Part2_Date) | Scale | Input | 17 |
| SLEQ_Number_M24 | 799 | SLEQ - Objective number of stressful life events at 24-month postpartum | Nominal | Input | 17 |
| SLEQ_Effect_M24 | 800 | SLEQ - Perceived effect of stressful life events at 24-month postpartum | Nominal | Input | 17 |
| EPDS_M24 | 801 | Maternal EPDS at 24-month postpartum | Scale | Input | 10 |
| DEPclassM24 | 802 | Sudo-diagnostic classification based on EPDS cut off of 13 at 24-month postpartum | Nominal | Input | 13 |
| Panx_rawM24 | 803 | PROMIS anxiety 7a - Adult v1.0 raw scores at 24-month postpartum | Scale | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| M24_Infant_Age | Right | F8.2 | F8.2 | |
| SLEQ_Number_M24 | Right | F8.2 | F8.2 | 999.00 |
| SLEQ_Effect_M24 | Right | F8.2 | F8.2 | 999.00 |
| EPDS_M24 | Right | F8.2 | F8.2 | 999.00 |
| DEPclassM24 | Right | F8.2 | F8.2 | 999.00 |
| Panx_rawM24 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------|----------|--|-------------------|-------|--------------|
| Panx_t_M24 | 804 | PROMIS anxiety 7a - Adult v1.0 T-scores at 24-month postpartum | Scale | Input | 12 |
| ANXclassM24 | 805 | Diagnostic classification based on general US population reference sample at 24-month postpartum | Nominal | Input | 13 |
| ANXdicotM24 | 806 | PROMIS anxiety classifications dicotomized at 24-month postpartum | Nominal | Input | 13 |
| CHAOS_M24 | 807 | Household chaos at 24-month postpartum | Scale | Input | 11 |
| CSI_M24 | 808 | Couple Satisfaction index at 24-month postpartum | Nominal | Input | 10 |
| CSiclassM24 | 809 | Sudo-diagnostic classification based on CSI cut off of 13.5 at 24-month ... | Nominal | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------|-----------|--------------|--------------|----------------|
| Panx_t_M24 | Right | F8.2 | F8.2 | 999.00 |
| ANXclassM24 | Right | F8.2 | F8.2 | 999.00 |
| ANXdicotM24 | Right | F8.2 | F8.2 | 999.00 |
| CHAOS_M24 | Right | F8.2 | F8.2 | 999.00 |
| CSI_M24 | Right | F8.2 | F8.2 | 999.00 |
| CSiclassM24 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|---|-------------------|-------|--------------|
| m24_sleep_duration | 810 | During the PAST MONTH, how many hours of actual sleep did you get a night? (This may be different than the number of hours you spend in bed). | Scale | Input | 20 |
| SLPdisturb_rawM24 | 811 | PROMIS sleep disturbance 4a raw scores at 24-month postpartum | Nominal | Input | 19 |
| SLPdisturb_t_M24 | 812 | PROMIS sleep disturbance 4a T-scores at 24-month postpartum | Scale | Input | 18 |
| SLPdisturbM24 | 813 | Diagnostic classification based on general US population reference sample at 24-month postpartum | Nominal | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| m24_sleep_duration | Right | F9.2 | F9.2 | |
| SLPdisturb_rawM24 | Right | F8.2 | F8.2 | 999.00 |
| SLPdisturb_t_M24 | Right | F8.2 | F8.2 | 999.00 |
| SLPdisturbM24 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------------|----------|--|-------------------|-------|--------------|
| m24_maternity_leave | 814 | If you would like, please tell us how your parental leave has been affected by the COVID-19 ... | Nominal | Input | 26 |
| m24_preg_demo_livingsituation | 815 | If you lost all your current sources of household income (paycheque, public assistance, other income), how long could you continue to live at your current address and standard of living? | Nominal | Input | 31 |
| m24_preg_demo_food_scarcity | 816 | In the last year, did you experience a time that the food you bought didnt last and you didnt have money to buy more? | Nominal | Input | 29 |
| m24_preg_demo_foodbank | 817 | In the last year, did anyone in your household ever receive food from a food bank, soup kitchen, or other charitable agency? | Nominal | Input | 24 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|-----------|--------------|--------------|----------------|
| m24_maternity_leave | Left | A3000 | A3000 | |
| m24_preg_demo_livingsituation | Right | F3 | F3 | |
| m24_preg_demo_food_scarcity | Right | F3 | F3 | |
| m24_preg_demo_foodbank | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|---|-------------------|-------|--------------|
| m24_preg_demo_moves | 818 | How many times have you moved in the past two years (including moves within the city)? | Scale | Input | 21 |
| m24_preg_demo_stablehome | 819 | Has it been difficult for you to find stable housing? | Nominal | Input | 26 |
| m24_martial | 820 | What is your marital status? At present are ... | Nominal | Input | 13 |
| m24_household_adults | 821 | How many adults live in your household (including yourself)? This can include people who live there part-time, such as members of the armed forces. | Scale | Input | 22 |
| m24_household_children | 822 | How many children under the age of 18 live in your household? This can include children who live there ... | Scale | Input | 24 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| m24_preg_demo_moves | Right | F8 | F8 | |
| m24_preg_demo_stablehome | Right | F3 | F3 | |
| m24_martial | Right | F3 | F3 | |
| m24_household_adults | Right | F8 | F8 | |
| m24_household_children | Right | F8 | F8 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|--|-------------------|-------|--------------|
| m24_new_baby | 823 | Have you delivered any children since the birth of your two-year-old? | Nominal | Input | 14 |
| m24_condition_list__1 | 824 | Have you developed any of the following conditions in the past 12 months? (choice=Anxiety) | Nominal | Input | 24 |
| m24_condition_list__4 | 825 | Have you developed any of the following conditions in the past 12 months? (choice=Depression) | Nominal | Input | 24 |
| m24_condition_list__21 | 826 | Have you developed any of the following conditions in the past 12 months? (choice=Other conditions not on this list) | Nominal | Input | 25 |
| m24_condition_list__0 | 827 | Have you developed any of the following conditions in the past 12 months? (choice=I have not developed any new conditions) | Nominal | Input | 24 |
| m24_condition_other | 828 | If other, please specify: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| m24_new_baby | Right | F3 | F3 | |
| m24_condition_list__1 | Right | F3 | F3 | |
| m24_condition_list__4 | Right | F3 | F3 | |
| m24_condition_list__21 | Right | F3 | F3 | |
| m24_condition_list__0 | Right | F3 | F3 | |
| m24_condition_other | Left | A3000 | A3000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|--|-------------------|-------|--------------|
| m24_mentalhealth_access | 829 | Have you sought out mental health services in the past year? | Nominal | Input | 25 |
| m24_mentalhealth_treat__1 | 830 | Did you receive: (choice=Medication (e.g., an antidepressan... | Nominal | Input | 28 |
| m24_mentalhealth_treat__2 | 831 | Did you receive: (choice=Counselling/therapy) | Nominal | Input | 28 |
| m24_mentalhealth_treat__0 | 832 | Did you receive: (choice=Other) | Nominal | Input | 28 |
| m24_mentalhealth_treat__3 | 833 | Did you receive: (choice=I was not able to access one or more of the services I sought out) | Nominal | Input | 28 |
| m24_mentalhealth_other | 834 | If other, please specify: | Nominal | Input | 26 |
| m24_mentalhealth_time | 835 | How long did it take you to access the mental health services you sought out? | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------|-----------|--------------|--------------|----------------|
| m24_mentalhealth_access | Right | F3 | F3 | |
| m24_mentalhealth_treat__1 | Right | F3 | F3 | |
| m24_mentalhealth_treat__2 | Right | F3 | F3 | |
| m24_mentalhealth_treat__0 | Right | F3 | F3 | |
| m24_mentalhealth_treat__3 | Right | F3 | F3 | |
| m24_mentalhealth_other | Left | A1000 | A1000 | |
| m24_mentalhealth_time | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|---|-------------------|-------|--------------|
| m24_social_status | 836 | Social status at 24-month postpartum (The higher up you are on this ladder, the closer you are to the people at the very top in Canada.; the lower you are, the closer you are to the people at the very bottom.) | Nominal | Input | 19 |
| m24_babyliving_v2 | 837 | Does your two-year-old live with you (either full- or part-time)? (We ask this to determine if certain follow-up questions about your child are applicable.) | Nominal | Input | 19 |
| m24_babyliving_part2_01 | 838 | Does your two-year-old live with you (either full- or part-time)? (We ask this to determine if certain follow-up questions about your child are applicable.) | Nominal | Input | 22 |
| m24_current_length_01 | 839 | Current length in cm at 24-month postpartum (Cleaned) | Scale | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| m24_social_status | Right | F3 | F3 | |
| m24_babyliving_v2 | Right | F3 | F3 | |
| m24_babyliving_part2_01 | Right | F3 | F3 | |
| m24_current_length_01 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| m24_current_weight_01 | 840 | Weight at 24-month postpartum in pounds (Cleaned) | Scale | Input | 20 |
| m24_generalhealth_01 | 841 | In general, would you say your child's health is: | Nominal | Input | 22 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| m24_current_weight_01 | Right | F8.2 | F8.2 | 999.00 |
| m24_generalhealth_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|--|-------------------|-------|--------------|
| m24_bisq_16_01 | 842 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hour | Scale | Input | 16 |
| m24_bisq_19_01 | 843 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your childs total time spent sleeping during the day is | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m24_bisq_16_01 | Right | F3 | F3 | |
| m24_bisq_19_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| m24_bisq_11_01 | 844 | How many times does your child usually wake during the night? | Nominal | Input | 16 |
| m24_bisq_10_01 | 845 | Are there usually electronics (e. g., television, smartphone, or tablet) on in the room while your child falls asleep at bedtime? | Nominal | Input | 16 |
| m24_bisq_20_01 | 846 | Do you consider your child's sleep a problem? | Nominal | Input | 16 |
| m24_screentime1_01 | 847 | Thinking about a typical week day, how much time does your child spend using electronic devices (e.g., TV, cell phone, tablet, computer, video game system, etc.)? (Cleaned) | Scale | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| m24_bisq_11_01 | Right | F3 | F3 | |
| m24_bisq_10_01 | Right | F3 | F3 | |
| m24_bisq_20_01 | Right | F3 | F3 | |
| m24_screentime1_01 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|---|-------------------|-------|--------------|
| m24_screentime2_01 | 848 | Thinking about a typical weekend day, how much time does your child spend using electronic devices (e.g., TV, cell phone, tablet, computer, video game system, etc.)? (Cleaned) | Scale | Input | 17 |
| m24_breastfeed_1_01 | 849 | Are you currently breastfeeding or providing your own breast milk to your child? | Nominal | Input | 21 |
| m24_breastfeed_4_01 | 850 | How old was he/she when last fed breast milk (weaned)? | Scale | Input | 21 |
| m24_breastfeed_3_01 | 851 | How old was your child when you introduced other milks? | Scale | Input | 21 |
| m24_childcare_primary_01 | 852 | My child's primary childcare is: | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| m24_screentime2_01 | Right | F8.2 | F8.2 | 999.00 |
| m24_breastfeed_1_01 | Right | F3 | F3 | |
| m24_breastfeed_4_01 | Right | F3 | F3 | |
| m24_breastfeed_3_01 | Right | F3 | F3 | |
| m24_childcare_primary_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|---|-------------------|-------|--------------|
| m24_ecbq_1_01 | 853 | When approached by an unfamiliar person in a public place (for example, the grocery store), how often did your child cling to a parent? | Nominal | Input | 15 |
| m24_ecbq_2_01 | 854 | While having trouble completing a task (e.g., building, drawing, dressing), how often did your child get easily irritated? | Nominal | Input | 15 |
| m24_ecbq_10_01 | 855 | During quiet activities, such as reading a story, how often did your child fiddle with his/her hair, clothing, ... | Nominal | Input | 16 |
| m24_ecbq_16_01 | 856 | During everyday activities, how often did your child seem to be irritated by tags in his/her ... | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m24_ecbq_1_01 | Right | F3 | F3 | |
| m24_ecbq_2_01 | Right | F3 | F3 | |
| m24_ecbq_10_01 | Right | F3 | F3 | |
| m24_ecbq_16_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|---|-------------------|-------|--------------|
| m24_ecbq_17_01 | 857 | During everyday activities, how often did your child become bothered by sounds while in noisy environments... | Nominal | Input | 16 |
| m24_ecbq_19_01 | 858 | While in a public place, how often did your child seem afraid of large, noisy vehicles? | Nominal | Input | 16 |
| m24_ecbq_22_01 | 859 | When told no, how often did your child become sadly tearful? | Nominal | Input | 16 |
| m24_ecbq_23_01 | 860 | Following an exciting activity or event, how often did your child seem to feel down or blue? | Nominal | Input | 16 |
| m24_ecbq_26_01 | 861 | When s/he asked for something and you said no, how often did your child have a temper tantrum? | Nominal | Input | 16 |
| m24_ecbq_32_01 | 862 | When visiting a new place, how often did your child not want to enter? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m24_ecbq_17_01 | Right | F3 | F3 | |
| m24_ecbq_19_01 | Right | F3 | F3 | |
| m24_ecbq_22_01 | Right | F3 | F3 | |
| m24_ecbq_23_01 | Right | F3 | F3 | |
| m24_ecbq_26_01 | Right | F3 | F3 | |
| m24_ecbq_32_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m24_ecbq_33_01 | 863 | When s/he was upset, how often did your child cry for more than 3 minutes, even when being comforted? | Nominal | Input | 16 |
| m24_ecbq_34_01 | 864 | When s/he was upset, how often did your child become easily soothed? | Nominal | Input | 16 |
| M24_ECBQ_Neg_01 | 865 | ECBQ Negativity scores at 24-month postpartum - Singleton | Scale | Input | 17 |
| m24_mchat_1_01 | 866 | 1. If you point at something across the room, does your child look at it? (FOR EXAMPLE, if you point at a toy or an animal, does your child look at the toy or ... | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_ecbq_33_01 | Right | F3 | F3 | |
| m24_ecbq_34_01 | Right | F3 | F3 | |
| M24_ECBQ_Neg_01 | Right | F8.2 | F8.2 | |
| m24_mchat_1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|--|-------------------|-------|--------------|
| m24_mchat_2_01 | 867 | 2. Have you ever wondered if your child might be deaf? | Nominal | Input | 16 |
| m24_mchat_3_01 | 868 | 3. Does your child play pretend or make-believe? (FOR EXAMPLE, pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal?) | Nominal | Input | 16 |
| m24_mchat_4_01 | 869 | 4. Does your child like climbing on things? (FOR EXAMPLE, furniture, playground equipment, or stairs) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m24_mchat_2_01 | Right | F3 | F3 | |
| m24_mchat_3_01 | Right | F3 | F3 | |
| m24_mchat_4_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|---|-------------------|-------|--------------|
| m24_mchat_5_01 | 870 | 5. Does your child make unusual finger movements near his or her eyes? (FOR EXAMPLE, does your child wiggle his or her fingers close to his or her eyes?) | Nominal | Input | 16 |
| m24_mchat_6_01 | 871 | 6. Does your child point with one finger to ask for something or to get help? (FOR EXAMPLE, pointing to a snack or toy that is out of reach) | Nominal | Input | 16 |
| m24_mchat_7_01 | 872 | 7. Does your child point with one finger to show you something interesting? (FOR EXAMPLE, pointing to an airplane in the sky or a big truck in the road) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| m24_mchat_5_01 | Right | F3 | F3 | |
| m24_mchat_6_01 | Right | F3 | F3 | |
| m24_mchat_7_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m24_mchat_8_01 | 873 | 8. Is your child interested in other children? (FOR EXAMPLE, does your child watch other children, smile at them, or go to them?) | Nominal | Input | 16 |
| m24_mchat_9_01 | 874 | 9. Does your child show you things by bringing them to you or holding them up for you to see - not to get help, but just to share? (FOR EXAMPLE, showing you a flower, a stuffed animal, or a toy truck) | Nominal | Input | 16 |
| m24_mchat_10_01 | 875 | 10. Does your child respond when you call his or her name? (FOR EXAMPLE, does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_8_01 | Right | F3 | F3 | |
| m24_mchat_9_01 | Right | F3 | F3 | |
| m24_mchat_10_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_mchat_11_01 | 876 | 11. When you smile at your child, does he or she smile back at you? | Nominal | Input | 17 |
| m24_mchat_12_01 | 877 | 12. Does your child get upset by everyday noises? (FOR EXAMPLE, does your child scream or cry to noise such as a vacuum cleaner or loud music?) | Nominal | Input | 17 |
| m24_mchat_13_01 | 878 | 13. Does your child walk? | Nominal | Input | 17 |
| m24_mchat_14_01 | 879 | 14. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her? | Nominal | Input | 17 |
| m24_mchat_15_01 | 880 | 15. Does your child try to copy what you do? (FOR EXAMPLE, wave bye-bye, clap, or make a funny noise when you do) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_11_01 | Right | F3 | F3 | |
| m24_mchat_12_01 | Right | F3 | F3 | |
| m24_mchat_13_01 | Right | F3 | F3 | |
| m24_mchat_14_01 | Right | F3 | F3 | |
| m24_mchat_15_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_mchat_16_01 | 881 | 16. If you turn your head to look at something, does your child look around to see what you are looking at? | Nominal | Input | 17 |
| m24_mchat_17_01 | 882 | 17. Does your child try to get you to watch him or her? (FOR EXAMPLE, does your child look at you for praise, or say look or watch me?) | Nominal | Input | 17 |
| m24_mchat_18_01 | 883 | 18. Does your child understand when you tell him or her to do something? (FOR EXAMPLE, if you dont point, can your child understand put the book on the chair or bring me the blanket?) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_16_01 | Right | F3 | F3 | |
| m24_mchat_17_01 | Right | F3 | F3 | |
| m24_mchat_18_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| m24_mchat_19_01 | 884 | 19. If something new happens, does your child look at your face to see how you feel about it? (FOR EXAMPLE, if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?) | Nominal | Input | 17 |
| m24_mchat_20_01 | 885 | 20. Does your child like movement activities? (FOR EXAMPLE, being swung or bounced on your knee) | Nominal | Input | 17 |
| MCHAT_M24_01 | 886 | M-CHAT Total score at 24-month postpartum - Singleton | Nominal | Input | 14 |
| MCHATClass_M24_01 | 887 | Sudo-diagnostic classification for based on M-CHAT cutoff of 2 at 24-month postpartum - Singleton | Nominal | Input | 19 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| m24_mchat_19_01 | Right | F3 | F3 | |
| m24_mchat_20_01 | Right | F3 | F3 | |
| MCHAT_M24_01 | Right | F8.2 | F8.2 | 999.00 |
| MCHATClass_M24_01 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| m24_languages_01 | 888 | Is your child regularly exposed to language(s) other than English (e.g., at home, daycare, etc)? | Nominal | Input | 18 |
| m24_lang_percent_01 | 889 | What percentage of time is your child exposed to other languages? E. g., 50% of the time. | Scale | Input | 21 |
| m24_lang_other_01 | 890 | Which other languages are they exposed to? | Nominal | Input | 26 |
| m24_lang_hearing_01 | 891 | Is there some reason to suspect that your child may have hearing loss? | Nominal | Input | 21 |
| m24_lang_vision_01 | 892 | Is there some reason to suspect that your child may have vision ... | Nominal | Input | 20 |
| CDI_sum_M24_01 | 893 | CDI Sum at 24-month postpartum - Singleton | Scale | Input | 16 |
| CDI_Percentile_01 | 894 | CDI Percentile (new norms) at 24-month postpartum - Singleton | Nominal | Input | 19 |
| m24_asq_today_01 | 895 | M24 ASQ Date | Scale | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| m24_languages_01 | Right | F3 | F3 | |
| m24_lang_percent_01 | Right | F9.2 | F9.2 | |
| m24_lang_other_01 | Left | A30000 | A30000 | |
| m24_lang_hearing_01 | Right | F3 | F3 | |
| m24_lang_vision_01 | Right | F3 | F3 | |
| CDI_sum_M24_01 | Right | F8.2 | F8.2 | 999.00 |
| CDI_Percentile_01 | Right | F8.2 | F8.2 | 999.00 |
| m24_asq_today_01 | Right | ADATE10 | ADATE10 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|--|-------------------|-------|--------------|
| m24_asq_dob01 | 896 | Please enter your child (ren)s date of birth: | Scale | Input | 15 |
| m24_dob01_unadjusted | 897 | Child(ren)s unadjusted age in days based on delivery date and todays date | Scale | Input | 22 |
| m24_dob01_unadjustedmonth | 898 | Child(ren)s unadjusted age in months based on delivery date and todays date | Scale | Input | 27 |
| asq3_24m_com1_01 | 899 | 1. Without your showing him, does your child point to the correct picture when you say, Show me the kitty, or ask, Where is the dog? (She needs to identify only one picture correctly.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|-----------|--------------|--------------|----------------|
| m24_asq_dob01 | Right | ADATE10 | ADATE10 | |
| m24_dob01_unadjusted | Right | F9.2 | F9.2 | |
| m24_dob01_unadjustedm onth | Right | F9.2 | F9.2 | |
| asq3_24m_com1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_com2_01 | 900 | 2. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as Mama eat, Daddy play, Go home, or Whats this? does your child say both words back to you? (Mark yes even if her words are difficult to understand.) | Nominal | Input | 18 |
| asq3_24m_com3_01 | 901 | 3. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? a. Put the toy on the table. b. Close the door. c. Bring me a towel. d. Find your coat. e. Ta | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com2_01 | Right | F3 | F3 | |
| asq3_24m_com3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_com4_01 | 902 | 4. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, What is this? does your child correctly name at least one picture? | Nominal | Input | 18 |
| asq3_24m_com5_01 | 903 | 5. Does your child say two or three words that represent different ideas together, such as See dog, Mommy come home, or Kitty gone? Dont count word combinations that express one idea, such as bye-bye, all gone, all right, and ... | Nominal | Input | 18 |
| asq3_24m_com5_text_01 | 904 | Please give an example of your childs word combinations: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com4_01 | Right | F3 | F3 | |
| asq3_24m_com5_01 | Right | F3 | F3 | |
| asq3_24m_com5_text_01 | Left | A1000 | A1000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_com6_01 | 905 | 6. Does your child correctly use at least two words like me, I, mine, and ... | Nominal | Input | 18 |
| asq3_24m_gm1_01 | 906 | 1. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.) | Nominal | Input | 17 |
| asq3_24m_gm2_01 | 907 | 2. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark yes for this item.) | Nominal | Input | 17 |
| asq3_24m_gm3_01 | 908 | 3. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall. | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com6_01 | Right | F3 | F3 | |
| asq3_24m_gm1_01 | Right | F3 | F3 | |
| asq3_24m_gm2_01 | Right | F3 | F3 | |
| asq3_24m_gm3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_24m_gm4_01 | 909 | 4. Does your child run fairly well, stopping herself without bumping into ... | Nominal | Input | 17 |
| asq3_24m_gm5_01 | 910 | 5. Does your child jump with both feet leaving the floor at the same time? | Nominal | Input | 17 |
| asq3_24m_gm6_01 | 911 | 6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward? | Nominal | Input | 17 |
| asq3_24m_fm1_01 | 912 | 1. Does your child get a spoon into his mouth right side up so that the food usually doesnt spill? | Nominal | Input | 17 |
| asq3_24m_fm2_01 | 913 | 2. Does your child turn the pages of a book by herself? (She may turn more than one page at a time.) | Nominal | Input | 17 |
| asq3_24m_fm3_01 | 914 | 3. Does your child use a turning motion with his hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_24m_gm4_01 | Right | F3 | F3 | |
| asq3_24m_gm5_01 | Right | F3 | F3 | |
| asq3_24m_gm6_01 | Right | F3 | F3 | |
| asq3_24m_fm1_01 | Right | F3 | F3 | |
| asq3_24m_fm2_01 | Right | F3 | F3 | |
| asq3_24m_fm3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_24m_fm4_01 | 915 | 4. Does your child flip switches off and on? | Nominal | Input | 17 |
| asq3_24m_fm5_01 | 916 | 5. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size. | Nominal | Input | 17 |
| asq3_24m_fm6_01 | 917 | 6. Can your child string small items such as beads, macaroni, or pasta wagon wheels onto a string or shoelace? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_24m_fm4_01 | Right | F3 | F3 | |
| asq3_24m_fm5_01 | Right | F3 | F3 | |
| asq3_24m_fm6_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_prs1_01 | 918 | 1. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark not yet if your child scribbles back and forth.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_prs2_01 | 919 | 2. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show him how.) (You can use a soda-pop bottle or baby ... | Nominal | Input | 18 |
| asq3_24m_prs3_01 | 920 | 3. Does your child pretend objects are something else? For example, does your child hold a cup to her ear, pretending it is a telephone? Does she put a box on her head, pretending it is a hat? Does she use a block or small toy to stir food? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs2_01 | Right | F3 | F3 | |
| asq3_24m_prs3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_prs4_01 | 921 | 4. Does your child put things away where they belong? For example, does he know his toys belong on the toy shelf, his blanket goes on his bed, and dishes go in the kitchen? | Nominal | Input | 18 |
| asq3_24m_prs5_01 | 922 | 5. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to help you in the kitchen)? | Nominal | Input | 18 |
| asq3_24m_prs6_01 | 923 | 6. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs4_01 | Right | F3 | F3 | |
| asq3_24m_prs5_01 | Right | F3 | F3 | |
| asq3_24m_prs6_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq3_24m_ps1_01 | 924 | 1. Does your child drink from a cup or glass, putting it down again with little spilling? | Nominal | Input | 17 |
| asq3_24m_ps2_01 | 925 | 2. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair? | Nominal | Input | 17 |
| asq3_24m_ps3_01 | 926 | 3. Does your child eat with a fork? | Nominal | Input | 17 |
| asq3_24m_ps4_01 | 927 | 4. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth? | Nominal | Input | 17 |
| asq3_24m_ps5_01 | 928 | 5. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_24m_ps1_01 | Right | F3 | F3 | |
| asq3_24m_ps2_01 | Right | F3 | F3 | |
| asq3_24m_ps3_01 | Right | F3 | F3 | |
| asq3_24m_ps4_01 | Right | F3 | F3 | |
| asq3_24m_ps5_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_ps6_01 | 929 | 6. Does your child call herself I or me more often than her own name? For example, I do it, more often than Juanita do it. | Nominal | Input | 17 |
| asq3_27m_com1_01 | 930 | 1. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? a.Put the toy on the table. b.Close the door. c. Bring me a towel. d. Find your coat. e. Take my | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_ps6_01 | Right | F3 | F3 | |
| asq3_27m_com1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_com2_01 | 931 | 2. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, What is this? does your child correctly name at least one picture? | Nominal | Input | 18 |
| asq3_27m_com3_01 | 932 | 3. When you ask her to point to her nose, eyes, hair, feet, ears, and so forth, does your child correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark sometimes if she correctly points to at least three diff | Nominal | Input | 18 |
| asq3_27m_com4_01 | 933 | 4. Does your child correctly use at least two words like me, I, mine, and ... | Nominal | Input | 18 |
| asq3_27m_com5_01 | 934 | 5. Does your child make sentences that are three or four words long? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_com2_01 | Right | F3 | F3 | |
| asq3_27m_com3_01 | Right | F3 | F3 | |
| asq3_27m_com4_01 | Right | F3 | F3 | |
| asq3_27m_com5_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_com5_text_01 | 935 | Please give an example: | Nominal | Input | 26 |
| asq3_27m_com6_01 | 936 | 6. Without giving your child help by pointing or using gestures, ask him to put the book on the table and put the shoe under the chair. Does your child carry out both of these directions correctly? | Nominal | Input | 18 |
| asq3_27m_gm1_01 | 937 | 1. Does your child walk either up or down at least two steps by himself? He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.) | Nominal | Input | 17 |
| asq3_27m_gm2_01 | 938 | 2. Does your child run fairly well, stopping herself without bumping into ... | Nominal | Input | 17 |
| asq3_27m_gm3_01 | 939 | 3. Does your child jump with both feet leaving the floor at the same time? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq3_27m_com5_text_01 | Left | A1000 | A1000 | |
| asq3_27m_com6_01 | Right | F3 | F3 | |
| asq3_27m_gm1_01 | Right | F3 | F3 | |
| asq3_27m_gm2_01 | Right | F3 | F3 | |
| asq3_27m_gm3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq3_27m_gm4_01 | 940 | 4. Without holding onto anything for support, does your child kick a ball by swinging his leg forward? | Nominal | Input | 17 |
| asq3_27m_gm5_01 | 941 | 5. Does your child jump forward at least 3 inches with both feet leaving the ground at the same time? | Nominal | Input | 17 |
| asq3_27m_gm6_01 | 942 | 6. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall. | Nominal | Input | 17 |
| asq3_27m_fm1_01 | 943 | 1. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_27m_gm4_01 | Right | F3 | F3 | |
| asq3_27m_gm5_01 | Right | F3 | F3 | |
| asq3_27m_gm6_01 | Right | F3 | F3 | |
| asq3_27m_fm1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| asq3_27m_fm2_01 | 944 | 2. Does your child flip switches off and on? | Nominal | Input | 17 |
| asq3_27m_fm3_01 | 945 | 3. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask him to make a line like yours. Do you let your child trace your line. Does your child copy you by drawing a single line in a vertical di | Nominal | Input | 17 |
| asq3_27m_fm4_01 | 946 | 4. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_27m_fm2_01 | Right | F3 | F3 | |
| asq3_27m_fm3_01 | Right | F3 | F3 | |
| asq3_27m_fm4_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_27m_fm5_01 | 947 | 5. Can your child string small items such as beads, macaroni, or pasta wagon wheels onto a string or shoelace? | Nominal | Input | 17 |
| asq3_27m_fm6_01 | 948 | 6. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_27m_fm5_01 | Right | F3 | F3 | |
| asq3_27m_fm6_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_prs1_01 | 949 | 1. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on her head, pretending it is a hat? Does he use a block or small toy to stir food? | Nominal | Input | 18 |
| asq3_27m_prs2_01 | 950 | 2. Does your child put things away where they belong? For example, does she know her toys belong on the toy shelf, her blanket goes on her bed, and dishes go in the kitchen? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs1_01 | Right | F3 | F3 | |
| asq3_27m_prs2_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_prs3_01 | 951 | 3. When looking in the mirror, ask Where is _____? (Use your child's name.) Does your child point to his image in the mirror? | Nominal | Input | 18 |
| asq3_27m_prs4_01 | 952 | 4. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to help you in the kitchen)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs3_01 | Right | F3 | F3 | |
| asq3_27m_prs4_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_prs5_01 | 953 | 5. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools or thread, small boxes, or other toys.) | Nominal | Input | 18 |
| asq3_27m_prs6_01 | 954 | 6. When you point to the figure and ask your child, What is this? does your child say a word that means a person or something similar (Mark yes for responses like snowman, boy, man, girl, Daddy, spaceman, and monkey.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs5_01 | Right | F3 | F3 | |
| asq3_27m_prs6_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_prs6_text_01 | 955 | Please write your child's response here: | Nominal | Input | 26 |
| asq3_27m_ps1_01 | 956 | 1. If you do any of the following gestures, does your child copy at least one of them? a. Open and close your mouth. b. Blink your eyes. c. Pull on your earlobe. d. Pat your cheek. | Nominal | Input | 17 |
| asq3_27m_ps2_01 | 957 | 2. Does your child eat with a fork? | Nominal | Input | 17 |
| asq3_27m_ps3_01 | 958 | 3. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs6_text_01 | Left | A1000 | A1000 | |
| asq3_27m_ps1_01 | Right | F3 | F3 | |
| asq3_27m_ps2_01 | Right | F3 | F3 | |
| asq3_27m_ps3_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| asq3_27m_ps4_01 | 959 | 4. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn? | Nominal | Input | 17 |
| asq3_27m_ps5_01 | 960 | 5. Does your child call herself I or me more often than her own name? For example, I do it more often than Juanita do it. | Nominal | Input | 17 |
| asq3_27m_ps6_01 | 961 | 6. Does your child put on a coat, jacket, or shirt by himself? | Nominal | Input | 17 |
| ASQcomm_24m_01 | 962 | Communication Total score; combining 24 & 27 months ... | Scale | Input | 13 |
| ASQgm_24m_01 | 963 | Gross Motor Total score; combining 24 & 27 months - Singleton | Nominal | Input | 11 |
| ASQfm_24m_01 | 964 | Fine Motor Total score; combining 24 & 27 months - Singleton | Scale | Input | 11 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| asq3_27m_ps4_01 | Right | F3 | F3 | |
| asq3_27m_ps5_01 | Right | F3 | F3 | |
| asq3_27m_ps6_01 | Right | F3 | F3 | |
| ASQcomm_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| ASQgm_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| ASQfm_24m_01 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------|----------|---|-------------------|-------|--------------|
| ASQprs_24m_01 | 965 | Problem-Solving Total score; combining 24 & 27 - Singleton | Scale | Input | 12 |
| ASQps_24m_01 | 966 | Personal-Social Total score; combining 24 & 27 - Singleton | Scale | Input | 11 |
| CutComm_24m_01 | 967 | codes for above or below cutoff on Communication at 24-month postpartum - Singleton | Scale | Input | 13 |
| CutGM_24m_01 | 968 | codes for above or below cutoff on Gross Motor at 24-month postpartum - Singleton | Scale | Input | 11 |
| CutFM_24m_01 | 969 | codes for above or below cutoff on Fine Motor at 24-month postpartum - Singleton | Scale | Input | 11 |
| CutPRS_24m_01 | 970 | codes for above or below cutoff on Problem Solving at 24-month postpartum - Singleton | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------|-----------|--------------|--------------|----------------|
| ASQprs_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| ASQps_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutComm_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutGM_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutFM_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutPRS_24m_01 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| CutPS_24m_01 | 971 | codes for above or below cutoff on Personal-Social at 24-month postpartum - Singleton | Scale | Input | 11 |
| CutTotal_24m_01 | 972 | codes for below or 2 or 1 SD above cutoff on any of the 5 domains at 24-month postpartum - Singleton | Nominal | Input | 14 |
| asq_se_24m_1_01 | 973 | 1. Does your child look at you when you talk to him? | Nominal | Input | 17 |
| asq_se_24m_c1__1_01 | 974 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_2_01 | 975 | 2. Does your child seem too friendly with ... | Nominal | Input | 17 |
| asq_se_24m_c2__1_01 | 976 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_3_01 | 977 | 3. Does your child laugh or smile when you play with her? | Nominal | Input | 17 |
| asq_se_24m_c3__1_01 | 978 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_4_01 | 979 | 4. Is your child's body relaxed? | Nominal | Input | 17 |
| asq_se_24m_c4__1_01 | 980 | (choice=Click if this is a concern) | Nominal | Input | 22 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| CutPS_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutTotal_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| asq_se_24m_1_01 | Right | F3 | F3 | |
| asq_se_24m_c1__1_01 | Right | F3 | F3 | |
| asq_se_24m_2_01 | Right | F3 | F3 | |
| asq_se_24m_c2__1_01 | Right | F3 | F3 | |
| asq_se_24m_3_01 | Right | F3 | F3 | |
| asq_se_24m_c3__1_01 | Right | F3 | F3 | |
| asq_se_24m_4_01 | Right | F3 | F3 | |
| asq_se_24m_c4__1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_5_01 | 981 | 5. When you leave, does your child stay upset and cry for more than ... | Nominal | Input | 17 |
| asq_se_24m_c5__1_01 | 982 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_6_01 | 983 | 6. Does your child greet or say hello to familiar adults? | Nominal | Input | 17 |
| asq_se_24m_c6__1_01 | 984 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_7_01 | 985 | 7. Does your child like to be hugged or cuddled? | Nominal | Input | 17 |
| asq_se_24m_c7__1_01 | 986 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_8_01 | 987 | 8. When upset, can your child calm down within 15 minutes? | Nominal | Input | 17 |
| asq_se_24m_c8__1_01 | 988 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_9_01 | 989 | 9. Does your child stiffen and arch his back when picked up? | Nominal | Input | 17 |
| asq_se_24m_c9__1_01 | 990 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_10_01 | 991 | 10. Is your child interested in things around her, such as people, toys, and foods? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_5_01 | Right | F3 | F3 | |
| asq_se_24m_c5__1_01 | Right | F3 | F3 | |
| asq_se_24m_6_01 | Right | F3 | F3 | |
| asq_se_24m_c6__1_01 | Right | F3 | F3 | |
| asq_se_24m_7_01 | Right | F3 | F3 | |
| asq_se_24m_c7__1_01 | Right | F3 | F3 | |
| asq_se_24m_8_01 | Right | F3 | F3 | |
| asq_se_24m_c8__1_01 | Right | F3 | F3 | |
| asq_se_24m_9_01 | Right | F3 | F3 | |
| asq_se_24m_c9__1_01 | Right | F3 | F3 | |
| asq_se_24m_10_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c10__1_01 | 992 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_11_01 | 993 | 11. Does your child cry, scream, or have tantrums for long periods of time? | Nominal | Input | 18 |
| asq_se_24m_c11__1_01 | 994 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_12_01 | 995 | 12. Do you and your child enjoy mealtimes together? | Nominal | Input | 18 |
| asq_se_24m_c12__1_01 | 996 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_13_01 | 997 | 13. Does your child have eating problems? For example, does he stuff food, vomit, eat things that are not food, or ____? (Please describe.) | Nominal | Input | 18 |
| asq_se_24m_13__other_01 | 998 | Please describe: | Nominal | Input | 26 |
| asq_se_24m_c13__1_01 | 999 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_14_01 | 1000 | 14. Does your child sleep at least 10 hours in a 24-hour period? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c10__1_01 | Right | F3 | F3 | |
| asq_se_24m_11_01 | Right | F3 | F3 | |
| asq_se_24m_c11__1_01 | Right | F3 | F3 | |
| asq_se_24m_12_01 | Right | F3 | F3 | |
| asq_se_24m_c12__1_01 | Right | F3 | F3 | |
| asq_se_24m_13_01 | Right | F3 | F3 | |
| asq_se_24m_13__other_01 | Left | A1000 | A1000 | |
| asq_se_24m_c13__1_01 | Right | F3 | F3 | |
| asq_se_24m_14_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_c14__1_01 | 1001 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_15_01 | 1002 | 15. When you point at something, does your child look in the direction you are pointing? | Nominal | Input | 18 |
| asq_se_24m_c15__1_01 | 1003 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_16_01 | 1004 | 16. Does your child have trouble falling asleep at naptime or at night? | Nominal | Input | 18 |
| asq_se_24m_c16__1_01 | 1005 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_17_01 | 1006 | 17. Does your child get constipated or have diarrhea? | Nominal | Input | 18 |
| asq_se_24m_c17__1_01 | 1007 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_18_01 | 1008 | 18. Does your child follow simple directions? For example, does she sit down when asked? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c14__1_01 | Right | F3 | F3 | |
| asq_se_24m_15_01 | Right | F3 | F3 | |
| asq_se_24m_c15__1_01 | Right | F3 | F3 | |
| asq_se_24m_16_01 | Right | F3 | F3 | |
| asq_se_24m_c16__1_01 | Right | F3 | F3 | |
| asq_se_24m_17_01 | Right | F3 | F3 | |
| asq_se_24m_c17__1_01 | Right | F3 | F3 | |
| asq_se_24m_18_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_c18__1_01 | 1009 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_19_01 | 1010 | 19. Does your child let you know how he is feeling with words or gestures? For example, does he let you know when he is hungry, hurt, or tired? | Nominal | Input | 18 |
| asq_se_24m_c19__1_01 | 1011 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_20_01 | 1012 | 20. Does your child check to make sure you are near when exploring new places, such as a park or a friends home? | Nominal | Input | 18 |
| asq_se_24m_c20__1_01 | 1013 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_21_01 | 1014 | 21. Does your child do things over and over and get upset when you try to stop her? For example, does she rock, flap her hands, spin, or _____? (Please describe.) | Nominal | Input | 18 |
| asq_se_24m_21_other_01 | 1015 | Please describe: | Nominal | Input | 26 |
| asq_se_24m_c21__1_01 | 1016 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c18__1_01 | Right | F3 | F3 | |
| asq_se_24m_19_01 | Right | F3 | F3 | |
| asq_se_24m_c19__1_01 | Right | F3 | F3 | |
| asq_se_24m_20_01 | Right | F3 | F3 | |
| asq_se_24m_c20__1_01 | Right | F3 | F3 | |
| asq_se_24m_21_01 | Right | F3 | F3 | |
| asq_se_24m_21_other_01 | Left | A30000 | A30000 | |
| asq_se_24m_c21__1_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_22_01 | 1017 | 22. Does your child like to hear stories or sing songs? | Nominal | Input | 18 |
| asq_se_24m_c22__1_01 | 1018 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_23_01 | 1019 | 23. Does your child hurt himself on purpose? | Nominal | Input | 18 |
| asq_se_24m_c23__1_01 | 1020 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_24_01 | 1021 | 24. Does your child like to be around other children? For example, does she move close to or look at other children? | Nominal | Input | 18 |
| asq_se_24m_c24__1_01 | 1022 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_25_01 | 1023 | 25. Does your child try to hurt other children, adults, or animals (for example, by kicking or biting)? | Nominal | Input | 18 |
| asq_se_24m_c25__1_01 | 1024 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_26_01 | 1025 | 26. Does your child try to show you things by pointing at them and looking back at you? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_22_01 | Right | F3 | F3 | |
| asq_se_24m_c22__1_01 | Right | F3 | F3 | |
| asq_se_24m_23_01 | Right | F3 | F3 | |
| asq_se_24m_c23__1_01 | Right | F3 | F3 | |
| asq_se_24m_24_01 | Right | F3 | F3 | |
| asq_se_24m_c24__1_01 | Right | F3 | F3 | |
| asq_se_24m_25_01 | Right | F3 | F3 | |
| asq_se_24m_c25__1_01 | Right | F3 | F3 | |
| asq_se_24m_26_01 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c26__1_01 | 1026 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_27_01 | 1027 | 27. Does your child play with objects by pretending? For example, does your child pretend to talk on the phone, feed a doll, or fly a toy airplane? | Nominal | Input | 18 |
| asq_se_24m_c27__1_01 | 1028 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_28_01 | 1029 | 28. Does your child wake three or more times during the night? | Nominal | Input | 18 |
| asq_se_24m_c28__1_01 | 1030 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_29_01 | 1031 | 29. Does your child respond to his name when you call him? For example, does he turn his head and look at you? | Nominal | Input | 18 |
| asq_se_24m_c29__1_01 | 1032 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_30_01 | 1033 | 30. Is your child too worried or fearful? | Nominal | Input | 18 |
| asq_se_24m_30b_01 | 1034 | If sometimes or often or always, please describe: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c26__1_01 | Right | F3 | F3 | |
| asq_se_24m_27_01 | Right | F3 | F3 | |
| asq_se_24m_c27__1_01 | Right | F3 | F3 | |
| asq_se_24m_28_01 | Right | F3 | F3 | |
| asq_se_24m_c28__1_01 | Right | F3 | F3 | |
| asq_se_24m_29_01 | Right | F3 | F3 | |
| asq_se_24m_c29__1_01 | Right | F3 | F3 | |
| asq_se_24m_30_01 | Right | F3 | F3 | |
| asq_se_24m_30b_01 | Left | A30000 | A30000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c30__1_01 | 1035 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_31_01 | 1036 | 31. Has anyone shared concerns about your childs behaviours? | Nominal | Input | 18 |
| asq_se_24m_31b_01 | 1037 | If sometimes or often or always, please explain: | Nominal | Input | 26 |
| asq_se_24m_c31__1_01 | 1038 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_32_01 | 1039 | Optional: Please tell us 1-3 of your favourite things about your child (e. g., My son loves to read, or she is fearless). | Nominal | Input | 26 |
| ASQSE_24m_01 | 1040 | ASQ:SE total score at 24 months postpartum adjusted for missing items - Singleton | Scale | Input | 13 |
| CutASQSE_24m_01 | 1041 | codes for above or below cutoff on ASQ:SE-2 at 24-month postpartum - Singleton | Scale | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c30__1_01 | Right | F3 | F3 | |
| asq_se_24m_31_01 | Right | F3 | F3 | |
| asq_se_24m_31b_01 | Left | A30000 | A30000 | |
| asq_se_24m_c31__1_01 | Right | F3 | F3 | |
| asq_se_24m_32_01 | Left | A30000 | A30000 | |
| ASQSE_24m_01 | Right | F8.2 | F8.2 | -999.00 |
| CutASQSE_24m_01 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|--|-------------------|-------|--------------|
| m24_babyliving_part2_bb1 | 1042 | Does your two-year-old live with you (either full- or part-time)? (We ask this to determine if certain follow-up questions about your child are applicable.) | Nominal | Input | 22 |
| m24_current_length_bb1 | 1043 | Current length in cm at 24-month postpartum (Cleaned) | Scale | Input | 20 |
| m24_current_weight_bb1 | 1044 | Weight at 24-month postpartum in pounds (Cleaned) | Scale | Input | 20 |
| m24_generalhealth_bb1 | 1045 | In general, would you say your child's health is: | Nominal | Input | 22 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| m24_babyliving_part2_bb1 | Right | F3 | F3 | |
| m24_current_length_bb1 | Right | F8.2 | F8.2 | 999.00 |
| m24_current_weight_bb1 | Right | F8.2 | F8.2 | 999.00 |
| m24_generalhealth_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m24_bisq_16_bb1 | 1046 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hour | Scale | Input | 16 |
| m24_bisq_19_bb1 | 1047 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your childs total time spent sleeping during the day is | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_bisq_16_bb1 | Right | F3 | F3 | |
| m24_bisq_19_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------|----------|--|-------------------|-------|--------------|
| m24_bisq_11_bb1 | 1048 | How many times does your child usually wake during the night? | Nominal | Input | 16 |
| m24_bisq_10_bb1 | 1049 | Are there usually electronics (e. g., television, smartphone, or tablet) on in the room while your child falls asleep at bedtime? | Nominal | Input | 16 |
| m24_bisq_20_bb1 | 1050 | Do you consider your child's sleep a problem? | Nominal | Input | 16 |
| m24_screentime1_bb1 | 1051 | Thinking about a typical week day, how much time does your child spend using electronic devices (e.g., TV, cell phone, tablet, computer, video game system, etc.)? (Cleaned) | Scale | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------|-----------|--------------|--------------|----------------|
| m24_bisq_11_bb1 | Right | F3 | F3 | |
| m24_bisq_10_bb1 | Right | F3 | F3 | |
| m24_bisq_20_bb1 | Right | F3 | F3 | |
| m24_screentime1_bb1 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|---|-------------------|-------|--------------|
| m24_screentime2_bb1 | 1052 | Thinking about a typical weekend day, how much time does your child spend using electronic devices (e.g., TV, cell phone, tablet, computer, video game system, etc.)? (Cleaned) | Scale | Input | 17 |
| m24_breastfeed_1_bb1 | 1053 | Are you currently breastfeeding or providing your own breast milk to your child? | Nominal | Input | 21 |
| m24_breastfeed_4_bb1 | 1054 | How old was he/she when last fed breast milk (weaned)? | Scale | Input | 21 |
| m24_breastfeed_3_bb1 | 1055 | How old was your child when you introduced other milks? | Scale | Input | 21 |
| m24_childcare_primary_b1 | 1056 | My childs primary childcare is: | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|-----------|--------------|--------------|----------------|
| m24_screentime2_bb1 | Right | F8.2 | F8.2 | 999.00 |
| m24_breastfeed_1_bb1 | Right | F3 | F3 | |
| m24_breastfeed_4_bb1 | Right | F3 | F3 | |
| m24_breastfeed_3_bb1 | Right | F3 | F3 | |
| m24_childcare_primary_b b1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_ecbq_1_bb1 | 1057 | When approached by an unfamiliar person in a public place (for example, the grocery store), how often did your child cling to a parent? | Nominal | Input | 15 |
| m24_ecbq_2_bb1 | 1058 | While having trouble completing a task (e.g., building, drawing, dressing), how often did your child get easily irritated? | Nominal | Input | 15 |
| m24_ecbq_10_bb1 | 1059 | During quiet activities, such as reading a story, how often did your child fiddle with his/her hair, clothing, ... | Nominal | Input | 16 |
| m24_ecbq_16_bb1 | 1060 | During everyday activities, how often did your child seem to be irritated by tags in his/her ... | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_ecbq_1_bb1 | Right | F3 | F3 | |
| m24_ecbq_2_bb1 | Right | F3 | F3 | |
| m24_ecbq_10_bb1 | Right | F3 | F3 | |
| m24_ecbq_16_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_ecbq_17_bb1 | 1061 | During everyday activities, how often did your child become bothered by sounds while in noisy environments... | Nominal | Input | 16 |
| m24_ecbq_19_bb1 | 1062 | While in a public place, how often did your child seem afraid of large, noisy vehicles? | Nominal | Input | 16 |
| m24_ecbq_22_bb1 | 1063 | When told no, how often did your child become sadly tearful? | Nominal | Input | 16 |
| m24_ecbq_23_bb1 | 1064 | Following an exciting activity or event, how often did your child seem to feel down or blue? | Nominal | Input | 16 |
| m24_ecbq_26_bb1 | 1065 | When s/he asked for something and you said no, how often did your child have a temper tantrum? | Nominal | Input | 16 |
| m24_ecbq_32_bb1 | 1066 | When visiting a new place, how often did your child not want to enter? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_ecbq_17_bb1 | Right | F3 | F3 | |
| m24_ecbq_19_bb1 | Right | F3 | F3 | |
| m24_ecbq_22_bb1 | Right | F3 | F3 | |
| m24_ecbq_23_bb1 | Right | F3 | F3 | |
| m24_ecbq_26_bb1 | Right | F3 | F3 | |
| m24_ecbq_32_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| m24_ecbq_33_bb1 | 1067 | When s/he was upset, how often did your child cry for more than 3 minutes, even when being comforted? | Nominal | Input | 16 |
| m24_ecbq_34_bb1 | 1068 | When s/he was upset, how often did your child become easily soothed? | Nominal | Input | 16 |
| M24_ECBQ_Neg_bb1 | 1069 | ECBQ Negativity scores at 24-month postpartum - First baby of multiples | Scale | Input | 17 |
| m24_mchat_1_bb1 | 1070 | 1. If you point at something across the room, does your child look at it? (FOR EXAMPLE, if you point at a toy or an animal, does your child look at the toy or ... | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_ecbq_33_bb1 | Right | F3 | F3 | |
| m24_ecbq_34_bb1 | Right | F3 | F3 | |
| M24_ECBQ_Neg_bb1 | Right | F8.2 | F8.2 | |
| m24_mchat_1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m24_mchat_2_bb1 | 1071 | 2. Have you ever wondered if your child might be deaf? | Nominal | Input | 16 |
| m24_mchat_3_bb1 | 1072 | 3. Does your child play pretend or make-believe? (FOR EXAMPLE, pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal?) | Nominal | Input | 16 |
| m24_mchat_4_bb1 | 1073 | 4. Does your child like climbing on things? (FOR EXAMPLE, furniture, playground equipment, or stairs) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_2_bb1 | Right | F3 | F3 | |
| m24_mchat_3_bb1 | Right | F3 | F3 | |
| m24_mchat_4_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_mchat_5_bb1 | 1074 | 5. Does your child make unusual finger movements near his or her eyes? (FOR EXAMPLE, does your child wiggle his or her fingers close to his or her eyes?) | Nominal | Input | 16 |
| m24_mchat_6_bb1 | 1075 | 6. Does your child point with one finger to ask for something or to get help? (FOR EXAMPLE, pointing to a snack or toy that is out of reach) | Nominal | Input | 16 |
| m24_mchat_7_bb1 | 1076 | 7. Does your child point with one finger to show you something interesting? (FOR EXAMPLE, pointing to an airplane in the sky or a big truck in the road) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_5_bb1 | Right | F3 | F3 | |
| m24_mchat_6_bb1 | Right | F3 | F3 | |
| m24_mchat_7_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| m24_mchat_8_bb1 | 1077 | 8. Is your child interested in other children? (FOR EXAMPLE, does your child watch other children, smile at them, or go to them?) | Nominal | Input | 16 |
| m24_mchat_9_bb1 | 1078 | 9. Does your child show you things by bringing them to you or holding them up for you to see - not to get help, but just to share? (FOR EXAMPLE, showing you a flower, a stuffed animal, or a toy truck) | Nominal | Input | 16 |
| m24_mchat_10_bb1 | 1079 | 10. Does your child respond when you call his or her name? (FOR EXAMPLE, does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_mchat_8_bb1 | Right | F3 | F3 | |
| m24_mchat_9_bb1 | Right | F3 | F3 | |
| m24_mchat_10_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| m24_mchat_11_bb1 | 1080 | 11. When you smile at your child, does he or she smile back at you? | Nominal | Input | 17 |
| m24_mchat_12_bb1 | 1081 | 12. Does your child get upset by everyday noises? (FOR EXAMPLE, does your child scream or cry to noise such as a vacuum cleaner or loud music?) | Nominal | Input | 17 |
| m24_mchat_13_bb1 | 1082 | 13. Does your child walk? | Nominal | Input | 17 |
| m24_mchat_14_bb1 | 1083 | 14. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her? | Nominal | Input | 17 |
| m24_mchat_15_bb1 | 1084 | 15. Does your child try to copy what you do? (FOR EXAMPLE, wave bye-bye, clap, or make a funny noise when you do) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_mchat_11_bb1 | Right | F3 | F3 | |
| m24_mchat_12_bb1 | Right | F3 | F3 | |
| m24_mchat_13_bb1 | Right | F3 | F3 | |
| m24_mchat_14_bb1 | Right | F3 | F3 | |
| m24_mchat_15_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| m24_mchat_16_bb1 | 1085 | 16. If you turn your head to look at something, does your child look around to see what you are looking at? | Nominal | Input | 17 |
| m24_mchat_17_bb1 | 1086 | 17. Does your child try to get you to watch him or her? (FOR EXAMPLE, does your child look at you for praise, or say look or watch me?) | Nominal | Input | 17 |
| m24_mchat_18_bb1 | 1087 | 18. Does your child understand when you tell him or her to do something? (FOR EXAMPLE, if you dont point, can your child understand put the book on the chair or bring me the blanket?) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_mchat_16_bb1 | Right | F3 | F3 | |
| m24_mchat_17_bb1 | Right | F3 | F3 | |
| m24_mchat_18_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| m24_mchat_19_bb1 | 1088 | 19. If something new happens, does your child look at your face to see how you feel about it? (FOR EXAMPLE, if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?) | Nominal | Input | 17 |
| m24_mchat_20_bb1 | 1089 | 20. Does your child like movement activities? (FOR EXAMPLE, being swung or bounced on your knee) | Nominal | Input | 17 |
| MCHAT_M24_bb1 | 1090 | M-CHAT Total score at 24-month postpartum - First baby of multiples | Nominal | Input | 14 |
| MCHATClass_M24_bb1 | 1091 | Sudo-diagnostic classification for based on M-CHAT cutoff of 2 at 24-month postpartum - First baby of multiples | Nominal | Input | 19 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| m24_mchat_19_bb1 | Right | F3 | F3 | |
| m24_mchat_20_bb1 | Right | F3 | F3 | |
| MCHAT_M24_bb1 | Right | F8.2 | F8.2 | 999.00 |
| MCHATClass_M24_bb1 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| m24_languages_bb1 | 1092 | Is your child regularly exposed to language(s) other than English (e.g., at home, daycare, etc)? | Nominal | Input | 18 |
| m24_lang_percent_bb1 | 1093 | What percentage of time is your child exposed to other languages? E. g., 50% of the time. | Scale | Input | 21 |
| m24_lang_other_bb1 | 1094 | Which other languages are they exposed to? | Nominal | Input | 26 |
| m24_lang_hearing_bb1 | 1095 | Is there some reason to suspect that your child may have hearing loss? | Nominal | Input | 21 |
| m24_lang_vision_bb1 | 1096 | Is there some reason to suspect that your child may have vision ... | Nominal | Input | 20 |
| CDI_sum_M24_bb1 | 1097 | CDI Sum at 24-month postpartum - First baby of multiples | Scale | Input | 16 |
| CDI_Percentile_bb1 | 1098 | CDI Percentile (new norms) at 24-month postpartum - First baby of multiples | Nominal | Input | 19 |
| m24_asq_today_bb1 | 1099 | M24 ASQ Date | Scale | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m24_languages_bb1 | Right | F3 | F3 | |
| m24_lang_percent_bb1 | Right | F9.2 | F9.2 | |
| m24_lang_other_bb1 | Left | A30000 | A30000 | |
| m24_lang_hearing_bb1 | Right | F3 | F3 | |
| m24_lang_vision_bb1 | Right | F3 | F3 | |
| CDI_sum_M24_bb1 | Right | F8.2 | F8.2 | 999.00 |
| CDI_Percentile_bb1 | Right | F8.2 | F8.2 | 999.00 |
| m24_asq_today_bb1 | Right | ADATE10 | ADATE10 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------------|----------|--|-------------------|-------|--------------|
| m24_asq_dobbb1 | 1100 | Please enter your child (ren)s date of birth: | Scale | Input | 15 |
| m24_dobbb1_unadjusted | 1101 | Child(ren)s unadjusted age in days based on delivery date and todays date | Scale | Input | 22 |
| m24_dobbb1_unadjusted month | 1102 | Child(ren)s unadjusted age in months based on delivery date and todays date | Scale | Input | 27 |
| asq3_24m_com1_bb1 | 1103 | 1. Without your showing him, does your child point to the correct picture when you say, Show me the kitty, or ask, Where is the dog? (She needs to identify only one picture correctly.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------------|-----------|--------------|--------------|----------------|
| m24_asq_dobbb1 | Right | ADATE10 | ADATE10 | |
| m24_dobbb1_unadjusted | Right | F9.2 | F9.2 | |
| m24_dobbb1_unadjusted month | Right | F9.2 | F9.2 | |
| asq3_24m_com1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_com2_bb1 | 1104 | 2. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as Mama eat, Daddy play, Go home, or Whats this? does your child say both words back to you? (Mark yes even if her words are difficult to understand.) | Nominal | Input | 18 |
| asq3_24m_com3_bb1 | 1105 | 3. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? a. Put the toy on the table. b. Close the door. c. Bring me a towel. d. Find your coat. e. Ta | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com2_bb1 | Right | F3 | F3 | |
| asq3_24m_com3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_com4_bb1 | 1106 | 4. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, What is this? does your child correctly name at least one picture? | Nominal | Input | 18 |
| asq3_24m_com5_bb1 | 1107 | 5. Does your child say two or three words that represent different ideas together, such as See dog, Mommy come home, or Kitty gone? Dont count word combinations that express one idea, such as bye-bye, all gone, all right, and ... | Nominal | Input | 18 |
| asq3_24m_com5_text_bb1 | 1108 | Please give an example of your childs word combinations: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com4_bb1 | Right | F3 | F3 | |
| asq3_24m_com5_bb1 | Right | F3 | F3 | |
| asq3_24m_com5_text_bb1 | Left | A1000 | A1000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_com6_bb1 | 1109 | 6. Does your child correctly use at least two words like me, I, mine, and ... | Nominal | Input | 18 |
| asq3_24m_gm1_bb1 | 1110 | 1. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.) | Nominal | Input | 17 |
| asq3_24m_gm2_bb1 | 1111 | 2. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark yes for this item.) | Nominal | Input | 17 |
| asq3_24m_gm3_bb1 | 1112 | 3. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall. | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com6_bb1 | Right | F3 | F3 | |
| asq3_24m_gm1_bb1 | Right | F3 | F3 | |
| asq3_24m_gm2_bb1 | Right | F3 | F3 | |
| asq3_24m_gm3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_gm4_bb1 | 1113 | 4. Does your child run fairly well, stopping herself without bumping into ... | Nominal | Input | 17 |
| asq3_24m_gm5_bb1 | 1114 | 5. Does your child jump with both feet leaving the floor at the same time? | Nominal | Input | 17 |
| asq3_24m_gm6_bb1 | 1115 | 6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward? | Nominal | Input | 17 |
| asq3_24m_fm1_bb1 | 1116 | 1. Does your child get a spoon into his mouth right side up so that the food usually doesnt spill? | Nominal | Input | 17 |
| asq3_24m_fm2_bb1 | 1117 | 2. Does your child turn the pages of a book by herself? (She may turn more than one page at a time.) | Nominal | Input | 17 |
| asq3_24m_fm3_bb1 | 1118 | 3. Does your child use a turning motion with his hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_gm4_bb1 | Right | F3 | F3 | |
| asq3_24m_gm5_bb1 | Right | F3 | F3 | |
| asq3_24m_gm6_bb1 | Right | F3 | F3 | |
| asq3_24m_fm1_bb1 | Right | F3 | F3 | |
| asq3_24m_fm2_bb1 | Right | F3 | F3 | |
| asq3_24m_fm3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_fm4_bb1 | 1119 | 4. Does your child flip switches off and on? | Nominal | Input | 17 |
| asq3_24m_fm5_bb1 | 1120 | 5. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size. | Nominal | Input | 17 |
| asq3_24m_fm6_bb1 | 1121 | 6. Can your child string small items such as beads, macaroni, or pasta wagon wheels onto a string or shoelace? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_fm4_bb1 | Right | F3 | F3 | |
| asq3_24m_fm5_bb1 | Right | F3 | F3 | |
| asq3_24m_fm6_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_prs1_bb1 | 1122 | 1. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark not yet if your child scribbles back and forth.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_prs2_bb1 | 1123 | 2. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show him how.) (You can use a soda-pop bottle or baby ... | Nominal | Input | 18 |
| asq3_24m_prs3_bb1 | 1124 | 3. Does your child pretend objects are something else? For example, does your child hold a cup to her ear, pretending it is a telephone? Does she put a box on her head, pretending it is a hat? Does she use a block or small toy to stir food? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs2_bb1 | Right | F3 | F3 | |
| asq3_24m_prs3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_prs4_bb1 | 1125 | 4. Does your child put things away where they belong? For example, does he know his toys belong on the toy shelf, his blanket goes on his bed, and dishes go in the kitchen? | Nominal | Input | 18 |
| asq3_24m_prs5_bb1 | 1126 | 5. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to help you in the kitchen)? | Nominal | Input | 18 |
| asq3_24m_prs6_bb1 | 1127 | 6. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs4_bb1 | Right | F3 | F3 | |
| asq3_24m_prs5_bb1 | Right | F3 | F3 | |
| asq3_24m_prs6_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_ps1_bb1 | 1128 | 1. Does your child drink from a cup or glass, putting it down again with little spilling? | Nominal | Input | 17 |
| asq3_24m_ps2_bb1 | 1129 | 2. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair? | Nominal | Input | 17 |
| asq3_24m_ps3_bb1 | 1130 | 3. Does your child eat with a fork? | Nominal | Input | 17 |
| asq3_24m_ps4_bb1 | 1131 | 4. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth? | Nominal | Input | 17 |
| asq3_24m_ps5_bb1 | 1132 | 5. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_ps1_bb1 | Right | F3 | F3 | |
| asq3_24m_ps2_bb1 | Right | F3 | F3 | |
| asq3_24m_ps3_bb1 | Right | F3 | F3 | |
| asq3_24m_ps4_bb1 | Right | F3 | F3 | |
| asq3_24m_ps5_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_ps6_bb1 | 1133 | 6. Does your child call herself I or me more often than her own name? For example, I do it, more often than Juanita do it. | Nominal | Input | 17 |
| asq3_27m_com1_bb1 | 1134 | 1. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? a.Put the toy on the table. b.Close the door. c. Bring me a towel. d. Find your coat. e. Take my | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_ps6_bb1 | Right | F3 | F3 | |
| asq3_27m_com1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_com2_bb1 | 1135 | 2. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, What is this? does your child correctly name at least one picture? | Nominal | Input | 18 |
| asq3_27m_com3_bb1 | 1136 | 3. When you ask her to point to her nose, eyes, hair, feet, ears, and so forth, does your child correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark sometimes if she correctly points to at least three diff | Nominal | Input | 18 |
| asq3_27m_com4_bb1 | 1137 | 4. Does your child correctly use at least two words like me, I, mine, and ... | Nominal | Input | 18 |
| asq3_27m_com5_bb1 | 1138 | 5. Does your child make sentences that are three or four words long? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_com2_bb1 | Right | F3 | F3 | |
| asq3_27m_com3_bb1 | Right | F3 | F3 | |
| asq3_27m_com4_bb1 | Right | F3 | F3 | |
| asq3_27m_com5_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_com5_text_bb1 | 1139 | Please give an example: | Nominal | Input | 26 |
| asq3_27m_com6_bb1 | 1140 | 6. Without giving your child help by pointing or using gestures, ask him to put the book on the table and put the shoe under the chair. Does your child carry out both of these directions correctly? | Nominal | Input | 18 |
| asq3_27m_gm1_bb1 | 1141 | 1. Does your child walk either up or down at least two steps by himself? He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.) | Nominal | Input | 17 |
| asq3_27m_gm2_bb1 | 1142 | 2. Does your child run fairly well, stopping herself without bumping into ... | Nominal | Input | 17 |
| asq3_27m_gm3_bb1 | 1143 | 3. Does your child jump with both feet leaving the floor at the same time? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq3_27m_com5_text_bb1 | Left | A1000 | A1000 | |
| asq3_27m_com6_bb1 | Right | F3 | F3 | |
| asq3_27m_gm1_bb1 | Right | F3 | F3 | |
| asq3_27m_gm2_bb1 | Right | F3 | F3 | |
| asq3_27m_gm3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_gm4_bb1 | 1144 | 4. Without holding onto anything for support, does your child kick a ball by swinging his leg forward? | Nominal | Input | 17 |
| asq3_27m_gm5_bb1 | 1145 | 5. Does your child jump forward at least 3 inches with both feet leaving the ground at the same time? | Nominal | Input | 17 |
| asq3_27m_gm6_bb1 | 1146 | 6. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall. | Nominal | Input | 17 |
| asq3_27m_fm1_bb1 | 1147 | 1. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_gm4_bb1 | Right | F3 | F3 | |
| asq3_27m_gm5_bb1 | Right | F3 | F3 | |
| asq3_27m_gm6_bb1 | Right | F3 | F3 | |
| asq3_27m_fm1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_fm2_bb1 | 1148 | 2. Does your child flip switches off and on? | Nominal | Input | 17 |
| asq3_27m_fm3_bb1 | 1149 | 3. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask him to make a line like yours. Do you let your child trace your line. Does your child copy you by drawing a single line in a vertical di | Nominal | Input | 17 |
| asq3_27m_fm4_bb1 | 1150 | 4. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_fm2_bb1 | Right | F3 | F3 | |
| asq3_27m_fm3_bb1 | Right | F3 | F3 | |
| asq3_27m_fm4_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_fm5_bb1 | 1151 | 5. Can your child string small items such as beads, macaroni, or pasta wagon wheels onto a string or shoelace? | Nominal | Input | 17 |
| asq3_27m_fm6_bb1 | 1152 | 6. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_fm5_bb1 | Right | F3 | F3 | |
| asq3_27m_fm6_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_prs1_bb1 | 1153 | 1. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on her head, pretending it is a hat? Does he use a block or small toy to stir food? | Nominal | Input | 18 |
| asq3_27m_prs2_bb1 | 1154 | 2. Does your child put things away where they belong? For example, does she know her toys belong on the toy shelf, her blanket goes on her bed, and dishes go in the kitchen? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs1_bb1 | Right | F3 | F3 | |
| asq3_27m_prs2_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_prs3_bb1 | 1155 | 3. When looking in the mirror, ask Where is _____? (Use your childs name.) Does your child point to his image in the mirror? | Nominal | Input | 18 |
| asq3_27m_prs4_bb1 | 1156 | 4. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to help you in the kitchen)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs3_bb1 | Right | F3 | F3 | |
| asq3_27m_prs4_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_prs5_bb1 | 1157 | 5. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools or thread, small boxes, or other toys.) | Nominal | Input | 18 |
| asq3_27m_prs6_bb1 | 1158 | 6. When you point to the figure and ask your child, What is this? does your child say a word that means a person or something similar (Mark yes for responses like snowman, boy, man, girl, Daddy, spaceman, and monkey.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs5_bb1 | Right | F3 | F3 | |
| asq3_27m_prs6_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_prs6_text_bb1 | 1159 | Please write your child's response here: | Nominal | Input | 26 |
| asq3_27m_ps1_bb1 | 1160 | 1. If you do any of the following gestures, does your child copy at least one of them? a. Open and close your mouth. b. Blink your eyes. c. Pull on your earlobe. d. Pat your cheek. | Nominal | Input | 17 |
| asq3_27m_ps2_bb1 | 1161 | 2. Does your child eat with a fork? | Nominal | Input | 17 |
| asq3_27m_ps3_bb1 | 1162 | 3. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs6_text_bb1 | Left | A1000 | A1000 | |
| asq3_27m_ps1_bb1 | Right | F3 | F3 | |
| asq3_27m_ps2_bb1 | Right | F3 | F3 | |
| asq3_27m_ps3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_ps4_bb1 | 1163 | 4. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn? | Nominal | Input | 17 |
| asq3_27m_ps5_bb1 | 1164 | 5. Does your child call herself I or me more often than her own name? For example, I do it more often than Juanita do it. | Nominal | Input | 17 |
| asq3_27m_ps6_bb1 | 1165 | 6. Does your child put on a coat, jacket, or shirt by himself? | Nominal | Input | 17 |
| ASQcomm_24m_bb1 | 1166 | Communication Total score; combining 24 & 27 months -First baby of ... | Scale | Input | 13 |
| ASQgm_24m_bb1 | 1167 | Gross Motor Total score; combining 24 & 27 months -First baby of multiples | Nominal | Input | 11 |
| ASQfm_24m_bb1 | 1168 | Fine Motor Total score; combining 24 & 27 months -First baby of multiples | Scale | Input | 11 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_ps4_bb1 | Right | F3 | F3 | |
| asq3_27m_ps5_bb1 | Right | F3 | F3 | |
| asq3_27m_ps6_bb1 | Right | F3 | F3 | |
| ASQcomm_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| ASQgm_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| ASQfm_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| ASQprs_24m_bb1 | 1169 | Problem-Solving Total score; combining 24 & 27 -First baby of multiples | Scale | Input | 12 |
| ASQps_24m_bb1 | 1170 | Personal-Social Total score; combining 24 & 27 -First baby of multiples | Scale | Input | 11 |
| CutComm_24m_bb1 | 1171 | codes for above or below cutoff on Communication at 24-month postpartum - First baby of multiples | Scale | Input | 13 |
| CutGM_24m_bb1 | 1172 | codes for above or below cutoff on Gross Motor at 24-month postpartum - First baby of multiples | Scale | Input | 11 |
| CutFM_24m_bb1 | 1173 | codes for above or below cutoff on Fine Motor at 24-month postpartum - First baby of multiples | Scale | Input | 11 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| ASQprs_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| ASQps_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutComm_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutGM_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutFM_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| CutPRS_24m_bb1 | 1174 | codes for above or below cutoff on Problem Solving at 24-month postpartum - First baby of multiples | Scale | Input | 12 |
| CutPS_24m_bb1 | 1175 | codes for above or below cutoff on Personal-Social at 24-month postpartum - First baby of multiples | Scale | Input | 11 |
| CutTotal_24m_bb1 | 1176 | codes for below or 2 or 1 SD above cutoff on any of the 5 domains at 24-month postpartum - First baby of multiples | Nominal | Input | 14 |
| asq_se_24m_1_bb1 | 1177 | 1. Does your child look at you when you talk to him? | Nominal | Input | 17 |
| asq_se_24m_c1__1_bb1 | 1178 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_2_bb1 | 1179 | 2. Does your child seem too friendly with ... | Nominal | Input | 17 |
| asq_se_24m_c2__1_bb1 | 1180 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_3_bb1 | 1181 | 3. Does your child laugh or smile when you play with her? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| CutPRS_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutPS_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| CutTotal_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| asq_se_24m_1_bb1 | Right | F3 | F3 | |
| asq_se_24m_c1__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_2_bb1 | Right | F3 | F3 | |
| asq_se_24m_c2__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_3_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c3__1_bb1 | 1182 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_4_bb1 | 1183 | 4. Is your childs body relaxed? | Nominal | Input | 17 |
| asq_se_24m_c4__1_bb1 | 1184 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_5_bb1 | 1185 | 5. When you leave, does your child stay upset and cry for more than ... | Nominal | Input | 17 |
| asq_se_24m_c5__1_bb1 | 1186 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_6_bb1 | 1187 | 6. Does your child greet or say hello to familiar adults? | Nominal | Input | 17 |
| asq_se_24m_c6__1_bb1 | 1188 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_7_bb1 | 1189 | 7. Does your child like to be hugged or cuddled? | Nominal | Input | 17 |
| asq_se_24m_c7__1_bb1 | 1190 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_8_bb1 | 1191 | 8. When upset, can your child calm down within 15 minutes? | Nominal | Input | 17 |
| asq_se_24m_c8__1_bb1 | 1192 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_9_bb1 | 1193 | 9. Does your child stiffen and arch his back when picked up? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c3__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_4_bb1 | Right | F3 | F3 | |
| asq_se_24m_c4__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_5_bb1 | Right | F3 | F3 | |
| asq_se_24m_c5__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_6_bb1 | Right | F3 | F3 | |
| asq_se_24m_c6__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_7_bb1 | Right | F3 | F3 | |
| asq_se_24m_c7__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_8_bb1 | Right | F3 | F3 | |
| asq_se_24m_c8__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_9_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c9__1_bb1 | 1194 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_10_bb1 | 1195 | 10. Is your child interested in things around her, such as people, toys, and foods? | Nominal | Input | 18 |
| asq_se_24m_c10__1_bb1 | 1196 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_11_bb1 | 1197 | 11. Does your child cry, scream, or have tantrums for long periods of time? | Nominal | Input | 18 |
| asq_se_24m_c11__1_bb1 | 1198 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_12_bb1 | 1199 | 12. Do you and your child enjoy mealtimes together? | Nominal | Input | 18 |
| asq_se_24m_c12__1_bb1 | 1200 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_13_bb1 | 1201 | 13. Does your child have eating problems? For example, does he stuff food, vomit, eat things that are not food, or ____? (Please describe.) | Nominal | Input | 18 |
| asq_se_24m_13_other_b1 | 1202 | Please describe: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c9__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_10_bb1 | Right | F3 | F3 | |
| asq_se_24m_c10__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_11_bb1 | Right | F3 | F3 | |
| asq_se_24m_c11__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_12_bb1 | Right | F3 | F3 | |
| asq_se_24m_c12__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_13_bb1 | Right | F3 | F3 | |
| asq_se_24m_13_other_b b1 | Left | A1000 | A1000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_c13__1_bb1 | 1203 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_14_bb1 | 1204 | 14. Does your child sleep at least 10 hours in a 24-hour period? | Nominal | Input | 18 |
| asq_se_24m_c14__1_bb1 | 1205 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_15_bb1 | 1206 | 15. When you point at something, does your child look in the direction you are pointing? | Nominal | Input | 18 |
| asq_se_24m_c15__1_bb1 | 1207 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_16_bb1 | 1208 | 16. Does your child have trouble falling asleep at naptime or at night? | Nominal | Input | 18 |
| asq_se_24m_c16__1_bb1 | 1209 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_17_bb1 | 1210 | 17. Does your child get constipated or have diarrhea? | Nominal | Input | 18 |
| asq_se_24m_c17__1_bb1 | 1211 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_18_bb1 | 1212 | 18. Does your child follow simple directions? For example, does she sit down when asked? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c13__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_14_bb1 | Right | F3 | F3 | |
| asq_se_24m_c14__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_15_bb1 | Right | F3 | F3 | |
| asq_se_24m_c15__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_16_bb1 | Right | F3 | F3 | |
| asq_se_24m_c16__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_17_bb1 | Right | F3 | F3 | |
| asq_se_24m_c17__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_18_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_c18__1_bb1 | 1213 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_19_bb1 | 1214 | 19. Does your child let you know how he is feeling with words or gestures? For example, does he let you know when he is hungry, hurt, or tired? | Nominal | Input | 18 |
| asq_se_24m_c19__1_bb1 | 1215 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_20_bb1 | 1216 | 20. Does your child check to make sure you are near when exploring new places, such as a park or a friends home? | Nominal | Input | 18 |
| asq_se_24m_c20__1_bb1 | 1217 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_21_bb1 | 1218 | 21. Does your child do things over and over and get upset when you try to stop her? For example, does she rock, flap her hands, spin, or _____? (Please describe.) | Nominal | Input | 18 |
| asq_se_24m_21_other_bb1 | 1219 | Please describe: | Nominal | Input | 26 |
| asq_se_24m_c21__1_bb1 | 1220 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c18__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_19_bb1 | Right | F3 | F3 | |
| asq_se_24m_c19__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_20_bb1 | Right | F3 | F3 | |
| asq_se_24m_c20__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_21_bb1 | Right | F3 | F3 | |
| asq_se_24m_21_other_bb1 | Left | A30000 | A30000 | |
| asq_se_24m_c21__1_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_22_bb1 | 1221 | 22. Does your child like to hear stories or sing songs? | Nominal | Input | 18 |
| asq_se_24m_c22__1_bb1 | 1222 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_23_bb1 | 1223 | 23. Does your child hurt himself on purpose? | Nominal | Input | 18 |
| asq_se_24m_c23__1_bb1 | 1224 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_24_bb1 | 1225 | 24. Does your child like to be around other children? For example, does she move close to or look at other children? | Nominal | Input | 18 |
| asq_se_24m_c24__1_bb1 | 1226 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_25_bb1 | 1227 | 25. Does your child try to hurt other children, adults, or animals (for example, by kicking or biting)? | Nominal | Input | 18 |
| asq_se_24m_c25__1_bb1 | 1228 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_26_bb1 | 1229 | 26. Does your child try to show you things by pointing at them and looking back at you? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_22_bb1 | Right | F3 | F3 | |
| asq_se_24m_c22__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_23_bb1 | Right | F3 | F3 | |
| asq_se_24m_c23__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_24_bb1 | Right | F3 | F3 | |
| asq_se_24m_c24__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_25_bb1 | Right | F3 | F3 | |
| asq_se_24m_c25__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_26_bb1 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c26__1_bb1 | 1230 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_27_bb1 | 1231 | 27. Does your child play with objects by pretending? For example, does your child pretend to talk on the phone, feed a doll, or fly a toy airplane? | Nominal | Input | 18 |
| asq_se_24m_c27__1_bb1 | 1232 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_28_bb1 | 1233 | 28. Does your child wake three or more times during the night? | Nominal | Input | 18 |
| asq_se_24m_c28__1_bb1 | 1234 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_29_bb1 | 1235 | 29. Does your child respond to his name when you call him? For example, does he turn his head and look at you? | Nominal | Input | 18 |
| asq_se_24m_c29__1_bb1 | 1236 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_30_bb1 | 1237 | 30. Is your child too worried or fearful? | Nominal | Input | 18 |
| asq_se_24m_30b_bb1 | 1238 | If sometimes or often or always, please describe: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c26___1_bb1 | Right | F3 | F3 | |
| asq_se_24m_27_bb1 | Right | F3 | F3 | |
| asq_se_24m_c27___1_bb1 | Right | F3 | F3 | |
| asq_se_24m_28_bb1 | Right | F3 | F3 | |
| asq_se_24m_c28___1_bb1 | Right | F3 | F3 | |
| asq_se_24m_29_bb1 | Right | F3 | F3 | |
| asq_se_24m_c29___1_bb1 | Right | F3 | F3 | |
| asq_se_24m_30_bb1 | Right | F3 | F3 | |
| asq_se_24m_30b_bb1 | Left | A30000 | A30000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_c30__1_bb1 | 1239 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_31_bb1 | 1240 | 31. Has anyone shared concerns about your childs behaviours? | Nominal | Input | 18 |
| asq_se_24m_31b_bb1 | 1241 | If sometimes or often or always, please explain: | Nominal | Input | 26 |
| asq_se_24m_c31__1_bb1 | 1242 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_32_bb1 | 1243 | Optional: Please tell us 1-3 of your favourite things about your child (e. g., My son loves to read, or she is fearless). | Nominal | Input | 26 |
| ASQSE_24m_bb1 | 1244 | ASQ:SE total score at 24 months postpartum adjusted for missing items -First baby of multiples | Scale | Input | 13 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c30__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_31_bb1 | Right | F3 | F3 | |
| asq_se_24m_31b_bb1 | Left | A30000 | A30000 | |
| asq_se_24m_c31__1_bb1 | Right | F3 | F3 | |
| asq_se_24m_32_bb1 | Left | A30000 | A30000 | |
| ASQSE_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|--|-------------------|-------|--------------|
| CutASQSE_24m_bb1 | 1245 | codes for above or below cutoff on ASQ:SE-2 at 24-month postpartum - First baby of multiples | Scale | Input | 17 |
| m24_babyliving_part2_bb2 | 1246 | Does your two-year-old live with you (either full- or part-time)? (We ask this to determine if certain follow-up questions about your child are applicable.) | Nominal | Input | 22 |
| m24_current_length_bb2 | 1247 | Current length in cm at 24-month postpartum (Cleaned) | Scale | Input | 20 |
| m24_current_weight_bb2 | 1248 | Weight at 24-month postpartum in pounds (Cleaned) | Scale | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| CutASQSE_24m_bb1 | Right | F8.2 | F8.2 | -999.00 |
| m24_babyliving_part2_bb2 | Right | F3 | F3 | |
| m24_current_length_bb2 | Right | F8.2 | F8.2 | 999.00 |
| m24_current_weight_bb2 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|--|-------------------|-------|--------------|
| m24_generalhealth_bb2 | 1249 | In general, would you say your child's health is: | Nominal | Input | 22 |
| m24_bisq_16_bb2 | 1250 | How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hour | Scale | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| m24_generalhealth_bb2 | Right | F3 | F3 | |
| m24_bisq_16_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_bisq_19_bb2 | 1251 | How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your child's total time spent sleeping during the day is | Nominal | Input | 16 |
| m24_bisq_11_bb2 | 1252 | How many times does your child usually wake during the night? | Nominal | Input | 16 |
| m24_bisq_10_bb2 | 1253 | Are there usually electronics (e. g., television, smartphone, or tablet) on in the room while your child falls asleep at bedtime? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_bisq_19_bb2 | Right | F3 | F3 | |
| m24_bisq_11_bb2 | Right | F3 | F3 | |
| m24_bisq_10_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| m24_bisq_20_bb2 | 1254 | Do you consider your child's sleep a problem? | Nominal | Input | 16 |
| m24_screentime1_bb2 | 1255 | Thinking about a typical week day, how much time does your child spend using electronic devices (e.g., TV, cell phone, tablet, computer, video game system, etc.)? (Cleaned) | Scale | Input | 17 |
| m24_screentime2_bb2 | 1256 | Thinking about a typical weekend day, how much time does your child spend using electronic devices (e.g., TV, cell phone, tablet, computer, video game system, etc.)? (Cleaned) | Scale | Input | 17 |
| m24_breastfeed_1_bb2 | 1257 | Are you currently breastfeeding or providing your own breast milk to your child? | Nominal | Input | 21 |
| m24_breastfeed_4_bb2 | 1258 | How old was he/she when last fed breast milk (weaned)? | Scale | Input | 21 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m24_bisq_20_bb2 | Right | F3 | F3 | |
| m24_screentime1_bb2 | Right | F8.2 | F8.2 | 999.00 |
| m24_screentime2_bb2 | Right | F8.2 | F8.2 | 999.00 |
| m24_breastfeed_1_bb2 | Right | F3 | F3 | |
| m24_breastfeed_4_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------------|----------|---|-------------------|-------|--------------|
| m24_breastfeed_3_bb2 | 1259 | How old was your child when you introduced other milks? | Scale | Input | 21 |
| m24_childcare_primary_b b2 | 1260 | My childs primary childcare is: | Nominal | Input | 23 |
| m24_ecbq_1_bb2 | 1261 | When approached by an unfamiliar person in a public place (for example, the grocery store), how often did your child cling to a parent? | Nominal | Input | 15 |
| m24_ecbq_2_bb2 | 1262 | While having trouble completing a task (e.g., building, drawing, dressing), how often did your child get easily irritated? | Nominal | Input | 15 |
| m24_ecbq_10_bb2 | 1263 | During quiet activities, such as reading a story, how often did your child fiddle with his/her hair, clothing, ... | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------------|-----------|--------------|--------------|----------------|
| m24_breastfeed_3_bb2 | Right | F3 | F3 | |
| m24_childcare_primary_b b2 | Right | F3 | F3 | |
| m24_ecbq_1_bb2 | Right | F3 | F3 | |
| m24_ecbq_2_bb2 | Right | F3 | F3 | |
| m24_ecbq_10_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_ecbq_16_bb2 | 1264 | During everyday activities, how often did your child seem to be irritated by tags in his/her ... | Nominal | Input | 16 |
| m24_ecbq_17_bb2 | 1265 | During everyday activities, how often did your child become bothered by sounds while in noisy environments... | Nominal | Input | 16 |
| m24_ecbq_19_bb2 | 1266 | While in a public place, how often did your child seem afraid of large, noisy vehicles? | Nominal | Input | 16 |
| m24_ecbq_22_bb2 | 1267 | When told no, how often did your child become sadly tearful? | Nominal | Input | 16 |
| m24_ecbq_23_bb2 | 1268 | Following an exciting activity or event, how often did your child seem to feel down or blue? | Nominal | Input | 16 |
| m24_ecbq_26_bb2 | 1269 | When s/he asked for something and you said no, how often did your child have a temper tantrum? | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_ecbq_16_bb2 | Right | F3 | F3 | |
| m24_ecbq_17_bb2 | Right | F3 | F3 | |
| m24_ecbq_19_bb2 | Right | F3 | F3 | |
| m24_ecbq_22_bb2 | Right | F3 | F3 | |
| m24_ecbq_23_bb2 | Right | F3 | F3 | |
| m24_ecbq_26_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| m24_ecbq_32_bb2 | 1270 | When visiting a new place, how often did your child not want to enter? | Nominal | Input | 16 |
| m24_ecbq_33_bb2 | 1271 | When s/he was upset, how often did your child cry for more than 3 minutes, even when being comforted? | Nominal | Input | 16 |
| m24_ecbq_34_bb2 | 1272 | When s/he was upset, how often did your child become easily soothed? | Nominal | Input | 16 |
| M24_ECBQ_Neg_bb2 | 1273 | ECBQ Negativity scores at 24-month postpartum | Scale | Input | 17 |
| m24_mchat_1_bb2 | 1274 | 1. If you point at something across the room, does your child look at it? (FOR EXAMPLE, if you point at a toy or an animal, does your child look at the toy or ... | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_ecbq_32_bb2 | Right | F3 | F3 | |
| m24_ecbq_33_bb2 | Right | F3 | F3 | |
| m24_ecbq_34_bb2 | Right | F3 | F3 | |
| M24_ECBQ_Neg_bb2 | Right | F8.2 | F8.2 | |
| m24_mchat_1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|--|-------------------|-------|--------------|
| m24_mchat_2_bb2 | 1275 | 2. Have you ever wondered if your child might be deaf? | Nominal | Input | 16 |
| m24_mchat_3_bb2 | 1276 | 3. Does your child play pretend or make-believe? (FOR EXAMPLE, pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal?) | Nominal | Input | 16 |
| m24_mchat_4_bb2 | 1277 | 4. Does your child like climbing on things? (FOR EXAMPLE, furniture, playground equipment, or stairs) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_2_bb2 | Right | F3 | F3 | |
| m24_mchat_3_bb2 | Right | F3 | F3 | |
| m24_mchat_4_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------|----------|---|-------------------|-------|--------------|
| m24_mchat_5_bb2 | 1278 | 5. Does your child make unusual finger movements near his or her eyes? (FOR EXAMPLE, does your child wiggle his or her fingers close to his or her eyes?) | Nominal | Input | 16 |
| m24_mchat_6_bb2 | 1279 | 6. Does your child point with one finger to ask for something or to get help? (FOR EXAMPLE, pointing to a snack or toy that is out of reach) | Nominal | Input | 16 |
| m24_mchat_7_bb2 | 1280 | 7. Does your child point with one finger to show you something interesting? (FOR EXAMPLE, pointing to an airplane in the sky or a big truck in the road) | Nominal | Input | 16 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------|-----------|--------------|--------------|----------------|
| m24_mchat_5_bb2 | Right | F3 | F3 | |
| m24_mchat_6_bb2 | Right | F3 | F3 | |
| m24_mchat_7_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| m24_mchat_8_bb2 | 1281 | 8. Is your child interested in other children? (FOR EXAMPLE, does your child watch other children, smile at them, or go to them?) | Nominal | Input | 16 |
| m24_mchat_9_bb2 | 1282 | 9. Does your child show you things by bringing them to you or holding them up for you to see - not to get help, but just to share? (FOR EXAMPLE, showing you a flower, a stuffed animal, or a toy truck) | Nominal | Input | 16 |
| m24_mchat_10_bb2 | 1283 | 10. Does your child respond when you call his or her name? (FOR EXAMPLE, does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_mchat_8_bb2 | Right | F3 | F3 | |
| m24_mchat_9_bb2 | Right | F3 | F3 | |
| m24_mchat_10_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| m24_mchat_11_bb2 | 1284 | 11. When you smile at your child, does he or she smile back at you? | Nominal | Input | 17 |
| m24_mchat_12_bb2 | 1285 | 12. Does your child get upset by everyday noises? (FOR EXAMPLE, does your child scream or cry to noise such as a vacuum cleaner or loud music?) | Nominal | Input | 17 |
| m24_mchat_13_bb2 | 1286 | 13. Does your child walk? | Nominal | Input | 17 |
| m24_mchat_14_bb2 | 1287 | 14. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her? | Nominal | Input | 17 |
| m24_mchat_15_bb2 | 1288 | 15. Does your child try to copy what you do? (FOR EXAMPLE, wave bye-bye, clap, or make a funny noise when you do) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_mchat_11_bb2 | Right | F3 | F3 | |
| m24_mchat_12_bb2 | Right | F3 | F3 | |
| m24_mchat_13_bb2 | Right | F3 | F3 | |
| m24_mchat_14_bb2 | Right | F3 | F3 | |
| m24_mchat_15_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| m24_mchat_16_bb2 | 1289 | 16. If you turn your head to look at something, does your child look around to see what you are looking at? | Nominal | Input | 17 |
| m24_mchat_17_bb2 | 1290 | 17. Does your child try to get you to watch him or her? (FOR EXAMPLE, does your child look at you for praise, or say look or watch me?) | Nominal | Input | 17 |
| m24_mchat_18_bb2 | 1291 | 18. Does your child understand when you tell him or her to do something? (FOR EXAMPLE, if you dont point, can your child understand put the book on the chair or bring me the blanket?) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| m24_mchat_16_bb2 | Right | F3 | F3 | |
| m24_mchat_17_bb2 | Right | F3 | F3 | |
| m24_mchat_18_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------|----------|--|-------------------|-------|--------------|
| m24_mchat_19_bb2 | 1292 | 19. If something new happens, does your child look at your face to see how you feel about it? (FOR EXAMPLE, if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?) | Nominal | Input | 17 |
| m24_mchat_20_bb2 | 1293 | 20. Does your child like movement activities? (FOR EXAMPLE, being swung or bounced on your knee) | Nominal | Input | 17 |
| MCHAT_M24_bb2 | 1294 | M-CHAT Total score at 24-month postpartum | Nominal | Input | 14 |
| MCHATClass_M24_bb2 | 1295 | Sudo-diagnostic classification for based on M-CHAT cutoff of 2 at 24-month postpartum | Nominal | Input | 19 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------|-----------|--------------|--------------|----------------|
| m24_mchat_19_bb2 | Right | F3 | F3 | |
| m24_mchat_20_bb2 | Right | F3 | F3 | |
| MCHAT_M24_bb2 | Right | F8.2 | F8.2 | 999.00 |
| MCHATClass_M24_bb2 | Right | F8.2 | F8.2 | 999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|--|-------------------|-------|--------------|
| m24_languages_bb2 | 1296 | Is your child regularly exposed to language(s) other than English (e.g., at home, daycare, etc)? | Nominal | Input | 18 |
| m24_lang_percent_bb2 | 1297 | What percentage of time is your child exposed to other languages? E. g., 50% of the time. | Scale | Input | 21 |
| m24_lang_other_bb2 | 1298 | Which other languages are they exposed to? | Nominal | Input | 26 |
| m24_lang_hearing_bb2 | 1299 | Is there some reason to suspect that your child may have hearing loss? | Nominal | Input | 21 |
| m24_lang_vision_bb2 | 1300 | Is there some reason to suspect that your child may have vision ... | Nominal | Input | 20 |
| CDI_sum_M24_bb2 | 1301 | CDI Sum at 24-month postpartum | Scale | Input | 16 |
| CDI_Percentile_bb2 | 1302 | CDI Percentile (new norms) at 24-month postpartum | Nominal | Input | 19 |
| m24_asq_today_bb2 | 1303 | M24 ASQ Date | Scale | Input | 15 |
| m24_asq_dobbb2 | 1304 | Please enter your child (ren)s date of birth: | Scale | Input | 15 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| m24_languages_bb2 | Right | F3 | F3 | |
| m24_lang_percent_bb2 | Right | F9.2 | F9.2 | |
| m24_lang_other_bb2 | Left | A30000 | A30000 | |
| m24_lang_hearing_bb2 | Right | F3 | F3 | |
| m24_lang_vision_bb2 | Right | F3 | F3 | |
| CDI_sum_M24_bb2 | Right | F8.2 | F8.2 | 999.00 |
| CDI_Percentile_bb2 | Right | F8.2 | F8.2 | 999.00 |
| m24_asq_today_bb2 | Right | ADATE10 | ADATE10 | |
| m24_asq_dobbb2 | Right | ADATE10 | ADATE10 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------------|----------|--|-------------------|-------|--------------|
| m24_dobbb2_unadjusted | 1305 | Child(ren)s unadjusted age in days based on delivery date and todays date | Scale | Input | 22 |
| m24_dobbb2_unadjusted month | 1306 | Child(ren)s unadjusted age in months based on delivery date and todays date | Scale | Input | 27 |
| asq3_24m_com1_bb2 | 1307 | 1. Without your showing him, does your child point to the correct picture when you say, Show me the kitty, or ask, Where is the dog? (She needs to identify only one picture correctly.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------------|-----------|--------------|--------------|----------------|
| m24_dobbb2_unadjusted | Right | F9.2 | F9.2 | |
| m24_dobbb2_unadjusted month | Right | F9.2 | F9.2 | |
| asq3_24m_com1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_com2_bb2 | 1308 | 2. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as Mama eat, Daddy play, Go home, or Whats this? does your child say both words back to you? (Mark yes even if her words are difficult to understand.) | Nominal | Input | 18 |
| asq3_24m_com3_bb2 | 1309 | 3. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? a. Put the toy on the table. b. Close the door. c. Bring me a towel. d. Find your coat. e. Ta | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com2_bb2 | Right | F3 | F3 | |
| asq3_24m_com3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_com4_bb2 | 1310 | 4. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, What is this? does your child correctly name at least one picture? | Nominal | Input | 18 |
| asq3_24m_com5_bb2 | 1311 | 5. Does your child say two or three words that represent different ideas together, such as See dog, Mommy come home, or Kitty gone? Dont count word combinations that express one idea, such as bye-bye, all gone, all right, and ... | Nominal | Input | 18 |
| asq3_24m_com5_text_bb2 | 1312 | Please give an example of your childs word combinations: | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com4_bb2 | Right | F3 | F3 | |
| asq3_24m_com5_bb2 | Right | F3 | F3 | |
| asq3_24m_com5_text_bb2 | Left | A1000 | A1000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_com6_bb2 | 1313 | 6. Does your child correctly use at least two words like me, I, mine, and ... | Nominal | Input | 18 |
| asq3_24m_gm1_bb2 | 1314 | 1. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.) | Nominal | Input | 17 |
| asq3_24m_gm2_bb2 | 1315 | 2. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark yes for this item.) | Nominal | Input | 17 |
| asq3_24m_gm3_bb2 | 1316 | 3. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall. | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_com6_bb2 | Right | F3 | F3 | |
| asq3_24m_gm1_bb2 | Right | F3 | F3 | |
| asq3_24m_gm2_bb2 | Right | F3 | F3 | |
| asq3_24m_gm3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_gm4_bb2 | 1317 | 4. Does your child run fairly well, stopping herself without bumping into ... | Nominal | Input | 17 |
| asq3_24m_gm5_bb2 | 1318 | 5. Does your child jump with both feet leaving the floor at the same time? | Nominal | Input | 17 |
| asq3_24m_gm6_bb2 | 1319 | 6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward? | Nominal | Input | 17 |
| asq3_24m_fm1_bb2 | 1320 | 1. Does your child get a spoon into his mouth right side up so that the food usually doesnt spill? | Nominal | Input | 17 |
| asq3_24m_fm2_bb2 | 1321 | 2. Does your child turn the pages of a book by herself? (She may turn more than one page at a time.) | Nominal | Input | 17 |
| asq3_24m_fm3_bb2 | 1322 | 3. Does your child use a turning motion with his hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_gm4_bb2 | Right | F3 | F3 | |
| asq3_24m_gm5_bb2 | Right | F3 | F3 | |
| asq3_24m_gm6_bb2 | Right | F3 | F3 | |
| asq3_24m_fm1_bb2 | Right | F3 | F3 | |
| asq3_24m_fm2_bb2 | Right | F3 | F3 | |
| asq3_24m_fm3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_fm4_bb2 | 1323 | 4. Does your child flip switches off and on? | Nominal | Input | 17 |
| asq3_24m_fm5_bb2 | 1324 | 5. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size. | Nominal | Input | 17 |
| asq3_24m_fm6_bb2 | 1325 | 6. Can your child string small items such as beads, macaroni, or pasta wagon wheels onto a string or shoelace? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_fm4_bb2 | Right | F3 | F3 | |
| asq3_24m_fm5_bb2 | Right | F3 | F3 | |
| asq3_24m_fm6_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_prs1_bb2 | 1326 | 1. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark not yet if your child scribbles back and forth.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_24m_prs2_bb2 | 1327 | 2. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show him how.) (You can use a soda-pop bottle or baby ... | Nominal | Input | 18 |
| asq3_24m_prs3_bb2 | 1328 | 3. Does your child pretend objects are something else? For example, does your child hold a cup to her ear, pretending it is a telephone? Does she put a box on her head, pretending it is a hat? Does she use a block or small toy to stir food? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs2_bb2 | Right | F3 | F3 | |
| asq3_24m_prs3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_prs4_bb2 | 1329 | 4. Does your child put things away where they belong? For example, does he know his toys belong on the toy shelf, his blanket goes on his bed, and dishes go in the kitchen? | Nominal | Input | 18 |
| asq3_24m_prs5_bb2 | 1330 | 5. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to help you in the kitchen)? | Nominal | Input | 18 |
| asq3_24m_prs6_bb2 | 1331 | 6. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_prs4_bb2 | Right | F3 | F3 | |
| asq3_24m_prs5_bb2 | Right | F3 | F3 | |
| asq3_24m_prs6_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_ps1_bb2 | 1332 | 1. Does your child drink from a cup or glass, putting it down again with little spilling? | Nominal | Input | 17 |
| asq3_24m_ps2_bb2 | 1333 | 2. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair? | Nominal | Input | 17 |
| asq3_24m_ps3_bb2 | 1334 | 3. Does your child eat with a fork? | Nominal | Input | 17 |
| asq3_24m_ps4_bb2 | 1335 | 4. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth? | Nominal | Input | 17 |
| asq3_24m_ps5_bb2 | 1336 | 5. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_24m_ps1_bb2 | Right | F3 | F3 | |
| asq3_24m_ps2_bb2 | Right | F3 | F3 | |
| asq3_24m_ps3_bb2 | Right | F3 | F3 | |
| asq3_24m_ps4_bb2 | Right | F3 | F3 | |
| asq3_24m_ps5_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_24m_ps6_bb2 | 1337 | 6. Does your child call herself I or me more often than her own name? For example, I do it, more often than Juanita do it. | Nominal | Input | 17 |
| asq3_27m_com1_bb2 | 1338 | 1. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? a.Put the toy on the table. b.Close the door. c. Bring me a towel. d. Find your coat. e. Take my | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_24m_ps6_bb2 | Right | F3 | F3 | |
| asq3_27m_com1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_com2_bb2 | 1339 | 2. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, What is this? does your child correctly name at least one picture? | Nominal | Input | 18 |
| asq3_27m_com3_bb2 | 1340 | 3. When you ask her to point to her nose, eyes, hair, feet, ears, and so forth, does your child correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark sometimes if she correctly points to at least three diff | Nominal | Input | 18 |
| asq3_27m_com4_bb2 | 1341 | 4. Does your child correctly use at least two words like me, I, mine, and ... | Nominal | Input | 18 |
| asq3_27m_com5_bb2 | 1342 | 5. Does your child make sentences that are three or four words long? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_com2_bb2 | Right | F3 | F3 | |
| asq3_27m_com3_bb2 | Right | F3 | F3 | |
| asq3_27m_com4_bb2 | Right | F3 | F3 | |
| asq3_27m_com5_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_com5_text_bb2 | 1343 | Please give an example: | Nominal | Input | 26 |
| asq3_27m_com6_bb2 | 1344 | 6. Without giving your child help by pointing or using gestures, ask him to put the book on the table and put the shoe under the chair. Does your child carry out both of these directions correctly? | Nominal | Input | 18 |
| asq3_27m_gm1_bb2 | 1345 | 1. Does your child walk either up or down at least two steps by himself? He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.) | Nominal | Input | 17 |
| asq3_27m_gm2_bb2 | 1346 | 2. Does your child run fairly well, stopping herself without bumping into ... | Nominal | Input | 17 |
| asq3_27m_gm3_bb2 | 1347 | 3. Does your child jump with both feet leaving the floor at the same time? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq3_27m_com5_text_bb2 | Left | A1000 | A1000 | |
| asq3_27m_com6_bb2 | Right | F3 | F3 | |
| asq3_27m_gm1_bb2 | Right | F3 | F3 | |
| asq3_27m_gm2_bb2 | Right | F3 | F3 | |
| asq3_27m_gm3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_gm4_bb2 | 1348 | 4. Without holding onto anything for support, does your child kick a ball by swinging his leg forward? | Nominal | Input | 17 |
| asq3_27m_gm5_bb2 | 1349 | 5. Does your child jump forward at least 3 inches with both feet leaving the ground at the same time? | Nominal | Input | 17 |
| asq3_27m_gm6_bb2 | 1350 | 6. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall. | Nominal | Input | 17 |
| asq3_27m_fm1_bb2 | 1351 | 1. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_gm4_bb2 | Right | F3 | F3 | |
| asq3_27m_gm5_bb2 | Right | F3 | F3 | |
| asq3_27m_gm6_bb2 | Right | F3 | F3 | |
| asq3_27m_fm1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_fm2_bb2 | 1352 | 2. Does your child flip switches off and on? | Nominal | Input | 17 |
| asq3_27m_fm3_bb2 | 1353 | 3. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask him to make a line like yours. Do you let your child trace your line. Does your child copy you by drawing a single line in a vertical di | Nominal | Input | 17 |
| asq3_27m_fm4_bb2 | 1354 | 4. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.) | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_fm2_bb2 | Right | F3 | F3 | |
| asq3_27m_fm3_bb2 | Right | F3 | F3 | |
| asq3_27m_fm4_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_fm5_bb2 | 1355 | 5. Can your child string small items such as beads, macaroni, or pasta wagon wheels onto a string or shoelace? | Nominal | Input | 17 |
| asq3_27m_fm6_bb2 | 1356 | 6. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_fm5_bb2 | Right | F3 | F3 | |
| asq3_27m_fm6_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_prs1_bb2 | 1357 | 1. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on her head, pretending it is a hat? Does he use a block or small toy to stir food? | Nominal | Input | 18 |
| asq3_27m_prs2_bb2 | 1358 | 2. Does your child put things away where they belong? For example, does she know her toys belong on the toy shelf, her blanket goes on her bed, and dishes go in the kitchen? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs1_bb2 | Right | F3 | F3 | |
| asq3_27m_prs2_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_prs3_bb2 | 1359 | 3. When looking in the mirror, ask Where is _____? (Use your childs name.) Does your child point to his image in the mirror? | Nominal | Input | 18 |
| asq3_27m_prs4_bb2 | 1360 | 4. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to help you in the kitchen)? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs3_bb2 | Right | F3 | F3 | |
| asq3_27m_prs4_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------|----------|---|-------------------|-------|--------------|
| asq3_27m_prs5_bb2 | 1361 | 5. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools or thread, small boxes, or other toys.) | Nominal | Input | 18 |
| asq3_27m_prs6_bb2 | 1362 | 6. When you point to the figure and ask your child, What is this? does your child say a word that means a person or something similar (Mark yes for responses like snowman, boy, man, girl, Daddy, spaceman, and monkey.) | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs5_bb2 | Right | F3 | F3 | |
| asq3_27m_prs6_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_prs6_text_bb2 | 1363 | Please write your child's response here: | Nominal | Input | 26 |
| asq3_27m_ps1_bb2 | 1364 | 1. If you do any of the following gestures, does your child copy at least one of them? a. Open and close your mouth. b. Blink your eyes. c. Pull on your earlobe. d. Pat your cheek. | Nominal | Input | 17 |
| asq3_27m_ps2_bb2 | 1365 | 2. Does your child eat with a fork? | Nominal | Input | 17 |
| asq3_27m_ps3_bb2 | 1366 | 3. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth? | Nominal | Input | 17 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------------|-----------|--------------|--------------|----------------|
| asq3_27m_prs6_text_bb2 | Left | A1000 | A1000 | |
| asq3_27m_ps1_bb2 | Right | F3 | F3 | |
| asq3_27m_ps2_bb2 | Right | F3 | F3 | |
| asq3_27m_ps3_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| asq3_27m_ps4_bb2 | 1367 | 4. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn? | Nominal | Input | 17 |
| asq3_27m_ps5_bb2 | 1368 | 5. Does your child call herself I or me more often than her own name? For example, I do it more often than Juanita do it. | Nominal | Input | 17 |
| asq3_27m_ps6_bb2 | 1369 | 6. Does your child put on a coat, jacket, or shirt by himself? | Nominal | Input | 17 |
| ASQcomm_24m_bb2 | 1370 | Communication Total score; combining 24 ... | Scale | Input | 13 |
| ASQgm_24m_bb2 | 1371 | Gross Motor Total score; combining 24 & 27 months | Nominal | Input | 11 |
| ASQfm_24m_bb2 | 1372 | Fine Motor Total score; combining 24 & 27 months | Scale | Input | 11 |
| ASQprs_24m_bb2 | 1373 | Problem-Solving Total score; combining 24 & 27 | Scale | Input | 12 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| asq3_27m_ps4_bb2 | Right | F3 | F3 | |
| asq3_27m_ps5_bb2 | Right | F3 | F3 | |
| asq3_27m_ps6_bb2 | Right | F3 | F3 | |
| ASQcomm_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| ASQgm_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| ASQfm_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| ASQprs_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|------------------|----------|--|-------------------|-------|--------------|
| ASQps_24m_bb2 | 1374 | Personal-Social Total score; combining 24 & 27 | Scale | Input | 11 |
| CutComm_24m_bb2 | 1375 | codes for above or below cutoff on Communication at 24-month postpartum | Scale | Input | 13 |
| CutGM_24m_bb2 | 1376 | codes for above or below cutoff on Gross Motor at 24-month postpartum | Scale | Input | 11 |
| CutFM_24m_bb2 | 1377 | codes for above or below cutoff on Fine Motor at 24-month postpartum | Scale | Input | 11 |
| CutPRS_24m_bb2 | 1378 | codes for above or below cutoff on Problem Solving at 24-month postpartum | Scale | Input | 12 |
| CutPS_24m_bb2 | 1379 | codes for above or below cutoff on Personal-Social at 24-month postpartum | Scale | Input | 11 |
| CutTotal_24m_bb2 | 1380 | codes for below or 2 or 1 SD above cutoff on any of the 5 domains at 24-month postpartum | Nominal | Input | 14 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|------------------|-----------|--------------|--------------|----------------|
| ASQps_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutComm_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutGM_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutFM_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutPRS_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutPS_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutTotal_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_1_bb2 | 1381 | 1. Does your child look at you when you talk to him? | Nominal | Input | 17 |
| asq_se_24m_c1__1_bb2 | 1382 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_2_bb2 | 1383 | 2. Does your child seem too friendly with ... | Nominal | Input | 17 |
| asq_se_24m_c2__1_bb2 | 1384 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_3_bb2 | 1385 | 3. Does your child laugh or smile when you play with her? | Nominal | Input | 17 |
| asq_se_24m_c3__1_bb2 | 1386 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_4_bb2 | 1387 | 4. Is your childs body relaxed? | Nominal | Input | 17 |
| asq_se_24m_c4__1_bb2 | 1388 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_5_bb2 | 1389 | 5. When you leave, does your child stay upset and cry for more than ... | Nominal | Input | 17 |
| asq_se_24m_c5__1_bb2 | 1390 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_6_bb2 | 1391 | 6. Does your child greet or say hello to familiar adults? | Nominal | Input | 17 |
| asq_se_24m_c6__1_bb2 | 1392 | (choice=Click if this is a concern) | Nominal | Input | 22 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_1_bb2 | Right | F3 | F3 | |
| asq_se_24m_c1__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_2_bb2 | Right | F3 | F3 | |
| asq_se_24m_c2__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_3_bb2 | Right | F3 | F3 | |
| asq_se_24m_c3__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_4_bb2 | Right | F3 | F3 | |
| asq_se_24m_c4__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_5_bb2 | Right | F3 | F3 | |
| asq_se_24m_c5__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_6_bb2 | Right | F3 | F3 | |
| asq_se_24m_c6__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_7_bb2 | 1393 | 7. Does your child like to be hugged or cuddled? | Nominal | Input | 17 |
| asq_se_24m_c7__1_bb2 | 1394 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_8_bb2 | 1395 | 8. When upset, can your child calm down within 15 minutes? | Nominal | Input | 17 |
| asq_se_24m_c8__1_bb2 | 1396 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_9_bb2 | 1397 | 9. Does your child stiffen and arch his back when picked up? | Nominal | Input | 17 |
| asq_se_24m_c9__1_bb2 | 1398 | (choice=Click if this is a concern) | Nominal | Input | 22 |
| asq_se_24m_10_bb2 | 1399 | 10. Is your child interested in things around her, such as people, toys, and foods? | Nominal | Input | 18 |
| asq_se_24m_c10__1_bb2 | 1400 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_11_bb2 | 1401 | 11. Does your child cry, scream, or have tantrums for long periods of time? | Nominal | Input | 18 |
| asq_se_24m_c11__1_bb2 | 1402 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_7_bb2 | Right | F3 | F3 | |
| asq_se_24m_c7__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_8_bb2 | Right | F3 | F3 | |
| asq_se_24m_c8__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_9_bb2 | Right | F3 | F3 | |
| asq_se_24m_c9__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_10_bb2 | Right | F3 | F3 | |
| asq_se_24m_c10__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_11_bb2 | Right | F3 | F3 | |
| asq_se_24m_c11__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_12_bb2 | 1403 | 12. Do you and your child enjoy mealtimes together? | Nominal | Input | 18 |
| asq_se_24m_c12__1_bb2 | 1404 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_13_bb2 | 1405 | 13. Does your child have eating problems? For example, does he stuff food, vomit, eat things that are not food, or ____? (Please describe.) | Nominal | Input | 18 |
| asq_se_24m_13__other_b b2 | 1406 | Please describe: | Nominal | Input | 26 |
| asq_se_24m_c13__1_bb2 | 1407 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_14_bb2 | 1408 | 14. Does your child sleep at least 10 hours in a 24-hour period? | Nominal | Input | 18 |
| asq_se_24m_c14__1_bb2 | 1409 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_15_bb2 | 1410 | 15. When you point at something, does your child look in the direction you are pointing? | Nominal | Input | 18 |
| asq_se_24m_c15__1_bb2 | 1411 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_12_bb2 | Right | F3 | F3 | |
| asq_se_24m_c12__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_13_bb2 | Right | F3 | F3 | |
| asq_se_24m_13_other_b b2 | Left | A1000 | A1000 | |
| asq_se_24m_c13__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_14_bb2 | Right | F3 | F3 | |
| asq_se_24m_c14__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_15_bb2 | Right | F3 | F3 | |
| asq_se_24m_c15__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_16_bb2 | 1412 | 16. Does your child have trouble falling asleep at naptime or at night? | Nominal | Input | 18 |
| asq_se_24m_c16__1_bb2 | 1413 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_17_bb2 | 1414 | 17. Does your child get constipated or have diarrhea? | Nominal | Input | 18 |
| asq_se_24m_c17__1_bb2 | 1415 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_18_bb2 | 1416 | 18. Does your child follow simple directions? For example, does she sit down when asked? | Nominal | Input | 18 |
| asq_se_24m_c18__1_bb2 | 1417 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_19_bb2 | 1418 | 19. Does your child let you know how he is feeling with words or gestures? For example, does he let you know when he is hungry, hurt, or tired? | Nominal | Input | 18 |
| asq_se_24m_c19__1_bb2 | 1419 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_16_bb2 | Right | F3 | F3 | |
| asq_se_24m_c16__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_17_bb2 | Right | F3 | F3 | |
| asq_se_24m_c17__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_18_bb2 | Right | F3 | F3 | |
| asq_se_24m_c18__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_19_bb2 | Right | F3 | F3 | |
| asq_se_24m_c19__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-------------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_20_bb2 | 1420 | 20. Does your child check to make sure you are near when exploring new places, such as a park or a friends home? | Nominal | Input | 18 |
| asq_se_24m_c20__1_bb2 | 1421 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_21_bb2 | 1422 | 21. Does your child do things over and over and get upset when you try to stop her? For example, does she rock, flap her hands, spin, or _____? (Please describe.) | Nominal | Input | 18 |
| asq_se_24m_21_other_bb2 | 1423 | Please describe: | Nominal | Input | 26 |
| asq_se_24m_c21__1_bb2 | 1424 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_22_bb2 | 1425 | 22. Does your child like to hear stories or sing songs? | Nominal | Input | 18 |
| asq_se_24m_c22__1_bb2 | 1426 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_23_bb2 | 1427 | 23. Does your child hurt himself on purpose? | Nominal | Input | 18 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-------------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_20_bb2 | Right | F3 | F3 | |
| asq_se_24m_c20__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_21_bb2 | Right | F3 | F3 | |
| asq_se_24m_21_other_bb2 | Left | A30000 | A30000 | |
| asq_se_24m_c21__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_22_bb2 | Right | F3 | F3 | |
| asq_se_24m_c22__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_23_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|--|-------------------|-------|--------------|
| asq_se_24m_c23__1_bb2 | 1428 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_24_bb2 | 1429 | 24. Does your child like to be around other children? For example, does she move close to or look at other children? | Nominal | Input | 18 |
| asq_se_24m_c24__1_bb2 | 1430 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_25_bb2 | 1431 | 25. Does your child try to hurt other children, adults, or animals (for example, by kicking or biting)? | Nominal | Input | 18 |
| asq_se_24m_c25__1_bb2 | 1432 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_26_bb2 | 1433 | 26. Does your child try to show you things by pointing at them and looking back at you? | Nominal | Input | 18 |
| asq_se_24m_c26__1_bb2 | 1434 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_c23__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_24_bb2 | Right | F3 | F3 | |
| asq_se_24m_c24__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_25_bb2 | Right | F3 | F3 | |
| asq_se_24m_c25__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_26_bb2 | Right | F3 | F3 | |
| asq_se_24m_c26__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_27_bb2 | 1435 | 27. Does your child play with objects by pretending? For example, does your child pretend to talk on the phone, feed a doll, or fly a toy airplane? | Nominal | Input | 18 |
| asq_se_24m_c27__1_bb2 | 1436 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_28_bb2 | 1437 | 28. Does your child wake three or more times during the night? | Nominal | Input | 18 |
| asq_se_24m_c28__1_bb2 | 1438 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_29_bb2 | 1439 | 29. Does your child respond to his name when you call him? For example, does he turn his head and look at you? | Nominal | Input | 18 |
| asq_se_24m_c29__1_bb2 | 1440 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_30_bb2 | 1441 | 30. Is your child too worried or fearful? | Nominal | Input | 18 |
| asq_se_24m_30b_bb2 | 1442 | If sometimes or often or always, please describe: | Nominal | Input | 26 |
| asq_se_24m_c30__1_bb2 | 1443 | (choice=Click if this is a concern) | Nominal | Input | 23 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_27_bb2 | Right | F3 | F3 | |
| asq_se_24m_c27__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_28_bb2 | Right | F3 | F3 | |
| asq_se_24m_c28__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_29_bb2 | Right | F3 | F3 | |
| asq_se_24m_c29__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_30_bb2 | Right | F3 | F3 | |
| asq_se_24m_30b_bb2 | Left | A30000 | A30000 | |
| asq_se_24m_c30__1_bb2 | Right | F3 | F3 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|-----------------------|----------|---|-------------------|-------|--------------|
| asq_se_24m_31_bb2 | 1444 | 31. Has anyone shared concerns about your child's behaviours? | Nominal | Input | 18 |
| asq_se_24m_31b_bb2 | 1445 | If sometimes or often or always, please explain: | Nominal | Input | 26 |
| asq_se_24m_c31__1_bb2 | 1446 | (choice=Click if this is a concern) | Nominal | Input | 23 |
| asq_se_24m_32_bb2 | 1447 | Optional: Please tell us 1-3 of your favourite things about your child (e. g., My son loves to read, or she is fearless). | Nominal | Input | 26 |
| ASQSE_24m_bb2 | 1448 | ASQ:SE total score at 24 months postpartum adjusted for missing items | Scale | Input | 13 |
| CutASQSE_24m_bb2 | 1449 | codes for above or below cutoff on ASQ:SE-2 at 24-month postpartum | Scale | Input | 17 |
| pdp_infant_id | 1450 | Infant ID | Nominal | Input | 26 |
| pdp_mrcode | 1451 | Infant MRI study code | Nominal | Input | 26 |
| mri_dob | 1452 | Infant DOB | Scale | Input | 12 |
| mri_date | 1453 | MRI date | Scale | Input | 12 |
| mri_age | 1454 | Infant age at scan | Scale | Input | 11 |
| mri_weight | 1455 | Weight: kg | Nominal | Input | 26 |
| mri_inch | 1456 | Length: Inches | Scale | Input | 11 |
| pdp_success | 1457 | Was scan successful? | Nominal | Input | 13 |
| pdp_infant_id_12m | 1458 | Infant ID | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|-----------------------|-----------|--------------|--------------|----------------|
| asq_se_24m_31_bb2 | Right | F3 | F3 | |
| asq_se_24m_31b_bb2 | Left | A30000 | A30000 | |
| asq_se_24m_c31__1_bb2 | Right | F3 | F3 | |
| asq_se_24m_32_bb2 | Left | A30000 | A30000 | |
| ASQSE_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| CutASQSE_24m_bb2 | Right | F8.2 | F8.2 | -999.00 |
| pdp_infant_id | Left | A1000 | A1000 | |
| pdp_mrcode | Left | A1000 | A1000 | |
| mri_dob | Right | ADATE10 | ADATE10 | |
| mri_date | Right | ADATE10 | ADATE10 | |
| mri_age | Right | F9.2 | F9.2 | |
| mri_weight | Left | A1000 | A1000 | |
| mri_inch | Right | F9.2 | F9.2 | |
| pdp_success | Right | F3 | F3 | |
| pdp_infant_id_12m | Left | A1000 | A1000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--------------------------|----------|-----------------------|-------------------|-------|--------------|
| pdp_mrcode_12m | 1459 | Infant MRI study code | Nominal | Input | 26 |
| mri_dob_12m | 1460 | Infant DOB | Scale | Input | 13 |
| mri_date_12m | 1461 | MRI date | Scale | Input | 14 |
| mri_age_12m | 1462 | Infant age at scan | Scale | Input | 13 |
| mri_weight_12m | 1463 | Weight: kg | Nominal | Input | 26 |
| mri_inch_12m | 1464 | Length: Inches | Scale | Input | 14 |
| pdp_success_12m | 1465 | Was scan successful? | Nominal | Input | 17 |
| pdp_infant_id_24m | 1466 | Infant ID | Nominal | Input | 26 |
| pdp_mrcode_24m | 1467 | Infant MRI study code | Nominal | Input | 26 |
| mri_dob_24m | 1468 | Infant DOB | Scale | Input | 13 |
| mri_date_24m | 1469 | MRI date | Scale | Input | 14 |
| mri_age_24m | 1470 | Infant age at scan | Scale | Input | 13 |
| mri_weight_24m | 1471 | Weight: kg | Nominal | Input | 26 |
| mri_inch_24m | 1472 | Height: Inches | Scale | Input | 14 |
| pdp_success_24m | 1473 | Was scan successful? | Nominal | Input | 17 |
| pdp_infant_id_24m_v2 | 1474 | Infant ID | Nominal | Input | 26 |
| pdp_mri_24m_twin | 1475 | Is this a twin scan? | Nominal | Input | 18 |
| pdp_mri_24m_twinid | 1476 | Twin identifier | Nominal | Input | 26 |
| pdp_mrcode_24m_v2 | 1477 | Infant MRI study code | Nominal | Input | 26 |
| mri_dob_24m_v2 | 1478 | Infant DOB | Scale | Input | 16 |
| mri_date_24m_v2 | 1479 | MRI date | Scale | Input | 17 |
| mri_age_24m_v2 | 1480 | Infant age at scan | Scale | Input | 16 |
| mri_weight_24m_v2 | 1481 | Weight: kg | Nominal | Input | 26 |
| mri_inch_24m_v2 | 1482 | Height: Inches | Scale | Input | 17 |
| pdp_success_24m_v2 | 1483 | Was scan successful? | Nominal | Input | 20 |
| mri_m36_bb1_id | 1484 | BB1 identifier: | Nominal | Input | 26 |
| mri_m36_bb2_id | 1485 | BB2 identifier: | Nominal | Input | 26 |
| pdp_infant_id_24m_v2_36m | 1486 | Infant ID | Nominal | Input | 26 |
| pdp_mrcode_24m_v2_36m | 1487 | Infant MRI study code | Nominal | Input | 26 |
| mri_dob_24m_v2_36m | 1488 | Infant DOB | Scale | Input | 20 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--------------------------|-----------|--------------|--------------|----------------|
| pdp_mrcode_12m | Left | A1000 | A1000 | |
| mri_dob_12m | Right | ADATE10 | ADATE10 | |
| mri_date_12m | Right | ADATE10 | ADATE10 | |
| mri_age_12m | Right | F9.2 | F9.2 | |
| mri_weight_12m | Left | A1000 | A1000 | |
| mri_inch_12m | Right | F9.2 | F9.2 | |
| pdp_success_12m | Right | F3 | F3 | |
| pdp_infant_id_24m | Left | A1000 | A1000 | |
| pdp_mrcode_24m | Left | A1000 | A1000 | |
| mri_dob_24m | Right | ADATE10 | ADATE10 | |
| mri_date_24m | Right | ADATE10 | ADATE10 | |
| mri_age_24m | Right | F9.2 | F9.2 | |
| mri_weight_24m | Left | A1000 | A1000 | |
| mri_inch_24m | Right | F9.2 | F9.2 | |
| pdp_success_24m | Right | F3 | F3 | |
| pdp_infant_id_24m_v2 | Left | A1000 | A1000 | |
| pdp_mri_24m_twin | Right | F3 | F3 | |
| pdp_mri_24m_twinid | Left | A1000 | A1000 | |
| pdp_mrcode_24m_v2 | Left | A1000 | A1000 | |
| mri_dob_24m_v2 | Right | ADATE10 | ADATE10 | |
| mri_date_24m_v2 | Right | ADATE10 | ADATE10 | |
| mri_age_24m_v2 | Right | F9.2 | F9.2 | |
| mri_weight_24m_v2 | Left | A1000 | A1000 | |
| mri_inch_24m_v2 | Right | F9.2 | F9.2 | |
| pdp_success_24m_v2 | Right | F3 | F3 | |
| mri_m36_bb1_id | Left | A1000 | A1000 | |
| mri_m36_bb2_id | Left | A1000 | A1000 | |
| pdp_infant_id_24m_v2_36m | Left | A1000 | A1000 | |
| pdp_mrcode_24m_v2_36m | Left | A1000 | A1000 | |
| mri_dob_24m_v2_36m | Right | ADATE10 | ADATE10 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---------------------------|----------|-----------------------|-------------------|-------|--------------|
| mri_date_24m_v2_36m | 1489 | MRI date | Scale | Input | 21 |
| mri_age_24m_v2_36m | 1490 | Infant age at scan | Scale | Input | 20 |
| mri_weight_24m_v2_36m | 1491 | Weight: kg | Nominal | Input | 26 |
| mri_inch_24m_v2_36m | 1492 | Height: Inches | Scale | Input | 21 |
| pdp_success_24m_v2_36m | 1493 | Was scan successful? | Nominal | Input | 24 |
| pdp_3y_scan_twin | 1494 | Twin scan? | Nominal | Input | 18 |
| pdp_3y_twin_identifier | 1495 | Twin identifier: | Nominal | Input | 26 |
| mri_m36_bb1_id_twin | 1496 | BB1 identifier: | Nominal | Input | 26 |
| mri_m36_bb2_id_twin | 1497 | BB2 identifier: | Nominal | Input | 26 |
| mri_pdp_36m_twinid | 1498 | Twin identifier | Nominal | Input | 26 |
| pdp_mrcode_24m_v2_36m_v2 | 1499 | Infant MRI study code | Nominal | Input | 27 |
| mri_dob_24m_v2_36m_v2 | 1500 | Infant DOB | Scale | Input | 23 |
| mri_date_24m_v2_36m_v2 | 1501 | MRI date | Scale | Input | 24 |
| mri_age_24m_v2_36m_v2 | 1502 | Infant age at scan | Scale | Input | 23 |
| mri_weight_24m_v2_36m_v2 | 1503 | Weight: kg | Nominal | Input | 26 |
| mri_inch_24m_v2_36m_v2 | 1504 | Height: Inches | Scale | Input | 24 |
| pdp_success_24m_v2_36m_v2 | 1505 | Was scan successful? | Nominal | Input | 27 |
| mri_m36_twinscan | 1506 | Is this a twin scan? | Nominal | Input | 18 |
| mri_m36_twin_id | 1507 | Child identifier: | Nominal | Input | 26 |
| m36_nepsy_bb1_id_twin | 1508 | BB1 identifier: | Nominal | Input | 26 |
| m36_nepsy_bb2_id_twin | 1509 | BB2 identifier: | Nominal | Input | 26 |
| m36_nepsy_bb1_id | 1510 | BB1 identifier: | Nominal | Input | 26 |
| m36_nepsy_bb2_id | 1511 | BB2 identifier: | Nominal | Input | 26 |
| nepsy | 1512 | NEPSY completed | Nominal | Input | 7 |
| nep_studycode | 1513 | Visit- Study Code | Nominal | Input | 26 |
| nep_date | 1514 | Date of test | Scale | Input | 12 |
| nep_age | 1515 | Age in Months | Nominal | Input | 26 |
| nep_age_y | 1516 | Age in Years | Nominal | Input | 26 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|---------------------------|-----------|--------------|--------------|----------------|
| mri_date_24m_v2_36m | Right | ADATE10 | ADATE10 | |
| mri_age_24m_v2_36m | Right | F9.2 | F9.2 | |
| mri_weight_24m_v2_36m | Left | A1000 | A1000 | |
| mri_inch_24m_v2_36m | Right | F9.2 | F9.2 | |
| pdp_success_24m_v2_36m | Right | F3 | F3 | |
| pdp_3y_scan_twin | Right | F3 | F3 | |
| pdp_3y_twin_identifier | Left | A1000 | A1000 | |
| mri_m36_bb1_id_twin | Left | A1000 | A1000 | |
| mri_m36_bb2_id_twin | Left | A1000 | A1000 | |
| mri_pdp_36m_twinid | Left | A1000 | A1000 | |
| pdp_mrcode_24m_v2_36m_v2 | Left | A1000 | A1000 | |
| mri_dob_24m_v2_36m_v2 | Right | ADATE10 | ADATE10 | |
| mri_date_24m_v2_36m_v2 | Right | ADATE10 | ADATE10 | |
| mri_age_24m_v2_36m_v2 | Right | F9.2 | F9.2 | |
| mri_weight_24m_v2_36m_v2 | Left | A1000 | A1000 | |
| mri_inch_24m_v2_36m_v2 | Right | F9.2 | F9.2 | |
| pdp_success_24m_v2_36m_v2 | Right | F3 | F3 | |
| mri_m36_twinscan | Right | F3 | F3 | |
| mri_m36_twin_id | Left | A1000 | A1000 | |
| m36_nepsy_bb1_id_twin | Left | A1000 | A1000 | |
| m36_nepsy_bb2_id_twin | Left | A1000 | A1000 | |
| m36_nepsy_bb1_id | Left | A1000 | A1000 | |
| m36_nepsy_bb2_id | Left | A1000 | A1000 | |
| nepsy | Right | F3 | F3 | |
| nep_studycode | Left | A1000 | A1000 | |
| nep_date | Right | ADATE10 | ADATE10 | |
| nep_age | Left | A1000 | A1000 | |
| nep_age_y | Left | A1000 | A1000 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|---|----------|--|-------------------|-------|--------------|
| nep_ph_scaled | 1517 | Phonological processing scaled score | Nominal | Input | 26 |
| nep_sn_scalescoretime_age3_4 | 1518 | SCALED SCORE- SN Total completion time | Scale | Input | 30 |
| nep_sn_tottime_percentrank_age3_4 | 1519 | Speed Naming Total Completion Time Percentile Rank | Scale | Input | 34 |
| nep_sn_combined_scaledscore_age3_4 | 1520 | SCALED SCORE - SN Combined score | Scale | Input | 32 |
| nep_sn_combinedscaledscore_percent_age3_4 | 1521 | SN Combined Scaled Score Percentile | Nominal | Input | 34 |
| nep_sn_combined_scaledscore_age3_5 | 1522 | SN Combined SCALED SCORE | Scale | Input | 32 |
| nep_sn_combinedscaledscore_percent_age3_5 | 1523 | SN Combined Scaled Score Percentile | Nominal | Input | 34 |
| nepsy_bb2 | 1524 | NEPSY completed | Nominal | Input | 11 |
| nep_studycode_bb2 | 1525 | Visit- Study Code | Nominal | Input | 26 |
| nep_date_bb2 | 1526 | Date of test | Scale | Input | 14 |
| nep_age_bb2 | 1527 | Age in Months | Nominal | Input | 26 |
| nep_age_y_bb2 | 1528 | Age in Years | Nominal | Input | 26 |
| nep_ph_scaled_bb2 | 1529 | Phonological processing scaled score | Nominal | Input | 26 |
| nep_sn_scalescoretime_age3_4_bb2 | 1530 | SCALED SCORE- SN Total completion time | Scale | Input | 34 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--|-----------|--------------|--------------|----------------|
| nep_ph_scaled | Left | A1000 | A1000 | |
| nep_sn_scalescoretime_age3_4 | Right | F9.2 | F9.2 | |
| nep_sn_tottime_percentrank_age3_4 | Right | F9.2 | F9.2 | |
| nep_sn_combined_scaledscore_age3_4 | Right | F9.2 | F9.2 | |
| nep_sn_combinedscalescore_percent_age3_4 | Left | A1000 | A1000 | |
| nep_sn_combined_scaledscore_age3_5 | Right | F9.2 | F9.2 | |
| nep_sn_combinedscalescore_percent_age3_5 | Left | A1000 | A1000 | |
| nepsy_bb2 | Right | F3 | F3 | |
| nep_studycode_bb2 | Left | A1000 | A1000 | |
| nep_date_bb2 | Right | ADATE10 | ADATE10 | |
| nep_age_bb2 | Left | A1000 | A1000 | |
| nep_age_y_bb2 | Left | A1000 | A1000 | |
| nep_ph_scaled_bb2 | Left | A1000 | A1000 | |
| nep_sn_scalescoretime_age3_4_bb2 | Right | F9.2 | F9.2 | |

Variable Information

| Variable | Position | Label | Measurement Level | Role | Column Width |
|--|----------|--|-------------------|-------|--------------|
| nep_sn_tottime_percentrank_age3_4_bb2 | 1531 | Speed Naming Total Completion Time Percentile Rank | Scale | Input | 34 |
| nep_sn_combined_scaledscore_age3_4_bb2 | 1532 | SCALED SCORE - SN Combined score | Scale | Input | 34 |
| nep_sn_combined_scaledscore_percent_age3_4_bb2 | 1533 | SN Combined Scaled Score Percentile | Nominal | Input | 34 |
| nep_sn_combined_scaledscore_age3_5_bb2 | 1534 | SN Combined SCALED SCORE | Scale | Input | 34 |
| nep_sn_combined_scaledscore_percent_age3_5_bb2 | 1535 | SN Combined Scaled Score Percentile | Nominal | Input | 34 |

Variable Information

| Variable | Alignment | Print Format | Write Format | Missing Values |
|--|-----------|--------------|--------------|----------------|
| nep_sn_tottime_percentrank_age3_4_bb2 | Right | F9.2 | F9.2 | |
| nep_sn_combined_scaledscore_age3_4_bb2 | Right | F9.2 | F9.2 | |
| nep_sn_combined_scaledscore_percent_age3_4_bb2 | Left | A1000 | A1000 | |
| nep_sn_combined_scaledscore_age3_5_bb2 | Right | F9.2 | F9.2 | |
| nep_sn_combined_scaledscore_percent_age3_5_bb2 | Left | A1000 | A1000 | |

Variables in the working file

Variable Values

| Value | | Label |
|-------------------------|------|--|
| demo_feed_infant | 1 | Breastmilk only |
| | 2 | Breastmilk and formula |
| | 3 | Formula only |
| | 4 | Undecided/unsure |
| CDN_PA_met | .00 | Not met |
| | 1.00 | Met |
| preg_demo_alcohol_ever | 0 | No |
| | 1 | Yes |
| preg_demo_alch_change | 0 | No |
| | 1 | Yes |
| preg_demo_toba_ever | 0 | No |
| | 1 | Yes |
| preg_demo_tobac_change | 0 | No |
| | 1 | Yes |
| preg_demo_cannabis_ever | 0 | No |
| | 1 | Yes |
| preg_demo_cannab_change | 0 | No |
| | 1 | Yes |
| preg_demo_drugs_ever | 0 | No |
| | 1 | Yes |
| preg_demo_drugs_change | 0 | No |
| | 1 | Yes |
| preg_demo_martial | 1 | Single |
| | 2 | Married |
| | 3 | Common-Law/living with partner/living as married |
| | 4 | Divorced |
| | 5 | Widowed |
| | 6 | Separated |
| Education | 1.00 | Less than high school diploma |
| | 2.00 | High school diploma |
| | 3.00 | College/trade school |
| | 4.00 | Undergraduate degree |
| | 5.00 | Masters degree |
| | 6.00 | Doctoral Degree |
| preg_demo_education | 1 | Less than high school diploma |
| | 2 | Completed high school |

Variable Values

| Value | | Label |
|-------------------------|-------|---|
| | 3 | Completed trade, technical, vocational school or business/community college |
| | 4 | Bachelors Degree |
| | 5 | Masters Degree |
| | 6 | Doctorate (PhD) |
| | 7 | Professional (MD, JD, DDS, ETC) |
| preg_demo_income | 1 | Less than \$20, 000 |
| | 2 | \$20,000- \$39,999 |
| | 3 | \$40,000-\$69,999 |
| | 4 | \$70,000-\$99,999 |
| | 5 | \$100,000 -\$124,999 |
| | 6 | \$125,000- \$149,999 |
| | 7 | \$150,000 - \$174,999 |
| | 8 | \$175,000- \$199,999 |
| | 9 | \$200,000+ |
| preg_demo_food_scarcity | 1 | Often |
| | 2 | Sometimes |
| | 3 | Never |
| preg_demo_foodbank | 0 | No |
| | 1 | Yes |
| preg_demo_stablehome | 0 | No |
| | 1 | Yes |
| preg_demo_ethnic_new | 1.00 | White (Caucasian) |
| | 2.00 | First Nations |
| | 3.00 | Metis |
| | 4.00 | Inuit |
| | 5.00 | Black |
| | 6.00 | West Asian |
| | 7.00 | South Asian |
| | 8.00 | Southeast Asian (incl. Filipino) |
| | 9.00 | East Asian (incl. Chinese, Korean) |
| | 10.00 | Hispanic/LatinX |
| | 11.00 | Biracial |
| hx_before_preg__1 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|--------------------|---|-----------|
| hx_before_preg__3 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__4 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__5 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__6 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__7 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__8 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__9 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__10 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__11 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__12 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__13 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__14 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__15 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__16 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__17 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__18 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__19 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__20 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__21 | 0 | Unchecked |
| | 1 | Checked |
| hx_before_preg__22 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|----------------------|------|---|
| hx_during_preg__23 | 0 | Unchecked |
| | 1 | Checked |
| hx_during_preg__24 | 0 | Unchecked |
| | 1 | Checked |
| hx_during_preg__25 | 0 | Unchecked |
| | 1 | Checked |
| hx_during_preg__1 | 0 | Unchecked |
| | 1 | Checked |
| hx_during_preg__4 | 0 | Unchecked |
| | 1 | Checked |
| hx_during_preg__21 | 0 | Unchecked |
| | 1 | Checked |
| hx_during_preg__22 | 0 | Unchecked |
| | 1 | Checked |
| hx_meds_current | 0 | No |
| | 1 | Yes |
| hx_meds_aspirin | 0 | No |
| | 1 | Yes |
| hx_meds_stopped | 0 | No |
| | 1 | Yes |
| covidqx_infected | 1 | Yes |
| | 2 | No |
| | 3 | Suspected but unconfirmed |
| covidqx_hospitalized | 0 | No |
| | 1 | Yes |
| DEPclassT1 | .00 | Not depressed |
| | 1.00 | Clinically elevated depression symptoms |
| ANXclassT1 | .00 | Within normal limits |
| | 1.00 | Clinically Mild |
| | 2.00 | Clinically Moderate |
| | 3.00 | Clinically Severe |
| ANXdicot | .00 | Low or Mild |
| | 1.00 | Clinically Elevated |
| PRAQclassT1 | .00 | Not anxious |
| | 1.00 | Clinically elevated prenatal anxiety symptoms |
| sseq_relationship | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|--------------------------|------|--------------------------------------|
| sseq_relationship_gender | 1 | Male |
| | 2 | Female |
| | 3 | Other |
| CSlclassT1 | .00 | Typical relationships satisfaction |
| | 1.00 | Notable relationship dissatisfaction |
| SleepCut | .00 | Inadequate sleep |
| | 1.00 | Adequate sleep |
| CDrisc_T1 | .00 | 0-Very low resilience |
| | 1.00 | 1-Very low resilience |
| | 2.00 | 2-Very low resilience |
| | 3.00 | 3-Low resilience |
| | 4.00 | 4-Moderate resilience |
| | 5.00 | 5-Moderate resilience |
| | 6.00 | 6-Moderate resilience |
| | 7.00 | 7-High resilience |
| deliver_number | 8.00 | 8-High resilience |
| | 1.00 | 1 |
| | 2.00 | 2 |
| | 3.00 | 3 |
| deliver_med_cond | 4.00 | 4 |
| | .00 | No |
| | 1.00 | Yes |
| | | |
| deliver_who_01 | 1.00 | Midwife |
| | 2.00 | Obstetrician |
| | 3.00 | Family physician |
| | 4.00 | Other |
| deliver_breast_01 | 0 | No |
| | 1 | Yes |
| deliver_formula_01 | 0 | No |
| | 1 | Yes |
| deliver_who_bb1 | 1 | Midwife |
| | 2 | Obstetrician |
| | 3 | Family physician |
| | 4 | Other |
| deliver_breast_bb1 | 0 | No |
| | 1 | Yes |
| deliver_formula_bb1 | 0 | No |
| | 1 | Yes |
| deliver_who_bb2 | 1 | Midwife |
| | 2 | Obstetrician |

Variable Values

| Value | | Label |
|---------------------------|---|---|
| | 3 | Family physician |
| | 4 | Other |
| deliver_breast_bb2 | 0 | No |
| | 1 | Yes |
| deliver_formula_bb2 | 0 | No |
| | 1 | Yes |
| deliver_who_bb3 | 1 | Midwife |
| | 2 | Obstetrician |
| | 3 | Family physician |
| | 4 | Other |
| deliver_breast_bb3 | 0 | No |
| | 1 | Yes |
| deliver_formula_bb3 | 0 | No |
| | 1 | Yes |
| POP_CNTR_RA_type_M3 | 0 | Rural area |
| | 1 | Urban core |
| | 2 | Urban fringe |
| | 3 | Rural fringe in CMA/CAs |
| | 4 | Urban Areas outside CMA/CAs |
| | 5 | Rural fringe outside CMA/CAs |
| | 6 | Secondary urban core |
| | 9 | Postal code linked to dissemination area (Rep_Pt_Type=3) and census subdivision (Rep+Pt_Type=4) |
| POP_CNTR_RA_SIZE_CLASS_M3 | 1 | rural area |
| | 2 | small population centre (1,000 to ... |
| | 3 | medium population centre (30,000 to 99,999) |
| | 4 | large population centre (100,000 or greater) |
| m3_alcohol | 0 | No |
| | 1 | Yes |
| m3_toba | 0 | No |
| | 1 | Yes |
| m3_cann | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|----------------------------|------|---|
| m3_drug | 0 | No |
| | 1 | Yes |
| m3_covidqx_infected | 1 | Yes |
| | 2 | No |
| | 3 | Suspected but unconfirmed |
| m3_condition_month | 0 | No |
| | 1 | Yes |
| m3_condition_list_mth___25 | 0 | Unchecked |
| | 1 | Checked |
| m3_condition_list_mth___10 | 0 | Unchecked |
| | 1 | Checked |
| m3_condition_list_mth___40 | 0 | Unchecked |
| | 1 | Checked |
| m3_condition_list_mth___21 | 0 | Unchecked |
| | 1 | Checked |
| m3_medication_month | 0 | No |
| | 1 | Yes |
| m3_med_stopmonth | 0 | No |
| | 1 | Yes |
| m3_treatment | 0 | No |
| | 1 | Yes |
| CDN_PA_met_M3 | .00 | Not met |
| | 1.00 | Met |
| m3_employment | 0 | Maternity Leave |
| | 1 | Working Full-Time |
| | 2 | Working Part-Time |
| | 3 | Unemployed/laid off |
| | 4 | Looking for work |
| | 5 | Keeping house/Raising children |
| | 6 | Retired |
| m3_partner | 0 | No |
| | 1 | Yes |
| m3_partner_live | 0 | No |
| | 1 | Yes |
| DEPclassM3 | .00 | Not depressed |
| | 1.00 | Clinically elevated depression symptoms |
| ANXclassM3 | .00 | Within normal limits |
| | 1.00 | Clinically Mild |

Variable Values

| Value | | Label |
|------------|------|--------------------------------------|
| | 2.00 | Clinically Moderate |
| | 3.00 | Clinically Severe |
| ANXdicotM3 | .00 | Low or Mild |
| AngerM3 | 1.00 | Clinically Elevated |
| | .00 | Within normal limits |
| | 1.00 | Mild |
| | 2.00 | Moderate |
| | 3.00 | Severe |
| | .00 | Typical relationships satisfaction |
| | 1.00 | Notable relationship dissatisfaction |
| bisq_3_01 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Parents/adults arms |
| | 8 | Other |
| bisq_9_01 | 1 | In their own room |
| | 2 | In siblings or other bedroom |
| | 3 | In parents room |
| | 4 | In another room of the house |
| bisq_10_01 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Other |
| bisq_14_01 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |

Variable Values

| Value | | Label |
|-------|----|-----------------------|
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |

Variable Values

| Value | | Label |
|------------|----|-----------------------|
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 55 | 14 hours |
| | 56 | 14 hours & 15 minutes |
| | 57 | 14 hours & 30 minutes |
| | 58 | 14 hours & 45 minutes |
| | 59 | 15 hours |
| bisq_15_01 | 1 | 5:00am |
| | 2 | 5:15am |
| | 3 | 5:30am |
| | 4 | 5:45am |
| | 5 | 6:00am |
| | 6 | 6:15am |
| | 7 | 6:30am |
| | 8 | 6:45am |
| | 9 | 7:00am |
| | 10 | 7:15am |
| | 11 | 7:30am |
| | 12 | 7:45am |
| | 13 | 8:00am |
| | 14 | 8:15am |
| | 15 | 8:30am |
| | 16 | 8:45am |
| | 17 | 9:00am |
| | 18 | 9:15am |
| | 19 | 9:30am |
| | 20 | 9:45am |
| | 21 | 10:00am |
| | 22 | 10:15am |
| | 23 | 10:30am |
| | 24 | 10:45am |
| | 25 | 11:00am |
| bisq_16_01 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |

Variable Values

| Value | | Label |
|-------|----|-----------------------|
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |

Variable Values

| Value | | Label |
|------------|----|-----------------------|
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| bisq_17_01 | 1 | Very well |
| | 2 | Well |
| | 3 | Fairly well |
| | 4 | Poorly |
| | 5 | Very poorly |
| bisq_18_01 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| bisq_19_01 | 7 | More than 6 |
| | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |

Variable Values

| Value | | Label |
|---------------------|-----|-------------------------|
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| Trsh_cry_01 | 0 | Under crying treshold |
| | 1 | Above crying treshold |
| Diff_cry_01 | - 1 | Less than usual |
| | 0 | About the same as usual |
| | 1 | More than usual |
| m3_breast_01 | 0 | No |
| | 1 | Yes |
| m3_still_breast_01 | 0 | No |
| | 1 | Yes |
| m3_formula_01 | 0 | No |
| | 1 | Yes |
| m3_still_formula_01 | 0 | No |
| | 1 | Yes |
| m3_bf_experience_01 | 0 | N/A |
| | 1 | Very negative |

Variable Values

| Value | | Label |
|-------------|----|--------------------------------------|
| | 2 | Somewhat negative |
| | 3 | Neutral |
| | 4 | Somewhat positive |
| | 5 | Very positive |
| bisq_3_bb1 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Parents/adults arms |
| | 8 | Other |
| bisq_9_bb1 | 1 | In their own room |
| | 2 | In siblings or other bedroom |
| | 3 | In parents room |
| | 4 | In another room of the house |
| bisq_10_bb1 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Other |
| bisq_14_bb1 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |

Variable Values

| Value | | Label |
|-------|----|-----------------------|
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 55 | 14 hours |
| | 56 | 14 hours & 15 minutes |
| | 57 | 14 hours & 30 minutes |

Variable Values

| Value | | Label |
|-------------|----|-----------------------|
| | 58 | 14 hours & 45 minutes |
| | 59 | 15 hours |
| bisq_15_bb1 | 1 | 5:00am |
| | 2 | 5:15am |
| | 3 | 5:30am |
| | 4 | 5:45am |
| | 5 | 6:00am |
| | 6 | 6:15am |
| | 7 | 6:30am |
| | 8 | 6:45am |
| | 9 | 7:00am |
| | 10 | 7:15am |
| | 11 | 7:30am |
| | 12 | 7:45am |
| | 13 | 8:00am |
| | 14 | 8:15am |
| | 15 | 8:30am |
| | 16 | 8:45am |
| | 17 | 9:00am |
| | 18 | 9:15am |
| | 19 | 9:30am |
| | 20 | 9:45am |
| | 21 | 10:00am |
| | 22 | 10:15am |
| | 23 | 10:30am |
| | 24 | 10:45am |
| | 25 | 11:00am |
| bisq_16_bb1 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |

Variable Values

| Value | | Label |
|-------------|----|-----------------------|
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| bisq_17_bb1 | 1 | Very well |
| | 2 | Well |

Variable Values

| Value | | Label |
|-------------|----|----------------------|
| | 3 | Fairly well |
| | 4 | Poorly |
| | 5 | Very poorly |
| bisq_18_bb1 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | More than 6 |
| bisq_19_bb1 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |

Variable Values

| Value | | Label |
|----------------------|-----|--------------------------------------|
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| Trsh_cry_bb1 | 0 | Under crying treshold |
| | 1 | Above crying treshold |
| Diff_cry_bb1 | - 1 | Less than usual |
| | 0 | About the same as usual |
| | 1 | More than usual |
| m3_breast_bb1 | 0 | No |
| | 1 | Yes |
| m3_still_breast_bb1 | 0 | No |
| | 1 | Yes |
| m3_formula_bb1 | 0 | No |
| | 1 | Yes |
| m3_still_formula_bb1 | 0 | No |
| | 1 | Yes |
| m3_bf_experience_bb1 | 0 | N/A |
| | 1 | Very negative |
| | 2 | Somewhat negative |
| | 3 | Neutral |
| | 4 | Somewhat positive |
| | 5 | Very positive |
| bisq_3_bb2 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |

Variable Values

| Value | | Label |
|-------------|----|--------------------------------------|
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Parents/adults arms |
| | 8 | Other |
| bisq_9_bb2 | 1 | In their own room |
| | 2 | In siblings or other bedroom |
| | 3 | In parents room |
| | 4 | In another room of the house |
| bisq_10_bb2 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Other |
| bisq_14_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |

Variable Values

| Value | | Label |
|-------------|----|-----------------------|
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 55 | 14 hours |
| | 56 | 14 hours & 15 minutes |
| | 57 | 14 hours & 30 minutes |
| | 58 | 14 hours & 45 minutes |
| | 59 | 15 hours |
| bisq_15_bb2 | 1 | 5:00am |
| | 2 | 5:15am |
| | 3 | 5:30am |
| | 4 | 5:45am |
| | 5 | 6:00am |
| | 6 | 6:15am |

Variable Values

| Value | | Label |
|-------------|----|----------------------|
| | 7 | 6:30am |
| | 8 | 6:45am |
| | 9 | 7:00am |
| | 10 | 7:15am |
| | 11 | 7:30am |
| | 12 | 7:45am |
| | 13 | 8:00am |
| | 14 | 8:15am |
| | 15 | 8:30am |
| | 16 | 8:45am |
| | 17 | 9:00am |
| | 18 | 9:15am |
| | 19 | 9:30am |
| | 20 | 9:45am |
| | 21 | 10:00am |
| | 22 | 10:15am |
| | 23 | 10:30am |
| | 24 | 10:45am |
| | 25 | 11:00am |
| bisq_16_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |

Variable Values

| Value | | Label |
|-------------|----|-----------------------|
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| bisq_17_bb2 | 1 | Very well |
| | 2 | Well |
| | 3 | Fairly well |
| | 4 | Poorly |
| | 5 | Very poorly |
| bisq_18_bb2 | 0 | 0 |
| | 1 | 1 |

Variable Values

| Value | | Label |
|-------------|----|----------------------|
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | More than 6 |
| bisq_19_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |

Variable Values

| Value | | Label |
|----------------------|-----|-------------------------|
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| Trsh_cry_bb2 | 0 | Under crying treshold |
| | 1 | Above crying treshold |
| Diff_cry_bb2 | - 1 | Less than usual |
| | 0 | About the same as usual |
| | 1 | More than usual |
| m3_breast_bb2 | 0 | No |
| | 1 | Yes |
| m3_still_breast_bb2 | 0 | No |
| | 1 | Yes |
| m3_formula_bb2 | 0 | No |
| | 1 | Yes |
| m3_still_formula_bb2 | 0 | No |
| | 1 | Yes |
| m3_bf_experience_bb2 | 0 | N/A |
| | 1 | Very negative |
| | 2 | Somewhat negative |
| | 3 | Neutral |
| | 4 | Somewhat positive |
| | 5 | Very positive |
| POP_CNTR_RA_type_M12 | 0 | Rural area |
| | 1 | Urban core |

Variable Values

| Value | | Label |
|----------------------------|------|---|
| | 2 | Urban fringe |
| | 3 | Rural fringe in CMA/CAs |
| | 4 | Urban Areas outside CMA/CAs |
| | 5 | Rural fringe outside CMA/CAs |
| | 6 | Secondary urban core |
| | 9 | Postal code linked to dissemination area (Rep_Pt_Type=3) and census subdivision (Rep+Pt_Type=4) |
| POP_CNTR_RA_SIZE_CLASS_M12 | 1 | rural area |
| | 2 | small population centre (1,000 to ... |
| | 3 | medium population centre (30,000 to 99,999) |
| | 4 | large population centre (100,000 or greater) |
| DEPclassM12 | .00 | Not depressed |
| | 1.00 | Clinically elevated depression symptoms |
| ANXclassM12 | .00 | Within normal limits |
| | 1.00 | Clinically Mild |
| | 2.00 | Clinically Moderate |
| | 3.00 | Clinically Severe |
| ANXdicotM12 | .00 | Low or Mild |
| | 1.00 | Clinically Elevated |
| AngerM12 | .00 | Within normal limits |
| | 1.00 | Mild |
| | 2.00 | Moderate |
| | 3.00 | Severe |
| CSlclassM12 | .00 | Typical relationships satisfaction |
| | 1.00 | Notable relationship dissatisfaction |
| m12_alcohol | 0 | No |
| | 1 | Yes |
| m12_toba | 0 | No |
| | 1 | Yes |
| m12_cann | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|---------------------------|---|--------------------------------|
| m12_drug | 0 | No |
| | 1 | Yes |
| m12_employment | 0 | Maternity Leave |
| | 1 | Working Full-Time |
| | 2 | Working Part-Time |
| | 3 | Unemployed/laid off |
| | 4 | Looking for work |
| | 5 | Keeping house/Raising children |
| | 6 | Retired |
| m12_condition_list__25 | 0 | Unchecked |
| | 1 | Checked |
| m12_condition_list__1 | 0 | Unchecked |
| | 1 | Checked |
| m12_condition_list__4 | 0 | Unchecked |
| | 1 | Checked |
| m12_condition_list__21 | 0 | Unchecked |
| | 1 | Checked |
| m12_condition_list__0 | 0 | Unchecked |
| | 1 | Checked |
| m12_mentalhealth_access | 0 | No |
| | 1 | Yes |
| m12_mentalhealth_treat__1 | 0 | Unchecked |
| | 1 | Checked |
| m12_mentalhealth_treat__2 | 0 | Unchecked |
| | 1 | Checked |
| m12_mentalhealth_treat__0 | 0 | Unchecked |
| | 1 | Checked |
| m12_mentalhealth_treat__3 | 0 | Unchecked |
| | 1 | Checked |
| m12_mentalhealth_time | 1 | Still waiting |
| | 2 | Less than 1 week |
| | 3 | 1-4 weeks |
| | 4 | 1-5 months |
| | 5 | 6-12 months |
| | 6 | More than 1 year |
| m12_babyliving_v2 | 0 | No |
| | 1 | Yes |
| m12_bisq_2_01 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |

Variable Values

| Value | | Label |
|----------------------|----|--------------------------------------|
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| m12_bisq_3_01 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Parents/adults arms |
| | 8 | Other |
| m12_bisq_oclock_6_01 | 1 | 5:00pm |
| | 2 | 5:15pm |
| | 3 | 5:30pm |
| | 4 | 5:45pm |
| | 5 | 6:00pm |
| | 6 | 6:15pm |
| | 7 | 6:30pm |
| | 8 | 6:45pm |
| | 9 | 7:00pm |
| | 10 | 7:15pm |
| | 11 | 7:30pm |
| | 12 | 7:45pm |
| | 13 | 8:00pm |
| | 14 | 8:15pm |
| | 15 | 8:30pm |
| | 16 | 8:45pm |
| | 17 | 9:00pm |
| | 18 | 9:15pm |
| | 19 | 9:30pm |
| | 20 | 9:45pm |
| | 21 | 10:00pm |
| | 22 | 10:15pm |
| | 23 | 10:30pm |
| | 24 | 10:45pm |
| | 25 | 11:00pm |
| | 26 | 11:15pm |
| | 27 | 11:30pm |
| | 28 | 11:45pm |
| | 29 | Midnight |

Variable Values

| Value | | Label |
|----------------|----|--------------------------------------|
| m12_bisq_9_01 | 1 | In their own room |
| | 2 | In siblings or other bedroom |
| | 3 | In parents room |
| | 4 | In another room of the house |
| m12_bisq_10_01 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Other |
| m12_bisq_11_01 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| | 8 | 8 |
| | 9 | 9 |
| | 10 | 10 |
| | 11 | 11 |
| | 12 | 12 |
| | 13 | 13 |
| | 14 | 14 |
| | 15 | 15 |
| | 16 | 16+ |
| m12_bisq_13_01 | 0 | 0 minutes |
| | 1 | 5 minutes or less |
| | 2 | 6-10 minutes |
| | 3 | 11-15 minutes |
| | 4 | 16-30 minutes |
| | 5 | 31-45 minutes |
| | 6 | 46-60 minutes |
| | 7 | 1 hour & 15 minutes |
| | 8 | 1 hour & 30 minutes |
| | 9 | 1 hour & 45 minutes |
| | 10 | 2 hours |

Variable Values

| Value | | Label |
|----------------|----|----------------------|
| | 11 | 2 hours & 15 minutes |
| | 12 | 2 hours & 30 minutes |
| | 13 | 2 hours & 45 minutes |
| | 14 | 3 hours |
| | 15 | 3 hours & 15 minutes |
| | 16 | 3 hours & 30 minutes |
| | 17 | 3 hours & 45 minutes |
| | 18 | 4 hours |
| | 19 | 4 hours & 15 minutes |
| | 20 | 4 hours & 30 minutes |
| | 21 | 4 hours & 45 minutes |
| | 22 | 5 hours |
| | 23 | More than 5 hours |
| | | |
| m12_bisq_14_01 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |

Variable Values

| Value | | Label |
|----------------|----|-----------------------|
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 55 | 14 hours |
| | 56 | 14 hours & 15 minutes |
| | 57 | 14 hours & 30 minutes |
| | 58 | 14 hours & 45 minutes |
| | 59 | 15 hours |
| m12_bisq_15_01 | 1 | 5:00am |
| | 2 | 5:15am |
| | 3 | 5:30am |
| | 4 | 5:45am |
| | 5 | 6:00am |
| | 6 | 6:15am |
| | 7 | 6:30am |
| | 8 | 6:45am |
| | 9 | 7:00am |
| | 10 | 7:15am |

Variable Values

| Value | | Label |
|----------------|----|----------------------|
| | 11 | 7:30am |
| | 12 | 7:45am |
| | 13 | 8:00am |
| | 14 | 8:15am |
| | 15 | 8:30am |
| | 16 | 8:45am |
| | 17 | 9:00am |
| | 18 | 9:15am |
| | 19 | 9:30am |
| | 20 | 9:45am |
| | 21 | 10:00am |
| | 22 | 10:15am |
| | 23 | 10:30am |
| | 24 | 10:45am |
| | 25 | 11:00am |
| m12_bisq_16_01 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |

Variable Values

| Value | | Label |
|----------------|----|-----------------------|
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| m12_bisq_17_01 | 1 | Very well |
| | 2 | Well |
| | 3 | Fairly well |
| | 4 | Poorly |
| | 5 | Very poorly |
| m12_bisq_18_01 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| m12_bisq_19_01 | 7 | More than 6 |
| | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |

Variable Values

| Value | | Label |
|-------|----|-----------------------|
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------------|
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| m12_bisq_20_01 | 1 | Not a problem at all |
| | 2 | A very small problem |
| | 3 | A small problem |
| | 4 | A moderate problem |
| | 5 | A serious problem |
| m12_breastfeed_1_01 | 0 | No |
| | 1 | Yes |
| m12_breastfeed_3_1_01 | 0 | NA (never breastfed) |
| | 1 | 1 months |
| | 2 | 2 months |
| | 3 | 3 months |
| | 4 | 4 months |
| | 5 | 5 months |
| | 6 | 6 months |
| | 7 | 7 months |
| | 8 | 8 months |
| | 9 | 9 months |
| | 10 | 10 months |
| | 11 | 11 months |
| | 12 | 12 months |
| | 13 | 13 months |
| | 14 | 14 months |
| | 15 | 15 months |
| | 16 | 16 months |
| m12_breastfeed_3_2_01 | 1 | 0 Weeks |
| | 2 | 1 Week |
| | 3 | 2 Weeks |
| | 4 | 3 Weeks |
| | 5 | 4 Weeks |
| m12_breastfeed_4_1_01 | 0 | NA (never breastfed) |
| | 1 | 1 months |
| | 2 | 2 months |
| | 3 | 3 months |
| | 4 | 4 months |
| | 5 | 5 months |
| | 6 | 6 months |
| | 7 | 7 months |
| | 8 | 8 months |

Variable Values

| Value | | Label |
|--------------------------|----|---|
| | 9 | 9 months |
| | 10 | 10 months |
| | 11 | 11 months |
| | 12 | 12 months |
| | 13 | 13 months |
| | 14 | 14 months |
| | 15 | 15 months |
| | 16 | 16 months |
| m12_breastfeed_4_2_01 | 1 | 0 Weeks |
| | 2 | 1 Week |
| | 3 | 2 Weeks |
| | 4 | 3 Weeks |
| | 5 | 4 Weeks |
| m12_childcare_primary_01 | 0 | Other |
| | 1 | Parent(s) at home |
| | 2 | Relative(s) (in or outside my home) |
| | 3 | Non-relative care in home (e.g., nanny) |
| | 4 | A licensed family day home |
| | 5 | A childcare center |
| asq3_12m_com1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_12m_gm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_12m_prs2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_14m_com3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_14m_fm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-----------------|------|---|
| asq3_14m_ps5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| CutComm_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutGM_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutFM_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPRS_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPS_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutTotal_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |

Variable Values

| Value | | Label |
|-----------------|----|-----------------|
| asq_se_1_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c1__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_2_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c2__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_3_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c3__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_4_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c4__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_5_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c5__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_6_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c6__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_7_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c7__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_8_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c8__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|------------------|----|-----------------|
| asq_se_9_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c9__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_10_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c10__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_11_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c11__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_12_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c12__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_13_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c13__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_14_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c14__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_15_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c15__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_16_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c16__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|------------------|----|-----------------|
| asq_se_17_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c17__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_18_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c18__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_19_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c19__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_20_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c20__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_21_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c21__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_22_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c22__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_23_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c23__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c24__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-----------------------|------|---|
| asq_se_25_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c25__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_26_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c26__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_27_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c27__1_01 | 0 | Unchecked |
| | 1 | Checked |
| CutASQSE_12m_01 | .00 | Below cutoff - development is not at risk |
| | 1.00 | monitor |
| | 2.00 | refer |
| m12_bisq_2_bb1 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| m12_bisq_3_bb1 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Parents/adults arms |
| | 8 | Other |
| m12_bisq_oclock_6_bb1 | 1 | 5:00pm |
| | 2 | 5:15pm |
| | 3 | 5:30pm |
| | 4 | 5:45pm |
| | 5 | 6:00pm |

Variable Values

| Value | | Label |
|-----------------|----|--------------------------------------|
| | 6 | 6:15pm |
| | 7 | 6:30pm |
| | 8 | 6:45pm |
| | 9 | 7:00pm |
| | 10 | 7:15pm |
| | 11 | 7:30pm |
| | 12 | 7:45pm |
| | 13 | 8:00pm |
| | 14 | 8:15pm |
| | 15 | 8:30pm |
| | 16 | 8:45pm |
| | 17 | 9:00pm |
| | 18 | 9:15pm |
| | 19 | 9:30pm |
| | 20 | 9:45pm |
| | 21 | 10:00pm |
| | 22 | 10:15pm |
| | 23 | 10:30pm |
| | 24 | 10:45pm |
| | 25 | 11:00pm |
| | 26 | 11:15pm |
| | 27 | 11:30pm |
| | 28 | 11:45pm |
| | 29 | Midnight |
| m12_bisq_9_bb1 | 1 | In their own room |
| | 2 | In siblings or other bedroom |
| | 3 | In parents room |
| | 4 | In another room of the house |
| m12_bisq_10_bb1 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Other |
| m12_bisq_11_bb1 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |

Variable Values

| Value | | Label |
|-----------------|----|----------------------|
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| | 8 | 8 |
| | 9 | 9 |
| | 10 | 10 |
| | 11 | 11 |
| | 12 | 12 |
| | 13 | 13 |
| | 14 | 14 |
| | 15 | 15 |
| | 16 | 16 + |
| m12_bisq_13_bb1 | 0 | 0 minutes |
| | 1 | 5 minutes or less |
| | 2 | 6-10 minutes |
| | 3 | 11-15 minutes |
| | 4 | 16-30 minutes |
| | 5 | 31-45 minutes |
| | 6 | 46-60 minutes |
| | 7 | 1 hour & 15 minutes |
| | 8 | 1 hour & 30 minutes |
| | 9 | 1 hour & 45 minutes |
| | 10 | 2 hours |
| | 11 | 2 hours & 15 minutes |
| | 12 | 2 hours & 30 minutes |
| | 13 | 2 hours & 45 minutes |
| | 14 | 3 hours |
| | 15 | 3 hours & 15 minutes |
| | 16 | 3 hours & 30 minutes |
| | 17 | 3 hours & 45 minutes |
| | 18 | 4 hours |
| | 19 | 4 hours & 15 minutes |
| | 20 | 4 hours & 30 minutes |
| | 21 | 4 hours & 45 minutes |
| | 22 | 5 hours |
| | 23 | More than 5 hours |
| m12_bisq_14_bb1 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |

Variable Values

| Value | | Label |
|-------|----|-----------------------|
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 55 | 14 hours |
| | 56 | 14 hours & 15 minutes |
| | 57 | 14 hours & 30 minutes |
| | 58 | 14 hours & 45 minutes |
| | 59 | 15 hours |
| m12_bisq_15_bb1 | 1 | 5:00am |
| | 2 | 5:15am |
| | 3 | 5:30am |
| | 4 | 5:45am |
| | 5 | 6:00am |
| | 6 | 6:15am |
| | 7 | 6:30am |
| | 8 | 6:45am |
| | 9 | 7:00am |
| | 10 | 7:15am |
| | 11 | 7:30am |
| | 12 | 7:45am |
| | 13 | 8:00am |
| | 14 | 8:15am |
| | 15 | 8:30am |
| | 16 | 8:45am |
| | 17 | 9:00am |
| | 18 | 9:15am |
| | 19 | 9:30am |
| | 20 | 9:45am |
| | 21 | 10:00am |
| | 22 | 10:15am |
| | 23 | 10:30am |
| | 24 | 10:45am |
| | 25 | 11:00am |
| m12_bisq_16_bb1 | 0 | 30 minutes or less |
| | 1 | 45 minutes |

Variable Values

| Value | | Label |
|-------|----|-----------------------|
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| m12_bisq_17_bb1 | 1 | Very well |
| | 2 | Well |
| | 3 | Fairly well |
| | 4 | Poorly |
| | 5 | Very poorly |
| m12_bisq_18_bb1 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| m12_bisq_19_bb1 | 7 | More than 6 |
| | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |

Variable Values

| Value | | Label |
|------------------------|----|-----------------------|
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| m12_bisq_20_bb1 | 1 | Not a problem at all |
| | 2 | A very small problem |
| | 3 | A small problem |
| | 4 | A moderate problem |
| | 5 | A serious problem |
| m12_breastfeed_1_bb1 | 0 | No |
| | 1 | Yes |
| m12_breastfeed_3_1_bb1 | 0 | NA (never breastfed) |
| | 1 | 1 months |
| | 2 | 2 months |
| | 3 | 3 months |
| | 4 | 4 months |
| | 5 | 5 months |
| | 6 | 6 months |

Variable Values

| Value | | Label |
|-------------------------------|----|--|
| | 7 | 7 months |
| | 8 | 8 months |
| | 9 | 9 months |
| | 10 | 10 months |
| | 11 | 11 months |
| | 12 | 12 months |
| | 13 | 13 months |
| | 14 | 14 months |
| | 15 | 15 months |
| m12_breastfeed_3_2_bb1 | 16 | 16 months |
| | 1 | 0 Weeks |
| | 2 | 1 Week |
| | 3 | 2 Weeks |
| | 4 | 3 Weeks |
| m12_breastfeed_4_1_bb1 | 5 | 4 Weeks |
| | 0 | NA (never breastfed) |
| | 1 | 1 months |
| | 2 | 2 months |
| | 3 | 3 months |
| | 4 | 4 months |
| | 5 | 5 months |
| | 6 | 6 months |
| | 7 | 7 months |
| | 8 | 8 months |
| | 9 | 9 months |
| | 10 | 10 months |
| | 11 | 11 months |
| | 12 | 12 months |
| | 13 | 13 months |
| | 14 | 14 months |
| | 15 | 15 months |
| | 16 | 16 months |
| m12_breastfeed_4_2_bb1 | 1 | 0 Weeks |
| | 2 | 1 Week |
| | 3 | 2 Weeks |
| | 4 | 3 Weeks |
| | 5 | 4 Weeks |
| m12_childcare_primary_b b1 | 0 | Other |
| | 1 | Parent(s) at home |
| | 2 | Relative(s) (in or outside my home) |

Variable Values

| Value | | Label |
|-------------------|----|---|
| | 3 | Non-relative care in home (e.g., nanny) |
| | 4 | A licensed family day home |
| | 5 | A childcare center |
| asq3_12m_com1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_12m_fm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_12m_ps2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_14m_gm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|------|---|
| asq3_14m_prs4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| CutComm_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutGM_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |

Variable Values

| Value | | Label |
|------------------|------|---|
| CutFM_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPRS_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPS_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutTotal_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| asq_se_1_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c1__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_2_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c2__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_3_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c3__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_4_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |

Variable Values

| Value | | Label |
|-------------------|----|-----------------|
| asq_se_c4__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_5_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c5__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_6_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c6__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_7_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c7__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_8_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c8__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_9_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c9__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_10_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c10__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_11_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c11__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_12_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |

Variable Values

| Value | | Label |
|-------------------|----|-----------------|
| asq_se_c12__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_13_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c13__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_14_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c14__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_15_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c15__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_16_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c16__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_17_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c17__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_18_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c18__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_19_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c19__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_20_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |

Variable Values

| Value | | Label |
|-------------------|------|---|
| asq_se_c20__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_21_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c21__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_22_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c22__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_23_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c23__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c24__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_25_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c25__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_26_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c26__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_27_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c27__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| CutASQSE_12m_bb1 | .00 | Below cutoff - development is not at risk |
| | 1.00 | monitor |
| | 2.00 | refer |

Variable Values

| Value | | Label |
|-----------------------|----|--------------------------------------|
| m12_bisq_2_bb2 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| m12_bisq_3_bb2 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Parents/adults arms |
| | 8 | Other |
| m12_bisq_oclock_6_bb2 | 1 | 5:00pm |
| | 2 | 5:15pm |
| | 3 | 5:30pm |
| | 4 | 5:45pm |
| | 5 | 6:00pm |
| | 6 | 6:15pm |
| | 7 | 6:30pm |
| | 8 | 6:45pm |
| | 9 | 7:00pm |
| | 10 | 7:15pm |
| | 11 | 7:30pm |
| | 12 | 7:45pm |
| | 13 | 8:00pm |
| | 14 | 8:15pm |
| | 15 | 8:30pm |
| | 16 | 8:45pm |
| | 17 | 9:00pm |
| | 18 | 9:15pm |
| | 19 | 9:30pm |
| | 20 | 9:45pm |
| | 21 | 10:00pm |
| | 22 | 10:15pm |
| | 23 | 10:30pm |
| | 24 | 10:45pm |
| | 25 | 11:00pm |

Variable Values

| Value | | Label |
|-----------------|----|--------------------------------------|
| | 26 | 11:15pm |
| | 27 | 11:30pm |
| | 28 | 11:45pm |
| | 29 | Midnight |
| m12_bisq_9_bb2 | 1 | In their own room |
| | 2 | In siblings or other bedroom |
| | 3 | In parents room |
| | 4 | In another room of the house |
| m12_bisq_10_bb2 | 1 | Crib |
| | 2 | Own bed (any size) |
| | 3 | Parents bed |
| | 4 | Co-sleeper (attached to parents bed) |
| | 5 | Bassinet/infant seat |
| | 6 | Swing/stroller |
| | 7 | Other |
| m12_bisq_11_bb2 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| | 8 | 8 |
| | 9 | 9 |
| | 10 | 10 |
| | 11 | 11 |
| | 12 | 12 |
| | 13 | 13 |
| | 14 | 14 |
| | 15 | 15 |
| | 16 | 16+ |
| m12_bisq_13_bb2 | 0 | 0 minutes |
| | 1 | 5 minutes or less |
| | 2 | 6-10 minutes |
| | 3 | 11-15 minutes |
| | 4 | 16-30 minutes |
| | 5 | 31-45 minutes |
| | 6 | 46-60 minutes |

Variable Values

| Value | | Label |
|-----------------|----|----------------------|
| | 7 | 1 hour & 15 minutes |
| | 8 | 1 hour & 30 minutes |
| | 9 | 1 hour & 45 minutes |
| | 10 | 2 hours |
| | 11 | 2 hours & 15 minutes |
| | 12 | 2 hours & 30 minutes |
| | 13 | 2 hours & 45 minutes |
| | 14 | 3 hours |
| | 15 | 3 hours & 15 minutes |
| | 16 | 3 hours & 30 minutes |
| | 17 | 3 hours & 45 minutes |
| | 18 | 4 hours |
| | 19 | 4 hours & 15 minutes |
| | 20 | 4 hours & 30 minutes |
| | 21 | 4 hours & 45 minutes |
| | 22 | 5 hours |
| | 23 | More than 5 hours |
| m12_bisq_14_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 55 | 14 hours |
| | 56 | 14 hours & 15 minutes |
| | 57 | 14 hours & 30 minutes |
| | 58 | 14 hours & 45 minutes |
| | 59 | 15 hours |
| m12_bisq_15_bb2 | 1 | 5:00am |
| | 2 | 5:15am |
| | 3 | 5:30am |
| | 4 | 5:45am |
| | 5 | 6:00am |
| | 6 | 6:15am |

Variable Values

| Value | | Label |
|-----------------|----|----------------------|
| | 7 | 6:30am |
| | 8 | 6:45am |
| | 9 | 7:00am |
| | 10 | 7:15am |
| | 11 | 7:30am |
| | 12 | 7:45am |
| | 13 | 8:00am |
| | 14 | 8:15am |
| | 15 | 8:30am |
| | 16 | 8:45am |
| | 17 | 9:00am |
| | 18 | 9:15am |
| | 19 | 9:30am |
| | 20 | 9:45am |
| | 21 | 10:00am |
| | 22 | 10:15am |
| | 23 | 10:30am |
| | 24 | 10:45am |
| | 25 | 11:00am |
| m12_bisq_16_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| m12_bisq_17_bb2 | 1 | Very well |
| | 2 | Well |
| | 3 | Fairly well |
| | 4 | Poorly |
| | 5 | Very poorly |
| m12_bisq_18_bb2 | 0 | 0 |
| | 1 | 1 |

Variable Values

| Value | | Label |
|-----------------|----|----------------------|
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | More than 6 |
| m12_bisq_19_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |

Variable Values

| Value | | Label |
|------------------------|----|-----------------------|
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| m12_bisq_20_bb2 | 1 | Not a problem at all |
| | 2 | A very small problem |
| | 3 | A small problem |
| | 4 | A moderate problem |
| | 5 | A serious problem |
| m12_breastfeed_1_bb2 | 0 | No |
| | 1 | Yes |
| m12_breastfeed_3_1_bb2 | 0 | NA (never breastfed) |
| | 1 | 1 months |
| | 2 | 2 months |
| | 3 | 3 months |
| | 4 | 4 months |
| | 5 | 5 months |
| | 6 | 6 months |
| | 7 | 7 months |
| | 8 | 8 months |
| | 9 | 9 months |
| | 10 | 10 months |
| | 11 | 11 months |
| | 12 | 12 months |
| | 13 | 13 months |
| | 14 | 14 months |
| | 15 | 15 months |
| | 16 | 16 months |
| m12_breastfeed_3_2_bb2 | 1 | 0 Weeks |
| | 2 | 1 Week |
| | 3 | 2 Weeks |
| | 4 | 3 Weeks |
| | 5 | 4 Weeks |

Variable Values

| Value | | Label |
|-------------------------------|----|--|
| m12_breastfeed_4_1_bb2 | 0 | NA (never breastfed) |
| | 1 | 1 months |
| | 2 | 2 months |
| | 3 | 3 months |
| | 4 | 4 months |
| | 5 | 5 months |
| | 6 | 6 months |
| | 7 | 7 months |
| | 8 | 8 months |
| | 9 | 9 months |
| | 10 | 10 months |
| | 11 | 11 months |
| | 12 | 12 months |
| | 13 | 13 months |
| | 14 | 14 months |
| | 15 | 15 months |
| | 16 | 16 months |
| m12_breastfeed_4_2_bb2 | 1 | 0 Weeks |
| | 2 | 1 Week |
| | 3 | 2 Weeks |
| | 4 | 3 Weeks |
| | 5 | 4 Weeks |
| m12_childcare_primary_b b2 | 0 | Other |
| | 1 | Parent(s) at home |
| | 2 | Relative(s) (in or outside my home) |
| | 3 | Non-relative care in home (e.g., nanny) |
| | 4 | A licensed family day home |
| | 5 | A childcare center |
| asq3_12m_com1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_12m_com4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_com6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_gm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_12m_fm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_fm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_prs6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_12m_ps5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_12m_ps6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_com6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_gm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_14m_fm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_fm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_prs6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|------|---|
| asq3_14m_ps2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_14m_ps6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| CutComm_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutGM_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutFM_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPRS_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |

Variable Values

| Value | | Label |
|------------------|------|---|
| CutPS_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutTotal_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| asq_se_1_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c1__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_2_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c2__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_3_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c3__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_4_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c4__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_5_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c5__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_6_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c6__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-------------------|----|-----------------|
| asq_se_7_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c7__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_8_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c8__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_9_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c9__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_10_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c10__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_11_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c11__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_12_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c12__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_13_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c13__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_14_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c14__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-------------------|----|-----------------|
| asq_se_15_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c15__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_16_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c16__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_17_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c17__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_18_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c18__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_19_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c19__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_20_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c20__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_21_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c21__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_22_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c22__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-------------------|------|---|
| asq_se_23_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c23__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c24__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_25_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c25__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_26_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_c26__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_27_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_c27__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| CutASQSE_12m_bb2 | .00 | Below cutoff - development is not at risk |
| | 1.00 | monitor |
| | 2.00 | refer |
| DEPclassM24 | .00 | Not depressed |
| | 1.00 | Clinically elevated depression symptoms |
| ANXclassM24 | .00 | Within normal limits |
| | 1.00 | Clinically Mild |
| | 2.00 | Clinically Moderate |
| | 3.00 | Clinically Severe |
| ANXdicotM24 | .00 | Low or Mild |
| | 1.00 | Clinically Elevated |
| CSiclassM24 | .00 | Typical relationships satisfaction |
| | 1.00 | Notable relationship dissatisfaction |

Variable Values

| Value | | Label |
|-------------------------------|------|--|
| SLPdisturbM24 | .00 | Within normal limits |
| | 1.00 | Mild |
| | 2.00 | Moderate |
| | 3.00 | Severe |
| m24_preg_demo_livingsituation | 1 | Less than 1 month |
| | 2 | 1-2 months |
| | 3 | 3-6 months |
| | 4 | 7-12 months |
| | 5 | >1 year |
| m24_preg_demo_food_scarcity | 1 | Often |
| | 2 | Sometimes |
| | 3 | Never |
| m24_preg_demo_foodbank | 0 | No |
| | 1 | Yes |
| m24_preg_demo_stablehome | 0 | No |
| | 1 | Yes |
| m24_martial | 1 | Single |
| | 2 | Married |
| | 3 | Common-Law/living with partner/living as married |
| | 4 | Divorced |
| | 5 | Widowed |
| | 6 | Separated |
| m24_new_baby | 0 | No |
| | 1 | Yes |
| m24_condition_list__1 | 0 | Unchecked |
| | 1 | Checked |
| m24_condition_list__4 | 0 | Unchecked |
| | 1 | Checked |
| m24_condition_list__21 | 0 | Unchecked |
| | 1 | Checked |
| m24_condition_list__0 | 0 | Unchecked |
| | 1 | Checked |
| m24_mentalhealth_access | 0 | No |
| | 1 | Yes |
| m24_mentalhealth_treat__1 | 0 | Unchecked |
| | 1 | Checked |
| m24_mentalhealth_treat__2 | 0 | Unchecked |
| | 1 | Checked |
| m24_mentalhealth_treat__0 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|---------------------------|----|----------------------|
| m24_mentalhealth_treat__3 | 0 | Unchecked |
| | 1 | Checked |
| m24_mentalhealth_time | 1 | Still waiting |
| | 2 | Less than 1 week |
| | 3 | 1-4 weeks |
| | 4 | 1-5 months |
| | 5 | 6-12 months |
| | 6 | More than 1 year |
| m24_social_status | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| | 6 | 6 |
| | 7 | 7 |
| | 8 | 8 |
| | 9 | 9 |
| | 10 | 10 |
| m24_babyliving_v2 | 0 | No |
| | 1 | Yes |
| m24_babyliving_part2_01 | 0 | No |
| | 1 | Yes |
| m24_generalhealth_01 | 1 | Excellent |
| | 2 | Very good |
| | 3 | Good |
| | 4 | Fair |
| | 5 | Poor |
| | 6 | Dont know |
| m24_bisq_16_01 | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |

Variable Values

| Value | | Label |
|----------------|----|-----------------------|
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 54 | 14 hours |
| m24_bisq_19_01 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |

Variable Values

| Value | | Label |
|----------------|----|-----------------------|
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| m24_bisq_11_01 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| m24_bisq_10_01 | 0 | No |
| | 1 | Yes |
| m24_bisq_20_01 | 1 | Not a problem at all |
| | 2 | A very small problem |
| | 3 | A small problem |

Variable Values

| Value | | Label |
|--------------------------|-----|---|
| | 4 | A moderate problem |
| | 5 | A serious problem |
| m24_breastfeed_1_01 | 0 | No |
| | 1 | Yes |
| m24_breastfeed_4_01 | - 9 | Dont remember |
| | 0 | NA (never fed breast milk) |
| | 1 | 0-6 months |
| | 2 | 7-12 months |
| | 3 | 13-18 months |
| | 4 | 19-24 months |
| | 5 | 25+ months |
| m24_breastfeed_3_01 | - 9 | Dont remember |
| | 1 | 0-6 months |
| | 2 | 7-12 months |
| | 3 | 13-18 months |
| | 4 | 19-24 months |
| | 5 | 25+ months |
| m24_childcare_primary_01 | 0 | Other |
| | 1 | Myself/childds other parent |
| | 2 | Relative(s) (in or outside my home) |
| | 3 | Non-relative care in home (e.g., nanny) |
| | 4 | Home-based day care |
| | 5 | A childcare center |
| m24_ecbq_1_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_2_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |

Variable Values

| Value | | Label |
|----------------|---|-------------------------|
| m24_ecbq_10_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_16_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_17_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_19_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_22_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |

Variable Values

| Value | | Label |
|----------------|---|-------------------------|
| m24_ecbq_23_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_26_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_32_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_33_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_34_01 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |

Variable Values

| Value | | Label |
|-----------------|---|-------|
| m24_mchat_1_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_2_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_3_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_4_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_5_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_6_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_7_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_8_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_9_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_10_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_11_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_12_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_13_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_14_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_15_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_16_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_17_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_18_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_19_01 | 0 | No |
| | 1 | Yes |
| m24_mchat_20_01 | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|---------------------|------|---------------|
| MCHATClass_M24_01 | .00 | Low risk |
| | 1.00 | Moderate risk |
| | 2.00 | High risk |
| m24_languages_01 | 0 | No |
| | 1 | Yes |
| m24_lang_hearing_01 | 0 | No |
| | 1 | Yes |
| m24_lang_vision_01 | 0 | No |
| | 1 | Yes |
| asq3_24m_com1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_24m_gm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_24m_prs6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|----|-----------|
| asq3_27m_gm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|------|---|
| asq3_27m_prs2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps1_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps2_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps3_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps4_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps5_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps6_01 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| CutComm_24m_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |

Variable Values

| Value | | Label |
|---------------------|------|---|
| CutGM_24m_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutFM_24m_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPRS_24m_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPS_24m_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutTotal_24m_01 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| asq_se_24m_1_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c1__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_2_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c2__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|----------------------|----|-----------------|
| asq_se_24m_3_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c3__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_4_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c4__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_5_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c5__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_6_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c6__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_7_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c7__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_8_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c8__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_9_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c9__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_10_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c10__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|----------------------|----|-----------------|
| asq_se_24m_11_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c11__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_12_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c12__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_13_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c13__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_14_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c14__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_15_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c15__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_16_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c16__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_17_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c17__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_18_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c18__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|----------------------|----|-----------------|
| asq_se_24m_19_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c19__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_20_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c20__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_21_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c21__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_22_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c22__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_23_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c23__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_24_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c24__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_25_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c25__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_26_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c26__1_01 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|--------------------------|------|---|
| asq_se_24m_27_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c27__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_28_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c28__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_29_01 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c29__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_30_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c30__1_01 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_31_01 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c31__1_01 | 0 | Unchecked |
| | 1 | Checked |
| CutASQSE_24m_01 | .00 | Below cutoff - development is not at risk |
| | 1.00 | monitor |
| | 2.00 | refer |
| m24_babyliving_part2_bb1 | 0 | No |
| | 1 | Yes |
| m24_generalhealth_bb1 | 1 | Excellent |
| | 2 | Very good |
| | 3 | Good |
| | 4 | Fair |
| | 5 | Poor |
| | 6 | Dont know |
| m24_bisq_16_bb1 | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |
| | 53 | 13 hours & 45 minutes |
| | 54 | 14 hours |
| m24_bisq_19_bb1 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| m24_bisq_11_bb1 | 0 | 0 |
| | 1 | 1 |

Variable Values

| Value | | Label |
|-------------------------------|-----|---|
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| m24_bisq_10_bb1 | 0 | No |
| | 1 | Yes |
| m24_bisq_20_bb1 | 1 | Not a problem at all |
| | 2 | A very small problem |
| | 3 | A small problem |
| | 4 | A moderate problem |
| | 5 | A serious problem |
| m24_breastfeed_1_bb1 | 0 | No |
| | 1 | Yes |
| m24_breastfeed_4_bb1 | - 9 | Dont remember |
| | 0 | NA (never fed breast milk) |
| | 1 | 0-6 months |
| | 2 | 7-12 months |
| | 3 | 13-18 months |
| | 4 | 19-24 months |
| | 5 | 25+ months |
| m24_breastfeed_3_bb1 | - 9 | Dont remember |
| | 1 | 0-6 months |
| | 2 | 7-12 months |
| | 3 | 13-18 months |
| | 4 | 19-24 months |
| | 5 | 25+ months |
| m24_childcare_primary_b b1 | 0 | Other |
| | 1 | Myself/childs other parent |
| | 2 | Relative(s) (in or outside my home) |
| | 3 | Non-relative care in home (e.g., nanny) |
| | 4 | Home-based day care |
| | 5 | A childcare center |
| m24_ecbq_1_bb1 | 1 | Never |
| | 2 | Very rarely |

Variable Values

| Value | | Label |
|-----------------|---|-------------------------|
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_2_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_10_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_16_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_17_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_19_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |

Variable Values

| Value | | Label |
|-----------------|---|-------------------------|
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_22_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_23_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_26_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_32_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_33_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |

Variable Values

| Value | | Label |
|------------------|---|-------------------------|
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_34_bb1 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_mchat_1_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_2_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_3_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_4_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_5_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_6_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_7_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_8_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_9_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_10_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_11_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_12_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_13_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_14_bb1 | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|----------------------|------|---------------|
| m24_mchat_15_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_16_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_17_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_18_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_19_bb1 | 0 | No |
| | 1 | Yes |
| m24_mchat_20_bb1 | 0 | No |
| | 1 | Yes |
| MCHATClass_M24_bb1 | .00 | Low risk |
| | 1.00 | Moderate risk |
| | 2.00 | High risk |
| m24_languages_bb1 | 0 | No |
| | 1 | Yes |
| m24_lang_hearing_bb1 | 0 | No |
| | 1 | Yes |
| m24_lang_vision_bb1 | 0 | No |
| | 1 | Yes |
| asq3_24m_com1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_24m_gm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_24m_prs2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_27m_com3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_27m_fm4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps1_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps2_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps3_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps4_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|------|---|
| asq3_27m_ps5_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps6_bb1 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| CutComm_24m_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutGM_24m_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutFM_24m_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPRS_24m_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPS_24m_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutTotal_24m_bb1 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |

Variable Values

| Value | | Label |
|----------------------|----|-----------------|
| asq_se_24m_1_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c1__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_2_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c2__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_3_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c3__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_4_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c4__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_5_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c5__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_6_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c6__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_7_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c7__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_8_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c8__1_bb1 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------|
| asq_se_24m_9_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c9__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_10_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c10__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_11_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c11__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_12_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c12__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_13_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c13__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_14_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c14__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_15_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c15__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_16_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c16__1_bb1 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------|
| asq_se_24m_17_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c17__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_18_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c18__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_19_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c19__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_20_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c20__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_21_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c21__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_22_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c22__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_23_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c23__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_24_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c24__1_bb1 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|--------------------------|------|---|
| asq_se_24m_25_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c25__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_26_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c26__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_27_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c27__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_28_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c28__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_29_bb1 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c29__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_30_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c30__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_31_bb1 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c31__1_bb1 | 0 | Unchecked |
| | 1 | Checked |
| CutASQSE_24m_bb1 | .00 | Below cutoff - development is not at risk |
| | 1.00 | monitor |
| | 2.00 | refer |
| m24_babyliving_part2_bb2 | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------------|
| m24_generalhealth_bb2 | 1 | Excellent |
| | 2 | Very good |
| | 3 | Good |
| | 4 | Fair |
| | 5 | Poor |
| | 6 | Dont know |
| m24_bisq_16_bb2 | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| | 47 | 12 hours & 15 minutes |
| | 48 | 12 hours & 30 minutes |
| | 49 | 12 hours & 45 minutes |
| | 50 | 13 hours |
| | 51 | 13 hours & 15 minutes |
| | 52 | 13 hours & 30 minutes |

Variable Values

| Value | | Label |
|-----------------|----|-----------------------|
| | 53 | 13 hours & 45 minutes |
| | 54 | 14 hours |
| m24_bisq_19_bb2 | 0 | 30 minutes or less |
| | 1 | 45 minutes |
| | 2 | 1 hour |
| | 3 | 1 hour & 15 minutes |
| | 4 | 1 hour & 30 minutes |
| | 5 | 1 hour & 45 minutes |
| | 6 | 2 hours |
| | 7 | 2 hours & 15 minutes |
| | 8 | 2 hours & 30 minutes |
| | 9 | 2 hours & 45 minutes |
| | 10 | 3 hours |
| | 11 | 3 hours & 15 minutes |
| | 12 | 3 hours & 30 minutes |
| | 13 | 3 hours & 45 minutes |
| | 14 | 4 hours |
| | 15 | 4 hours & 15 minutes |
| | 16 | 4 hours & 30 minutes |
| | 17 | 4 hours & 45 minutes |
| | 18 | 5 hours |
| | 19 | 5 hours & 15 minutes |
| | 20 | 5 hours & 30 minutes |
| | 21 | 5 hours & 45 minutes |
| | 22 | 6 hours |
| | 23 | 6 hours & 15 minutes |
| | 24 | 6 hours & 30 minutes |
| | 25 | 6 hours & 45 minutes |
| | 26 | 7 hours |
| | 27 | 7 hours & 15 minutes |
| | 28 | 7 hours & 30 minutes |
| | 29 | 7 hours & 45 minutes |
| | 30 | 8 hours |
| | 31 | 8 hours & 15 minutes |
| | 32 | 8 hours & 30 minutes |
| | 33 | 8 hours & 45 minutes |
| | 34 | 9 hours |
| | 35 | 9 hours & 15 minutes |
| | 36 | 9 hours & 30 minutes |
| | 37 | 9 hours & 45 minutes |
| | 38 | 10 hours |

Variable Values

| Value | | Label |
|-------------------------------|-----|-------------------------------------|
| | 39 | 10 hours & 15 minutes |
| | 40 | 10 hours & 30 minutes |
| | 41 | 10 hours & 45 minutes |
| | 42 | 11 hours |
| | 43 | 11 hours & 15 minutes |
| | 44 | 11 hours & 30 minutes |
| | 45 | 11 hours & 45 minutes |
| | 46 | 12 hours |
| m24_bisq_11_bb2 | 0 | 0 |
| | 1 | 1 |
| | 2 | 2 |
| | 3 | 3 |
| | 4 | 4 |
| | 5 | 5 |
| m24_bisq_10_bb2 | 0 | No |
| | 1 | Yes |
| m24_bisq_20_bb2 | 1 | Not a problem at all |
| | 2 | A very small problem |
| | 3 | A small problem |
| | 4 | A moderate problem |
| | 5 | A serious problem |
| m24_breastfeed_1_bb2 | 0 | No |
| | 1 | Yes |
| m24_breastfeed_4_bb2 | - 9 | Dont remember |
| | 0 | NA (never fed breast milk) |
| | 1 | 0-6 months |
| | 2 | 7-12 months |
| | 3 | 13-18 months |
| | 4 | 19-24 months |
| | 5 | 25+ months |
| m24_breastfeed_3_bb2 | - 9 | Dont remember |
| | 1 | 0-6 months |
| | 2 | 7-12 months |
| | 3 | 13-18 months |
| | 4 | 19-24 months |
| | 5 | 25+ months |
| m24_childcare_primary_b b2 | 0 | Other |
| | 1 | Myself/childs other parent |
| | 2 | Relative(s) (in or outside my home) |

Variable Values

| Value | | Label |
|-----------------|---|---|
| | 3 | Non-relative care in home (e.g., nanny) |
| | 4 | Home-based day care |
| | 5 | A childcare center |
| m24_ecbq_1_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_2_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_10_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_16_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_17_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |

Variable Values

| Value | | Label |
|-----------------|---|-------------------------|
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_19_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_22_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_23_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_26_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_32_bb2 | 1 | Never |
| | 2 | Very rarely |

Variable Values

| Value | | Label |
|-----------------|---|-------------------------|
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_33_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_ecbq_34_bb2 | 1 | Never |
| | 2 | Very rarely |
| | 3 | Less than half the time |
| | 4 | About half the time |
| | 5 | More than half the time |
| | 6 | Almost always |
| | 7 | Always |
| | 8 | N/A |
| m24_mchat_1_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_2_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_3_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_4_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_5_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_6_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_7_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_8_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_9_bb2 | 0 | No |
| | 1 | Yes |

Variable Values

| Value | | Label |
|----------------------|------|---------------|
| m24_mchat_10_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_11_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_12_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_13_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_14_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_15_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_16_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_17_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_18_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_19_bb2 | 0 | No |
| | 1 | Yes |
| m24_mchat_20_bb2 | 0 | No |
| | 1 | Yes |
| MCHATClass_M24_bb2 | .00 | Low risk |
| | 1.00 | Moderate risk |
| | 2.00 | High risk |
| m24_languages_bb2 | 0 | No |
| | 1 | Yes |
| m24_lang_hearing_bb2 | 0 | No |
| | 1 | Yes |
| m24_lang_vision_bb2 | 0 | No |
| | 1 | Yes |
| asq3_24m_com1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_24m_com4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_com6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_gm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_24m_fm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_fm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_prs6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_24m_ps5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_24m_ps6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_com6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_gm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|-------------------|----|-----------|
| asq3_27m_fm1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_fm6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_prs6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps1_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |

Variable Values

| Value | | Label |
|------------------|------|---|
| asq3_27m_ps2_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps3_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps4_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps5_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| asq3_27m_ps6_bb2 | 0 | Not Yet |
| | 5 | Sometimes |
| | 10 | Yes |
| CutComm_24m_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutGM_24m_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutFM_24m_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutPRS_24m_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |

Variable Values

| Value | | Label |
|----------------------|------|---|
| CutPS_24m_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| CutTotal_24m_bb2 | .00 | Above cutoff - development is not at risk |
| | 1.00 | 1 SD Below cutoff - monitor |
| | 2.00 | 2 SD Below cutoff - refer |
| asq_se_24m_1_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c1__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_2_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c2__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_3_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c3__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_4_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c4__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_5_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c5__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_6_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c6__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------|
| asq_se_24m_7_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c7__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_8_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c8__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_9_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c9__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_10_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c10__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_11_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c11__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_12_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c12__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_13_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c13__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_14_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c14__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------|
| asq_se_24m_15_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c15__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_16_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c16__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_17_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c17__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_18_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c18__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_19_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c19__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_20_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c20__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_21_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c21__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_22_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c22__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-----------------------|----|-----------------|
| asq_se_24m_23_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c23__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_24_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c24__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_25_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c25__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_26_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c26__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_27_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c27__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_28_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c28__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_29_bb2 | 0 | Often or Always |
| | 5 | Sometimes |
| | 10 | Rarely or Never |
| asq_se_24m_c29__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| asq_se_24m_30_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c30__1_bb2 | 0 | Unchecked |
| | 1 | Checked |

Variable Values

| Value | | Label |
|-------------------------------|------|---|
| asq_se_24m_31_bb2 | 0 | Rarely or Never |
| | 5 | Sometimes |
| | 10 | Often or Always |
| asq_se_24m_c31__1_bb2 | 0 | Unchecked |
| | 1 | Checked |
| CutASQSE_24m_bb2 | .00 | Below cutoff - development is not at risk |
| | 1.00 | monitor |
| | 2.00 | refer |
| pdp_success | 0 | No |
| | 1 | Yes |
| pdp_success_12m | 0 | No |
| | 1 | Yes |
| pdp_success_24m | 0 | No |
| | 1 | Yes |
| pdp_mri_24m_twin | 0 | No |
| | 1 | Yes |
| pdp_success_24m_v2 | 0 | No |
| | 1 | Yes |
| pdp_success_24m_v2_36 m | 0 | No |
| | 1 | Yes |
| pdp_3y_scan_twin | 0 | No |
| | 1 | Yes |
| pdp_success_24m_v2_36 m_v2 | 0 | No |
| | 1 | Yes |
| mri_m36_twinscan | 0 | No |
| | 1 | Yes |
| nepsey | 0 | No |
| | 1 | Yes, please specify |
| | 2 | Incomplete |
| | 999 | Not applicable |
| nepsey_bb2 | 0 | No |
| | 1 | Yes, please specify |
| | 2 | Incomplete |
| | 999 | Not applicable |

Datafile Attributes

| | |
|----------------------------|------------------|
| \$VariableView2[01] | name |
| \$VariableView2[02] | type |
| \$VariableView2[03] | width |
| \$VariableView2[04] | decimals |
| \$VariableView2[05] | label |
| \$VariableView2[06] | values |
| \$VariableView2[07] | missing |
| \$VariableView2[08] | columns |
| \$VariableView2[09] | alignment |
| \$VariableView2[10] | measure |
| \$VariableView2[11] | role |