Evidencia dos testes automatizados

CORRETORES - HML

Data atual: 06/12/2019

Hora atual: 02:38:23 PM - hora do Brasil

Endereco IP: 172.19.0.1

Usuario local ou de rede: Auditeste0278

Nome do computador de execucao: DESKTOP-KSGHVHA

GET EM ==> http://172.16.21.30:8080 OK

Acessado a URL: http://172.16.21.30:8080/login

Acessado a URL de Homologação: http://172.16.21.30:8080/login
VALIDAÇÃO OK

GET EM ==> http://172.16.21.30:8080 OK

Verificando : //a[@href='/pre-cadastro/corretora']

VALIDAÇÃO OK

Verificar: CLASSE: steps.CadastreSuaCorretora ==> MÉTODO: queCliqueiEmCadastreSuaCorretora

Ocorreu ERRO no passo: Status Code falhou!

==>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (297, 560). Other element would receive the click: <div class="modal fade wrapper in" id="modalAtualizaContrato" role="dialog" data-backdrop="static" data-keyboard="false" style="padding-left: 17px;">...</div>

(Session info: chrome=78.0.3904.108)

Build info: version: '3.12.0', revision: '7c6e0b3', time: '2018-05-08T14:04:26.12Z'

System info: host: 'DESKTOP-KSGHVHA', ip: '172.19.0.1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_211'

Driver info: org.openqa.selenium.chrome.ChromeDriver

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 78.0.3904.108, chrome: {chromedriverVersion: 78.0.3904.105 (60e2d8774a81..., userDataDir: C:\Users\AUDITE~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}

Session ID: db0f0891227909fac8c45252c5e5d02a.