UK Driving Theory Test: all maps

Complete pack

Preview build · includes maps that have not been fact-checked yet

CONTENTS

1.02 Warning Signs: Junctions, Bends & Layout

2.05 Roundabouts

4.01 Stopping Distances

HOW TO USE THESE MAPS

- Each map covers one topic on one A4 page.
- Read the key facts, study the visual, then cover the answer and try the test question.
- Finish with the traps: they are the mistakes that cost marks.
- The code in the footer (for example 4.01) tells you the area and the map number.

LEGEND

01 Road & Traffic Signs

02 Rules of the Road

03 Motorways

04 Safety Margins & Vehicle Handling

05 Hazard Awareness & Vulnerable Road Users

06 Your Vehicle, Documents & Incidents

LAW LAW marks a legal requirement: The Highway Code says MUST or MUST NOT. Everything else is advice you should follow.

DRAFT

INDEPENDENT REVISION GUIDE

This product is independent and is not affiliated with, endorsed by or connected to the DVSA, the Department for Transport or any government body. It does not guarantee that you will pass the test.

SOURCES AND LICENCES

Contains public sector information licensed under the Open Government Licence v3.0 (The Highway Code; Know Your Traffic Signs).

All practice questions are original and are not taken from the official DVSA question bank.

Traffic sign images: Crown copyright, reproduced under the Open Government Licence v3.0.


© 2026 Test Help. For your personal use only. Please don't share or resell these files. Questions or corrections: {{SUPPORT_EMAIL}}

Warning Signs: Junctions, Bends & Layout

WHAT IT IS Signs that warn you about a hazard ahead, such as a junction, a bend or a change in the road layout. Most are triangles with a red border.

JUNCTION, BEND AND ROAD LAYOUT WARNINGS

Official image pending



KEY FACTS

- Most warning signs are triangles with a red border, a white background and a black symbol.
- Circles give orders, triangles warn and rectangles mostly give information.
- STOP (octagon) and GIVE WAY (upside-down triangle) break the shape rule so they stand out.
- On junction signs, the broader line shows the road that has priority.
- A plate below a sign adds to its message, for example the distance to the hazard.

EASILY CONFUSED

Warning triangle (point up)
- Tells you about a hazard ahead
- Slow down and get ready to react

VS

GIVE WAY (point down)
- An order, not a warning
- Let traffic on the major road go first

HOW IT SHOWS UP ON THE TEST

Q1 What shape are most warning signs?

A Circle
B Triangle ✓
C Rectangle
D Octagon

Why: Triangles warn, circles give orders and rectangles mostly inform. The octagon is used only for STOP.

Q2 On a crossroads warning sign, one line is broader than the other. What does the broader line show?

A The road with priority ✓
B The busier road
C A dual carriageway
D The road you must turn into

Why: The broader line marks the priority route. If you're on the narrower road, expect to give way.

TRAPS

Don't mix up the upside-down GIVE WAY triangle (an order) with warning triangles (a hazard ahead).

The triangular 'roundabout ahead' sign is a warning. The blue circle with three arrows is the mini-roundabout order.

Read the plate under the sign: it can tell you the distance to the hazard or how far it goes on.


SOURCES The Highway Code, Traffic signs: warning signs · Know Your Traffic Signs (DfT), Warning signs

Map 1.02 · v0.1.0 · DRAFT · not yet checked against the official source

Roundabouts

WHAT IT IS A junction where traffic goes round a central island. In the UK it flows clockwise and you give way to traffic coming from your right.

LANES AND SIGNALS AT A FOUR-WAY ROUNDABOUT



1 1st exit · turning left
Signal left and approach in the left lane
Keep to the left and keep signalling left

2 2nd exit · going ahead
Choose the appropriate lane; usually no signal on approach
Signal left after passing the 1st exit

3 3rd exit · turning right
Signal right and approach in the right lane
Keep to the right on the roundabout
Signal left after passing the 2nd exit

- Give way to traffic from your right
- Traffic goes round clockwise
- Signal left
- Signal right

KEY FACTS

- Use Mirrors – Signal – Manoeuvre at every stage and decide on your exit early.
- Give way to traffic from your right, unless signs, road markings or traffic lights say otherwise.
- Follow lane markings. Where there are none, pick the lane that suits your exit.

LAW At a mini-roundabout you MUST go round the central marking (except large vehicles that can't).

- At double or multiple roundabouts, treat each one separately.
- Watch for cyclists, motorcyclists, horse riders and long vehicles on the roundabout.

EASILY CONFUSED

Roundabout
- Raised central island
- Warning sign: triangle with arrows going round

VS

Mini-roundabout
- Painted or slightly raised white circle
- Blue circular sign with three white arrows
- Less space and time: avoid U-turns

HOW IT SHOWS UP ON THE TEST

Q1 You're going straight ahead at a roundabout (2nd exit). When should you signal left?

A As you approach the roundabout
B After passing the exit before the one you want ✓
C Only if there is traffic behind you
D You never need to signal

Why: Going ahead, you don't normally signal on approach. Signal left once you've passed the exit before yours.

Q2 A cyclist on the roundabout is in the left lane and signalling right. What should you do?

A Sound your horn to warn them
B Overtake them quickly on the right
C Give them plenty of room ✓
D Assume they'll take the next exit

Why: Cyclists and horse riders may stay in the left lane and signal right if they're going round. Give them space and let them cross your path.

TRAPS

Going ahead? Don't signal left on approach: signal left only after passing the exit before yours.

A cyclist or horse rider in the left lane may be going all the way round.

Long vehicles may need more than one lane: hang back and watch their signals.


SOURCES The Highway Code, Rules 184–190 (Roundabouts)

Map 2.05 · v0.1.0 · DRAFT · not yet checked against the official source

Stopping Distances

WHAT IT IS The distance your car travels from the moment you see a hazard until it stops: thinking distance plus braking distance.

TYPICAL STOPPING DISTANCES ON A DRY ROAD



KEY FACTS

- Overall stopping distance = thinking distance + braking distance.
- The table is a general guide: a dry road, a car in good condition and an alert driver.
- On faster roads and in tunnels, leave at least a two-second gap to the vehicle in front.
- On wet roads, at least double that gap: stopping distances are at least double.
- On icy roads, stopping distances can be up to ten times longer than on dry roads.

EASILY CONFUSED

Thinking distance
- Grows in step with your speed
- Longer if you're tired, distracted or have been drinking

VS

Braking distance
- Grows much faster than your speed
- Longer on wet or icy roads and with worn tyres

HOW IT SHOWS UP ON THE TEST

Q1 You're driving at 50 mph on a dry road. What is the typical overall stopping distance?

A 23 metres (75 feet)
B 36 metres (118 feet)
C 53 metres (175 feet) ✓
D 96 metres (315 feet)

Why: At 50 mph: 15 m thinking + 38 m braking = 53 m (175 feet).

Q2 The road is wet. How much space should you leave to the vehicle in front, compared with a dry road?

A The same gap
B At least double the gap ✓
C Half the gap
D One extra car length

Why: Stopping distances at least double in the wet, so the two-second gap becomes at least four seconds.

TRAPS

Don't confuse braking distance with overall stopping distance: add the thinking distance.

The table is for good conditions. Wet roads, ice, worn tyres or a tired driver all make it longer.

Double the speed is far more than double the distance: 30 mph is 23 m, 60 mph is 73 m.

SOURCES The Highway Code, Rule 126

Map 4.01 · v0.1.0 · DRAFT · not yet checked against the official source