# Practical Exercise 8

If you have not completed all previous exercises, refer to the JADE Developers Course, Practical Exercise 8 for details of schema files you can load at this point.

Running the Transactions and Locking Application

1. Switch to the Schema Browser by clicking the ⬚ button.

2. Select the **TransactionsAndLocks** schema as shown.

3. Right click on the ➡ run application button. Two copies of the **TransactionsAndLocks** application start.

4. Arrange the two windows as shown above.

Lock Types

Try the following situations using the **Instructions** tab.

5. Use both applications and try to acquire a shared lock on the same object. Now do the same for a reserved lock. What happens? Try setting an exclusive on the same object. What type of locks can you set if an object already has a shared lock? What about a reserved or exclusive lock?

6. Summarize your results in the following table.

	Shared	Reserved	Exclusive
Shared			
Reserved			
Exclusive			

Read Transactions

7. Select the **Example 3 – Read Transactions (1)** method from the combo box on the **Workspace** tab. Execute the method and take note of which objects are being locked.

8. Now select the **Example 4 – Read Transactions (2)** method from the combo box. Execute the method. Which objects are being locked now and why?

9. Can you run the **Example 4 – Read Transactions (2)** method in both processes at the same time?

Update Transactions

10. Select the **Example 1 – Update Transactions (1)** method from the combo box on the **Workspace** tab. Execute the method. Which objects are being locked and why?

11. Can you run this method in both processes at the same time?

Collection Methods

12. Select the **Example 6 – Collection Methods** method from the combo box on the **Workspace** tab. Execute the method and note which objects are being locked.

Iterator Methods

13. Select the **Example 7 – Iterators (1)** method from the combo box on the **Workspace** tab. Execute the method and note which objects are being locked.

14. Now select the **Example 8 – Iterators (2)** method and execute it. Which objects are being locked now and why?

15. Can you run the two methods at the same time?

Lock Durations

16. On the **Instructions** tab, select an account object and lock it with a shared transaction lock. Click the **beginTransaction** button followed by the **commitTransaction** button. What happened?

17. Now select **Session** duration and repeat the transaction. What happened this time?

18. Try using the **abortTransaction** button instead of the **commitTransaction** button. Is there a difference in behavior?

19. Repeat the steps using **beginLoad** and **endLoad**. What did you observe?

20. Repeat the steps using **beginLock** and **endLock**. What did you observe?

Deadlock

21. On the left side, lock the first account with a reserve lock. Have the second account selected.
    On the right side, lock the second account with a reserve lock. Have the first account selected.
    On the left side, click the Lock button, then quickly click the Lock button on the right side. What happens?

22. Close both copies of the **TransactionsAndLocks** application.

Code an isInputOK Method

23. In the BankingViewSchema, select the CustomerDetails class.

24. Select the **Methods | New Jade Method …** menu command. Complete the
    Jade Method Definition dialog as shown and click the **OK** button.

25. Code the method as shown below:

```
isInputOK() : Boolean;

vars
    ok : Boolean;
begin
    ok := true;
    if txtLastName.text = null then
        txtLastName.setFocus();
        statusLine.caption := 'Please enter a last name';
        ok := false;
    elseif txtFirstNames.text = null then
        txtFirstNames.setFocus();
        statusLine.caption := 'Please enter first names';
        ok := false;
    elseif txtAddress.text = null then
        txtAddress.setFocus();
        statusLine.caption := 'Please enter an address';
        ok := false;
    endif;
    return ok;
end;
```

26. Press the F8 key to compile the method. You should see a message
    "Compilation complete – no errors".

Code a clearTextBoxes Method

27. Select the **Methods | New Jade Method …** menu command. Complete the **Jade Method Definition** dialog as shown and click the **OK** button


28. Code the method as shown below:

```
clearTextBoxes();
begin
    txtAddress.text := null;
    txtFirstNames.text := null;
    txtLastName.text := null;
end;
```

29. Press the F8 key to compile the method. You should see a message **"Compilation complete – no errors".**

Modify the btnOK_click Method

30. Select **btnOK** in the middle pane of the Class Browser, and select **click** in the right pane of the Class Browser as shown below.

31. Code the method as shown below:

```
btnOK_click(btn : Button input) updating;

begin
    if not self.isInputOK() then
```

```
            return;
        endif;

        self.createCustomer();
        self.clearTextBoxes();
        statusLine.caption := 'Customer added';
        txtLastName.setFocus();
    end;
```

32. Press the F8 key to compile the method. You should see a message
    "Compilation complete – no errors".

33. Open the app with your shortcut and try add in a new Customer with only a last name and first name.
    What happens?